

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/










·			
	·		
	,		





A DICTIONARY

OF

ENGLISH PLANT-NAMES.

BY

JAMES BRITTEN, F.L.S.

(DEPARTMENT OF BOTANY, BRITISH MUSEUM)

AND

ROBERT HOLLAND.

LONDON:

FOR THE ENGLISH DIALECT SOCJETY, TRÜBNER & CO., LUDGATE HILL.

1886.

RICHARD CLAY AND SONS,
BREAD STREET HILL, LONDON,
Bungay, Suffolk.

112795



 $\langle \, , \, \rangle \,$

22

INTRODUCTION.

VERY opposite opinions have at times been expressed as to the value of the English names by which our wild, and many of our cultivated, plants are known. A writer in 'Science Gossip' of November 1868, made the following remarks:—

"Having plucked a little blue flower in a garden in Wiltshire, I was incautious enough to ask the proprietor, an owner of many water-meadows, to tell me the name of this pretty and fragrant leguminous plant. With a smile of compassion at the ignorance of his London guest, my friend informed me that it was 'only a bit of old sow.' I thanked him, but felt decidedly humiliated—and not much wiser than before. Why should this plant be called 'old sow'? and what knowledge of its nature and properties is communicated by such a name? and, above all, why should this agrarian philosopher look upon me with contempt because I am ignorant of what probably constitutes his whole knowledge of it—its vulgar name?"

After drawing a comparison between what he calls vulgar English names and the nomenclature of science, the writer goes on to say:—

"An examination of the common or vulgar terms applied to plants and animals will at once introduce us to a complete language of meaningless nonsense, almost impossible to retain, and certainly worse than useless when remembered,—a vast vocabularly of names, many of which signify that which is false, and most of which mean nothing at all."

Turning from this rather strong denunciation of provincial names it is rather a relief to read the opinion of another writer in the

- 'Cornhill Magazine' of July 1866, who says apropos of plantnames:—
 - "Science cannot, at present, afford to throw hard words at provincialisms. Too often, in her nomenclature, has she failed to-interpret Nature; too often given us only the skeleton leaf instead of the flower. A long list of provincialisms might be given, where by a word a whole train of associations is aroused, and the close relationship of all things shown Many of our most expressive terms are fast dying out, as schools are built, and schoolmasters increase, so will the old words perish in the struggle with the new."

A conviction that the study of the common or vulgar names applied to plants by no means "introduces us to a language of meaningless nonsense," but is in reality of the highest interest, induced us first to commence the collection of the archaic and provincial names of plants, and afterwards to put these old-world words on permanent record in the pages of this Dictionary, ere they should perish "in the struggle with the new." A systematic study of the "vast vocabulary" of English Plant-Names soon convinced us that there are, as a matter of fact, very few which signify "that which is false," and still fewer "which signify nothing at all;" and even of these it is probable, nay, certain, that it is only our own ignorance of the oldworld language, the old-world thought, and the old-world associations, that prevents our knowing the meaning of every old-world name. This vast vocabulary had a significance for those who first invented the names, and would have a meaning for us also, if we could only look far enough back into the past to be able to trace them to their origin. Of the names, and they are many, of which there is no doubt as to their derivation and meaning, the appropriate character is at once seen; and this holds good even with the "bit of old sow," a name which happens to be of particularly happy application. The blue leguminous plant is Melilotus carulea, which, according to Morton's 'Cyclopædia of Agriculture,' "has a singularly porcine odour, . . . and is the plant which gives the peculiar flavour to Schapziger cheese."

Any opposite opinions that exist as to the relative value of vernacular and scientific names seem to arise out of a misconception of the use of both. There is not, and there cannot be, any real antagonism between them; and it would be quite impossible to substitute one for the other. Science is cosmopolitan, and must have a universal language, intelligible to the scientific students of all countries, hence the necessity of the systematic Latin nomenclature that has been agreed upon and adopted. To try to substitute a system of English nomenclature for English students is impossible. We have only to turn to the Index of Latin Names with their English equivalents that is attached to this Dictionary to be quite sure of this. Caltha palustris, for instance, we find recorded about fifty different English names that are, or have been, in use in various counties. The names vary even in different parts of the same county, sometimes in neighbouring parishes; and frequently the plant is absolutely known by two or three names in the same place. Under Lychnis diurna we have recorded twenty-nine or thirty names; and it is the same with hundreds of other plants; indeed, it is quite the exception for plants to have only one English name; so it may readily be conceived how extremely difficult the sole use of English names becomes; because any one of the vernacular names may convey but a very vague notion of the plant intended, or no notion at all, to the inhabitants of the next county,—sometimes even of the next parish.

Again, if we turn to the pages of the Dictionary itself, we shall find that the converse takes place, and that the same English name is often given to a considerable number of different plants. The name Cuckoo-flower, for instance, is given, in different counties, to at least ten plants, many of which are of the most opposite characters, habits, and aspect, but all perhaps agreeing in one respect, namely, that they make their appearance about the time when we first hear the notes of the Cuckoo in the spring. Even the familiar name Cowslip is by no means confined to one species; but a reference to the dictionary will show that it is applied to eight or nine different plants; besides all the various kinds of Cowslip that are also mentioned. No less than twenty-one species rejoice in the name of

Buchelor's Buttons; so that if we adopted Cuckoo-flower, Cowslip, or Bachelor's Buttons, as recognised English botanical names, they would convey a very inadequate notion of the plants intended. All attempts which have at times been made to establish a systematic English instead of Latin nomenclature have resulted, and must result, in complete failures.

The object, then, of collecting and studying the English names of plants, is not to introduce a system of English nomenclature to the botanical student; but to rescue from oblivion a vast number of old-world words, derived from a variety of languages, and therefore often carrying us back to the early days of our country's history, and to the various people who, as conquerors or colonists, have landed on our shores, and left an impress on our language. Many of these old-world words are full of poetical associations, speaking to us of the thoughts and feelings of the old-world people who invented them. Others tell us of the ancient mythology of our ancestors; of strange old medicinal usages; of superstitions now almost forgotten; they appeal, in short, not to the botanist, but to the antiquarian and the philologist; and form a not unimportant chapter in the history of our language.

As early as the year 1865 one of the compilers of this Dictionary contributed to 'Science Gossip' an article on Local Names, which, probably, gave to both of us the first idea of making a collection of the vernacular names of plants. This we began to do systematically about the year 1868, and it was very soon apparent to us that the subject was not only one of considerable interest, as indeed Dr. Prior's important volume on 'The Popular Names of British Plants' had already made evident, but also that a large number of names were in use amongst the agricultural population which were not generally known, and were still unrecorded. Our intention was, therefore, to publish a work which should in some degree supplement Dr. Prior's volume by including provincial words which had not found their way into botanical books, and various others which he designedly excluded; and which should aim rather at being a readable résumé of what was known upon the subject, than an alphabetically arranged list of names with their scientific equivalents.

A conviction that the subject thus popularly treated would occupy a far greater amount of space than we had at first supposed, grew upon us as our stock of names accumulated; and the idea of such a work was, at any rate temporarily, abandoned. But we were anxious that the result of so much labour should be rendered available for workers in the same field; and it resulted in a determination to issue our collection of plant-names in a dictionary form.

Nothing quite similar has hitherto been attempted in this country; for Dr. Prior's work chiefly includes recognised book-names rather than such as are in the mouths of the country people; indeed, he expressly states that he omits "provincial words that have not found their way into botanical works." We have included not only the vernacular names which are (so far as we know) unpublished, and others which occur in such dictionaries as those of Halliwell and Wright, and in the glossaries and vocabularies of various counties and districts, including all which, up to the present time, have been published by the English Dialect Society; but also the names by which British plants are mentioned in the works of the older botanists, many of which, although then in actual use, are now altogether discarded. We purposely exclude names which have been deliberately coined by living or recent writers, of which numerous examples may be found in Mr. Bentham's 'Handbook of the British Flora'; nor do we include the bare translations of Latin names which occur in Syme's 'English Botany' and other standard works, but which have no claim whatever to be regarded as English, being, as Dr. Seemann observed, "often quite worthless renderings of scientific names, not such as are used by the people.1 'Four-leaved Polycarp' and 'Opposite Chrysosplene,' 2 as English equivalents for Polycarpon tetraphyllum and Chrysosplenium oppositifolium may be taken as examples of the class of name to which we refer. We have also purposely excluded a few names which, though graphic in their construction and meaning, interesting from their antiquity, and even yet in use in certain counties, are scarcely suited for publication in a work intended for general readers.

^{1 &#}x27;Journal of Botany,' 1869, p. 334.

Bentham's 'Handbook of the British Flora.'

Besides the names of wild British plants, some of those of our old garden favourites and of many of our culinary plants, which from antiquity or general use may claim to be considered as really *English* Plant-names, are included. The scientific equivalents are given in almost every instance in preference to the generally-received or English book-names; it is believed that by this means greater accuracy has been ensured, and that the Glossary of Plant-Names will thus be rendered more really useful.

In collecting and collating the plant-names which occur in dictionaries and glossaries we have had considerable difficulties to encounter. One of the principal of these lay in the misapplication of the scientific names of plants; and it is often only after much labour that the necessary correction has been made, and the plant intended identified. Halliwell and Wright are in the main satisfactory on this head; but with such dictionaries as, for example, Holloway's, the task has not been a light one, and could only have been executed by a person possessed of some technical botanical knowledge.

To the appeals which we, from time to time, made for assistance in collecting the names in use in various counties we had an ample response. The subject of Plant-names appeared to have created a wide-spread interest, and lists were sent to us from all parts of the kingdom; and by the kindness of our correspondents, to whom we here tender our warmest thanks, we have been enabled to add much to the interest, and indeed the originality, of our Dictionary, by including a very large number of local names which, so far as we know, do not occur in any other published work. Our helpers have been so numerous that it is impossible to acknowledge them in detail; and if we have not added a list of their names, we must ask them to believe that it is not from any want of gratitude on our part, or appreciation of their valuable help, but from a conviction that amongst so great a number, and out of the piles of letters which we have received during the last fifteen years, many mistakes would have occurred, and we should unwittingly have omitted some whose names ought to have been included. But even with the valuable assistance we have had, it is certain that many omissions of plant-names and defects will be detected, and we shall esteem it a favour still to have them pointed out to us, so that corrections and additions may be entered in a future edition, should one be required. It will be observed that some counties are very sparingly represented; also that many names are given as if restricted to two or three districts, whilst they are really in much more general use than this would seem to imply. A reference to a county placed after a name signifies that we know the name is used in that county, but it must not be supposed to imply that its use is necessarily restricted to the district indicated.

The principal works which have been consulted, and from which quotations have been made, and the abbreviations used in indicating them in the body of the work, appear in a separate list, which is unfortunately printed on the first sheet of the Dictionary, and therefore cannot now be replaced by one corrected up to the present date. Since the publication of the first part many other works have been consulted, and it has therefore been necessary to print an additional list. With respect to the names included in the Dictionary, we have always endeavoured to give a reference to their earliest occurrence in print; but defects in the carrying out of this plan have doubtless occurred. We have not attempted to include systematically the various lists of plant-names existing only in manuscripts written prior to the invention of printing; although when these have subsequently been printed (as in the 'Promptorium Parvulorum' and in Cockayne's 'Leechdoms') we have frequently quoted and referred to them. We have not felt it desirable to attempt an explanation of all, or indeed of the majority of the names we include. Many speak for themselves; many have been ably and exhaustively investigated in Dr. Prior's work; and some do not, with our present knowledge, appear capable of explanation. We have, however, added explanatory notes wherever local information enabled us to do so satisfactorily; and we have occasionally commented upon some of the derivations given by Dr. Prior. To the second edition of his work, which must always be regarded as the standard authority upon English plant-names philologically considered, a reference is made after each name which he includes, for the convenience of those who may wish to study the derivations he has given.

A fear of making our Dictionary too bulky has prevented us from tracing at any length the similarity of plant-names in the various European languages, although much interesting matter has come before us in connection with this point, as well as in regard to the adaptation by colonists to the flora of foreign lands of the plantnames familiar to them at home. Should, however, a polyglot dictionary of plant-names ever be undertaken, we are not without hope that the present work may be found worthy of attention as representing the popular nomenclature of the flora of this country. With regard to such a polyglot work, it may be noted that two volumes have already appeared which aim at supplying what many persons have felt to be a want: viz the 'Internationales Wörterbuch der Pflanzennamen in Lateinischer, Deutscher, Englischer, und Französischer Sprache,' by Dr. Wilhelm Ulrich (Leipzig: 1872); and the 'Catalogo Poliglotto delle Piante,' by the Contessa di San Giorgio (Florence: 1870). Unfortunately, neither of them is at all satisfactory, the names included being apparently merely collected from ordinary botanical text-books, which, as we have already stated, are generally mere translations of the Latin equivalents, and in no sense folk-names, while some even of the most generally received of English vernacular names are omitted. Earlier attempts at a polyglot dictionary of plant-names have, however, been made, regarding which we may be permitted to quote the following passages from a notice contributed by one of us to the 'Journal of Botany' for 1873, pp. 280-283:—

"As long ago as 1682, Mentzelius published a folio 'Index nominum plantarum universalis,' which is pretty satisfactory as far as it goes, though of comparatively little practical use on account of its ante-Linnean nomenclature. So far as we know, Nemnich's 'Allgemeines Polyglotten-Lexicon der Natur-Geschichte' is still the most comprehensive dictionary of the kind which we possess, although published as long ago as 1793; and this notwithstanding the appearance of others of more recent date. It is, however, somewhat remarkable that at least three botanists of note have at different

times occupied themselves in collecting plant-names, and that the results of their labours in each case remain unpublished. Gaertner, during his residence at St. Petersburg, compiled a dictionary of them, of which we have been unable to discover any details. A 'Dictionnaire des Noms vulgaires des Plantes,' compiled by Moritzi, with the assistance and under the direction of the elder De Candolle, is in the library of the De Candolles at Geneva, and is probably the most complete in existence so far as arrangement and convenience of reference are concerned. This was arranged for publication, and a prospectus and specimen of the work were issued. Unfortunately its magnitude, embracing as it did 'the names of plants in sixty different languages or dialects, from French, English, and other European languages, to Chinese, Sanskrit, Mexican, &c.' 2 prevented the publishers to whom it was offered from undertaking its production. Something of its value and completeness may be gathered from the description given of it in the memoir already cited: 'It is an immense work, executed with great care, and of which the publication would have an interest at once botanical, philological, and geographical. Botanists would avail themselves of it in utilising the descriptions of travellers. Philologists would delight to trace the origin and filiation of the names of plants from one language to another. Readers of travels, agriculturists, traders who receive the products of foreign countries, would find here the explanation of many of the names which puzzle them.' This 'Dictionnaire' is frequently quoted in De Candolle's 'Géographie Botanique.' Lastly, the late Dr. Seemann had, as is well known, devoted much time and care to the collection of these vernacular names. He entertained strong views as to their importance,3 and from his extensive philological knowledge was admirably fitted to carry out the task which he unfortunately did not live to complete."

English Plant-names are derived from many languages—Latin, Greek, Ancient British, Anglo-Saxon, Norman, Low German, Swedish, Danish, Arabic, Persian. The Latin and Greek names

¹ See Pritzel, 'Thesaurus Botanicum,' p. 202, No. 7204.

² Alph. De Candolle, 'Biographie de M. Moritzi,' Arch. des Sciences Physiques et Naturelles de Genève. xv. p. 6.

³ See 'Journ. Bot.' 1869, 333—336.

were generally introduced, with the knowledge of the plants themselves, by the monks, and have either become anglicized, or have been simply translated. Thus the old Latin names Plantago, Bietorta, Medicago, Rosa, Saxifraga, have become Plantain, Bistort, Medick, Rose, and Saxifrage. The Greek Κορίσντον, 'Ασφόζελον, and Χελιδόνιον, have become Coriander, Daffodil, and Celandine. Coral-root, Leopards-bane, Spleen-wort, and such like are mere translations from the Greek.

Probably very few names have survived from the language of the ancient British inhabitants of these islands, except where varieties of the so-called Celtic language are still spoken, as in Wales, the Highlands of Scotland, Ireland, and the Isle of Man. There many of the old names are used, but we have not, as a rule, included them, because they are not strictly English, nor have we included old Cornish names, as these are now, with very few exceptions, obsolete. But even where the Celtic language is spoken a large proportion of the plant-names appear to be only translations of the Latin names met with in the herbals of three hundred years ago. Dr. Prior considers that only one name, Maple, can be distinctly referred to the language of the ancient Britons. It seems probable, however, that Kex, Grig, Wormwood, Gromwell, Fluellin, and some few others, may very fairly be added to the list.

A much longer list of names may be referred to the Anglo-Saxon. Instances will be found in Hawthorn, Hague, Herif, Couch, Scutch, Quicken, Skeatlegs, Groundsel, and many others. All names ending in "lock" or "lick" are derived from the Anglo-Saxon. In many of these Anglo-Saxon words, as indeed in all names, it is interesting to trace the gradations from the ancient to the modern form. Skeatlegs, the Kentish name of the Early Purple Orchis, Orchis mascula, is a particularly interesting example of the meaning of a name. The A. S. word scat, or scat, meant any description of wrapping, or swathing, such as a sheet, which is from the same word; sceata meant a woman's skirt, and scard, a loose sheath. The appropriateness of the name Sceat-legs to most of the orchises will be easily recognised, as it exactly describes the stem or "leg" partially enveloped, as it always is, in a sheathing leaf; and this is an excel-

lent example of the way in which a name, apparently meaningless, may be shown to have really arisen in a natural peculiarity of the plant to which it applies.

Many north-country names are derived from Swedish and Danish sources. A most interesting example occurs in the word Kemps, a name applied in Scotland to the black heads of the Ribwort Plantain, Plantago lunceolata. We find the origin of this name in the Danish kæmpe, a warrior. The reason of the name is found in the game which children in most parts of the kingdom play with the flower-stalks of the plantain, by endeavouring to knock the heads off each other's mimic weapons. In the north, rushes are called Seaves, which is referred to the Danish siv, or the Swedish sæf, meaning a rush. The Rowan-tree, Pyrus Aucuparia, with all its varieties of spelling and pronunciation, comes from the Danish rönn, Swedish runn, which is traceable to the "Old Norse runa, a charm, from its being supposed to have power to avert the evil eye"—(Prior).

Several of our commonest plant-names are obtained from the Low German or Dutch; as, for instance, Buckwheat, *Polygonum Fagopyrum*, from Du. *bockweit*. Brown-wort, one of the names for the two species of *Scrophularia*, is perhaps from German *braunwurtz*, in allusion to their brown-coloured stems and flowers. Dr. Prior, however, favours a different derivation.

Names of French origin are more frequent. A familiar instance is Dandelion, from Fr. dent-de-lion, lion's tooth, although the reason for the name is not satisfactorily known. So Framboys, an old Dorsetshire name for the raspberry, is unmistakably French. Mushroom is an anglicised form of the French mousseron. Champilion and Champeron are also forms of the French Champignon. Tutsan, a name of one of the St. John's Worts, which becomes in Buckinghamshire, Tipsen-leaves, and Touch-and-heal, and in Hampshire Touchenleaves, is a corruption of the French toute saine, and is given to the plant on account of its reputed healing properties.

Naturally there is not a long list of names derived from Arabic or Persian, but from the former Barberry may be adduced as an instance, and from the latter Lilac and Tulip. The introduction to Dr. Prior's volume gives an admirable sketch of the various languages from which our plant-names have been derived, and the way in which they have reached us, rendering it unnecessary for us to give more than the above outline. For further information on this interesting and important part of the study we must refer our readers to Dr. Prior's exhaustive dissertation. To repeat what he has so well expressed would be superfluous.

There are, however, several other classes of English Plant-names which require to be noticed; names which describe the structure, habits, peculiarities, and properties of plants; dedicatory names; names which perpetuate almost forgotten superstitions, &c.

Any one who turns over the pages of the Dictionary will be struck with the number of names which embody those of animals. many cases it is from a resemblance, or fancied resemblance, to some part of the animal named. The tail-like inflorescence of many species has suggested a considerable number of these names, as Mouse-tail, Cat's-tail, Dog's-tail, Horse-tail, Squirrel-tail, Hare's-tail, Rat's-tail. The gaping corollas of the Snap-dragons, and other plants which have what are known botanically as personate flowers, have suggested such names as Rabbit's-mouth, Lion's-snap, Dog's-mouth. the name Snap-dragon itself is from the Dutch sneb, a snout, so that it literally means Dragon's-snout. Such names as Crane's-bill, Heron's bill, and Stork's bill, have originated in the long beak-like seed-vessels which characterise the Geranium tribe. Hart's-tongue, Ox-tongue, Lamb's-tongue, Adder's-tongue, and others of a like character, describe for the most part plants with long tongue-like leaves. In the Adder's-tongue it is the spike of fructification springing from a somewhat sheathing leaf which suggests a resemblance to the tongue of the reptile. Colt's-foot, Foal-foot, Bull's-foot, Horse-hoof, Cat's-foot, relate to the shape of the leaves of various species; while several of the leguminous plants which have long, claw-like pods radiating from one point, have received such names as Bird's-foot, and Bird's-foot Trefoil; and the long projecting nectary of the Delphinium and the claw of the Toad-flax flower have given rise to such names as Larkspur, Lark's-claw, Lark'sel, &c. It is needless to extend the list of this very numerous class

of names; generally, they describe the peculiarities of the plants with such a fair amount of accuracy that there is no mistaking their meaning.

In many cases, however, the name of an animal prefixed has a totally different signification, denoting size, coarseness, and frequently worthlessness or spuriousness. The prefixes Bull, Horse, Ox, &c., frequently indicate size, as in Bull-rush, Bull Daisy, Ox-lip, Horse Daisy. Dr. Prior, however, assigns a different meaning to Bull-rush. Horse Chestnut may mean either a coarse or a spurious kind of Chestnut. Dog and toad very often mean that which is worthless or spurious, as in the case of Dog Violet, a violet which is worthless, from having no perfume like the real violet; Dog-elder, a shrub which superficially resembles an elder-tree, but proves to be something totally different. Dog-rose probably belongs to this list, although it may mean a rose bearing a great number of prickles. Dog Parsley is a worthless, poisonous plant, somewhat resembling true parsley. Toad in like manner frequently means spurious, as in Toad-flax, a plant which, before it comes into flower, bears a tolerably close resemblance to a plant of the true flax. The same prefixes, however, very frequently relate to the animals themselves, so that the appearance and habits of the plant must be taken into consideration in determining the exact signification of a name.

A great number of plant-names may be called dedicatory, and embody the names of many of the Saints, and even of the Deity. The latter, however, are very few in number, owing perhaps to a sense of reverence: and God Almighty's Bread and Cheese; God's Eye; God's Grace; God's Meat; Our Lord's, or Our Saviour's, Flannel; Christ's Hair, Christ's Herb, Christ's Ladder, Christ's Thorn, Holy Ghost, and Herb Trinity make up almost the whole list. Not so with the Blessed Virgin Mary, to whom a great number are dedicated under her name of "Lady" or "Our Lady." A reference to the names under the word "Lady" in the Dictionary will show how very numerous these are. Several of the names connected with the Blessed Virgin Mary, as Virgin Mary's Cowslip, Virgin Mary's Milkdrops, Mary's Tears, Virgin Mary's Pinch, perpetuate some charmingly interesting legends which will be found recorded under the various names.

Many other Saints have received a similar recognition; very often because the plants named after them come into flower about the time that their festivals are kept. Many of these names are, of course, like the festivals themselves, transferred from heathen deities to Christian saints; others, however, are directly Christian in origin.

Then the devil has come in for a large share of plant nomenclature; and in a great majority of cases this has arisen, as one would naturally suppose, from some real or reputed bad qualities possessed by the plants which bear his name. Allied to these, perhaps, are the names, a tolerably numerous class, in which the words "Fairy" and "Witch" enter.

A very interesting class of names are those which point to some real or supposed medicinal virtue, more frequently, perhaps, an imaginary virtue, formerly implicitly believed in by physicians, and even yet receiving much credit at the hands of the country people, who study the old herbals, and in the North of England at any rate, collect vast quantities of medicinal plants. Thus the daisy was called Banwort, because according to Turner "it helpeth bones to knyt agayne." Knit-back and Backwort were names applied to the Comfrey, from a supposition that it was useful in cases of pains in Coughwort, Eyebright, Squinancy Berry, Spleenwort, the back. Whitlowgrass, Pilewort, and hundreds of others, speak of old medicinal uses. Amongst this class of names the most interesting are those which illustrate the old doctrine of signatures, and of such Lungwort, Throatwort, Spleenwort, Pilewort, Jaundice Tree, may be taken as examples.

A considerable number of names point to bits of folk-lore, and strange superstitions. Fairies' Horse, an Irish name for Senecio Jacobæa, perpetuates the belief that certain plants if trodden upon will turn into horses and carry you about during the night; Motherdee, a name applied in Cumberland to Lychnis diurna, and in Cheshire to Torilis Anthriscus, points to a superstition amongst children that if they pluck the flowers death or some misfortune will happen to their parents. In Cheshire, however, whilst the name remains, the superstition appears to be forgotten. Of another plant, Veronica Chamædrys, the same legend is related in Yorkshire, but

the ominous name is not applied. Many of these interesting superstitions in connection with plant-names will be found noticed in the following pages.

Many names, such as Fat-hen, Hunger-weed, Clay-weed, Sandwort, point to good or bad qualities, and the agricultural capabilities of the soil. There are such a number, of the nature of Hungerweed, Pick-purse, Pickpocket, Poverty-weed, and similar names, which relate either to the extremely poor kind of soil in which they grow, or to the fact that they are plants which greatly injure the farmer by impoverishing the soil, that a long list might be cited of what may be said to form a distinct class of "poverty plants."

There are other classes which might, doubtless, be mentioned, but the foregoing sketch will be sufficient to show the principal points of interest which attach to the study of plant-names. One more point in connection with them remains to be noticed, namely, the very great number of peoples' names which appear to be derived from those of trees and flowers. How this has arisen it is difficult to say, but the following list of family names which we have from time to time made a note of, as we have met with them, shows that they are very numerous; and the list is by no means exhaustive. That they are all actually derived from plant-names is perhaps too much to say, for many doubtless have more than one meaning; they are at any rate similar to plant-names, or to the names given to various parts of plants.

Of parts of trees or plants we have :-

Berry, Branch, Budd, Bush, Cornes, Flower, Frith, Green-leaves, Plant, Pollard, Rice, Roots, Seeds, Stock, Thorn, Tree, Twigg, Wood.

Of trees and shrubs :-

Ash, Aykbowm, Birch, Broome, Brummel, Coling, Crabtree, Eychboom, Furze, Gale, Gorst, Gribble, Hawthorne, Hawtree, Hay, Heckthorne, Hollins, Holme, Maple, May, Oakes, Rose, Rosenbaum, Rowntree, Sycamore, Wickens.

Of fruits:-

Ackers, Avelin, Cherry, Crab, Coine, Fraser, Hague, Haigh, Merry.

1

Of flowers :-

Arinstrong, Bent, Bennett, Bibby, Blaver, Blewitt, Boon, Boutflower, Burdock, Cadle, Calthrop, Cash, Cockle, Cole, Couch, Daffy, Darnell, Drew, Emry, Ferne, Fitch, Gallon, Golland, Gow, Grass, Harrop, Heath, Kelk, Kellock, Lavender, Lever, Leversedge, Lilly, Liversage, Liversedge, Marigold, Millet, Moss, Mosscrop, Oates, Onion, Primrose, Ramsey, Reed, Roughsedge, Rush, Sanctuary, Sowler, Spiers, Ware, Weir, Weld, Woodruff. It has been found desirable to add an Index to the Dictionary, concerning which it may be necessary to say a few words. Not only is the same name applied, in many cases, to a number of different plants, as appears in the body of the work, but frequently a plant has received a very great variety of names in different counties, and sometimes even in neighbouring parishes. The Index, therefore (in the compilation of which Miss Beth Alcock has given valuable help) illustrates this rather interesting phase of our subject. In it the various English names of each plant are brought together under the scientific designation; by this means the different names of any species may be ascertained at a glance. In some cases, however, where the English equivalent is applied indiscriminately to several species of a genus, the name of the genus only is given. Several of the names, too, which appear in the Dictionary, are applied only to some particular part of the plant, as for instance such words as Atchern and Eglet, which refer to the fruit of the oak and the hawthorn respectively, and not to the trees which bear them. In these cases, with a view to condensing as much as possible, this is not stated in the Index; but such partial application of a name will be found fully explained in the body of the work.

No one can be more conscious than the compilers of the many short-comings of the present work. They, however, venture to hope for a verdict which, if not favourable, shall at least be lenient. It is the outcome of much labour and time, which neither author could well spare from more pressing duties: and it is their hope that it will at any rate serve as a contribution to any work of the kind which the future may have in store.

BIBLIOGRAPHY.

THE following is a list of the principal works with which we are acquainted, which are devoted wholly, or in considerable part, to the subject of Plant-names: most of them have been seen by us. Many German, French, and other local floras contain plant-names incidentally, sometimes in large numbers, but these we do not include: nor has it been possible to refer, except occasionally, to the numerous papers on the subject scattered through English and foreign periodicals. The English local floras which deal with the subject are included in our list of books consulted. We do not flatter ourselves that this enumeration is complete, but it is probably the fullest that has yet appeared.

- AASEN, J. Norske Plantenavne. Copenhagen? 1860. 8vo.
- Ambodik, Nestor Maximovitsch. Novum Dictionarium Botanicum, Rosso-Latino-Germanicum. Petropoli, 1808. 4to. pp. 117. (Arranged under Russian names.)
- Ascherson, P. Index nominum vernaculorum in hoc opere admissorum. 'Flora Orientalis,' iv. 825—839. 1884. Includes Persian, Turkish, Arabic, and Greek names.
- Azais, G. Catalogue botanique; synonymie languedocienne, provencale, gasconne, quercinoise, &c. Beziers, 1871. 8vo.
- Barthes, M. Glossologie botanique languedocien, français, latin. Montpelier, 1873-6. 8vo.
- Belleval, Charles de. Nomenclateur botanique languedocien.
 [Annuaire de la Société d'Agriculture du Dept. de L'Hérault,
 1840. pp. 65—113.]

- Bracciforti, A. Dizionarietto botanico piacentino-latino. Planenza, 1877, 16mo.
- Buls, Ch. and Vanderkindere, L. Quelques mots sur l'etude des noms populaires des plantes en Belgique. Buil. Soc. Bot. Belg. iii. (1864), pp. 208—219.
- CAMERON, JAMES. Gaelic Names of Plants (Scottish and Irish), collected and arranged in scientific order, with notes on their etymology with copious Gaelic, English, and scientific indices. Edinburgh and London, 1883. 8vo. pp. ix. 130.
- CAMAVEN-CACHIN. Flore Romano-Castraise: Liste des principaux moma patois. Bull. Commissien des Antiques, des Sciences, et des lettres du Département du Tarn. Vol. v. Also in J. Bel's Nuuvelle Flore du Tarn,' pp. 352—356 (1885).
- CHITTE, H. C. Botanical Dictionary in Tamil. Madras, 1844. 8vo.
- t NA.A. Atornio. Herbarium Pedemontanum. Turin, 1837. Vol. viii. (4to.) contains 'Index nominum vernaculorum' (pp. 1—92).
- (M.M.N.R.O., MIGUEL. Exámen Histórico-crítico de los Habajos conpermientes à la Flore Hispano-Lusitana. Madrid, 1870. 8vo. pp. Md. [Contains 'Nombres de plantas usados en el idioma árabe' (pp. 20-39); 'Nombres de plantas portugueses y gallegos procetientes del idioma árabe' (pp. 39—42); 'Nombres de plantas valenvianos y catalanes procedentes del idioma árabe' (pp. 42—45).]
- ('щ.мино, Мідиві. Diccionario de los diversos nombres vulgares de muchas plantas usuales ó notables dels Antiguo y Nuevo Mundo , , . . Madrid, 1871. 8vo. pp. [iv.] 240.
- No. 91, 1844.] Paris, 1845. pp. 110.
- Pitricii, Ludwig. Plantæ officinales indigenæ, linguis in Hungaria vernaculis deductæ. Buda, 1835. 8vo. pp. 31.
- DURHIEM, CARL JAKOB. Schweizerisches Pflanzen-Idiotikon. Ein Würterbuch von Pflanzenbenennungen in den verschiedenen Mundarten der deutschen, französischen und italienischen Schweiz,

- nebst deren lateinischen, französischen und deutschen Namen. Bern, 1856. pp. ix. 284. 8vo.
- Earle, John. English Plant-Names from the tenth to the fifteenth century. Oxford, 1880. 12mo. pp. cxii. 122.
- ELLACOMBE, HENRY N. Common English Names of Plants. Bath, 1870. 8vo.
- Elliot, Walter. Flora Andhrica; a vernacular and botanical list of plants... in the Telegu districts. Madras, 1859. 8vo. pp. 194.
- FICALHO, CONDE DE. Nomes vulgares de algumas plantas africanas principalmente angolenses. Bot. Soc. Geogr. de Lisboa. Cf. Pl. ut. da Africa Portugueza, p. 1.
- FILET, G. J. Plantkundig Woordenboek voor Nederlandsch-Indië; met korte aanwijzingen van het Geneeskundig-en huishondelijk gebruik der Planten, en verwelding der verschillende inlandsche en wetenschappelijke benamingen. Leiden, 1876. 8vo. pp. viii. 362.
- FILET, G. J. De inlandsche plantennamen, bijeenverzameld en in alphabetische orde gerangschikt. Batavia, Nat. Tijdschr. xix. 1859. pp. 1—280.
- FRANKE, JOHANN. Speculum botanicum, in quo juxta alphabeti ordinem præcipuarum herbarum, arborum, fruticum, et suffruticum nomenclaturæ sive appellationes tam in suecica quam latina lingua ad lustrandum propununter. Upsala, 1638. 4to. pp. 25.
- FRIEND, HILDERIC. A Glossary of Devonshire Plant Names. London, 8vo. pp. viii. 63. 1882. Reprinted by English Dialect Society from Trans. Devonshire Association, 1882.
- FRIES, ELIAS. Öfver Vexternes Names. Upsala, 1842. 8vo. pp. 64.
- Fries, Elias. Kritisk Ordbok öfver Svenska Växtnamnen. Stockholm, 1880. 8vo. pp. xiv. 178.
- Gesner, C. Catalogus Plantorum latinè graecè germanicè et gallicè. Tiguri, 1542. 8vo. fol. 162.
- Grandgagnage, Charles. Vocabulaire des noms wallons . . . des plantes. Liège (ed. 2), 1857. 8vo. pp. 35.

- Grassmann, Hermann. Deutsche Pflanzennamen. Stettin, 1870. 8vo. pp. vii. 288. [Under generic names systematically arranged.]
- [Guibourt, N. J. B. G.] Nomenclature synonymique créole et botanique des arbres de la Guadeloupe. Paris, 1834. 8vo.
- Hobbs, Charles E. Botanical Hand-book of common local, English, botanical, and pharmacopæial names arranged in alphabetical order of most of the crude Vegetable Drugs, &c. in common use. Boston, 1876. Large 8vo. pp. 271. [In three parts, arranged alphabetically under common, botanical, and pharamacopæial names respectively.]
- HOFER, FRANZ. 'Wörterbuch der nieder-österreich. Pflanzennamen.' [Noticed in 'Oesterreichische Bot. Zeitschrift' for 1884, p. 372. We have not seen the book.]
- HOFFMANN, J. and H. SCHULTES. Inlandsche Namen eener Reeks van Japansche en Chinesche Planten. [New and enlarged edition.] Leyden, Brill, 1864. 8vo. pp. xiii, 90. [Preface in Dutch and French, arranged under Latin names, with separate Chinese and Japanese Indexes.]
- Holl, Friedrich. Wörterbuch deutscher Pflanzennamen. Erfurt, 1833. 8vo. pp. iv. 434.
- Jenssen-Tusch, H. Folkelige Plantenavne i forskellige europæiske sprog. 1st afdeling: Nordiske Plantenavne. Copenhagen, 1867—1871.
 8vo. pp. 368. Navnefortegnelse til Nordiske Plantenavne. Copenhagen, 1871.
 8vo. pp. 122.
- JESSEN, C. See PRITZEL.
- JIRASEK, JOHANN. Beiträge zu einer botanischen Provincial-Nomenclatur von Salzburg, Baiern, und Tirol. Salzburg, 1806. 4to. pp. 62.
- Koene, J. R. Abhandlung über Form und Bedeutung der Pflanzennamen in der deutschen Sprache. Münster, 1840. 4to. pp. 44.
- LANGEAVEL, BERNHARD. Botanik der spaeteren Griechen vom dritten bis dreizehnten Jahrhunderte. Berlin, 1866. 8vo. pp. xxiv. 207.
- LE HÉRICHER, EDOUARD. Flore populaire de Normandie et d'Angleterre. Avranches, 1857. 8vo.

- LE HÉRICHER, E. Philologie de la flore scientifique et populaire de Normandie et d'Angleterre. Coutances [1883], pp. viii. 115.
- Low, Immanuel. Aramaeische Pflanzennamen. Leipzig, 1881. 8vo. pp. (ii.) 490.
- Martius, C. F. P. Ueber die Pflanzen-Namen in der Tupi-Sprache.
 Munich, 1858. 4to. pp. 18. Separatdruck aus dem Bulletin der R. Bayer. Akad. d. W. 1858.
- MEIGEN, W. Die deutschen Pflanzen-namen. Wesel, 1883. 8vo.
- MENTZEL, CHRISTIAN. Index nominum Plantarum multilinguis, Latinorum, Græcorum, & Germanorum literis, per Europam usitatis conscriptus. Berlin, 1682. fol. pp. [36], 331. [Reprint, 1696.]
- MILLER, WILLIAM. A Dictionary of English Names of Plants, applied in England and among English-speaking people, to cultivated and wild plants, trees, and shrubs. In two parts, English-Latin and Latin-English. London, 1884. 8vo. pp. viii. 264. [Most of the names are inventions; the local ones seem largely taken from parts i. and ii. of the present work.]
- MONTEIRO, J. DE CARVALHO. Diccionario portuguez das plantas. Lisboa, 1765. 8vo.
- Monti, Lorenzo. Dizionario botanico Veronese, che comprende i nomi volgari Veronesi delle piante da giardino col corrispondente latino Linneano. Verona, 1817. 8vo. pp. 159.
- MCLLER, ANTON. Alphabetisches Wörterbuch synonymer lateinischer, deutscher und böhmischer Namen der früheren und jetzigen officinellen Pflanzen. Prag. 1866. 4to. pp. 173. [Arranged alphabetically under Latin names: separate indexes of German and Hungarian names.]
- NEMNICH. Allgemeines Polyglottenlexikon der Naturgeschichte. Leipzig, 1793-98. 4to.
- Nocca, D. Nomina quarundam Plantarum italica et corrupta Lombardiæ. [In Uster's Annalen der Botanik, v. 43-53 (1793).]

- OEDER, G. C. Nomenclator Botanicus, enthaltend die Namen der in den Dänischen Staaten wild wachsenden Kräuter in Französischer, Englischer, Deutscher, Schwedischer und Dänischer Sprache, nebst denen auf den Apothecken gebräuchlichen lateinischen Namen, und einigen Synonymen unsystematischer Schriftsteller. Copenhagen, 1769. 8vo. pp. (iv.) 231.
- OETTEL, K. C. Systematisches Verzeichnis der in der Oberlausig wild wachsenden Pflanzen. Görliz, 1799. 8vo. pp. 88.
- OLAFSYN. Explicatio nominum plantarum Islandiæ vernaculorum. Act. Soc. Sc. Island. i. 1—19.
- Peger, A. R. von. Studien ueber die deutschen Namen der in Deutschland heimischen Pflanzen. Wien, 1858—60. 4to.
- Perona. Vocabulario friulano. Venice, 1869-70. 8vo.
- PFIZMAIER, AUGUST. Die Sprache in den botanischen Werken der Japaner. Vienna, 1865. 8vo. pp. 78.
- Piddington, Henry. An English Index to the Plants of India. Calcutta, 1832. 8vo. pp. viii. 233. [In two parts, arranged alphabetically under (i.) the Latin and (ii.) the native names.]
- PRIOR, RICHARD CHANDLER ALEXANDER. On the Popular Names of British Plants, being an explanation of the origin and meaning of the names of our indigenous and most commonly cultivated species. London, 1863. 8vo. pp. xxvii. 252. Ed. 2. 1870 (pp. xxviii. 290). Ed. 3. 1879. (pp. xxviii. 294).
- Pritzel, G., and C. Jessen. Die deutschen Volksnamen der Pflanzen. Hannover, 1882. 8vo. pp. viii. 448. [Names arranged alphabetically under Latin names arranged alphabetically.]
- Réguis, I. F. M. Nomenclature Franco-Provençale des Plantes Aix . . 1877. 8vo. pp. 186.
- Roumeguère, C. Glossaire mycologique . . . des noms vulgaires des champignons. Perpignan, 1875. 8vo.
- SAN GIORGIO, Contessa di. Catalogo Poligiotto delle Piante. 8vo. pp. 747. [Latin names alphabetically arranged. Special lists at end for different countries.]

- Schiller, Karl. Zum Thier- und Kräuterbuche des Mecklenburgischen Volkes. Schwerin, 1861-4. (3 parts) 4to. pp. 32, 34, 42.
- Schübeler, F. C. Norges Væxtrige. Pt. i. Christiania, 1885. pp. 400. 4to.
- SCHULTES, H. See HOFFMANN, J.
- SEEMANN, BERTHOLD. Die Volksnamen der amerikanischen Pflanzen. The popular nomenclature of the American Flora. Hannover, 1851. 8vo. pp. [viii.] 54.
- SKINNER, STEPHEN. Etymologicon botanicum, seu explicatio nominum (anglicorum) omnium vegetabilium præsertim solo nostro assuetorum, aut quæ, licet peregrina sint, vulgo nota sunt. London, 1671. fol. [Forms part of his 'Etymologicon linguæ anglicanæ.']
- SPEEDE, F. Indian Handbook of Gardening. Ed. 2. 8vo. Calcutta, 1842. 'Contains a list of plants in Hindustani and English.'
- Targioni Tozzetti, Ottaviano. Dizionario Botanico Italiano che comprende i nomi volgari Italiani, specialmente Toscani, e vernacoli delle piante Firenze, 1809. 8vo. Pt. i. pp. xvi. 195; Pt. ii. pp. 124.
- TURNER, WILLIAM. The Names of Herbes in Greke, Latin, English, Duch, and Frenche, wyth the commune names that Herbaries and Apotecaries use. London. 12mo. (black letter). 1548. [A reprint with an introduction, an index of English names, and an identification of the plants enumerated by Turner. Edited by James Britten for the English Dialect Society. London. 8vo. pp. vii. 134.]
- ULRICH, W. Internationales Wörterbuch der Pflanzennamen in Lateinischer, Deutscher, Englischer und Französischer Sprache. Leipzig, 1872. 8vo.
- VAN HALL, H. De Kruidtuin van 's Rijks Hoogere Burgerschool te Middelburg. Systematische hijst van Planten met verklaring en vertaling, alsmede opgave vanhare nederlandsche namen. Middelburg, 1871. 8vo. pp. 400.
- VIBORG, Erik. Forsoeg til systematiske danske Navne af indenlandske Planter. Copenhagen, 1793. 8vo. pp. 344.

- WAGA, ANTONIEGO. Ukaziciel Polskich Nazwisk na Rodzaje Królestwa Róslinnego. 8vo. pp. xxx. 336. [List of Polish plantnames (Latin-Polish, Polish-Latin), not confined to Polish plants.]
- Walpert, H. Alphabetisch-synonymisches Wörterbuch der deutschen Pflanzen-namen Magdeburg, 1852. pp. viii. 205.
- Wartmann, Bernhard. Beiträge zur St. Gallischen Volksbotanik. Verzeichniss der Dielektnamen, der technischen und arzneilichen Volksanwendung meist einheimischer Pflanzen. St. Gall, 1861. 8vo. pp. 43. Ed. 2, 1874. 8vo. pp. 117.
- Watson, J. Forbes. Index to the Native and Scientific Names of Indian and other Eastern economic plants and products. London, 1868. 8vo. pp. viii. 637. [Arranged under the vernacular names.]
- ZAVIRA, C. J. Onomatologia Botanike tetraglottos. Pesth, 1787. 8vo. pp. 87. [Names in Latin, ancient and modern Greek, and Hungarian.]
- Zuccalmaglio, A. W. von. Die deutschen Pflanzennamen. Berlin, 1841. 8vo. pp. vi. 82.

SERIES C. ORIGINAL GLOSSARIES,

AND GLOSSARIES WITH FRESH ADDITIONS.

IX.

A DICTIONARY OF

ENGLISH PLANT-NAMES.

BY

JAMES BRITTEN, F.L.S. (DEPARTMENT OF BOTANY, BRITISH MUSEUM)

AND

ROBERT HOLLAND.

Part I.

LONDON:

PUBLISHED FOR THE ENGLISH DIALECT SOCIETY,
BY TRÜBNER & CO., 57 & 59, LUDGATE HILL.
1878.

Sungay;

INTRODUCTION.

ON presenting to the English Dialect Society the first instalment of a DICTIONARY OF PLANT NAMES, a few words upon the scope and nature of the work may be regarded as desirable, if not absolutely necessary.

For more than ten years we have been engaged in collecting the vernacular names of British plants. Our original intention was to publish a work which should in some degree supplement Dr. Prior's important volume on 'The Popular Names of British Plants,' by including provincial words which have not found their way into botanical books, and various others which he designedly excludes; and which should aim rather at being a readable résumé of what was known upon the subject, than an alphabetically-arranged list of names with their scientific equivalents. A conviction that the subject thus popularly treated would occupy a far greater amount of space than we had at first supposed, grew upon us as our stock of names accumulated; and the idea of such a work was, at any rate temporarily, abandoned. But we were anxious that the result of so much labour should be rendered available for workers in the same field; and it has hence been determined to issue our collection of plant names in a dictionary form.

Of the usefulness of a work like the present, if satisfactorily carried out, it is unnecessary to speak. Nothing quite similar has hitherto been attempted; for Dr. Prior's work chiefly includes

recognised book-names rather than such as are in the mouths of the country people; indeed, he expressly states that he omits 'provincial words that have not found their way into botanical works.' We have included not only the vernacular names which are (so far as we know) unpublished, and others which occur in such dictionaries as those of Halliwell and Wright, and in the glossaries and vocabularies of various counties and districts; but also the names by which British plants are mentioned in the works of the older botanists, many of which, although then in actual use, are now altogether discarded. We purposely exclude names which have been deliberately coined by living or recent writers, of which numerous examples may be found in Mr. Bentham's 'Handbook of the British Flora;' nor do we include the bare translations of Latin names which occur in Syme's 'English Botany' and other standard works, but which have no claim whatever to be regarded as English, being, as the late Dr. Seemann observed, 'often quite worthless renderings of scientific names, not such as are used by the people.' * 'Four-leaved Polycarp' and 'Opposite Chrysosplene' + as English equivalents for Polycarpon tetraphyllum and Chrysosplenium oppositifolium may be taken as examples of the class of names to which we refer. We have also purposely excluded a few names which, though graphic in their construction and meaning, interesting from their antiquity, and even yet in use in certain counties, are scarcely suited for publication in a work intended for general readers.

In collecting and collating the plant names which occur in dictionaries and glossaries we have had considerable difficulties to encounter. One of the principal of these lay in the misapplication of the scientific names of plants; and it is often only after much labour that the necessary correction has been made. Halliwell and Wright are in the main satisfactory on this head; but with such dictionaries as, for example, Holloway's, the task has not been a light one, and could only have been executed by a person possessed of some technical botanical knowledge.

Of the extent and completeness of the work it is not for us to

^{* &#}x27;Journal of Botany,' 1869, p. 334.

^{*} Bentham's ' Handbook of the British Flora."

speak. Most, if not all, of the standard glossaries have been laid under contribution; and by the kindness of correspondents in all parts of the kingdom, to whom our warmest thanks are due, we have been enabled to give a very large number of local names which do not occur, so far as we know, in any published work. To one or two of those who have supplied us with material from MS. Glossaries we feel that an especial acknowledgment is due, as to Miss Jackson, of Chester, who has sent us all the plant-names from her forthcoming Shropshire Glossary; but our helpers have been so numerous that it would be impossible to acknowledge them in detail. But even with the valuable assistance we have had, it is certain that many omissions and defects will be detected, and we shall esteem it a favour to have them pointed out to us, so that all necessary corrections and additions may be entered in a supplement, or, when possible, incorporated with forthcoming instalments. It will be observed that some counties are very sparingly represented; also that many names are given as if restricted to two or three districts, whilst they are really in much more general use than this would seem to imply. A reference to a county placed after a name signifies that we know the name is used in that county, but it must not be supposed to imply that its use is restricted to the district indicated. Additional information as to the distribution of the names will be very acceptable.

The principal works quoted are indicated by abbreviations which are explained below. We have endeavoured to give a reference to the earliest occurrence of any name in print; but defects in the carrying out of this plan have doubtless occurred. We have not attempted to include systematically the various lists of plant-names existing only in manuscripts written prior to the invention of printing; although when these have subsequently been printed (as in the 'Promptorium Parvulorum' and in Cocksyne's 'Leechdoms') we have frequently quoted and referred to them. We have not felt it desirable to attempt an explanation of all, or indeed of the majority of the names we include. Many speak for themselves; many have been ably and exhaustively investigated in Dr. Prior's work; and many do not appear capable of explanation. We have,

however, added explanatory notes wherever local information enabled us to do so satisfactorily; and have occasionally commented upon some of the derivations given by Dr. Prior. To the second edition of his work, which must always be regarded as the standard authority upon English plant-names philologically considered, a reference is made after each name which he includes, for the convenience of those who may wish to study the derivations he has given.

Besides the names of wild British plants, some of those of our old garden favourites and of many of our culinary plants, which from antiquity or general use may claim to be considered as really *English* plant-names, are included. The scientific equivalents are given in almost every instance in preference to the generally-received or English book-names; it is believed that by this means greater accuracy has been ensured, and that the glossary of plant-names will thus be rendered more really useful.

The introduction to Dr. Prior's volume gives an admirable sketch of the various ways in which the plant-names of our language have originated, and renders it unnecessary for us to occupy space by what would be scarcely more than a repetition of what he has so well expressed. A fear of making our dictionary too bulky has prevented us from tracing at any length the similarity of plant-names in the various European languages, although much interesting matter has come before us in connection with this point, as well as in regard to the adaptation by colonists to the flora of foreign lands of the plantnames familiar to them at home. Should, however, a polyglot dictionary of plant-names ever be undertaken, we are not without hope that the present work may be found worthy of attention as representing the popular nomenclature of the flora of this country. With regard to such a polyglot work, it may be noted that two volumes have lately appeared which aim at supplying what many persons have felt to be a want : viz. the 'Internationales Wörterbuch der Pflanzennamen in Lateinischer, Deutscher, Englischer, und Französischer Sprache,' by Dr. Wilhelm Ulrich (Leipzig: 1872); and the 'Catalogo Poliglotto delle Piante,' by the Contessa di San Giorgio (Florence: 1870). Unfortunately, neither of them is at all satisfactory, the names included being apparently merely collected from ordinary botanical text-books, while some even of the most generally received of English vernacular names are omitted. Earlier attempts at a polyglot dictionary of plant-names have, however, been made, regarding which we may be permitted to quote the following passages from a notice contributed by one of us to the 'Journal of Botany' for 1873, pp. 280-283:—

'As long ago as 1682, Mentzelius published a folio "Index nominum plantarum universalis," which is pretty satisfactory as far as it goes, though of comparatively little practical use on account of its ante-Linnean nomenclature. So far as we know, Nemnich's "Allgemeines Polyglotten-Lexicon der Natur-Geschichte" is still the most comprehensive dictionary of the kind which we possess, although published as long ago as 1793; and this notwithstanding the appearance of others of more recent date. It is, however, somewhat remarkable that at least three botanists of note have at different times occupied themselves in collecting plant-names, and that the results of their labours in each case remain unpublished. Gaertner, during his residence at St. Petersburg, compiled a dictionary of them. of which we have been unable to discover any details. A "Dictionnaire des Noms vulgaires des Plantes," compiled by Moritzi, with the assistance and under the direction of the elder De Candolle, is in the library of the De Candolles at Geneva, and is probably the most complete in existence so far as arrangement and convenience of reference are concerned. This was arranged for publication, and a prospectus and specimen of the work were issued.* Unfortunately its magnitude, embracing as it did "the names of plants in sixty different languages or dialects, from French, English, and other European languages, to Chinese, Sanskrit, Mexican, &c.," + prevented the publishers to whom it was offered from undertaking its production. Something of its value and completeness may be gathered from the description given of it in the memoir already cited :- "It is an immense work, executed with great care, and of which the publication would have an interest at once botanical, philological, and

[.] See Pritzel, 'Thesaurus Botanicum,' p. 202, No. 7204.

[†] Alph. De Candolle, 'Biographie de M. Moritzi,' Arch. des Sciences Physiques and Naturelles de Genève, xv., p. 6.

geographical. Botanists would avail themselves of it in utilising the descriptions of travellers. Philologists would delight to trace the origin and filiation of the names of plants from one language to another. Readers of travels, agriculturists, traders who receive the products of foreign countries, would find here the explanation of many of the names which puzzle them." This "Dictionnaire" is frequently quoted in De Candolle's "Géographie Botanique." Lastly, the late Dr. Seemann had, as is well known, devoted much time and care to the collection of these vernacular names. He entertained strong views as to their importance,* and from his extensive philological knowledge was admirably fitted to carry out the task which he unfortunately did not live to complete.'

It has been found desirable to add an Index to the Dictionary, concerning which it may be necessary to say a few words. Not only is the same name applied, in many cases, to a number of different plants, as appears in the body of the work, but frequently a plant has received a very great variety of names-in some cases as many as from twenty to thirty-in different counties, and sometimes even in neighbouring parishes. The Index, therefore, illustrates this rather interesting phase of our subject. In it the various English names of each plant are brought together under the scientific designation; by this means the different names of any species included in Part I. may be ascertained at a glance. In some cases, however, where the English equivalent is applied indiscriminately to several species of a genus, the name of the genus only is given. Several of the names, too, which appear in the Dictionary are applied only to some particular part of the plant, as for instance such words as Atchern and Eglet, which refer to the fruit of the oak and the hawthorn respectively, and not to the trees which bear them. In these cases, with a view to condensing as much as possible, this is not stated in the Index; but such partial application of a name will be found fully explained in the body of the work.

[.] See ' Journ. Bot.' vii., 333-336.

ERRATA AND CORRIGENDA.

- At p. 16, under Arnit (2), and at p. 129, under Cress, Swine's (1), and Cress, Wart, the synonyms Arrhenatherum avenaceum, Beauv., and Coronopus Ruellii, DC., have been inadvertently employed instead of Avena elatior, L., and Senebiera Coronopus, Poir., by which names these plants are respectively referred to in other parts of the work. The authorities for the scientific names in the body of the work are also occasionally wrongly given.
- p. 36. The entry Bells, Yevering, should be cancelled, as this is the name of a place, not a plant.
- p. 54. Under Blue Cowslip, for augustifolia read angustifolia.
- p. 55. For BLUIDY BILLS read BLUIDY BELLS.
- p. 57. Under Boleweed, dele (1).
- p. 81. For Byllerue read Byllerne.
- p. 96. Under Chafeweed (1), for Guaphalium read Gnaphalium.
- p. 112. Under Cock-Drunks, dele sb.
- p. 148. Under DEVIL'S CLAWS, for seed read achene.
- p. 166. Under EIKE-TREE, for Roburr read Robur.
- p. 171. For Everferne read Everfern.
- p. 180. After FERN, PETTY, add
 - 'FERN, ROYAL. Osmunda regalis, L.'
- p. 184. Under FISH-BELLY, for Cnicus read Carduus.
- p. 187. Under FLEABANE, BLUE, for acre read acris.
- p. 192. Under Foxglove, White, for 'are of so pale a blue,' read 'are often of so pale a blue.'



A DICTIONARY

OF

ENGLISH PLANT-NAMES.

BY

JAMES BRITTEN, F.L.S. (DEPARTMENT OF BOTANY, BRITISH MUSEUM)

ANI

ROBERT HOLLAND.

Part IH.

LONDON:

PUBLISHED FOR THE ENGLISH DIALECT SOCIETY,
BY TRÜBNER & CO., 57 & 59, LUDGATE HILL.
1880.

A DICTIONARY OF

ENGLISH PLANT NAMES.

LIST OF ABBREVIATIONS AND AUTHORITIES.

- Baxter = British Phænogamous Botany, by Wm. Baxter. 1834.
- Bot. E. Bord. = The Botany of the Eastern Borders, by Geo. Johnston, M.D. 1853. 'The Eastern Borders comprehend the whole of Berwickshire, the Liberties of Berwick, N. Durham, and the immediately adjacent parts of Northumberland and Roxburghshire.'
- Brockett = A Glossary of North-Country Words. By J. T. Brockett. 1846.
- Brogd. = Lincolnshire Glossary, by J. E. Brogden. 1866.
- Brown MS. = A MS. List of Scotch plant-names, by Robert Brown, preserved in the Botanical Department of the British Museum.
- Buddle MS. = A MS. List of English plant-names, by Adam Buddle (died 1715). Mus. Br. Bibl. Sloane, 2980.
- Bullein = Bulwark of Defence by William Bullein. 1562.
- Cockayne = Saxon Leechdoms, Starcraft, and Wort Cunning. Edited by the Rev. T. O. Cockayne.
- Coles, A. in E. = Adam in Eden, or the Paradise of Plants, by Wm. Coles. 1657.
- Coles, A. of S. = The Art of Simpling. Same author. 1656.
- Dors. Gloss. = Glossary of the Dorset Dialect, by the Rev. W. Barnes. 1863.

- Fl. M. = Collectanea for a Flora of Moray, by the Rev. G. Gordon. 1839. 'The province of Moray is drained at the east by the Spey and its tributaries; on the west by the Beauly; on the north by the Moray Frith; and on the south by a line running from Loch Spey to Loch Moray.'
- Fl. Scot. = Flora Scotica, by John Lightfoot. 1777.
- Fl. Vect. = Flora Vectensis, by W. A. Bromfield. London, 1836.
- Forby = Forby's Vocabulary of East Anglia. 1830.
- Gard. Chron. = The Gardeners' Chronicle. 1841.
- Gardiner = Flora of Forfarshire, by William Gardiner. 1848.
- Ger. = The Herball, or General Historie of Plantes, gathered by John Gerard. 1597.
- Ger. Appx. = An Appendix to the preceding work of names 'gathered out of ancient written and printed copies, and from the mouthes of plaine and simple countrie people.'
- Ger. emac. = The same work 'very much enlarged and amended by Thomas Johnson.' 1633.
- Ger. Index = The Index to the same work.
- Grete Herball = The Grete Herball 'imprentyd...by Peter Treveris.' 1526.
- Grose = A Provincial Glossary, by Francis Grose. 1790.
- Hal. = Halliwell's Dictionary of Archaic and Provincial Words.
- Holl. = A General Dictionary of Provincialisms, by William Holloway. 1838.
- Holme = The Academy of Armory, by Randle Holme. 1688
- Jamieson = A Dictionary of the Scottish Language. Edited by Dr Longmuir. 1867.
- Loudon, Arboretum = Arboretum et Fruticetum Britannicum. 1838.
- Lyte = A Niewe Herball translated by Henry Lyte, Esq. 1578.
- Mart. Mill. = Thomas Martyn's edition of Miller's Gardeners' Dictionary. 1797—1804.
- Minsheu = The Guide into the Tongues . . . by J. Minsheu. 1626(?)
- Nares = Nares' Glossary. Edited by Halliwell and Wright. 1859.
- Nth. Gloss. = Miss Baker's Northamptonshire Glossary. 1854.

N. & Q. = Notes and Queries.

Nemnich = Allgemeines Polyglotten-Lexicon der Natur-geschichte. By P. A. Nemnich. 1793.

Parish = Dictionary of the Sussex Dialect, by the Rev. W. D. Parish. 1875.

Park. Parad. = Paradisi in Sole: a garden of all sorts of pleasant flowers. Same author. 1629; ed. ii. 1656.

Park. Theatr. = Theatrum Botanicum; or an Herball of large extent. Collected by John Parkinson. 1640.

Phyt. O. S. = The Phytologist: a botanical Miscellany, edited by Geo. Luxford. 5 vols. 1841—1854.

Phyt. N. S. = The New Series of the same work. Edited by Alex. Irvine. 6 vols. 1855—1863.

Polwhele = History of Cornwall, by R. Polwhele. 1816.

Pratt = The Flowering Plants of Great Britain, by Anne Pratt. 3 vols. S.P.C.K. (no date).

Prior = The Popular Names of British Plants, by R. C. A. Prior, M.D. Ed. i. 1863; ed. ii. 1870.

Prompt. Parv. = Promptorium Parvulorum sive elericorum. Circa 1440. Edited by Albert Way. 1865.

Pulman = Rustic Sketches . . . in one of the south-western Dialects, by J. R. Pulman. 1871 (ed. 3).

R. Cat. = Catalogus Plantarum Angliæ, by John Ray. 1670.

R. Syn. = Synopsis Plantarum Angliæ. Same author.

Skinner = Etymologicon Linguæ Anglicanæ. Auctore Stephano Skinner, M.D. 1671.

Sternb. = The Dialect and Folklore of Northamptonshire, by T. Sternberg. 1851.

Threlkeld = Synopsis Stirpium Hibernicarum, by Caleb Threlkeld. 1727.

Treas. Bot. = The Treasury of Botany, by J. Lindley, T. Moore, etc. (ed. 2). 1874.

Turn. Herb. = The Herball, by William Turner. 1551-1566.

Turn, Lib. = Libellus de re herbaria novus. Same author. 1538.

Turn. Names = The Names of Herbes in Greke, Latin, Englishe, etc. Same author. 1548.

Wilkinson = Weeds and Wild Flowers by Lady Wilkinson, 1858.

With. = A Botanical Arrangement of British Plants, by William Withering, M.D. Various editions. 1776-1830. The Roman numerals following the reference indicate which edition is quoted.

Wr. = Wright's Dictionary of Obsolete and Provincial English. 1869.

Aac, an oak, Quercus Robur, L. - North, Hal. Wr.; Yks. Hal. Hence aakin, oaken.

Aar, Alnus glutinosa, L.—W. Scotl. Jamieson.

Aaron (L. arum), Arum maculatum, L.—Grete Herball.

Aaron's Beard. (1) Hypericum calycinum, L., so named from the bundles of hair-like stamens. Prior, p. 1.—S. Dev.; Ess. Hal., Wr.; Glou.; E. Bord. Bot. E. Bord.; Roxb. Jamieson: who applies it to H. perforatum, but H. calycinum is clearly meant.

 (2) Spirœa salicifolia, L.—N. Bucks (gardens).
 (3) Orchis mascula, L.—Berw. (Cockburnspath) Bot. E. Bord. (4) Linaria Cymbalaria, L. (in cultivation). - Edinb. Phyt. i. 711, 0.8.

(5) Saxifraga sarmentosa, L. (in cultivation).

Aaron's Rod, from the tall straight stem, and connected with Aaron because his rod, like his beard, is familiar from its mention in Scrip-

Verbascum Thapsus, L. — Glou.; Oxf. and Midlands; Moray,

Fl. M.

- (2) Solidago Virgaurea, L.-Sal. (Whitchurch); Warw. A garden species of Solidago (S. canadensis, L.?) is so called in Herts.
- Abbey, Populus alba, L. A corruption of Abele. West, Hal.; Westm.; Yks. Wr. Also called Abbey-tree. - Yks. Holl.
- Abele, Populus alba, L.—'It is called . . . in low-Dutch abeel, of his horie or aged colour, and also Abeelboome; . . . in French Aubel, Obel, or Aubeau; in English . . . Abeell, after the Dutch name." Ger. Prior (p. 1) says that the name was introduced with the tree from Holland in Evelyn's time; but the above extract shows it to have been in use at a much earlier date.—Hants. Holl.
- Abraham, Isaac, and Jacob, Borago orientalis, L., 'from the three shades of colour in the flowers on one stem.'-N. Linc. In E. D. S. Gloss, c. vi. Mr. Peacock assigns this name to Symphytum officinale, L., but the plant we received from him was the Borago mentioned.
- Abraham's Balm, 'a kind of willow.'-Hal. Wr. Probably a corruption of Abrahams-boom, a Dutch name for Vitex Agnus-castus, L., given by Dodoens.

Abrecock, an apricot.—Ger. Hal. 'The form abricock is still in use in Somersetshire.'-Wr. See Apricock.

Abricot, 'an apricot. Rider calls an apricot-tree an abricot-apple.'-Hal. Nares. Wr. See Apricock.

Absinth, (L. Absinthium) Artemisia Absinthium, L.— Absinth and poyson be my sustenance; Passenger of Benvenuto, 1612; Nares.

Absinthium, wormwood.—Hal. See Absinth.

[Accripe, 'a herb?'-Hal. Probably not.

*Some be browne and some be whit, And some be tender as accripe.'—Reliq. Antiq., i. 248.]

Ach, Apium graveolens, L. — MS. Harl. 978, f. 24; Hal. Wr., Prior, p. 1. See Ache.

Acharne, an acorn.-Prompt. Parv., which see.

Ache, (1) Apium graveolens, L. 'From the French ache, the old name of parsley; 'Prior. The Lat. apium becomes ache in French, by rule.—Harl. MS., Hal. 'With alisaundre thereto, ache ant anys;' Lyric Poetry, p. 26.

(2) Ranunculus sceleratus, L. - In Turn. Lib., from its celery-

like leaves.

(3) Frazinus excelsior, L.— 'This seems to be the meaning of it in the Plumpton correspondence, p. 188; 'Hal.

Achorn, an acorn.-Ches. Hal., Wr.

Achras, 'a wild choak-pear. Kersey.'—Hal. 'But this is simply the Greek name of a tree in Theophrastus, commonly translated the wild pear.'—Mart. Mill.

Achweed, Egopodium Podagraria, L.—Baxter. See Ashweed.

Ackern, an acorn .- Cumb. Westm. Wr.

Ackerons, acorns.-Yks. (Whitby). E. D. S. Gloss. C. 2.

Aconite. (1) A common book-name for Aconitum Napellus, L.— Prior, p. 1.

(2) Eranthis hyemalis, L.-Herts. and elsewhere.

Aconite, Winter, Eranthis hyemalis, L.—Prior, p. 2.

[Acopus, 'either a herb or a stone.'—Hal. Probably the latter.]

Acte, 'the elder-tree,' Hal.; which 'is called in Greeke acte.'—Turn.

Adam-and-Eve. (1) 'The bulbs [tubers] of Orchis maculata, L., which have a fancied resemblance to the human figure.'—Yks. (Craven). Hal. Wr.; Hallamsh. Gloss. Nhamp. Baker. I. of Man, E. Forbes, MS.

(2) O. latifolia, L. 'The root . . . is generally known as Adam-and-Eve, the tuber which sinks being Adam, and that which swims being Eve.'—Bot. E. Bord., 193. According to Phyt., iv. 1127, 0.8., this reference to O. latifolia in Bot. E. Bord. should be transferred to O. mascula.

(3) O. mascula, L.-Northd.; Corn., where the dark flower-spikes

represent Adam and the pale ones Eve.

(4) Arum maculatum, L.—N. Linc. Yks. (Bedale); the dark spadices represent Adam and the light ones Eve. See Lords and Ladies.

(5) Pulmonaria officinalis, L.; on account of the two-coloured

flowers. -- Cumb. (Keswick.)

(6) Aconitum Napellus, L.—Norf. (Yarmouth.) 'When the hood [of the flower] is lifted up, there is an appearance of two little figures.'—These are the upper petals. See Venus' Chariot.

Adam's Apple, 'a kind of citron. Gerard.'-Hal. Wr.

Adam's Flannel, (1) Verbascum Thapsus, L.—N. Linc. Nhamp. (Baker.) Fks. (Craven) Hal.; Hallamsh. Gloss. From the texture and appearance of the leaves. 'Antique Mullein's flannel leaves.'—Clare, Village Minstrel.

(2) Dipsacus sylvestris, L.-Leic.

Adam's Needle. (1) Scandix Pecten, L., from the long needle-like fruits.—E. Bord. Bot. E. Bord.

(2) A garden name for Yucca gloriosa, L., from a tradition that the hard point of the leaf was the needle with which Adam sewed the figleaves together.

Adder's fern, Polypodium vulgare, L. — Hants. It will be observed that most of the plants connected with the adder appear in spring, when snakes are most generally seen.

Adder's flower, Lychnis diurna, Sibth.—Herts. (Buntingford.)

Adder's grass, (1) Orchis mascula, L., 'fort, quia viperæ circa eam latitare solent '(!). — Skinner. Ger. Index Nhumb. Turn. Herb. Hal, Wr.

(2) O. maculata, L .- E. Bord. Bot. E. Bord.

(3) Ophioglossum vulgatum, L.—Turn. Herb. 'Of some Addersgrasse, though improperly.'—Ger.

Adder's meat, (1) Arum maculatum, L.—Cornw. (Bodmin.) (2) Mercurialis perennis, L.—Herts. Phyt., ii. 201, N.S.

Adder's spear, Ophioglossum vulgatum, L. 'It is still gathered [for making an ointment] in some parts of Surrey and Sussex, and used under the name of Adder's-spear ointment.' — Newman's Hist. of British Ferns.

Adder's tongue, (1) Ophioglossum vulgatum, L.—Turn. Names. Hal. Wr.

'Because out of every leaf it sendeth forth a kind of Pestal, like unto an adder's tongue; it cureth the bitings of serpents,"—Coles, A. in E., 558-9; Prior, p. 2.

(2) Orchis mascula, L.—Mid-Ches,
(3) Arum maculatum, L.—Cornw.
(4) Geranium Robertianum, L.—Ess.
(5) Sagittaria sagittifolia, L.—Nemnich.

(6) Maianthemum bifolium, D.C.-Nemnich.

Adder-spit, Pteris aquilina, L.—Suss.

Adderwort, Polygonum Bistorta, L.; cf. the Dutch naterwurtz .-

Ger. Index. Hal. Wr.

'This hearbe hath his root crooked and winding up, as a snake when he lieth wound up, and therefore it is called Adderwort.'—Minsheu. 'The wreathed form of the root is a sign that [it] is good against the bitings of Serpents.'—Coles, A. in E., p. 75; Prior, p. 2.

Adhib, 'à Fr. Gal. adib.' Euphrasia officinalis, L., in Dr Thos. More's MS. additions to Ray. Hal. Wr. E. D. S. Gloss, B. 16. Adonis-flower. The translation of flos adonis, an early name for Adonis autumnalis, L.-Merrett's Pinax (1667).

Adrelwurt, Pyrethrum Parthenium, L. In an early list of plants, MS. Harl. 978.—Hal. Wr.

Ae-pointed-gairss, from the sharp-pointed leaves. Various species of Carex. Lanarks. Jamieson.

Affadil. 'Ab anglis affadyll.' Turn. Lib.; in Prompt. Parv. (which see) Affodylle. Narcissus Pseudo-narcissus, L. 'A common old form of the word, found in Palsgrave, Minsheu, Florio, and Cotgrave.' Hal. Wr. gives Affodell. M. Lat. affodillus, Lat. asphodelus.—Prior. Lyte assigns the name only to Asphodelus, under which Narthecium was then included. See Daffodil.—Prior, p. 2.

Affrican, 'a name for a species of marigold.'—Wr. Tagetes erecta, L., which, although a native of Mexico, is usually in our gardens called African Marigold.

Affrodile, Narcissus Pseudo-narcissus, L.—Ches. Hal. Wr., but the Ches. word is really Havrdril.

Agarick. Originally applied to Boletus laricis, Jacq., which was formerly imported from Agaria, in the province of Sarmatia, and was hence called agaricum; but Linnseus employed Agaricus as the name of a large genus of fungi, which in English are known as Agarics,-Hal. Wr., Prior, p. 2.

Agarves, fruit of Cratagus Oxyacantha, L.—Mid-Sus., Parish.

Ag-leaf, i.e. hedge-leaf, from the conspicuous appearance of its leaves on hedge-banks. See Hag-taper. Verbascum Thapsus, L.-S. Bucks.

Aglet, a corruption of Fr. aiguillette, used in Tudor-English. Spenser has aygulet (F. Q. ii. 3, 26). See Nares. (1) The catkins of Hazel, Corylus Avellana, L.—Lyte, Hal. Wr. 'Instead of floures hang downe catkins, aglets, or blowings.'-Ger. 1250.

(2) Fruit of Cratagus Oxyacantha, L.—S. Devon.

(3) The anthers of flowers. The flowers of Plantago major, L., have 'small whitish threads with aglets hanging at the ends of them.'-Park. Theatr. 493.

Osmunda 'hath a long bush of small scaly agletts, as it were, which are accounted as the flower and seed.'-Coles, A. in E., 324.

Aglet-headed Rush, Scirpus palustris, L.-With.

Ag-paper, Verbascum Thapsus, L.-S. Bucks. See Hag-taper.

Agrimony, Agrimonia Eupatoria, L. 'Omnes hodie vocant Agrimony, -Turn. Lib. Palsgrave gives Agremony.-Prior, p. 2.

Agrimony, Bastard, Dutch, or Hemp, Eupatorium cannabinum, L. See Hemp-Agrimony,

Agrimony, Noble, Anemone Hepatica, L.-Lyte.

Agrimony, Water, (1) Bidens cernua, L., and B. tripartita, L.—Ger. Eupatoria was an old name for Agrimony; and Bidens is called by Ger., etc., Eupatorium cannabinum fæmina septentrionalium, and hence was regarded as a kind of Agrimony.
(2) Eupatorium cannabinum, L.—Mid-Ches, Prior, p. 2.

Agrimony, Wild, Potentilla unserina, L.-Lyte.

Agriot, 'a tart cherry. Howell.'—Hal. Wr. Cf. Fr. aigre, Eng.

[Agrippa, 'apparently the name of a herb. It is mentioned in a recipe for the stone in MS. Linc. Med., f. 298.'—Hal. See Accripe.]

Ague-tree, 'the sassafras. Gerard.'-Hal. Wr.

Agworm-flower, Stellaria Holostea, L. — Yks. (Brandsby.) An equivalent of Snake-flower (which see), Agworm or Hagworm being the N. Country name for a snake or adder (see E. D. S. Gloss. B. 1, 2, 7).

A-hundred-fald, Galium verum, L.—E. Bord. 'As the flowers are exceedingly numerous and clustered, our common people call the plant A-hundred-fald.'—Bot. E. Bord., p. 100.

Aigreen, Hal. Wr. See Aye-green.

Aik, or Aik-tree, pl. Akis, an oak. North. Hal. Scotl. Jamieson; Bot. E. B. Hence aiken, oaken.—Jamieson.

Aikraw, Stictina scrobiculata, Scop.—S. Scotl. Jamieson.

Ail-weed, Cuscuta Trifolii, Bab.-N. Bucks. See Hellweed.

Air-bell, a book-name for Campanula rotundifolia, L. See Harebell.

Airess, or Aress, Galium Aparine, L .- See Harif. Yks. (Wakefield.)

Air-grass, a book-name for the genus Aira, apparently a modification of the generic name: or it may be a misspelling of Hair-grass, which see.

Airif, Galium Aparine, L .- Linc. See Harif.

Airup, Galium Aparine, L.—Yks. See Harif.

Aischen, Fraxinus excelsior, L.-Inverness.

Aise, Ægopodium Podagraria, L.—Skinner. Hal. Wr. See Ashweed.

Aiseweed, Aisheweed, or Ayshweed, Ægopodium Podagraria, L.—Lyte. See Ashweed. Prior, p. 11.

Aishen-tree, Fraxinus excelsior, L.—Dors.

Aiten, Juniperus communis, L.—Scotl. (Braemar.)

Aitnach, Juniperus communis, L. — Banff. Phyt. vi. 274, N.S. Moray. Fl. M.

Aits, oats. North. Hal. Scotl. Jamieson.

Aits, Wild, Avena fatua, L.-Scotl. Jamieson.

Ait-skeiters, Angelica sylvestris, L.—Moray, Fl. M. Anglicè oat shooters; children shoot oats through the hollow stems as peas are shot through a pea-shooter. See Bear-skeiters.

Aivern, or Aiverin, Rubus Chamæmorus, L. - Moray, Fl. M.; Jamieson.

Akcorn, an acorn. 'Akcorns for hunger ete he.' MS. Cantab. Ff. ii. 38, f. 131. Hal.

Ake, an oak. 'Sir Eglamour undir ane ake.' MS. Linc. A. i. 17, f. 140. Hal.

Akehorn, an acorn.-Urry's Chaucer, p. 364. Hal.

Akernel, an acorn.-Lyte.

Akeron, an acorn.-Yks. (Wakefield.)

Akker, an acorn .- Sal.

Akkern, an acorn.-Nhamp. Sternb.

Akran, an acorn.-Lanc. E. D. S. Gloss. C. 3.

Akyr, an acorn. 'The bores fedyng is propreliche y-cleped akyr of ookys berynge and bukmast,'—MS. Bodl, 546. Hal,

Alacompane. See Allicampane.

Alau (Cornish), Nymphæa alba, L.—Corn. Polwhele, Borlase.

Albespyne (Fr. aubépine). Cratagus Oxyacantha, L.—Prior, p. 2.

'And there the Jewes... maden him a crowne of the braunches of albespyne, that is white thorn,'—Maundeville's Travels. Hal. Wr. Alba spina was an old Latin name of the tree, which has its equivalent in our white-thorn and in the modern French épine blanche.

Alburn-tree. A name of uncertain meaning. 'This word occurs in MS. Harl. 221 (the Promptorium Parvulorum) explained by "viburnum," the wild vine.'—Wr.

Alder (in Prompt. Parv. Aldyr), Alnus glutinosa, L.—Turn. Names.
Prior, p. 2. Also used for Elder (which see).

Alder, Berry, or Berry-bearing, Rhamnus Frangula, L.—Prior, p. 3. A translation of alnus nigra baccifera, one of its old names, given to distinguish it from the common Alder (Alnus glutinosa), 'whose barke is whitish, and beareth not berries as this doth.'—Park. Theatr. 241.

Alder, Black, Rhamnus Frangula, L. A translation of the old Lat. name, alnus nigra: see preceding.—Corn. Wight, Fl. Vect. 'The leaves be like those of the alder-tree, yet blacker.'—Ger. 1286. Prior, p. 3.

Alder, Wild, Egopodium Podagraria, L.—Linc. (Grantham). Alder is here equivalent to elder, to the leaves of which those of the Egopodium bear considerable superficial resemblance. See Elder.

Alder-Buckthorn, Rhamnus Frangula, L.—A modern book-name.

Alderne, Sambucus nigra, L.— 'They [goats] love alderne.' Topsell, Fourfooted Beasts, p. 240.

Alecampane. See Allicampane.

Alecoast, or Alecost, Tanacetum Balsamita, L.—Ger. North, Hal. Wr. Ches. 'From L. costus, some unknown aromatic, and ale, so called from its having formerly been esteemed an agreeable bitter and much cultivated in this country for flavouring ale.'—Prior, p. 3. It is curious that the Cherokee name for Gillenia trifoliata is Alecostote-este, which means bitter-root.

Alees, 'Aloe-trees.' Hal. Wr.

'Of herberi and alees, Of alle manner of trees,'—Pistill, of Susan, st. i.

Alchoof, or Alc-hoove, meaning that which will cause ale to heave, or work. Nepeta Glechoma, Benth.—'The women of our northern parts... do tun the herbe ale-hoove into their ale.'—Ger. 706. Hal. Wr. See Prompt. Parv. 250. Ray says, 'Hederam terrestrem angli præsertim septentrionales in dolia immittere solent, ad depurandum seu clarificandam cerevisiam; quod brevi tempore, 24 nempe horarum spatio, præstare solet, unde et nomen Ale-hoof sive Tun-hoof adepta est. Verum hic mos post receptum lupulorum usum paulatim desuevit.'—R. Cat., p. 163. Sal.; Suss.—Prior, p. 3.

Aleis. 'Aloes. Chaucer.'-Wr.

Alexander, or Alexanders, Smyrnium Olusatrum, L.—Turn. Lib. From its old name Petroselinum Alexandrinum, or Alexandrina, 'so-called of Alexander the finder thereof.'—Minsheu. In Palsgrave Alysandre. Hal. Wr. 'Anglicè Alexanders, vel quia ab Alexandria Ægypti urbe ad nos advehi solitum est, vel quia id vulgo creditum.'—R. Cat. Prior, p. 3.

Alexander's foot. Hal. Wr. 'A plant whose root resembles a foot.' Kersey. This name belongs, not to the true Pellitory (Parietaria) to which it is sometimes assigned, but to the 'Pellitory of Spain' (Anacyclus Pyrethrum, D.C.). Gerard says it is called 'in French Pied d'Alexandre, that is to saie, Pes Alexandrinus, or Alexanders foote,' p. 619.

Alisaundre, or Alisanders, Smyrnium Olusatrum, L.—(A. N.) Hal. Wr. 'With alisaundre thare-to.'—Wright's Lyric Poetry, p. 26.

Aliways. 'Aloes.' Linc.-Wr.

Alkakengy. 'The plant persicaria. Prompt. Parv.'—Wr., and Hal. to the same effect; but why this interpretation of the name (clearly an erroneous one) is assigned to Prompt. Parv. it is not easy to see, as that work gives 'alkenkengy, herbe morub. Morella rubea,' by which name a nightshade (probably the Physalis Alkekengi of modern authors) was doubtless intended.—Prior, p. 4. See Alkekeng.

Alkanet, various species of Anchusa.—Ger. Hal. Wr. Prior, p. 4.

Alkanet, Bastard, Lithospermum arvense, L.—Prior, p. 4.

Alkekeng, 'the winter cherry.' Wr. Physalis Alkekengi, L. See Alkakengy.

Allar. See Aller.

Allbone, or Allbonie, Stellaria Holostea, L.—A translation of the Greek ὅλοστεον, from the 'jointed skeleton-like stalks.'—Prior, p. 4.

'In English All-bonie: whereof I see no reason, except it be by the figure Antonomia, as when we say in English, He is an honest man, our meaning is, that he is a knave. For undoubtedly this is a tender herbe, lightly braied or pound, having no such bonie or tough substance in him.'—Ger. 43.

Alleluia. (1) Oxalis Acetosella, L.—Grete Herbal. Hal. Wr. 'By reason when it springeth forth and flowreth [i.e. between Easter and

Pentecost] Alleluja was woont to be sung in churches,'-Ger. 1031. This is probably the real origin of the name; but Withering says:— By a strange corruption this plant obtained the name of Alleluia, probably from its being called in the South of Italy Iuliola, whence also its officinal name Luzula.' Coles (A. in E.) says, 'It is called by the Apothecaries in their shops, Alleluja and Lujula, the one, as some think, because it was found in Procession, whilst the Processioners were singing Alleluja, or else because it flowreth about that time, which is used to be between Easter and Whitsuntide; the other came corruptly from Iuliola, as they of Calabria in Naples do call it,'-Prior, p. 4.

(2) Genista tinctoria, L.—Sal. (Pulverbatch.)

Aller, Allar, or Aller-tree (A.S. alr, aler). Alnus glutinosa, L. Prior, p. 3. Turn. Names.—West. Hal. Wr. Scott. Jamieson. E. Bord. Bot. E. Bord. Cumb. Dors. Dors. Gloss. Som. Holl. Inverness. In Dev. allerbury is the name for a plantation of alders. - Wr. A species of trout which frequents deep holes under the roots of this tree is called in the north the aller-float or aller-trout.—Hal. Wr.

Aller, Black, Rhamnus Frangula, L.—Ger. See Alder.

All-good (Lat. tota bona). Chenopodium Bonus-Henricus, L. -Lyte. Hal. Wr. Hants. Pratt. Prior, p. 4.

All-heal. (1) Valeriana officinalis, L. 'Country people of our days commonly use the leaves as an application to wounds; hence it is often called All-heal, —Pratt. Perhaps V. pyrenaica, L., was intended.

(2) Prunella vulgaris, L.—W. Ches. N. Yks.

(3) Viscum album, L.—Scotl. Brown MS.

(4) In Ger. and old writers, Opopanax chironum, Koch. Hal. Wr.

All-heal, Clown's, Stachys palustris, L. A name given by Gerard. See Clown's Woundwort. Prior, p. 5.

Allhoove, Nepeta Glechoma, Benth.-Minsheu. Hal. Wr. Doubtless a misprint for Alehoove.

Allhose. 'The herb horsehoof.'—Hal. Wr. This would be Tussilago Farfara; but Alehove (Nepeta Glechoma) is probably intended, Althose being probably a mere misprint for Alehofe.

Allicampane, Inula Helenium, L.—Turn. Lib. In Turn. Names, Alecampane. A corruption of the old Latin name Enula campana. ' Enula campana, which we common plain people call Alacompane.' -Bullein, Book of Simples, fol. 15. Ches. See Elecampane.

Alliff, Nepeta Glechoma, Benth.—E. Suss. See Alehoof.

Allison, 'The wood-rose. So at least Florio seems to understand it.' Hal, Wr. Turner (Herb.) seems to intend Sherardia arvensis under this name. The Sweet Alison of gardens is a cruciferous plant (Alyssum maritimum) very different from either; Arabis alpina is known in cultivation as White Allison .- Prior, p. 4.

Allolida (a corruption of Alleluia). Oxalis Acetosella, L.-Wr.

All Saints' wort, Hypericum Androsæmum, L.—Nemn. A mistaken translation of the French name toute-saine. See Tutsan.

Allsbushes, Alnus glutinosa, L.—N. Dev.

Allseed, a book-name (often a translated one) for various small plants producing a great quantity of seed. Prior, p. 5.

(1) Radiola Millegrana, L.-Merrett's Pinax, 1667.

(2) Polycarpon tetraphyllum, L.
 (3) Chenopodium polyspermum, L.—Ger. 257.

(4) Polygonum aviculare, L.-Pratt.

Almandre, an almond-tree. - Wr. : plural Almandris. 'And of almandris grete plenté.'-Rom. of the Rose. Hal.

Alme, Ulmus campestris, L.—(Dan.) Nhamp. Wr. Sternb. 'Askes of alme-barke.'-MS. Linc. Med. f. 282. Hal. Hence almen, made of elm.-Wr.

Alpine (corr. of orpine), Sedum Telephium, L.—Ches. (gardens.)

Alshinder, a Scotch form of Alexander. Smyrnium Olusatrum, L.-Scotl. Jamieson. See Elshinder.

Alsike, the commercial name of Trifolium hybridum, L.

Linnæus mentions in his Flora Suecica that Trifolium hybridum grows abundantly in the parish of Alsike, about 10 English miles south of Upsala. The present name in Swedish is Alsike Klöver.'

—N. & Q. 4, v. 76. Prior, p. 5.

Alum, from its astringent properties, Symphytum officinale, L .-Kersey.

Alysaunder, Smyrnium Olusatrum, L. - Prompt. Parv. See Alexander.

Alysson, 'the herb madwort.'—Hal. Wr. See Alisson.

Amber, Hypericum perforatum, L.-Kent. Pratt, etc.

Amber, Sweet, Hypericum. Androsæmum, L.—Suss.

Ambroise, Teucrium Scorodonia, L. 'The people of Jersey are said to make use of it in brewing, calling it ambroise.'-With. ed. 7. iii. 695.

Ambrose (of old writers). Chenopodium Botrys, L.—Turn. Names. 'Wild Sage.' Hal. Wr.; by which the foregoing is probably intended. See Prior, p. 5, and Prompt. Parv., p. 11.

Amee, 'the herb ameos.'-Ger. Hal. Wr. See Ameos.

Amel-corn, 'a kind of corn.'-Hal. Wr.

Ameos, 'the herb bishop's weed.' - Hal. Wr. Ammi majus, I. See Prior, p. 6. Ægopodium Podagraria is also called Bishop's Weed, which see; but in this instance Ammi is doubtless meant.

American Cress, Barbarea procox, L. Commonly so called in cultivation.

American Waterweed, Anacharis Alsinastrum, Bab.

Amond, 'an almond. Minsheu.'-Hal. Wr.

Amyllier, 'an almond-tree,'-Hal. Wr.

Ananbeam, Euonymus europæus, L.—Cockayne, ii. 369.

[Anape, 'apparently the name of a herb. It is mentioned in an old receipt in a MS, of the 15th century.'—Hal. May it not be a nape, a turnip?]

Anchuse (Lat. anchusa), Anchusa officinalis, L.-Wr.

Andurion, (a corruption of Eupatorium?) Eupatorium cannabinum, L.—Lanc. (Ormskirk.)

Anemony. The genus Anemone: see Prior, p. 6.

Anet (Lat. anethum). Anethum graveolens, L.—Hal. Wr. Prior, p. 7.

Aneys, Pimpinella Anisum, L.-Hal. Wr.

Angelica, 'a species of masterwort.'—Hal. Wr. Nares.

The common (Latin) name under which the Archangelica officinalis was, and still is, known and employed in confectionery, etc. 'All in generall call it Angellica from the angell-like properties therein.' Park Theatr., p. 941. Prior, p. 7.

Park. Theatr., p. 941. Prior, p. 7.

It is probable that the 'sweet angelica' of Heywood's Marriage

Triumph (1613) is Myrrhis odorata, L.

'And as they walke, the virgins strow the way With costmary and sweet angelica.'

Angel's eyes, Veronica Chamædrys, L.—Dev.

Around her hat a wreath was twined
Of blossoms, blue as southern skies;
I asked their name, and she replied,
"We call them Angel's Eyes,""—Garden, June 29, 1872.

Angleberries, Lathyrus pratensis, L.—Northern counties. Cornhill Mag., July, 1865.

Angober, 'a sort of large and long pear.'-Hal. Wr.

Anise. (1) Pimpinella Anisum, L.—Prior, p. 7.
(2) Myrrhis odorata, L.—Durh. (Upper Teesdale).

Anny, Pimpinella Anisum, L.

"Some anny seeds be sweet and some more bitter."

The Englishman's Docter;

the Anny having arisen from a mistake of Anise for a plural noun.'—Prior, p. 7.

Annyle, 'anise seed. Huloet.'—Hal. Most likely a misprint for Annyse, the long f being mistaken for I.

Anthill-grass, Festuca sylvatica, Vill. — Marshall's Rural Econ. of Midl. Counties, ed. 2, p. 107.

Anthony-nut, Staphylea pinnata, L.-Hal. Wr. Prior, p. 8.

Aparine, 'the [Lat.] name of a plant; cleavers.'—Wr. Galium Aparine, L.

Apis, 'a kind of apple-tree, which Skinner says was introduced into this country about 1670.'—Hal, Wr.

Aplyn, apples. (A.S.) Hal. Wr.

Apopuak, 'a kind of herb.'—Hal. Wr. Perhaps this should be Apopuak, and Opoponax is intended.

[Apostolione, 'an ingredient, perhaps a herb, mentioned in an old medical recipe in MS. Lincoln, A. i. 17, f. 295.'—Hal. Wr. More probably incorrectly written for 'Apostolicon, a universal remedy.' See Nares.]

Appel-leaf, 'the violet.' 'It is the translation of viola in an early list of plants in MS. Harl. 978, and is the A. S. word.'—Hal. Wr.

Appelyn, or Applen, Apples. (A.S.) Hal.

Apple, the fruit of Pyrus Malus, L., and applied to other fruits. Holl, has 'Epple, Sax. = any round fruit.' See Apple, Fir

Apple, Berk, the cone of Pinus sylvestris, L .- Yks. (Wensleydale.)

Apple, Cane, Arbutus Unedo, L. 'It hath come to us from Ireland by the name of the Cane-apple, with as great judgement and reason as many other vulgar names are.'—Park. Theatr. 1491. 'His ignorance of the Irish Language made him censure the name, for Pliny called the fruit Pomum, and the word Cachne [Caihne] is Irish, so that Mr. Parkinson ought to have forborn his Fling upon the Word Cane-apple.'—Threlkeld.

Apple, Coddled, Epilobium hirsutum, L. — Nhamp. Nth. Gloss. Linc. See Apple-pie.

Apple, Deal, the cone of Pinus Abies, L., probably.-East. Holl.

Apple, Fir, the cone of Pinus Abies, L. — N.-W. Cumb.; Hants, Holl; Linc. Young's Survey; Suss. Holl. Sometimes called simply Apple; 'the poor people supply themselves with very good fuel by gathering the fir-apples; you will sometimes see twenty children in my plantation appleing, as they call it.'—Young's Agric. Survey of Linc.

Apple, Hen, Pyrus Aria, L.-Moray., Fl. M.

Apple-John, or John-Apple, 'a kind of apple.'—See Hal. Wr. and Nares. This apple is well known in Cheshire, and is so called because it is ripe about S. John's Day.

Apple, Pine, the cone of Pinus Abies, L.-Lyte. See Pine-apple.

Apple, Sorb, Pyrus domestica, L.—Lyte, p. 726.

Apple, Thorn, Datura Stramonium, L.—Prior, p. 234.

Apple-pear, 'a kind of pear.'-See Hal. Wr. and Nares.

Apple-pie, from the odour of the flowers and young shoots.
(1) Epilobium hirsutum, L.—Ches. Ess. Glou. (Stroud.) Herts. (Buntingford). Suff. Yks. Lady Wilkinson (p. 164) calls this Apple-pie Plant.

(2) Artemisia vulgaris, L.—Mid.-Ches.
 (3) Cardamine pratensis, L.—Yks. (Bedale).

Apple-riennie, or Apple-ringie, Artemisia Abrotanum, L.—Scotl. Jamieson, Stirlingsh.

Apple-riennie, Deil's, 'wild Camomile.' Matricaria Chamomilla, L., or an allied plant. Stirlingsh.

Apple-rose, a book-name for Rosa villosa, L.-With. iv.

Apples of Love, see Love-apples. Lycopersicum esculentum, Mill.— Hal. Wr.

Appletree, Sorb. Pyrus domestica, L.-Lyte, p. 726.

Appletrees, Deil's, Euphorbia Helioscopia, L., and other species.

Clackmannansh.

Appo, an apple. - Ches. Hal. Wr.

Appulle, an apple.-Hal.

Apricock, an apricot, cfr. Richard II., iii. 4. 89. 'Feed him with apricocks and dewberries.' — Mid. Night's Dream, iii. 1. 169. Hal. Wr. Prior, p. 9.

Apron, Tanner's, Primula Auricula, L.-Glouc.

Aps, or Apse, for Asp: 'this is a very common corruption in Sussex and Hants; as clapse for clasp; hapse for hasp.'—Holl. It is not, however, a corruption, but the oldest form. The A.S. for asp-tree is aps; clapsed for clasped is in Chaucer, Prol. 273; and the A.S. for hasp is haps. Populus tremula, L.—South and West, Hal.; Dev. Hants, Holl.; Kent, Pegge; Surr.; Suss. Parish; Som. Holl.; Warw. Wr.; Wight, Fl. Vect. 'The provincial word Apse for this tree gave rise, I presume, to the names of several places so-called in this island, as Apse farm, Apse heath, &c.'—Fl. Vect., p. 463. Hence apsen, made of aspen-wood.

Apyum (= Apium), 'Parsley,' Hal.; or perhaps Apium graveolens, L.

Arach (Minsheu), or Arage (Prompt. Parv.), Atriplex hortensis, L., and other species. See Orach, Prior, p. 10,

Arbeal, Populus alba, L.-Nemnich. A mis-spelling of Abele.

Arbeset, Arbutus Unedo, L.—(A. N.) 'Arbeset men heom calleth.'
—Kyng Alisaunder, 6765. Hal. Wr.

Arbouses, 'the dark hard cherry. Howell.'-Hal. Wr.

Arbute-tree, Arbutus Unedo, L.-Lyte.

Arby, or Arby-root, Armeria maritima, L.—Orkneys, Jamieson.

Archall, Roccella tinctoria, L.—Park. Theatr., 1315. Hal. Wr. 'Sold by the name of Archel in this city' [Dublin].—Threlkeld. Spelt also Arcel; the commercial name is Archil. (How, Phytologia Britannica, 1650.) See Orchil. Prior, p. 10.

Archangel, a name applied to Archangelica officinalis, and also to various species of Lamium, in Trev., Turn. Lib., and other old authors. Stachys sylvatica is included under the name by Lyte; the Lamiums are so-called in Glou., but not generally; L. album in Leic. (Belgrave); and Hal. renders the word 'the dead nettle.' In Prompt. Parv. we find 'Archangel, defe nettylle.'—Prior, p. 10.

Archangel, Black, Ballota nigra, L.-Ger. Index.

Archangel, Red, Lamium purpureum, L.—Ger.

Archangel, Sweet, Lamium purpureum, L.

'It is far from being feetid, as is the case with many others, so that by some for distinction this plant is termed the Sweet Archangel.'-E. Baylis, New & Compleat Body of Physic, 1791.

Archangel, White, Lamium album, L.-Ger.

Archangel, Yellow, Lamium Galeobdolon, L.-Ger. Leic.

Archarde, an acorn.—Prompt. Parv., p. 6. Hal. Wr.

Archer, Water, Sagittaria sagittifolia, L.-Ger. 'Because it is good to pull out arrows' (Minsheu), a notion suggested on the doctrine of signatures, by the form of the leaves. See Arrowhead.

Areche, Atriplex.-Turn. Lib. See Arach.

Areges, 'an herb.'-Hal. No doubt the same as Arach, which see.

Arestogie, 'a kind of herb?'-Hal. Wr.

Argans (from Lat. name), Origanum vulgare, L. - Dev. See

Argemone, 'the wild tansy.'-Minsheu, Hal. Wr. See Argentina.

Argentill, Alchemilla orvensis, L.—Hal. Wr. Ger. Appx. From its pale colour.

Argentina, Potentilla anserina, L.—' Argentina, wild tansy, growes the most in the fallowes in Coteswold.'-Aubrey's MS. Hal. Wr. 'The later Herbarists do call it Argentina, of the silver drops that are to be seene in the distilled water thereof when it is put into a glasse, which you shall easily see rowling and tumbling up and downe in the bottom.'—Ger., p. 841. 'I judge it rather so called of the fine shining silver coloured leaves.'—Johnson in Ger. Emac., p. 993.

Argentine, (1) Onopordum Acanthium, L.-With. Lyte and Ger. call it Argentine Thistle, from the whiteness of the leaves. (2) Potentilla anserina, L.-With. Hal. Wr. See Argentina.

Aristoloch, 'the plant called round birthwort' (i. e. Aristolochia rotunda, L.).-Hal.

Armstrong, Polygonum aviculare, L. - Suss. (Hastings). From the difficulty of pulling it up.

Arn, or Arin, Alnus glutinosa, L.—Scotl. Jamieson. Inverness; Moray, Fl. M.

Arnberries, fruit of Rubus Ideas, L.-Yks. (Whithy). E. D. S. Gloss, C. 2.

Arnit, or Arnut. (Du. aardnut, earth-nut.) (1) Bunium flexuosum, L. - North, Hal, Wr. Brockett, Scott, Jamieson. Yks. (Tadcaster). Nhumb. (Newcastle). Bot. E. Bord. Dumfries (Moffat). Roxb. (Kelso). Prior, p. 10, who includes B. Bulbocastanum under the name Arnut. (2) Arrhenatherum avenaceum, Beauv. - Scotl. Jamieson. Also

Swine-Arnut,

Arnit, Lousy, Lucie, or Loozie. Bunium flexuosum, L.—Forf. Fl. Forf. Moray. Fl. M. Stirl.

Arntree. Sambucus nigra, L.—Scotl. Loudon, Arboretum.

Aron. (1) Arum maculatum, L.—Lyte. Hal. Teviotd., Jamieson.
(2) The commonly cultivated Richardia athiopica is so called in Wales.

Arrow, Green, a corruption of Green Yarrow, Achillea Millefolium L.—Suff.

' Green 'Arrow, Green 'Arrow, you bears a white blow;

If my love love me my nose will bleed now; If my love don't love me, it 'ont bleed a drop; If my love do love me 'twill bleed ivery drop.'

Suffolk rhyme. See Nosebleed.

Arrow-grass, a book-name (transl. of Triglochin), Triglochin palustre, L.—Prior, p. 10.

Arrow-head. Sagittaria sagittifolia, L.—Hal. 'Hath large and long leaves, in shape like the signe sagittarius, or rather like a bearded broad arrowe heade.'—Ger., 336. Prior, p. 10.

Arrow-root. (1) Arum maculatum, L.—I. of Portland. So called from the starch prepared from its tubers, which is known as 'Portland Arrow-root' from its resemblance to the arrow-root of commerce, which is obtained from the rhizome of Maranta arundinacea, L.—See Phyt. iv. 1032, o.s.

(2) Achillea Millefolium, L .- Suff. A corruption of Yarrow-root.

Arrow-wood. Rhamnus Frangula, L.-Lyte.

Arsenick. Polygonum Hydropiper, L.—' Waterpepper or arsenicke.' Nomenclator, 1585. Hal. Wr.

Arsesmart (Turn. Names), or Arsmert (Turn. Lib.). Polygonum Hydropiper, L.—Hal. Wr. 'Because if it touch the taile or other bare skinne, it maketh it smart, as often it doth, being laid into the bed greene to kill fleas.'—Minsheu. Ches. Cumb. N. Linc. Prior, p. 10.

Arsesmart, Dead. Polygonum Persicaria, L. 'It doth not bite as the other doth.'—Ger. 362.

Arsmart, the usual spelling in more recent books of Arsesmart, which see.

Artetyke, a corruption of arthritica, an old name of the plant, because it was 'thought to be good against the pains of the joynts,' Ger.; a disease which was known as artetyke. See Hal. Primula veris, L.—Grete Herball.

Artichoke. Cynara Scolymus, L.-Nares. Prior, p. 10.

Asarabacca. Asarum europæum, L.— Vulgo azarabacca dicitur.'
Turn. Lib. See Prior, p. 10.

Ash (in Prompt. Parv. Asche). Fraxinus excelsior, L.-Prior, p. 11.

Ash, Ground. (1) Egopodium Podagraria, L.—With. Ches. Linc. Brogd. See Ashweed.

(2) Angelica sylvestris, L.- E. Bord., Bot. E. Bord.

Ash, Mountain. (1) Pyrus Aucuparia, L.—Ger. 'From a fancied resemblance of its pinnate leaves to those of the ash-tree, and its usual [native] place of growth.'—Prior, p. 11.

(2) Populus tremula, L.-Inverness, Scottish Naturalist, April, 1871.

Ash, Quaking. Populus tremula, L.—Scotl. Jamieson. Inverness, Scottish Naturalist, April, 1871.

Ash, Sweet. Anthriscus sylvestris, L.-Glou.

Ash, Wild. Pyrus Aucuparia, L.—Ger. and Park. give this as the general name for the tree; it was known in Latin as sylvestris fraxinus. Ger. p. 1290. See Ash, Mountain.

Ash-candles, the fruit of the Ash .- Dors., Dors. Gloss. Hal. Wr.

Ashchats, the fruit of the Ash.-North, Grose. See Ashkeys.

Ash-keys, the fruit of the Ash.—Hal. Wr. Herts. Nhamp., Nth. Gloss., Sternb. N. Linc. Suff. 'They are called in Englishe ashe keyes because they hang in bunches after the manner of keyes.'—Turn. Herb.

Ash of Jerusalem, 'wild wad.'—Turn. Names. This may be Isatis tinctoria or Reseda Luteola; the New Ash of Jerusalem in Turn. Herb. is certainly the former, which he says is so called in England.

Ashthroat, an A.S. name for Verbena officinalis, L., and perhaps other plants: see Cockayne, i. 9, 91; ii. 368.

Ashweed. Ægopodium Podagraria, L.—Ger. Baxter spells it Achweed. Sal. 'From its ternate leaves somewhat resembling those of the ache or celery.'—Prior, p. 11; or perhaps because the foliage has a casual resemblance to that of the ash. See Ground Ash.

Asp. Populus tremula, L.—Turn. Lib. Heref. Hal. Wr. E. Bord. Bot. E. Bord. With. (ed. vii) extends it to 'a poplar of any kind.'

Asp, White. Populus alba, L.—' White Esp-tree.'—Turn. Names.

Asparagus. Asparagus officinalis, L.—Prior, p. 11.

Asparagus, Bath, French, Prussian, or Wild. The young flower scapes of Ornithogalum pyrenaicum, L., are tied up in bundles, and sold under these names in Bath market. See Gard. Chron., 1873, p. 843.

Asparagus, Foxtailed. Equisetum maximum, Lam.—Glou.

Aspen. Populus tremula, L., is generally so called; but in Herts. P. alba is known by this name.—Prior, p. 11.

Aspen, Great. Populus alba, L.—Loudon, Arboretum.

Asphodel (in Hal. and Wr. Asphodil). 'The plant of the Greek poets is supposed to be the Narcissus poeticus, L.; that of Lucian and of modern botanists, Asphodelus, L.; that of our earlier English and French poets, Narcissus Pseudo-narcissus, L.'—Prior, p. 12.

Asphodel, Bog, Bastard, or Lancashire. Narthecium ossifragum, L. 'In Lancashire it is used by women to die their haire of a yellowish colour.'—Ger. Prior, p. 12. Asphodel, Scotch. Tofieldia palustris, Huds.

Aspodil, or Aspod-flower, apparently Asphodelus ramosus, L. — Holme, ii. 112.

Ass-ear (Fr. oreille d'âne). Symphytum officinale, L. — Nomenclator, 1585, p. 137. Hal. Wr.

Asses foot, from the shape of the leaves, Tussilago Farfara, L.—Hal. Wr. Prior, p. 12.

Asses' Thistle. 'The Asses' Thistle . . . of other days cannot now be exactly identified.'—Pratt, ii. 117. The name seems to have been suggested by the Greek Onopordon, and is probably a book-name for Onopordum Acanthium, L.

Ass-parsley, or Asse-perselie, 'the chervil.'—Hal. Wr. Dr Prior thinks ass-parsley is probably Æthusa Cynopium, L.; it may be Anthriscus sylvestris, Hoffm.—Prior, p. 12. It is probably a corruption of ache-parsley=parsley-parsley; just as beam-tree = tree-tree.

Ass-plum, 'Florio has asinine, a kinde of asse-plum.'-Hal. Wr.

Astrologia. Polygonum Bistorta, L.

'Bistorta is called . . . in the south country Astrologia.'—Turn.

Names. Hal. and Wr. give Astrology as a herb mentioned by Gower
and Palsgrave.

Astrophell, Hal. Wr. Burnett (Med. Bot.) thinks the Astrophel of Spenser is Veronica Chamædrys, L. See Nares. Spenser appears to have called two plants by this name. His 'bitter astrofell' (Daphn. 344) may be Aster Tripolium, as Nares conjectures; but in the other extract given by Nares from Todd's Spenser, viii. 60, the Veronica may be meant.

'That hearbe of some starlight is cald by name, Of others Penthia, though not so well; But thou where ever thou doest find the same, From this day forth do call it astrophel.'

Atcnern, or Oak-atchern, an acorn.-Mid. Ches.

Atchorn, an acorn. — Var. dial. Hal. Wr. Hence atchorning, gathering acorns. 'The pigs are gone o' aitchorning.'—Hartshorne, Salopia Antiqua.

Atterlothe, 'Nightshade,' MS. Harl. 978, p. 25.—Hal. Wr. Mr. Cockayne (Leechd. i. 149) considers Panicum Crus-galli to have been intended; but this could scarcely be.

Aubepyne (Fr. aubépine). Cratægus Oxyacantha, L.-Wr.

Augers. Salix viminalis, L.—Hence augerholm, an osier-holt.— Nhamp., Nth. Gloss.

Aul. Alnus glutinosa, L .- Heref. Hal. Wr.

'When the bud of the aul is as big as the trout's eye,
Then that fish is in season in the river Wye.'
Heref. Proverb. Hal.

Hence gulen, made of Alder.

Auld-wife-huid. Aconitum Napellus, L.—Cumbd. (Winderwath). See Monkshood.

Auld-wives-tongues. Populus tremula, L.—Roxb. (Kelso). Science Gossip, 1876, p. 39, 'This tree,' says Ger. (p. 1303), 'is the matter whereof women's toongs were made, as the poets and some others report, which seldome cease wagging.'

Aulne. Alnus glutinosa, L.-Cotgrave.

Aum, or Aum-tree; in Bayley's Dict. (1724) Aulm-tree. Ulmus campestris, L.—North, Brockett, Hal. Cumb. Nhumb. Grose, Wr. Yks.

Ausier, an osier,-E. Angl. Forby. Suff. Hal.

Auteose.

'The flowre is of a gode lose [is worthy of praise]
That men calleth auteose.'—Reliq. Antiq., i. 195. Hal.

Autumn bellflower, or violet. Gentiana Pneumonanthe, L. Lyte.
—Prior, p. 12, gives Autumn-bells.

Autumn Crocus. Colchicum autumnale, L .- Warw.

Avance. Geum urbanum, L., 'in Topsell and Askham' (Prior).—Ray (Cat. Pl. Ang.) says, 'Sanamunda vulgo, Barbaris Avancia.' See Avens. Hal, and Wr. say, 'The herb harefoot,' though G. urbanum does not seem to have been known under that name. See Prompt. Parv. p. 17.

Avant-peach, 'an early kind of peach. Skinner.'-Hal.

Ave grace. Ruta graveolens, L.—'It is to this day called Ave grace in Sussex, in allusion doubtless to Ave Maria gratia plena'.'(!) Loudon, Arboretum, i. 485. See Herb Grace.

Avens, in Prompt. Parv. Avence, in Turn. Names Avennes. 'A word of obscure origin and quite unintelligible.' See Avance. Prior, p. 13.

Avens, City, or Wood. Geum urbanum, L.

Avens, Drooping, or Water. Geum rivale, L.

Avens, Mountain. Dryas octopetala, L.

Averill. Narcissus Pseudo-narcissus, L.-Holme, ii. 66.

Averin, or Averen. See Aiverin.

Averoyne (Fr. auronne, Lat. abrotanum). Artemisia Abrotanum, L. (A. N.) Wr. Prior, p. 13.

Awbel, probably Populus alba, L.—Pr. Parv. (which see). Hal. Wr.

Aw'f'ood [Half-wood]. Solanum Dulcamara, L.-Worc.

Awl-wort (Lat.), a book-name for Subularia aquatica, L.—Prior, p. 13.

Awts, oats .- Lanc. Hal. Wr.

Axe, Flower of the. A name applied by the country-people about Axminster (Dev.) to the rare Lobelia urens, L., which is found in

Britain only upon Kilmington Common, near that town. See Journal of Horticulture, Oct. 7, 1875.

Axfetch, Ax-seed, or Axwort, apparently Coronilla varia, L.-Ger. Hal. Wr.

Axweed. Ægopodium Podagraria, L.—Prior, p. 11.

Aye-green (Lat.). Sempervivum tectorum, L.—Lanc. E. D. S. Gloss. C. 3, where it is spelt Aigreen. Hal. Wr. A name given by Turner (Herb.), who says: 'The leaves are grene: wherefore we thynke that Aygreen is a better name for it than Singrene' (which see) .-Prior, p. 13. See note in Prompt. Parv. on Howsleke, p. 251.

Ayshweed, Hal. Wr. See Aiseweed.

Azzy-tree. Cratagus Oxyacantha, L.—S. Bucks.

Bacchar. 'The herb ladies' glove. A full description of it is given in Holme's Academy of Armory, p. 88.'—Hal. Wr. It is impossible to identify the plant from Holme's description.

Baccobolts. Typha latifolia, L., from a resemblance in the spikes to a roll of tobacco. - Wight, Fl. Vect.

Bachelor's (or Batchelor's) Buttons. A name given to many flowers, usually from their round form or button-like appearance.-Prior, p. 13.

(1) Ranunculus acris, L., the double-flowered garden form.—Lyte. Ger. mentions that it was in his time so called 'about London,' as is still the case .- Oxf.

(2) A similar form of Ranunculus aconitifolius, L.—Ger.
(3) Lychnis diurna, Sibth. Hal. Wr.—S.-W. Cumb.; Ess.; Kent (Folkestone); Suff. (Moor); Suss.; N. Yks.—Of the double red or white flowered form, which is still common in cottage gardens, Johnson says—'The similitude that these floures have to the ingged cloath buttons anciently worne in this kingdome gave occasion to our gentlewomen and other lovers of floures in those times to call them Bachelour's Buttons.'—Ger. Emac. 472; Hal.—Nhamp. Nth. Gloss.; Warw.

- (4) Lychnis vespertina, Sibth.—Suss.; N. Yks.
 (5) Stellaria Holostea, L.—S. Bucks.; Suff.; in this instance referring to the button-like capsules. See Shirt-buttons.
 - (6) Lychnis Githago, L.—Gard. Chron.
 (7) Lychnis Flos-cuculi, L.—E. Suss.

(8) Scabiosa arvensis, L.—Hal. Wr. Glou.
(9) Scabiosa succisa, L.—Glou.
(10) Tanacetum vulgare, L.—Gard. Chron.
(11) Achillea Ptarmica, L., the double-flowered garden form. Curtis, Flora Londinensis.—Nhamp. Nth. Gloss. (12) Pyrethrum Parthenium, L.—Stirl.

(13) Centaurea Cyanus, L.—Derb.; Yks.; With. ed. ii. (14) Centaurea nigra, L.—Irel. (Belfast); Fl. B.

(15) Centaurea Scabiosa, L.-Glou.

(16) Bellis perennis, L.—Gard. Chron. Sal. (the garden daisy).(17) Arctium Lappa, L. (flower-heads of).—Hal. Wr.

Bachelor's Buttons, Red. Lychnis diurna, Sibth.—Suff.

Bachelor's Buttons, White. (1) Lychnis vespertina, Sibth, — Deering's Cat. Stirpium; Suff.

(2) Ranunculus aconitifolius, I.—Ayrsh.

Bachelor's Buttons, Yellow. The double-flowered garden variety of Ranunculus acris, L.—Ayrsh,

Backwort. Symphytum officinale, L.—Ger. Index. Hal. A preparation of the roots is 'a most excellent medicine against... all paines and consumptions of the backe: 'Ger. 661, where the name is printed Blackwoort (which see), as it is also in Ger. Emac. 807.—Hal.

Baclin. Bidens cernua, L.—Hants.; Pulteney's MS. in British Museum Herbarium.

Bacon-weed. See Biacon-weed.

Badderlocks. Alaria esculenta, Grev.; Scotl. (Mearns); Jamieson.
'Clearly a corruption of Balderlocks, or the locks of Balder, a Scandinavian deity, to whom other plants have been dedicated.'—Treas. Bot. See Balderbrae.

Badman-oatmeal, 'the flowers of the hemlock.'—Yks. (Holderness); E. D. S. Gloss, C. 7; but probably Anthriscus sylvestris, Hoffm., is intended, which is often popularly called 'hemlock.' The 'bad man' = the devil: see Devil's Oatmeal and Deil's Meal.

Bad Man's Bread. Bunium flexuosum, With .- Yks.

Bad Man' Posies. Lamium purpureum, L.-Nhumb.

Badmoney. 'The plant Gentian.' Roxb., Jamieson. See Baldmoney.

Baffiners. Ranunculus acris, L.; R. bulbosus, L.; R. repens, L.; Culpeper. Probably a misprint for Bassinet (which see).

Bairnwort. (1) Bellis perennis, L.—Yks. Wr.; E. D. S. Gloss. B 2.
Hal. Perhaps because children gather it; but an oldername is Banwort (which see), of which it probably is a form.

(2) 'Some say violets also.'-Yks. (Whitby); E. D. S. Gloss. C. 2.

Baldar Herb. 'The Amaranthus,' Huloet; Hal. Wr. This is doubtless Amaranthus hypochondriacus, L., of which Turner (Lib.) says, 'quibusdam flos amoris, gallis est passevelutum anglis autem Baldare.'

Baldemoyne (in Treveris, Baldymony). 'Gentian.' MS. Sloane. Hal. Gentiana Amarella, L. Ger. Appx.

Balder Brae, or Balder's Brae. Anthemis Cotula, L.—Nhumb.; i.e. Baldur's brow, in reference to the white brow of Baldur, the popular northern divinity. The name is given to A. Cotula in Sweden, and to Pyrethrum inodorum in Iceland. The Prose Edda, speaking of Baldur, says—'So fair and dazzling is he in form and features that rays of light seem to issue from him; and thou mayst have some idea of his beauty when I tell thee that the whitest of all plants is called Baldur's brow.'—See N. & Q. 4. ix. 159, 210, 269, 348; and Cockayne, iii. xxxi.

Balderry. Orchis latifolia, L .- Scotl. Jamieson.

Baldeyebrow. Anthemis Cotula, L.—N. of England, Cockayne, iii. xxxi. See Balder Brae.

Baldmoney (or sometimes Bawdmoney, which Camden says is its

Yorkshire pronunciation).

(1) Meum athamanticum, Jacq. Ger. App. Yks., Camden; Westm., Ray—'In Westmorlandia, about two miles from Sedberg in the way to Orton, abundantly in the meadows and pastures, where it is known to all the country-people by the name of Baud-money, of which name I can give no account.'—R. Cat., p. 209. Prior (p. 13) derives the name from the Latin valde bona, but the evidence he adduces in favour of this supposition seems to us insufficient. Sir W. J. Hooker (Brit. Flo.) says: 'Bald, or Baldmoney, is a corruption of Balder, the Apollo of northern nations, to whom this plant was dedicated.' See Balder Brae for a similar dedication.

(2) Gentiana, various species.—Ger. Parkinson (Theatr.) limits the name chiefly to G. lutea and G. cruciata, and in his index calls G. Amarella Bastard B. Coles, A. in E., applies it to G. Amarella or G.

campestris.-Cockayne, iii. 313.

Baldwein. 'Gentian.'-Ger. Appx. Hal. Wr. See Baldmoney.

Baldymony. See Baldemoyne.

Balewort. Papaver somniferum, L.—'From bealo, bale, mischief.' Cockayne, iii. 313.

Balin.

'Having th' herbe balin in his wounds infus'd.'
Great Britaines Troy, 1609.—Wr.

Is not this a misprint for Balm ?]

Ballagan. Lapsana communis, L.—Ayrsh.: Pratt.

Ballock Grass. Orchis mascula, L.—Lyte, p. 222. See Cockayne, iii. 313; Hal. Wr.; Prior, p. 14.

Ballocks, or Balloxe. A book-name applied by Turner, Lyte, Gerard, and other old writers, to various orchids; it is merely the equivalent of the Latin orchis. Orchis Morio is Fool's B. in Lyte; O. hircina, Hare's B. of the same author; Spiranthes autumnalis is Sweet B. in Ger., etc.—Hal.

Ball Thistle. A species of Echinops,-Ger. ; Hal. Wr.

Ballweed. (1) Centaurea nigra, L.-Hal. Wr.

(2) In Ger. (p. 990), apparently a species of Echinops.

Balm (in Lyte's Index, Baulm). Melissa officinalis, L. Contracted from Balsam; Lat. Balsamum, Prior, p. 14.

Balm, Bastard. Melittis Melissophyllum, L.—Prior, p. 14. With., ed. iv., calls this Balm-leaf.

Balm, Field. Calamintha Nepeta, L.—Treas. Bot.

Balm of Warrior's Wound. Hypericum perforatum, L., given as an old name in Hooker's Brit. Flora. 'The wine wherein the leaves thereof have been boyled hath power to consolidate and close up woundes.' Lyte.—See also Ger. 433, where a recipe is given for the

making of a 'compound oile' from the plant, which is called 'a most pretious remedy for deep wounds and those that are thorow the body.' On holding a leaf up to the light it appears as if perforated. It seems likely that these perforations were supposed to resemble wounds, and that, according to the doctrine of signatures, nature thus indicated the use to which it should be applied.

Balam, or Balsamine. Impatiens Noli-me-tangere, L., a book-name.

—Prior, p. 14.

Balsam, Kentish. Mercurialis perennis, L .- Kent. Pratt.

Balsam-apple.—'A herb mentioned by Florio in v. Caránza.' Hal. Wr.

Balsam Poplar. A frequent name for Populus balsamifera, L., from the fragrance exhaled by its unfolding leaves and expanding catkins.—E. Bord. Bot. E. Bord.

Balsamynte. Tanacetum Balsamita, L.—Lyte. From its mint-like smell; or perhaps a mere modification of the Latin name.

Bamchiches. 'A kind of chiches, mentioned by Florio, in v. Arietini.'

—Hal, Wr.

Banadle. Sarothamnus scoparius, Wimm.-Wales. See Bannal.

Band-plant. Vinca major, L.—'From the toughness of its stem.' Country, Dec. 3, 1874, p. 486.

Baneberry. Activa spicata, L., from its poisonous nature.—Hal. Wr. Prior, p. 14. 'The winter cherry.'—Wr.

Banewort, from its poisonous properties. (1) 'The night-shade.'—Hal. Wr.; probably Atropa Belladonna, L.

(2) Ranunculus Flammula, L.—Lyte; 'bicause it is dangerous and deadly for sheepe.'—Ger. (p. 815), who includes R. Lingua and R. sceleratus under this name.—Prior, p. 14.

(3) 'A poisonous plant. "It's some mak o' banewort," some kind of vegetable poison.'— Yks. (Whitby), E. D. S. Gloss. C. 2. We cannot identify this with certainty.

Bank Cress, from its growing on hedge-banks.

(1) Sisymbrium officinale, L.-Ger. p. 198. Prior, p. 14.

(2) Barbarea præcox, L.-Wight. Phyt. iii. 208, o. s.

Bank Thistle. Carduus lanceolatus, L., and C. nutans, L.—Dr. John Hill, Herb. Brit., 1769.

Bank Thyme. Thymus Serpyllum, L.—Berks.

Bannal. Sarothamnus scoparius, Wimm.—Cornw., from the old Cornish and Welsh name, Bannadle.

Bannut. (1) The fruit of Juglans regia, L.—Heref. E. D. S. Gloss. B. 12.; Glou. Cotsw. Gloss.; Sal. According to Hartshorne's Salopia Antiqua the name is applied to large walnuts. West. Hal. Wr.

(2) Juglans regia, L. (the growing tree).—Heref. E. D. S. Gloss. B. 12, which is also called

Bannut-tree. - West, Hal.; Glou. Grose, who spells it Bannet-tree.

Banwood. Bellis perennis, L.—Yks. Clevel, Gl. (Whitby), E. D. S. Gloss, C. 2. See Banwort.

Banwort. (1) Bellis perennis, L.—Nhumb. Turner, Lib.; Yks. Clevel. Gl. 'The Northren men call this herbe a Banwurt, because it helpeth bones to knyt agayne.'—Turn. Herb. and Lib. Johnston, referring to this passage, says, 'This is good authority, but I cannot learn that Banwort is ever now so applied.'—Bot. E. Bord., p. 103. See Daisy. (2) 'A violet.'—Dunelm. Hal. See Cockayne, ii. 371, where it is

(2) 'A violet.'—Dunelm. Hal. See Cockayne, in. 371, where it is rightly considered an equivalent of Bonewort, and applied with doubtful accuracy to Viola lutea and V. lactea, and also to Erythrea Centaurium and Solidago Virgaurea. In Cockayne, iii. 313, however, it is assigned to Cheiranthus Cheiri, and another (and erroneous) derivation is given—viz., 'a derivative of bana, a man-slayer, from the bloodstained colour of the petals; whence the plant is sometimes now called Bloody Warriors;' the daisy is supposed to have shared the name on account of 'the petals being tinged with red.'

Bar. Hordeum vulgare, L .- Scotl, Jamieson.

Barbara's (St.) Herb (Gerard), or Herbe S. Barbe (Lyte), Barbarea vulgaris, R. Br. S. Barbara's Day falls in the winter (Dec. 4), and this herb was 'used in the winter season for salades' (Lyte); hence perhaps the name. The Dutch, Latin, and French names given by Lyte, etc., are to the same effect, and do not support Grimm's explanation as quoted by Prior, p. 201.

Barbaryn. Berberis vulgaris, L.-Pr. Parv.; Hal. Wr.

Barberry, or Berberry. Berberis vulgaris, L. (spelt in Nemnich Birberry), Lyte, p. 684; E. Anglia (fruit), Forby; Ches.; S.-W. Cumb.; Yks. (Northallerton); E. Bord. Bot. E. Bord. M. Lat. Berberis, from Ar. Barbaris. Prior, p. 14.

Barber's Brushes. Dipsacus sylvestris, L. — Ess., Francis' Little English Flora, p. 32. Wilts., Flower's Flora of Wiltshire.

Barbine. Convolvulus arvensis, L.-Sal. (Hanwood). See Bear-bind.

Barboranne. Berberis vulgaris, L.-Gower. Hal.

Bare-bind.—Prior, p. 17. See Bear-bind.

Barfoot. Helleborus fatidus, L.—Warw.: a corruption of Bearsfoot (which see).

Bargeman's Cabbage. Brassica campestris, L.—Bucks (by the Thames).

Barley, Bare, Naked, or Wheat. H. vulgare, var. gymnodistichum.

Lyte.

Barley, Beare, Great, or Winter. H. vulgare, var. hexastichum.-

Barley, Common, Lesser, or Summer. Hordeum vulgare, L.—Lyte; Prior, p. 14.

Barley, Mouse. Hordeum murinum, L.—Baxter. The name mouse is a translation of murinum, which has probably been given from some confusion between murinum and murale, the plant growing on and about walls.

Barley, Wall. (1) Hordeum murinum, L.—Turn. Herb.; from its growth near walls.

(2) Lolium perenne, L.-Lyte, p. 504.

Barley, Way. Hordeum murinum, L.—Ger. Emac.; from its frequency by the roadside.

Barley, Wild. Hordeum murinum, L.—E. Bord.: Bot. E. Bord. A general name for this plant.

Barley-big. Hordeum vulgare, L. E. Anglia, Forby. A pleonasm, big being a Northern name for barley.—Hal. Wr.

Barley-plum. 'A kind of dark purple plum.'-West. Hal. Wr.

Barliche. 'Barley. MS. Douce, 291, f. 16.'-Hal.

Barm-leaf. Melissa officinalis, L.-With.

Barnabas. Centaurea solstitialis, L.-Hal.

Barnaby's Thistle, or St. B. T. Centaurea solstitialis, L., from its flowering about St. Barnabas' day (June 11).—Prior, p. 15.

Barne. 'A kind of flower mentioned in Hollyband's Dictionarie, 1593.'—Hal. Wr. We do not know it.

Barnwort. 'See Banwort.'-Hal.

Baron's Mercury. Male plants of Mercurialis perennis, L.—Lyte; but probably a mere confusion between 'baron' and 'barren.' See Boy's Mercury.

Barren Hempe. Cannabis sativa, L. (male plants).-Lyte, p. 71.

Barren Ivy. 'Creeping Ivy.—Bailey.'—Hal. Wr. This is the small-leaved form of *Hedera Helix*, L., which grows on hedge-banks.

Barren Strawberry. A modern book-name for Potentilla Fragariastrum, L.

Barrenwort. Epimedium alpinum, L. A name invented by Ger. (p. 389), who says: 'I have thought good to call it Barrenwoort in English; bicause . . . being drunke it is an enemie to conception.'—Hal. Wr.; Prior, p. 15.

Barrow Roses. Rosa spinosissima, L.—Pemb. (Tenby). Possibly from their growth there on sand-hills near the sea, one meaning of barrow being a hillock. See Hal.

Barweed. Convolvulus arvensis, L.-Som. (Taunton).

Basam, Basom, Bassam, or Bisom. (1) Sarothamnus scoparius, Wimm.—Dev. Hal. 'From its use in making brooms or besoms. "As yellow as a basom," is a common S. Devon expression.'

(2) 'Basam, the red heath broom.'-Dev. Hal. Wr. This is pro-

bably Calluna vulgaris, Salisb. See Broom (2).

Base Broom. Genista tinctoria, L.—Lyte, 667; Hal. Wr. Referring, according to Prior, p. 15, not to its low growth, but 'to its being used as a base to prepare woollen cloths for the reception of scarlet and other dyes.' Lyte, however, does not so understand it. He says, 'It

may be wel called in Latine, Genista humilis; in Italian, Cerretta, that is, lowe and base Broome,' and this is the simpler derivation.

Base Rocket. Reseda lutea, L.—So called, according to Prior (p. 15), 'from its rocket-like leaves, and its being used as a base in dyeing woollen cloths.' But it is not this species, but R. Luteola, L., which was employed by dyers (see Dyer's-weed), and the name was first bestowed by Parkinson (Theatr. 823), because 'being referred to the rockets they are base and wilde herbes, but clammer not.' Wr. erroneously applies the name to 'the burdock.'

Base Vervain. Veronica Chamædrys, L.-Lyte.

Basier. See Baziers.

Basil. Ocymum basilicum, L. Gr. βασιλικον, royal, from its being used in some royal unguent, bath, or medicine.—Prior, p. 16; or 'because the smell thereof being so excellent, is fit for a king's house.'—Park. Theatr., p. 20.

Basil, Cow. Saponaria Vaccaria, L.—Ger. 'Sic dicta quia vaccæ ejus esu delectantur, et à similitudine Ocymi.'—Skinner. But it does not all resemble an Ocymum.

Basil, Red Cow. Centranthus ruber, DC .- Ger.

Basil, Field, Stone, or Wild. Book-names for Calamintha Clinopodium, Benth., and C. Acinos, Clairy.

Basil-balm. A name given by Baxter to Calamintha Acinos, Clairv.

Basil Thyme. A modern book-name for Calamintha Acinos, Clairv.

Basilweed. A name given by Baxter to Calamintha Clinopodium, Benth.

Basket-fern. Nephrodium Filix-mas, Rich.—Corn.; Hants. From the hollow basket-like form in which the fronds grow up.

Bass. (1) Scirpus lacustris, L.—Cumb. 'According to Kennett, the term is also applied to "a collar for cart-horses made of flags:" in Cumberland the word is applied generally to dried rushes.'—Hal. Wr.

(2) A species of lime is so called in N. Linc.; the wood is known as Bass-wood. It is probably T. parvifolia, L. See Bast. Young (Agric, Survey of Linc.) says: 'The woods in the south part of this county produce oak, ash, and poplar, about one-third of each, and scarce any other sort is to be met with therein, except a tree (the real name of which I could never learn) called by the woodmen Pill-Bass. It seems to be of the poplar class, but a distinct species.' This is probably also a lime. See E. D. S., C. 6. In N. America T. americana is commonly called Bass-wood; 'the name (now obsolete in England) alluding to the use of the inner bark for mats and cordage.'—Asa Gray (Man. Bot. N. United States). The Bass or Bast employed by gardeners is also obtained from the inner bark and leaf-stalks of various other trees. See Treas. Bot.

Bassam. 'Heath.'-Dev.; Hal. Wr.

Bassinet (in Skinner, Basinet). 'Fr. bassinet, a small basin, a skull-cap, from the shape of the flower.'—Prior, p. 16; Hal.

(1) Buttercups (which see). In Normandy the name 'embrasse toutes les Ranuncules jaunes,' Le Héricher (Essai sur la flore populaire de Normandie), p. 36.

(2) Caltha palustris, L., which Lyte calls Brave B.

(3) 'Some [species of Geranium] are called in many places of England Bassinets.'—Park. Parad., p. 230. Lyte calls G. sylvaticum Bassinet Geranium.

Bast. Tilia parvifolia, L. 'In Lincolnia a rusticis (ut nos monuit D. Martinus Lister) Bast dicitur, quoniam ex ejus corticibus funes texunt.'—Raii Historia Plantarum, ii, 1695. Prior (p. 16) gives 'Basttree, Tilia europæa, L.'—See Bass.

Bastard Pellitory. Achillea Ptarmica, L.—Deering (Cat. Stirp).

From its resemblance to the Pellitory of Spain (Anacyclus Pyrethrum, DC.).

Bat in Water. 'Water-mint,' L.—Hal. Wr. We can find no explanation of this name, and do not know where it originally occurs.

Batter Dock. (1) Petasites vulgaris, Desf.—Ches. (2) Potamogetan natans, L.—Ches. Wilbraham's Ch. Gl.

(2) Potamogetan natans, L.—Ches. Wildraman's Ch. Gl.
(3) Rumex obtusifolius, L.—Sal. (Ellesmere). 'Beware of a breed, if it be but a batterdock,' is a Shropshire proverbial saying.

Baulmemint. 'Water mint.' Florio .- Hal. Wr.

Bawdmoney. See Baldmoney.

Bawd-ringie. Meum athamanticum, L .- Perthsh.

Bawme (or Baum, With, ed. ii.). Melissa officinalis, L.—Lyte, p. 259; Hal.; Ches.; Cumb.; N. Linc. E. D. S. Gloss. C. 6. Balm was formerly in great repute in Cumb. as a medicinal plant, and Bawm-tea is still a cottager's antidote to feverish colds. Baumtea is also in use in Linc. (see E. D. S. Gloss, C. 6.), and in Ches.

Baum-leaf. Melittis Melissophyllum, L. (A translation of the specific name.) With. ed. ii.

Baw-tree. Sambucus nigra, L.—N. Linc. E. D. S. Gloss. C. 6. See Bore-tree.

Bawtry-salad. 'The weeds which come down the river Trent in summer time when the drains and ditches which communicate with it in the earlier part of its course are being cleaned.'—N. Linc. E. D. S. Gloss, C. 6.

Bay, or Bay-tree. Laurus nobilis, L.—Lyte, p. 688. 'In old works bay means a berry generally, as the bayes of ivyne, but as those of the sweet bay, the lauri baccas of Virgil, were an article of commerce, the term came to be applied to them exclusively, and was thence extended to other evergreens, much as is laurel at the present day.'—Prior, p. 16.

Bay, Dwarf. (1) Daphne Mezereum, L.—Baxter. (2) Daphne Laureola, L.—Prior, p. 16.

Bay, Rose. A frequent book-name for Epilobium angustifolium, L. Skinner says: 'Sic dictum, quia folia Laurum flores purpurei rosam referunt.'

- Bayoerries. The fruit of Laurus nobilis, L. Lyte, p. 688. Wr. This is a pleonasm: see Bay: Beam-tree (which see) is a similar instance. The name is still in use, 'bay-berries' being obtainable at chemists' shops.
- Bay Lambs. Male flowers of Pinus sylvestris, L.—Yks. (North-allerton).
- Bayle. Aubrey (Nat. Hist. of Wilts.) mentions a meadow plant by this name. We have not been able to identify it.
- Bay Oak. Quercus sessiliflora, Sm.—Berks. (Newbury). 'Folia huic obscurius viridia et minus profunda sinuata quam vulgaris, unde a vulgo circa Newberry oppidum The Bay-Oak, i. e. Lauro-quercus dicitur.' R. Syn. iii. 440. 'The name probably refers only to a local variety.
- Bays, Willow. Salix pentandra, L. Staff. (Wolverhampton). From the aromatic bay-like smell of its leaves.
- Bay Willow, or Bay Willow-herb. (Misprinted Bay Yellow-herbe, in Ger. Emac., 479.) Epilobium angustifolium, L. Has 'leaves like the greatest willow or ozier.'—Ger. 387.
- Baziers [i. e. bear's ears]. Primula Auricula, L. This name occurs in the refrain of a South Lancashire May-song—

*The baziers are sweet in the morning of May.' See Book of Days, i. 547; and E. D. S. Gloss. C. 3.

It is in general use in South Lancashire (see N. & Q., 4, vii. 350) and in the Eastern counties (N. & Q., 3, ii. 305). See also E. D. S. Gloss, C. 3,

Bazocks. Sinapis arvensis, L.—Yks. (Whitby). E. D. S. Gloss. C. 2.

Bead-sedge. See Bede-sedge.

Beam Tree. Pyrus Aria, L. A contraction of White Beam Tree. See White Beam. 'Beam, without the white prefixed, is a vague term, meaning in A.S. a tree generally, so that Beam-tree is a silly pleonasm, a tree-tree.' Prior, p. 16.

Bean. Vicia Faba, L.-Prior, p. 16.

Bean, Flat or Fig. A name for some species of Lupinus.—'After the Dutch name, because [the seeds] are flat and round as a fig that is pressed.'—Coles, A. in E.; R. Cat., 110.

Bean Trefoil. — 'Sometimes applied to Menyanthes trifoliata.'
Treas. Bot.

Bear, Beer, Beir, Bere. Hordenn vulgare, L.—Yks. Clevel. Gl.; Scotl. Jamieson; Ayrs.; E. Bord, Bot. E. Bord, Hal. Wr.; Cockayne, iii. 313; Prior, p. 17.

Bear Berry, or Bear Bilberry. Arctostaphylos Uva-ursi, L.— Aberd. 'From its fruit being a favourite food of bears.' Prior, p. 17; but is this explanation founded on fact? Bearbind, or Bearbine. 'Bindweed.'-North, Hal. Cockayne, iii. 313. This probably includes both (1) and (2).

(1) Convolvulus arvensis, L .- From its binding together the stalks of bear or barley. Prior, p. 17. Yks.

(2) Convolvulus sepium, L.—Bucks (Wycombe); Surr. E. D. S. Gloss, C. 4.

(3) Polygonum Convolvulus, L.—Staff. Pitt.

(4) Lonicera Periclymenum, L.—Ches. The name must here have some other derivation than that given for (1).

Beard Tree. Corylus Avellana, L.—Boucher, Hal. Cf. Filbeard and Filbert.

Bearfoot. See Bear's foot (1, 2, 3).

Bear's Breech (in Lyte Beare Briche, quoted from Cooper's Dictionarie). Acanthus. Prior, p. 17, says the name has been 'transferred by some mistake' from the Acanthus to Heracleum Sphondylium, L.-Wr.

Bear's Ears. Primula Auricula, L., of gardens.—Hal. Wr. East. ('the early red auricula') Hal.; Glou.; Norf.; Suff. N. & Q., 4, vii. 351, 420; Scotl. N. & Q., as above. Old Lat. Ursi auricula, from the shape and texture of the leaves. See N. & Q., 4, vii. 256, 350, 420. Prior, p. 17.

Bear'sfoot. (1) Usually Helleborus fatidus, L. — Ger. (Northallerton); Warw. Hal. Prior, p. 17.

(2) Helleborus viridis, L.—Applied to this species by Petiver in 1713.

(3) Helleborus niger, L., in Turn. Names and Lib.— 'Ego censeo illam herbam quam vulgus cantabrigiense vocat Bearefote esse verum elleborum nigrum.'-Turn. Lib. Parkinson (Theatr.) says some call this species Bearefoot, 'but that name doth more fitly agree with the two [preceding] kindes.'

(4) Alchemilla vulgaris, L .- North. Camden; Hants. Field, May 1,

1875.

(5) Aconitum Napellus, L.—Notts.
(6) It appears that by some Acanthus was so called. See Turn. Lib. under Acanthus.

Bear's Garlick. Allium ursinum, L.-Lyte. Prior quotes Tabernæmontanus as saying 'ursi eo delectantur;' p. 17.

Bear-skeiters [i. e. barley-shooters]. Heracleum Sphondylium, L .-Moray, Fl. M. See Aitskeiters.

Bear Whortleberries. Arctostaphylos Uva-ursi, L.-With. ed. ii.

Bearwort (from the German name). Meum athamanticum, L .-Ger. Hal. Prior, p. 17.

Beaten Woman's Herb. Tamus communis, L.—This has no claim to be considered an English name, as it is merely the translation given by Mrs. Hooker in her English edition of Le Maout and Decaisne's Traité de Botanique of the French Herbe aux femmes battues; but it is finding its way into English books, and is hence included here.]

Beche. An old spelling of Beech.—Hal. Wr.

Beckbean. Menyanthes trifoliata, L.-Treas. Bot.

Bede-sedge. Sparganium ramosum, L.—From the large bead-like fruits (A.S. bead, a prayer). 'A name given to it by Turner.' Prior, p. 17.

Bedewen, or Bedwen. Betula alba, L.—West. Hal. Wr.; Corn. Borl. Gl.

Bedflower. Milne and Gordon (Indigenous Botany, 1793) call Galium verum, L., 'Golden Bedflower.'

Bedfurze. Ulex nanus, Forst. Hants (New Forest).

Bedlam Cowslip. Wr. 'The Paigle or larger Cowslip.'—Nhamp. Baker. It seems, however, likely that Pulmonaria officinalis was intended; which Langham (Garden of Health, 1597) calls Cowslips of Bedlem, and which is called Bedlam Cowslip in Oxf.

Bedsfoot. A book equivalent for Clinopodium, of which it is a translation.—Park. Theatr., &c. 'Sic dictum quod surculi (aliis, ut Plinio, orbiculati florum ambitus) speciem Pedum Lecti præbeant.' Skinner. Hal. and Wr. quote Skinner as assigning this name to 'the plant mastic,' but we find no such reference.

Bedstraw. The general popular name for the various species of Galium, excluding G. Aparine, L. Prior, p. 18.

Bedstraw, Lady's, in old writers Our Ladies Bedstraw, or Bedstre, and in Holme (ii. 98), Ladies Bendstraw.—A name which refers to the use of dried plants as bedding, and which is associated with the Blessed Virgin from her having given birth to our Saviour in a stable. A legend connecting Galium verum with the Nativity will be found in the Athenæum of April 4, 1868. Galium verum, L. (Lyte, Ger.; N. Yks., Wills. Prior, p. 18), is the true Lady's Bedstraw, but the name is sometimes applied to G. saxatile, L. (Glou.), and G. Cruciata, Scop. (E. Yks.).

Bedstraw, White. Galium Mollugo, L .- Prior, p. 18.

Bedstraw, Yellow. Galium verum, L.—Prior, p. 18.

Bedwind. Convolvulus sepium, L .- Glou.

Bedwine. (1) Polygonum Convolvulus, L.—Hants.
(2) Clematis Vitalba, L.—Dors. Barnes; Hants; Wight, Fl. Vect.

Beebread. (1) Trifolium pratense, L.—Kent. Rather a misnomer, as the hive bee cannot reach the honey; the flowers are fertilized by means of the humble bee. See Darwin, Origin of Species, ed. 6, p. 75. (2) Borago officinalis, L.—Gard. Chron. 1871. Often grown purposely for bees.

Beech, or Beech Tree. Fagus sylvatica, L.—Lyte. The fruit is generally known as Mast, or Beechmast.—Prior, p. 18.

Beech, Dutch. Populus alba, L.— The Dutch Beech is an old name given to this tree, as we are informed by Hartlib, in his Compleat Husbandman (1659), on account of ten thousand trees of it having been brought over all at once from Flanders, and planted in

the country places; where the people, not knowing what they were, called them Dutch beech trees.'-Loudon, Arboretum.

Beech, Horn. Carpinus Betulus, L.—Warner (Plantæ Woodfordienses), 1771. Prior, p. 118. See Hornbeam.

Beech, Horse, Horst, or Hurst. Carpinus Betulus, L.— From its growth in hursts, and some resemblance of its leaves to those of the beech tree.' Prior, p. 121. Kent, Camden (Britannia); Suss. Hal. Burley Hurst Wood, Mobberley, Cheshire, was remarkable for the number and size of its hornbeams; they appeared to be self-sown.

Beech, White. Carpinus Betulus, L.—Ches.

Beech Fern. Polypodium Phegopteris, L.—W. Cumb. The common book name for this species, in reference to its specific name.

Beechwheat Polygonum Fagopyrum, L.—Under this heading Nemnich has the following extract: 'The English term Buckwheat seems to be a corruption. I am rather inclined to think it ought to be Beechwheat, from its likeness in shape and colour to the beech-mast, also from its classical name Fagopyrum. I have likewise seen it termed Beechwheat in an English treatise on husbandry, written in the reign of Henry VIII. Bath Papers, iii. 291.'

Beedy's Eyes. Viola tricolor, L.—Som. Hal. Wr.

Bee-flower. (1) Ophrys apifera, L.—Wight, Fl. Vect. The lip is 'in form and colour so like a bee, that any one unacquainted therewith would take it for a living bee sucking of the flower.'-Holme, ii. 109; Prior, p. 17.

(2) Cheiranthus Cheiri, L.-Park. Parad. p. 258. Linc. 'Wallflowers, commonly called *Bee-flowers*, . . . are good for bees.'— A New Orchard and Garden, by W. Lawson, p. 15 (1638).

Bee-larkspur. Delphinium grandiflorum, L., and other cultivated species. 'From the resemblance of the petals, which are studded with yellow hairs, to the humble-bee whose head is buried in the recesses of the flower.'-Treas. Bot. Prior, p. 18.

Bee Nettle. (1) Galeopsis Tetrahit, L.—Prior, p. 18.

G. versicolor, L.—Ches.; Scott. Pratt.

(3) Lamium album, L.-Leic.

Bee Orchis. A common but not an old name for Ophrys apifera, L.-Prior, p. 18.

Bee's-nest. Daucus Carota, L.-Ger. Emac. From the nest-like shape of its inflorescence. Prior, p. 18. See Bird's-nest (1). Hal. and Wr. quote Skinner as assigning this name to 'a kind of flax:' his words, however, are, 'secundum Gerardum Linariæ species.' But in Ger. Emac. it is assigned to Daucus.

Beesom. Sarothamnus scoparius, Wimm.— W. Dev. Marshall; E. D. S. Gloss, B. 6.

Beet. (1) Beta maritima, L.—The Latin name is said to be given from the resemblance of its seeds to the β of the Greek alphabet. The resemblance, however, is not very apparent.—Cockayne, iii. 313. Prior, p. 18.

(2) Polygonum Bistorta, L.- Bistorta is called of the Northerne men Betes. - Turn. Names.

Beetle, March or Marish. Typha latifolia, L.-Lyte, Ger. In allusion to the form of its inflorescence and to its growth in marshy places. See Beetle in Nares and Hal.

Beetraw, or Beetrie. 'The red beet. Corr. from E. beetrave, Fr. bete, beet, and rave, a radish.'- Scott. Jamieson.

Beewort. What plant was so called in Anglo-Saxon cannot now be ascertained. Mr. Cockayne interprets it as Acorus Calamus, L., but the statement quoted by him that it 'is produced in cultivated places, and in wort beds, and in meads,' does not bear out this supposition. Moreover Acorus is not considered an indigenous British plant. See Cockayne, i. 97, ii. 371, iii. 313.

Begg. Hordeum vulgare, L.—Dumfries, Jamieson.

Beggar Brushes. Clematis Vitalba, L.-S. Bucks.

Beggar Lice. Galium Aparine, L. From the seeds adhering to the clothes and resembling insects.- 'In some countryes they call the seed Begger lice.' Coles, A. in E. 293. N. Bucks.; Nhamp. Wr. Prior, p. 19. Lyte gives this as a translation of the Dutch name for Xanthium Strumarium, L.

Beggar-man's Oatmeal. Alliaria officinalis, Andrzj.-Leic. (Quorndon).

Beggar's Basket. Pulmonaria officinalis, L.—Ches. (in gardens).

Beggar's Blanket. Verbascum Thapsus, L.—Cumb. E. D. S. Gloss.

Beggar's Buttons. The flower-heads of Arctium Lappa, L.—Dev. Hal. Wr.

Beggar's Needle. Scandix Pecten, L., from its long beaked fruits. -Hal. Wr. With. Midland Counties, E. D. S. Gloss. B. 5; Sal. (Wellington).

Beggar's Stalk. Verbascum Thapsus, L.—Cumb. E. D. S. Gloss.

Beggar Weed. A name applied to several plants by farmers, either because they denote poverty of soil, or because they are such noxious weeds as to beggar the land.

(1) Polygonum aviculare, L .- 'In some places.'-Batchelor's Beds.

(2) Cuscuta Trifolii, Bab., because it destroys the clover plants on which it grows. - Wilts. (Herb. Lambert in Herb. Kew.) Beds. Batchelor's Gloss.

(3) Heracleum Sphondylium, L.—Beds. Batchelor's Gloss.
 (4) Spergula arvensis, L.—Beds. Batchelor's Gloss. Hal.
 (5) Galium Aparine, L.—Nhamp. Wr.

Beggary. East Anglia. 'I know not the botanical name. It bears in Anglo-Saxon a very indecent appellation.'—Rev. W. T. Spurden's Appendix to Forby. This reference to the Anglo-Saxon name leaves little doubt that a Fumaria (probably F. officinalis, L.) is intended, which still bears in Norfolk a similar appellation. See Cockayne, iii. xxxii, and 320, col. 2. Hal. and Wr. have 'Beggary: full of weeds. East.'

Belamour. 'A flower:

"Her ruddy cheeks like unto roses red, Her snowy brows like budded belamoures."

Spen. Sonn. 64.

I have not yet discovered what flower is here meant. It seems to be applied to the lily or iris in F. Q. II. vi. 16. Yet the construction is too obscure to determine anything.'—Nares,

Beldairy, or Bildairy. Orchis mascula, L., and O. Morio, L.— Aberd. Phyt. ii. 360, N. S.

Belder-Root. Enanthe crocata, L .- Wight, Fl. Vect.

Belene. Hyoscyamus niger, L.—'The name seems derived from its bell-shaped capsules; belle, a bell; bellen, furnished with bells; and the final e is the usual final distinctive form of names of worts.'—Cockayne, ii. 371; iii. 313. See Prior, p. 109, under Henbane.

Bell, or Bells, Dead Man's, or Men's. (1) Digitalis purpurea, L. —E. Bord. Bot. E. Bord.; Scotl. (Aberd., Clack., Edinb., Forf., Moray, Perth).

(2) Fritillaria Meleagris, L.—Sal.

Bell, Cow. Silene inflata, Sm .- Scotl., Floricultural Cabinet.

Bell, Easter. Stellaria Holostea, L.—From its time of flowering, and the shape of the half-expanded blossoms.—Dev.

Bell, Hare, or Hare's. A general name for (1) Campanula rotundifolia, L. — W. Ches., N.E. Yks. The spellings Hairbell or Airbell are quite modern, and seem to have been adopted in accordance with a fancied derivation of the name, which, however, is quite without authority. The name itself is unexplained. Prior, p. 101.

(2) Scilla nutans, Sm.—Ger. (Index). Park. Parad., p. 120. Dev.

(Teignmouth).

Belladonna. Atropa Belladonna, L.-Prior, p. 19.

Bell-bind. Convolvulus sepium, L.: i. e. the bindweed with bell flowers.—Ess., Suff. (Bell-bin) Moor.

Bellbinder, or Bellwinder. Convolvulus sepium, L.—T. Forster's Pocket Encycl. of Nat. Phenomena, p. 83 (1827).

Bell-bine. (1) Convolvulus arvensis, L.—Camb., N. Ess., Norf.
(2) Convolvulus sepium, L.—Suff.

Bell Bottle. Scilla nutans, Sm. -S. Bucks.

Belle-blome. Narcissus Pseudo-narcissus, L.-Hal. Wr.

Belleisle Cress. Barbarea pracex, L.—Prior, p. 19. 'This species is generally thought to have been introduced to Europe from the New World, whence the names of American or Belleisle Cress, from the straits of that name between Labrador and Newfoundland.'—Fl. Vect.

Beller. See Billers (3).

Bell-flower. (1) A general name for the species of Campanula, from the shape of the corolla.—Prior, p. 19.

(2) Narcissus Pseudo-narcissus, L.—'In some counties.'—Hal. Wr.

Som. Jennings.

(3) In Park. Theatr. (626) applied to Cheiranthus Cheiri, but here a misprint for Beeflower.

Bell-flower, Autumn. Gentiana Pneumonanthe, L.-Lyte, Ger.

Bell-flower, Great. Campanula latifolia, L., and C. Trachelium, L. —Lyte.

Bell-heath. Erica Tetralix, L.—Hants (New Forest).

Bell-heather. Erica Tetralix, L .- Scotl. Jamieson.

Belliborion. 'A kind of apple. East.'-Wr.

Bellows, Deadmen's. (1) Digitalis purpurea, L.—E. Bord. Bot. E. Bord.

(2) Ajuga reptans, L.-E. Bord. Bot. E. Bord.

Bell Pear. 'A sort of pear.'-Wr.

Bellragges. 'A species of water-cresses, mentioned by Elyot in v. Laver.'—Hal. Probably Nasturtium amphibium, Br., or N. palustre, DC., is intended. Turner (Names) says: 'Laver, or Sion, is called of some Englishemen Bellragges, of other some yealowe watercresses.' See Billers.

Bell-rose. Narcissus Pseudo-narcissus, L. — Som. 'Pronounced Bulrose'.—Pulman.

Bell-ware. 'The sea-weed of which kelp is made, Zostera marina.

Agr. Surv. Caithn.'—Jamieson.

Bellwinder. See Bellbinder.

Bellwine (in Nemnich, Bellwind; also in E. D. S. Gloss, C. 3). Convolvulus arvensis, L., and C. sepium, L.—Bucks.

Bells. The garden Fuchsia .- Ches.

Bells, Candlemas. Galanthus nivalis, L.—Glou. Cotswold Gloss. From their flowering about Candlemas (Feb. 2nd).

Bells, Canterbury. (1) Campanula Trachelium, L.—Ger. Prior, p. 37. From their growth in woods about Canterbury, according to Gerard. See Canterbury Bell. Warw.

(2) C. medium, L. (gardens).—'Of some about London Canterbury bels, but unproperly.' Ger. (p. 363), who considers C. Trachelium as the true Canterbury bell. Suss., Midd., and in general use.

(3) C. glomerata, L.-Lyte.

(4) Cardamine pratensis, L.—Norf. Ger.

Bells, Coventry. (1) Campanula medium, L.—Lyte, who says, 'These pleasant floures grow about Coventrie in England;' and Ger., who writes: 'About Couentrie they growe very plentifully abroad in the fields, and are there called Coventrie bels.' But this species is not British; and it is, perhaps, more probable that another species, C. Trachelium, L., is intended. Prior, p. 54.

(2) Anemone Pulsatilla, L.—'In Cambridgeshire where they grow they are named Coventry bels,' Ger., p. 309.

Bells, Crow, or Yellow Crowbells. Narcissus Pseudo-narcissus, L. —Ger.

Bells, Hedge. (1) Convolvulus sepium, L.—Cumb., Staff. Prior, p. 107.
(2) Convolvulus arvensis, L.—Ger.

Bells, Lint. 'The blossom or flower of flax when growing. Burns.'
—Jamieson, who gives bell as the general Scotch name for the flower of a plant.

Bells, Peach. Campanula persicifolia, L .- Dev.

Bells, Sea. Convolvulus Soldanella, L.-Ger.

Bells, Steeple. Campanula pyramidalis, L.—Dev.

Bells, Witch, or Witches. (1) Campanula rotundifolia, L.—Scotl. Jamieson; Edinb.; Lanarks., Jamieson. (2) Centaurea Cyanus, L.—North, Hal.; Edinb.

Bells, Wood. Scilla nutans, Sm.-N. Bucks.

Bens, wood. Scula nations, Sm.—N. Ducks.

Bells, Yevering. Pyrola secunda, L.—Prior, p. 257.

Bell Thistle. Carduus lanceolatus, L.—Yks. (Northallerton), Warw.

Possibly C. nutans may be intended, on account of the drooping habit of the flowers.

Bell Woodbind. Convolvulus sepium, L.—Bullein, fol. 21.

Bellywind. Clematis Vitalba, L.-Hants (Tichborne).

Belweed. Centaurea nigra, L.—Ger. Appx. Perhaps Ballweed is intended.

Belwort. 'The name of a herb. In MS. Sloane, 5 f. 3, the Latin name given is acandus, and in f. 8, pullimonaria, the word being spelt bellewort in the latter instance.'—Hal.

Ben, or White Ben. Silene inflata, L.—Prior, p. 19. A corruption of Behen, Cucubalus Behen being an old name of the plant.

Bendock. Œnanthe crocata, L.—Kent, Gard. Chron., 1843, p. 412.
This is probably a corruption of Bane-dock, a name appropriate to this plant, the poisonous properties of which have frequently caused fatal results.

Bendstraw, Ladies. See Bedstraw.

Benewith Tree. Prompt. Parv., Hal. Wr. 'This appears to be the woodbine [Lonicera Periclymenum], which in Swedish is called beenwed. Linn. Fl. Suecica. Verelius explains the Icelandic beinwid to be ossea pericliminis species, a bony kind of honeysuckle—beinwid signifying bone-wood.'—Prompt. Parv. The ivy, which is called Bentwood in Bot, E. Bord., may, however, be intended. See Bindwood.

Benione. The name of a plant mentioned by Walton (Complete Angler, part i. chap, ii.). 'There is a herb Benione which being hung in a linen cloth near a fishpond makes him [the otter] to avoid

the place.' It is conjectured that assafcetida is meant. See N. and Q. 4, i. 235, 398.

- Bennels. (1) Phragmites communis, Trin.—E. Bord. Bot. E. Bord. The name is also applied to 'a kind of mats, made of reeds woven together, used for forming partitions in cottages; or laid across the rafters to form an inner roof. Roxb.'—Jamieson.
 - (2) 'The seed of flax. Roxb.' Also called Lint Bennels.— Jamieson.
- Bennergowan. Bellis perennis, L.—Scotl. (Dumfries). N. and Q. 4, viii, 143.
- Bennert (i. e. Banwort). Bellis perennis, L.—Cumb. E. D. S. Gloss. C. 8.
- Bennet, or Bennets. (1) Usually an equivalent of Bent, which see; but in S.W. Cumb. applied to Bellis perennis, L., and in this case a corruption of Banwort. Ger. calls Hordeum murinum, L., Way B.

 (2) Pimpinella Saxifraga, L.—Sal. (Stokesay).
- Bennet, Herb. (1) Geum urbanum, L.—From the old Lat. name, Herba benedicta, blessed herb. 'Where the root is in the house the devil can do nothing, and flies from it; wherefore it is blessed above all other herbs' (Ort, San. c. clxxix.) Prior, p. 110. Glou. (Herbal Bennet); Sal.
 - (2) Conium maculatum, L.-Ger.
 - (3) Valeriana officinalis, L., fide Prior, p. 110.

Bent, or Bents. A term of general significance, applied usually to the old stalks of various grasses (Glou. Cotswold Gloss.; Nhamp. Sternb.; Yks. Cleveland Gloss.; Midlands, Marshall, E. D. S. Gloss. B. 5); in S. Bucks. and Cumb. it is principally applied to Cynosurus cristatus, L.; in N. Yks. to Agrostis vulgaris, L.; in Suff. (Moor) and Scotl. (Jamieson) to Triticum junceum, L.; in Forfarsh., E. Bord. (Bot. E. Bord.), and other parts of Scotland (Jamieson), and the North of England (Brockett), to Psamma arenaria, Beauv. In E. D. S. Gloss, C. 2, it is explained as 'coarse sedge grass' (Yks., Whitby). In E. Bord. (Bot. E. Bord.) it is applied to Juncus squarrosus, L., which is probably the plant intended in E. D. S. Gloss. B. 2, by 'a species of rush which grows on the Moreland Hills' (E. Yks.). Bailey (Dict.) assigns it to Scirpus lacustris, L. The heads of Plantago major, L., are so called in Wilts, and those of P. lanceolata, L., in Wilts and E. Yks.; in the latter district the dry stalks of Hypocharis radicata, L., are also so named. One correspondent states that Erica cinerea, L., is so called in W. Ches.; and about Delamere Forest (Ches.) the name is given to Calluna vulgaris, Salisb. Hal. Wr. and Nares understand the term in its extended sense. In Ger. Emac., p. 6, is the following note upon Phalaris arundinacea, L.: 'I take this to be the grasse with which we in London do usually adorne our chimneys in sommer time; and we commonly call the bundle of it handsomely made up for our use by the name of Bents.' Hal, also explains the word as 'a plain; a common; a field; a moor; so called from those places being frequently covered with the bent grass; and Hal. and Wr. both give the word Bentles, meaning 'dry, sandy pastures near the sea, covered chiefly with bent grass (East), which would here probably mean Psamma arenaria, Beauv. See Prior, p. 19, and Bot. E. Bord., p. 209.

Bent, Black. (1) Alopecurus agrestis, L.

(2) Plantago lanceolata, L.—Bucks,

(3) Juncus squarrosus, L.-North, Winch, Bot. Guide; Dur.

(4) Nardus stricta, L.-E. Bord. Bot. E. Bord.

Bent, Broad. Psamma arenaria, Beauv. - Scotl. Edmonston's MS.

Bent, Hendon. Cynosurus cristatus, L. — Midd. 'The hay of Middlesex is often of good quality. Hendon, perhaps, produces the hay which has the best name in the market. The Hendon bent (Cynosurus cristatus) is well known to the dealers, and is seldom found except on good meadow-ground.'—Journ. Royal Agric. Soc., 1869, p. 25.

Bent, Narrow. Elymus arenarius, L .- Scotl. Edmonston's MS.

Bent, Rose. Juncus squarrosus, L.-E. Bord. Bot. E. Bord.

Bent, Sea. Carex arenaria, L .- E. Bord. Bot. E. Bord.

Bent, Star. Juncus squarrosus, L.—Cumb. E. D. S. Gloss. C. 8.

Bent, Stool. Juncus squarrosus, L .- E. Bord. Bot. E. Bord.

Bent, Sweet. Luzula campestris, Willd .- Ayrsh.

Bent, The Mother of. Elymus arenarius, L.—Outer Hebrides, Macgillivray, Journ. Nat. and Geogr. Science, ii. 93.

Bent, Way. Hordeum murinum, L .- Turn. Herb.

Bent, Whirl. Juncus squarrosus, L.—Cumb. E. D. S. Gloss. C. 8.

Bent, White. Nardus stricta, L.—Nhumb.

Bent, Wire. Nardus stricta, L.—E. Bord. Bot. E. Bord.

Bentbrow. 'Stamp bentbrow with young Marigolds and strein it.'— Langham's Garden of Health, p. 384. We do not know what plant is here intended.

Bent Grass. (1) Agrostis vulgaris, L.—E. Bord. Bot. E. Bord.; Cumb. Hal.

(2) Aira cæspitosa, L.—S.W. Cumb.

(3) Aira flexuosa, L.—S. W. Cumb.

(4) Cynosurus cristatus, L.-Martyn's Flora Rustica (1793).

Bent Grass, White. Agrostis alba, L.—Baxter.

Bentles. Triticum junceum, L.—Suff. Moor. Bentles is also a name given to low, sandy, flattish land on the sea-shore of Suffolk, where nothing but this coarse reedy bent seems to thrive or grow. Moor's Suff. Gloss.

Benton Pry. Aira cæspitosa, L .- S. W. Cumb.

Bents. See Bent.

Bentwood. Hedera Helix, L.—E. Bord. Bot. E. Bord. See Benewith Tree and Bindwood.

Benweed. Senecio Jacobæa, L.—Scotl. Jamieson; Ayrsh. Ireland (Antrim and Down).

Benwort. Bellis perennis, L.-S.W. Cumb. E. D. S. Gloss. C. 8.

Benwyttre. Lonicera Periclymenum, L.—Prompt. Parv. Hal. Wr. See Benewith Tree,

Berber. Berberis vulgaris, L.-Hal. Wr. Scotl. Jamieson.

Berbine. Verbena officinalis, L .- Kent, Hal.; Cockayne, iii. 313.

Bergamot. (1) Monarda fistulosa, L. (gardens). From the smell of the plant exactly resembling the perfume known as oil of bergamot. Prior, p. 20.

(2) A species of mint, probably the Bergamot mint (Mentha citrata, Ehr.) of Hooker's Student's Flora, with variegated leaves, is the

plant so called in London gardens.

Berries. Fruit of Ribes Grossularia, L.—Cumb.; Dumf.; Nhumb.; Linc, Brogden's Gloss.; Yks.

(2) Rubus fruticosus, L .- E. Bord, Bot. E. Bord,

(3) 'Currants,' according to Nemnich.

Berry. Fruit of Ribes Grossularia, L.—North. Hal. Wr.; Yks. (Whitby). 'We'll soon find out if he's Yorkshire,' said the Londoner, 'ask him if he likes berry-pie.' E. D. S. Gloss. C. 2. N. Linc. E. D. S. Gloss. C. 6, where we have 'berry-pie, gooseberry pie; berry-tree, a gooseberry bush.'

Berry Alder, or Berry-bearing Alder. See Alder. Prior, p. 20.

Berry-bearing Poplar. Populus monilifera, L.—' The berry-bearing poplar, brought from Nottinghamshire by Mr. Cartwright into Holland Fen, thrives very greatly, and much exceeds the Lombardy; they are 18 or 20 feet high in six years.'—Young's Agric. Survey of Line, (1799), p. 212.

Berry-tree. See Berry.

Bertery. Sambucus nigra, L.—Yks. (Northallerton).

Bertram. Pyrethrum Parthenium, L.—Lyte. 'A corruption of Lat. Pyrethrum.'—Prior, p. 20. Parkinson (Theatr. Bot.) assigns the name to Anacyclus Pyrethrum, DC.

Besidery. 'A kind of baking pear. Kersey.'-Hal.

Bessy Banwood. (1) Bellis perennis, L.—Yks. (Whitby) E. D. S. Gloss. C. 2.

(2) 'Some say violets also.'- Yks. (Whitby) Id.

Betayne. Stachys Betonica, Benth.—Prompt. Parv. Hal. Lyte. See Betony. 'It hath been formerly called Betayne, or Betaine.'—Coles, A. in E., p. 12.

Bethlem Star. Ornithogalum (probably O. umbellatum, L., more especially).—With, ed. ii. See Star of Bethlehem.

Bethwine. (1) Convolvulus sepium, L.—S. Bucks. (2) Polygonum Convolvulus, L.—Hants.

(3) Clematis Vitalba, L. — Glou. Cotswold Gloss,; Hants; Suss. Parish (Bethwind); Wight, Hal, Wr.

Betony. Stachys Betonica, Benth.—Lyte; S.W. Cumb.; N. Yks.; E. Bord. Bot. E. Bord. According to Pliny, first called Vettonica, from the Vettones, a people of Spain.—Prior, p. 20. Turner (Names) gives 'Betony, or Beton.' Coles, A. in E., says 'It hath been formerly called Betayne, or Betaine.'

Betony, Brook. Scrophularia aquatica, L., in R. Turner's Botanologia.

Betony, Paul's. Veronica officinalis, L .- Lyte, Ger.

Betony, Water. Scrophularia aquatica, L.—Turner, Lyte; Leic. (Belgrave), Suss., Yks. (Wakefield). Prior, p. 20.

Betony, Wood. Stachys Betonica, Bth .- Ches.

Betty go to bed at noon. Ornithogalum umbellatum, L., from the closing of the flowers in the middle of the day.—Sal. (Ellesmere).

Bezors. Primula Auricula, L. (of gardens).—Glou. A corruption of Bear's Ears (which see).

Biacon-weed. Chenopodium album, L.—Dors. (Barnes), Hal. Wr.; i. e. Bacon-weed, because it denotes rich, fat land.

Biddy's Eyes. Viola tricolor, L.—Som. Hal. Wr.

Bident. Nemnich gives this as an English name for Bidens.

Bidney. Stachys Betonica, Benth.-Kent. A corruption of Betony.

Bifoil. Listera ovata, R. Br. From Lat. bifolium. See Tway-blade.—Prior, p. 20.

Big Daisy. Chrysanthemum Leucanthemum, L.—E. Yks.; E. Bord. Bot. E. Bord.

Bigg. Hordeum vulgore, L.—Lanc. (Furness), E. D. S. Lanc. Gloss.; Cumb., Jamieson; E. Anglia, Forby; Yks., Cleveland Gloss.; E. Bord. Bot. E. Bord. In Cumb. the word 'is nearly obsolete, but fifty years ago we constantly heard of bigg-awns, bigg-meal, and "a bishel o' bigg" in Westmoreland. The Bigg-market, a street in Newcastle, keeps the name.' (Mrs. Atkinson.) Prior, p. 20.

Bigold. Chrysanthemum segetum, L.—Ger. (Appx.) Hal. Wr. Prior, p. 20.

Bilberry, the fruit Bilberries. Vaccinium Myrtillus, L. — Ger. 1231; Hal.; Ches.; Linc. Brogden; Sal.; N. Yks. 'In the parts about London.' Coles, A. in E. Prior, p. 20.

Bilberry, Bear. Arctostaphylos Uva-ursi, L. See Bearberry.

Bilberry Whortle. Vaccinium Myrtillus, L.-With. ed. iv.

Bildairy. See Beldairy.

Bilders. (1) Helosciadium nodiflorum, Koch —See Billers. (2) Heracleum Sphondylium, L.—Cornw.

Billers. (1) 'The curious treatise of the nature and properties of herbs, Roy. MS. A. vi. f. 69, 6, gives "Billura, an herbe that we

clepeth billure: he ys much worth to rype bocch." Elyot [T. Cooper's 1559 ed.] explains lauer to be "an herbe growynge in the water, lyke to alisander, but hauynge less leaues: some doe call it bilders or bell-ragges."—Prompt. Parv. It is difficult to say what plant is intended here, as Elyot (or more correctly Cooper) goes on to say: 'Some name it yealow watercresses.' The colour of the plant militates against its being Helosciadium nodiflorum, Koch, which the description otherwise resembles, and which is still called Billers in Dev. See Bell-ragges.

(2) Heracleum Sphondylium, L.—Dev.

(3) Nasturtium officinale, L.—Derry (Kilrea), where Biller or beller is 'the common name for water-cress among the lower classes,'—See Bilders.

Billie Beatie. Parietaria officinalis, L.—Irel. (Belfast).

Billy Button. (1) Geranium Robertianum, L.—Bucks.

(2) Sometimes applied in gardens to the double-flowered variety of Saxifraga granulata, L.

(3) Scabiosa arvensis, L.—Yks. (Bedale).

(4) Bellis perennis, L. (the garden form).—Sal. (Ellesmere).

Billy-clipper. Convolvulus arvensis, L. — Sal. (Hanwood). Clip = to embrace, A.S. See Hal.

Billy White's Buttons. Stellaria Holostea, L.—Warw. Phyt. vi. 416, N.S.

Bind. Lonicera Periclymenum, L.-Prompt. Parv. (Bynde).

Bind, Common. Convolvulus (probably both C. arvensis and C. sepium).—Turn. Lib. N. Linc. E. D. S. Gloss. C. 6, 'pronounced with short i.'

Bindcorn. Polygonum Convolvulus, L.—Scotl. Jamieson, from its twining round the stems of corn. Hal. has 'Bindcorn, buckwheat;' but the above is probably meant.

Bindweed (i. e. the weed that binds, a name applied to several plants which climb up and clasp the stems of other plants).

(1) Convolvulus arvensis, L.—Turn. Names; Hal.; Hants, Holl.; Kent, Holl.; Linc. Brogd.; Suss.; N. and E. Yks.; E. Bord. Bot. E. Bord. Also a bookname and in general use. Prior, p. 20. This is usually pronounced bindweed, but Mr. Peacock (E. D. S. Gloss. C. 6) says that in N. Linc. the i is short.

(2) Convolvulus sepium, L. - Turn. Names; Hants, Holl.; Suff.

Moor's Gloss., where it is also given as Bineweed.

(3) Polygonum Convolvulus, L.—'In the fens.'—Holdich. W. Ches. Cumb.

(4) Lonicera Periclymenum, L.—Yks. (Craven).

(5) Senecio Jacobwa, L.—Scott. (S. Renfrewsh.), Jamieson. In this case a corruption of bunweed, having no connection with bind in the sense explained above.

(6) Tamus communis, L., according to Nemnich; but this is doubtful.

Bindweed, Black. Polygonum Convolvulus, L.-Lyte, Prior, p. 23.

Bindweed, Blue. Solanum Dulcamara, L. — So called in Ben Jonson's Vision of Delight. Prior, p. 21.

Bindweed, Corn. Polygonum Convolvulus, L.-N. Yks.

Bindweed, Great. Convolvulus sepium, L.-W. Ches.

Bindweed, Ivy. Polygonum Convolvulus, L.-Lyte.

Bindweed, Sea. Convolvulus Soldanella, L.-Ger.

Bindweed, Small. Convolvulus arvensis, L.-Lyte.

Bindweed Nightshade. Circaea Lutetiana, L.-Ger. 280.

Bindwith. Clematis Vitalba, L.—Mart. Mill. 'Derived from one of the uses of the plant, viz., that of binding up other plants, for which it is used instead of withs or withies.' Phyt. i. 304, N.S. Prior, p. 21. Thoresby (Yks.) has 'Binding, a hazel rod or thorn, two or three yards long, so called because used for binding the hedge-tops.'—E. D. S. Gloss. B. 17. Binder has a similar signification in N. Linc.: see E. D. S. Gloss. C. 6.

Bindwood. (1) Hedera Helix, L.—Scotl. Jamieson. 'Pron. bin-wud: denominated perhaps from the strong hold that it takes of a wall, a rock, trees, &c., i. e. the binding wood,'—Jamieson.

(2) Lonicera Periclymenum, L.—Cumb.

Bine, or Bines. (1) Convolvulus arvensis, L.—Suff.

(2) 'The hop-stalk which binds round the pole' is so called in Suss.

Parish.

Bines, Great. Convolvulus sepium, L.—Cyclopædia of Agriculture.

Bineweed. See Bindweed (2).

Binnwood. Lonicera Periclymenum, L.—Yks. E. D. S. Gloss. C. 5.

Binweed. Senecio Jacobæa, L.-Scotl. Jamieson.

Birch. The general name for Betula alba, L.—Lyte; Prior, p. 21.

Also called Lady B. and Silver B.

Bird Brier. Rosa canina, L.—Ches. Because the hips are eaten by birds.

Bird Cherry. Prunus Padus, L.—Cumb. E. D. S. Gloss. C. 8; Prior, p. 22.

Bird Eagles. Fruit of Cratægus Oxyacantha, L.—Ches. Eagles or Agles is the diminutive of Hague, the more common name of the haw in Ches. See Hague.

Bird-een. Primula farinosa, L .- Cumb.

'The lockety gowan an' bonny burd-een Are the fairest flowers that ever were seen.'

Cumb. Children's Rhyme.

Bird-eye, or eyes. Cardamine pratensis, L.—Cumb. E. D. S. Gloss, C. 8; Yks. (York). See Bird's-eye.

Bird Grass ('by which name it is known to the seedsmen'). Poa trivialis, L.—With. ed. ii.

- Bird's Bread. Sedum acre, L.—Fr. pain d'oiseau; why so called is not at all apparent. Prior, p. 21.
- Bird's Bread and Cheese. Oxalis Acetosella, L.—Dev. Bird's Cheese and Bread.—Cumb.
- Birdseed. (1) Heals of Plantago major, L. Suss. Clackm. Dumf. (Moffat).

(2) Senecio vulgaris, L.—Yks.

- (3) Phalaris canariensis, L.—Prior, p. 22.
- Bird's-eggs. Silene inflata, Sm.—Sal. (Stokesay). No doubt in reference to the form and appearance of the inflated calyces before the flowers are expanded.
- Bird's-eye, or eyes. One of the most generally received of plant names, applied especially to Veronica Chamadrys, L., but extended locally to many other plants with small bright, usually blue, flowers.—Prior, p. 21; Hal. Bird-een and Bird-eye (which see) are other forms of the same name.
 - (1) Veronica Chamædrys, L.—Hal. Bucks, Camb., Cumb., Dev., Dors., Ess., Glou., Herts., Wight (Fl. Vect.), Lanc., Leic., Norf., Notts., Nhamp., Sal., Suff., Suss., Warw., Yks.
 - (2) Veronica Buxbaumii, Ten.-S. Bucks.

(3) Veronica hederifolia, L.—Ess.

(4) Myosotis arvensis, L .- Bucks., Notts.

(5) Myosotis palustris, L.—Nhamp.

(6) Anagallis arvensis, L.—S. Bucks., Oxf.

(7) Sagina procumbens, L.—Suss.

(8) Geranium Robertianum, L.—Bucks., Dev., E. Bord. Bot. E. Bord.

(9) Nepeta Glechoma, Benth.—S. Bucks.

(10) Stellaria Holostea, L .- Worc., Dur.

(11) Cardamine pratensis, L .- Yks. (Brandsby), E. Yks., Sal.

- (12) Primula farinosa, L.—Ger. Yks. 'In the middle of every small flower appeareth a little yellowe spot, resembling the eie of a bird, which hath mooved the people of the north parts (where it aboundeth) to call it Bird's eine. —Ger. 638. Withering calls it Bird's Eye Primrose.—Prior, p. 20.
 - (13) Briza media, L .- Mart. Mill.

Bird's-eye, Blue. Veronica Chamædrys, L .- S. Bucks., Oxf., Suss.

Bird's-eye, Pink. Geranium Robertianum, L.-S. Bucks.

- Bird's-eye, Red. (1) Lychnis diurna, Sibth.—Radnor (borders of Hereford).
 - (2) Geranium Robertianum, L.-Prior, p. 22. Oxf.
- Bird's-eye, White. (1) Stellaria media, L.—Bucks. (Great Marlow). (2) Stellaria Holostea, L.—Radnor (borders of Hereford).
- Bird's-foot. From its long seed pods, which resemble bird's feet.
 - (1) Lotus corniculatus, L., which is commonly called Bird's-foot Trefoil in books, and Bird's-foot Clover in With. ed. iv.—Suff.
 - (2) Ornithopus perpusillus, L.-Lyte; Prior, p. 22.

- Bird's Knotgrass. A book-name for Polygonum aviculare, L.—With, ed. vii.
- Bird's Meat. Fruit of Cratægus Oxyacantha, L .- Som. Hal.
- Bird's Nest. (1) Daucus Carota, L.—'The whole tuft [of flowers] is drawn togither when the seede is ripe, resembling a birdes nest: whereupon it hath beene named of some bird's nest.'—Ger. 873. Lyte and Ger. give Vogels Nest as a German name of the plant. Scotl. Jamieson.
 - (2) Pastinaca sativa, L.—Ger. Appx.
 - (3) Neottia Nidus-avis, L.—A translation of the old Latin name of the plant, which 'hath many tangling rootes platted or crossed one over another verie intricately, which resembleth a crowes nest made of stickes.'—Ger. 176; Prior, p. 22.
 - (4) Monotropa Hypopitys, L.-Prior, p. 22. A modern bookname.
- Bird's Tongue. (1) Stellaria Holostea, L.—Ger. Appx.; Cockayne, iii. 314. Probably from the shape of the leaves.
 - (2) Polygonum aviculare, L.—North. Ger. 452. 'So called from the form of the leafe.' Coles, A. in E., 305. Prior, p. 23.
 - (3) The fruit of Frazinus excelsior, L.—Turn. Herb. (Burdes tonges). From the 'form thereof being like unto a bird's tongue,'—Coles, A. in E., 305.
 - (4) Acer campestre, L.-Evelyn, Sylva.
 - (5) Senecio paludosus, L.-With. ed. ii.
 - (6) Anagallis arvensis, L.—Norf. Cockayne, iii. 31; Prior, p. 23.
- Bird Thistle. Carduus lanceolatus, L.—Because goldfinches and other birds feed on the seeds; or perhaps a form of Bur Thistle (which see). Worc.
- Birk. Betula alba, L.—General in the north of England and in Scotland, extending as far south as N. Lanc. (E. D. S. Lanc. Gloss., which see for old examples of the use of the word) and N. Linc. (E. D. S. Gloss. C. 6). Hal, Wr. Birk-tree, Cumb. E. D. S. Gloss. C. 8.
- Birk Apples. Cones of Pinus sylvestris, L., and probably of other species. Yks. (Northallerton).
- Birthwort. Aristolochia Clematitis, L., and other species.—Ger. 696. From its supposed efficacy in hastening parturition. Prior, p. 22.
- Bishop, or Bishop's, Leaves. Scrophularia aquatica, L.—Yks. Ger. Prior, p. 22. 'Vel quod aliquis nomine episcopus eam ad medicos usus primus adhibuit, vel quod supremi omnium flores cidarin episcopalem imaginoso alicui repræsentare visi sunt.'—Skinner.
- Bishop's Elder. Ægopodium Podagraria, L.-Wight.
- Bishop, or Bishop's, Weed. (1) Egopodium Podagraria, L.— E. Bord. Bot. E. Bord.; Moray, Fl. M.; Belf. Flor. Belf.
 - (2) Ammi majus, L.—Ger. 882; Hal.; Prior, p. 22.

Bishop's Wig. Arabis alpina, L.—Ches. From the resemblance of the tufts in full flower to the old-fashioned powdered wigs worn by

Bishopswort. (1) Stachys Betonica, Benth.—Ger. Appx. See Cockayne, i. 3, ii. 372, iii. 314; but there may be some confusion between this plant and the Water Betony (Scrophularia aquatica, L.), which was called Bishop Leaves (which see).

(2) In R. Turner's Botanologia, Nigella damascena, L.—Prior, p. 22. Perhaps because the carpels look something like a mitre.

Bistort. A common book-name for Polygonum Bistorta, L.—A contraction of the Latin name-Lat, bis, twice, and torta, writhen, from its twisted roots.—Prior, p. 22.

Bistort, Dock. Polygonum Bistorta, L.—Turn. Herb.

Bither-sweet. See Bitter-sweet.

Bitter Cress. A book-name for the species of Cardamine, more especially C. amara, L.-Prior, p. 22.

Erythræa Centaurium, L. - Holme, Academy of Bitter Herb. Armory, ii. 88.

Bittersgall [i. e. bitter-as-gall]. The fruit of Pyrus Malus, L.—'It is often said of a soft silly person, "He was born where th' bittersgalls da grow, and one o'm vall'd on his head and made a zaate (soft) place there." '—Pulman.

Bittersweet. (1) Solanum Dulcamara, L.—Turner, Herbal (Bitter Swete); Nhamp. Sternberg; Cumb. E. D. S. Gloss, C. 8; N. Linc. E. D. S. Gloss. C. 6. A name apparently coined by Turner as a translation of the Latin Amara dulcis, and adopted by subsequent writers; he explains it that 'when it is first tasted it is bitter, and afterwards sweet, Hal. Prior, p. 23.

(2) A kind of apple,-Hal. This is its meaning in the old dramatists. See Nares. Shakespeare has Bitter-sweeting, Rom. and Jul., ii. 4. Prior, p. 23.

(3) 'A tall weed with a cream-coloured flower, found in marshy places (Bither-sweet).' Yks. (Holderness), E. D. S. Gloss. C. 7. No doubt the Meadow-sweet (Spira Ulmaria, I.,) is meant.

Bitter Vetch. A modern book-name for (1) Lathyrus macrorrhizus, Wimm.

(2) Vicia Orobus, DC.—Prior, p. 23.

Bitter-weed.

" Oak, ash, and elm tree, The Laird can hang for a' the three; But fir, saugh, and bitter-weed, The Laird may flyte, but make naething be'et."

This popular rhyme affords data for ascertaining the comparative value of our indigenous woods. The Bitter-weed is the poplar, the bark of which is very bitter.'-Bot. E. Bord., p. 177. The name is assigned to no particular species of poplar, nor have we met with it elsewhere.

Bitter-wort. (1) Various species of Gentiana. — Ger. 352; in Coles, A. in E., 190, either G. Amarella or G. campestris; in Park. Theatr. G. lutea and G. cruciata. Prior, p. 23.

(2) In Cockayne, iii. 314, Byterwort is glossed Leontodon Taraxa-

Bity-tongue. Polygonum Hydropiper, L.—Cumb. From its sharp pungent taste, like the Latin Hydropiper.

Bizzom. Sarothamnus scoparius, Wimm.—W. Dev. E. D. S. Gloss. B. 6.

Blab. Ribes Grossularia, L.—Scotl. Jamieson. 'So called from its globular form.' See Blob.

Blacebergan. Rubus fruticosus, L.—'This term occurs in an early list of plants in MS. Hunter, 100.' Hal.

Black Alder, or Aller. See Alder.

Blackamoor. Typha latifolia, L.-Wight, Fl. Vect.; Hal. Wr.

Blackamoor's Beauty. Scabiosa atropurpurea, L.—Som. Jennings; Hal. Wr.

Black Archangel. See Archangel.

Blackball. Tilletia caries, Tul., and Ustilayo carbo, Tul.—E. Bord.
Bot. E. Bord.

Black Bent. See Bent, Black.

Blackbern. Rubus fruticosus, L.-N. Lanc. E. D. S. Lanc. Gloss.

Blackberry. (1) Rubus fruticosus, L.—A general popular and book-name for both the fruit and the shrub producing it. Turn. Lib. has 'Blakbery-bushe: fructus ejus vocatur aut blackeberys aut blakebyers aut bumble-berys.' Hal. says: 'The fine weather which is generally experienced at the latter end of September and the beginning of October, when the blackberries ripen,' is called in Hants the blackberry summer.

(2) Ribes nigrum, L.—Cumb. E. D. S. Gloss. C. S, Hal. Wr.; Yks. Clevel. Gloss., also Holderness, where 'the bramble berry is never so termed, as is usual in the south.' E. D. S. Gloss. C. 7. E. Bord.

Bot. E. Bord.

(3) Vaccinium Myrtillus, L.-Ger. N. Yks.

(4) Prunus spinosa, L.—Bailey's Dictionary.

Black Bindweed. See Bindweed.

Black Blegs. Fruit of Rubus fruticosus, L.-Yks. Wr.

Black-bowours, or bowwowers. Rubus fruticosus, L.—E. Bord. Bot. E. Bord.; North, Brockett; Hal. Wr.

Blackboyds. Rubus fruticosus, L.-W. Scotl. Jamieson.

Black Briar. Apparently Rubus fruticosus, L.—Mascal, Government of Cattel (1662), pp. 188, 233.

Black Bryony. Tamus communis, L.-Prior, p. 23.

Blackcap. Typha latifolia, L.-Cumb.

Blackcaps. Luzula campestris, Willd.—E. Bord. Bot. E. Bord.

Black Corn, or Black Wheat. (1) A translation of Melampyrum (Fr. Blé noir).—Lyte.

(2) 'Beans; dark pulse.'- Yks. (Whitby), E. D. S. Gloss. C. 2.

Black Couch. Alopecurus agrestis, L.—Prior, p. 23.

Black Crottles. Parmelia saxatilis, Ach.—Scotl. (Highlands).

Black Curran Berries. Ribes nigrum, L.-S. W. Cumb.

Black Dogwood. Prunus Pudus, L.—Surr. (Lingfield), N. and Q., 4, iii, 44.

Black Gooseberries. Ribes nigrum, L.-Lyte.

Black Grass. (1) Alopecurus agrestis, L.—Hal. Wr.; Curtis, Fl, Londinensis; East, Hal.; Ess.; Wight, Fl. Vect.; Suss.

(2) A. geniculatus, L.—Curtis, Fl. Londinensis.

(3) Bromus sterilis, L .- 'In some counties.'-Martyn's Fl. Rustica.

(4) Medicago lupulina, L.-S. Bucks.

Black-head Grass. Luzula campestris, Willd .- W. Ches.

Blackheads. Typha latifolia, L .- Wight, Fl. Vect.

Blackheart. (1) Vaccinium Myrtillus, L.—Hants (New Forest).

(2) A cultivated variety of cherry.

Black Heath. Erica cinerea, L.—Hants (New Forest).

Black Hellebore. Astrantia major, L.-Lyte.

Black Horehound. Ballota nigra, L.-Lyte; Prior, p. 23.

Blackites, or Black-kites. Rubus fruticosus, L.—Cumb. E. D. S. Gloss, C. 8; Nhumb.

Black Ling. Calluna vulgaris, L.—Yks. Cleveland Gloss.

Black Maidenhair. Adiantum Capillus Veneris, L.—Ger., who says *Theophrastus and Pliny name it Adiantum nigrum.'

Black Man's Posies. Lamium purpureum, L.—Cumb. E. D. S. Gloss, C. 8.

Black Merry. Prunus Avium, L.—Hants. To distinguish it from a red variety which is known in Hants.

Black Nonesuch. Medicago lupulina, L.-Mart. Mill. Norf.

Black Puddings. From the shape and colour of the flower-heads.

Typha latifolia, L.—Wight, Fl. Vect.

Black Quitch. (1) Agrostis vulgaris, L.—Pratt.

(2) Alopecurus agrestis, L.

Black Root. Symphytum officinale, L.—Dur. (Fence Houses). 'The root is great and long, black without.'—Coles, A. in E.

Black Saltwort. Glaux maritima, L.—Ger.; Prior, p. 23.

Black Seed. Medicago lupulina, L.—Curtis, Fl. Lond.; S. Bucks.; Prior, p. 23.

Black Spice. Rubus fruticosus, L .- Yks. Hal. Wr.

Black Squitch Grass. (1) Agrostis vulgaris, L.—Warw. (2) Alopecurus agrestis, L.—Prior, p. 23.

Black Strap. Polygonum aviculare, L.-Hants.

Black Tang. Fucus vesiculosus, L .- Scotl. Jamieson.

Blackthorn (in Prompt. Parv. Blake thorne). A general name for Prunus spinosa, L., in distinction to the Whitethorn (Cratægus Oxyacantha, L.)—Lyte. Dors., Glou., Wilts, N. Yks. Prior, p. 23. Hal. has 'Blackthorn-chats: the young shoots of blackthorn, when they have been cut down to the root. East. The cold weather which is often experienced at the latter end of April and the beginning of May, when the blackthorn is in blossom, is called blackthorn-winter.'

Blackthorn May. Prunus spinosa, L.-Midd. (Brentford).

Black Top. Centaurea Scabiosa, L.—Cyclopædia of Agriculture.

Black Trefoil. Medicago lupulina, L.—Norf.

Blackweed. Sparganium simplex, L.-Norf.

Black Whort. Vaccinium Myrtillus, L.—Lyte. With. (ed. iv.) spells it Blackworts. Prior, p. 24.

Black Whortle, or Whortleberry. Vaccinium Myrtillus, L. — With.

Blackwort. Symphytum officinale, L.—'In englishe Blackwurte, and in duche schwartz wurtz.'—Turn. Names. 'The root is great and long, black without.'—Coles, A. in E., 552.

Bladder Campion. The common book-name for Silene inflata, Sm., from the inflated calyx.—Suff. Prior, p. 24.

Bladder Fern. Cystopteris fragilis, Bernh.—A translation of the Latin generic name. Prior, p. 24.

Bladder Herb. Physalis Alkekengi, L.—From its inflated calyx, from which it was supposed to be useful in diseases of the bladder. Prior, p. 24.

Bladder Nut. Staphylea pinnata, L.—From its inflated capsules, Prior, p. 24.

Bladder-snout. Utricularia vulgaris, L.-With. ed. iv. Prior, p. 24.

Bladder-wort. Utricularia vulgaris, L., and other species, from the vesicles on the leaves: a translation of the Latin name. Prior, p. 24.

Blade Ore. A general name for the species of Laminaria,—Scilly Islands. Journ. Royal Agric. Soc., 1870, part ii. p. 384,

Blaeberry, spelt also Blayberry, Bleaberry, Bleeaberry, &c. Vaccinium Myrtillus, L.: in the plural form, the fruit of that plant: a term of general use in the north of England, and, excepting

Cheshire, as far south as Salop; also in Scotland and Ireland. Blae, or blea, refers to the colour of the fruit. Willan has 'Blea, blay, a bluish colour, as in the blay-berries,' E. D. S. Gloss, B. 7; and Mr. W. H. Paterson, writing from Belfast, says: 'Blae is blue, or rather livid: thus—"'You're blae with cowl."' In E. D. S. Gloss, C. 2 (Yks., Whitby), we have 'Bleea, of a dusky blue or leaden colour.' Prior, p. 24; Hal. Wr., &c.

Blakeberry. An old form of Blackberry.

'Blake-beries that on breres growen.'
William of Palerne, 1, 1809 (1350).

Blakethorn. See Blackthorn.

Blanket Leaf. Verbascum Thapsus, L., from the woolly texture of the leaf. Warw.

Blaver, or Blavert. (1) Centaurea Cyanus, L.—E. Bord. Bot. E. Bord.; Berw. Bot. E. Bord.; North, Hal.; Roxb. Jamieson. Cotgrave has blaves and blaveoles for this plant and the 'wild poppie': also 'blavier, of or belonging to corne, or corneland.'

(2) 'Some give the same name to the violet.'-Scotl. Jamieson.

(3) Papaver dubium, L.-Moray, Fl. M.

Blaverole. Centaurea Cyanus, L.—Hal. (under Blow-ball). See Blaver (1).

Blawing Garss. Molinia carulea, Mench.-Lanarks., Jamieson.

Blawort. 'From bla, livid, and wort, an herb.'-Jamieson.

(1) Campanula rotundifolia, L. — Lanarks., Jamieson. In Ure's Hist. of Rutherglen (1793), Blawart is given as the general Scotch name for this plant: 'It has given a proper name to some places in Scotland, as Blawart-hill in the parish of Renfrew' (p. 241).

(2) Centaurea Cyanus, L.—Hal. Wr. E. Bord. Bot. E. Bord.; Edinb.; Forf., Fl. Forf.; N. Scotl. Jamieson. In Brown's MS. and in Aberdeensh. this is pleonastically called Blue Blawort. See Blewart.

Blayberry. See Blaeberry.

Bleaberry. (1) Vaccinium Myrtillus, L. (See Blaeberry.)—Prior, p. 24.

(2) Sometimes applied to Vaccinium uliginosum, L.—Treas. Bot.

Bledewort. 'The wild poppy.'-MS. Sloane; Hal.

Bleeding Heart. (1) Cheiranthus Cheiri, L.—West, Hal.; Prior, p. 24.

(2) A cultivated variety of cherry.

Bleeding Nun. Cyclamen europæum, L .- Irel. (Wexford).

Bleeding Willow. Orchis Morio, L.-S. Bucks.

Bleedy Tongues. Galium Aparine, L.—Moray, Fl. Mor. See Bluid-tongue.

Bleggs. The fruit of Rubus fruticosus, L .- Yks.

Blessed Thistle. (1) In books usually Carduus benedictus, L.—Prior, p. 24.

(2) Carduus Marianus, L.-Warw.

Bletherweed. Silene inflata, Sm.—Dors. On account of the form of the calyx: blether = bladder. Hal, See Bladder Campion.

Blewart. Veronica Chamædrys, L.

'When the blewart bears a pearl, And the daisy turns a pea, And the bonnie lucken-gowan Has fauldit up her ee.'

Hogg, When the kye comes hame.

Dr. Johnston has shown that the above plant, and not, as has been supposed, *Centaurea Cyanus*, is referred to in these lines; the allusion is to the appearance of the blossom when closed, showing the 'pale glaucous underside' of the corolla. See Blawart.

Blewball. Centaurea Cyanus, L.-Ger. Index.

Blewblow. Centaurea Cyanus, L.—Ger. Hal.

Blewit, or Blewits. Agaricus personatus, L., 'in some parts of England.'—Treas. Bot. Sowerby says it was sold under this name in Covent Garden. Dr. Badham suggests the name should be 'blue-hats,' but it is rather the stem than the pileus that is of a violet or bluish hue. See Blue-legs. Mrs. Hussey spells it Bluette. North. Hal. Wr.

Blight. 'An hearbe so called because it seemeth to be blighted or burned.'—Minsheu. He goes on to explain it as referring to *Ustilago*, various species of which are often so called.

Blind Ball. Various species of Lycoperdon, especially L. Bovista, L. —Var. dial. Hal. Wr.; Sal., Hartshorne. The Lycoperdon, like the poppy (see Blind Eyes), is supposed to cause blindness if placed too close to the eyes.

Blind-buff. Lycoperdon Bovista, L.-Sal. (Clun).

Blind Eyes. Papaver Rhæas, L., or P. dubium, L.—N. Bucks.; Norf.; Nhamp. Baker, Wr. There is a belief in Yorkshire that if placed too near the eyes it will cause blindness. Cf. Blindy Buffs and Headache.

Blind Flower. Veronica Chamædrys, L.—Durh. (Hartlepool), where it is said by the children that, if you look steadily at it for an hour, you will become blind.

Blind Harry. 'The puff-ball.'—Nemnich. This is also a Scotch name for the game of Blindman's-buff: see Jamieson.

Blind Man's Ball. Lycoperdon. — Scotl. Jamieson. 'An idea, according to Linnæus, prevails throughout the whole of Sweden that the dust of this plant causes blindness.'—Jamieson.

Blind Man's Bellows. Lycoperdon.—Roxb. Jamieson.

Blind-man's Buff. A species of Lycoperdon, probably L. Bovista, L.—Hal, Wr. E. Bord, Bot. E. Bord. Blind Man's Een. The same as Blind Man's Ball (which see) .-Scotl. Jamieson.

Blind Nettle. A name given to many labiate plants having leaves resembling those of the nettle, but which do not sting.

(1) Various species of Lamium, especially L. album, L.—Grete Herball, Lyte (spelt Nettell), and in frequent modern use. Prior, p. 24.

(2) Stachys sylvatica, L.—Lyte.

(3) Galeopsis Tetrahit, L.—Dev. E. D. S. Gloss. B. 6; Hal. Wr.

Blind Weed. Capsella Bursa-pastoris, L.—Yks. (Northallerton).

Blindy Buffs. Papaver Rhaas, L.—Yks. E. D. S. Gloss. C. 5. See Blind Eyes.

Blinking Chickweed. Montia fontana, L.—Prior, p. 25.

Blinks. Montia fontana, L.—Prior, p. 25.

Blister-plant. Buttercups, especially Ranunculus acris, L.: used by the 'herb women' for blisters .- Linc.

Blisterwort. Ranunculus sceleratus, L.—Lyte's MS. in a copy of Dodoen's Histoire des Plantes (Bibl. Mus. Brit., 442, h. 9.).

lite. A name assigned in books to various species of Atriplex and other Chenopodiaceæ, Prior (p. 25) refers it to Chenopodium Bonus-Henricus, L., from Lat. blitum, Gr. βλιτον, insipid.

Potentilla anserina, L.—Ireland (Co. Louth). This is no doubt a form of the original Irish name, which is given by Threlkeld as brisclan.

Blob. (1) 'A term applied to the flower of the water ranunculus.'
Wr. Caltha palustris, L. (which is called Horse-blob and Mayblob in Leic., and Horse-blob and Water-blob in Nhamp., Wr.,
and Mare-blobs, Prior, p. 145), is probably here intended; or possibly Nuphar lutea, Sm., as Hal. says, 'Water-blobs are water-lilies.'
Blob signifies a bubble or blister, and blub (adj.), swollen, plump, or round (Wr.); terms which would apply equally well to the round flowers of the Caltha or the Nuphar. Jamieson defines the word as 'anything tumid or circular.'
(2) 'A large gooseberry; so called from its globular form, or from the softness of its skin.'—Jamieson.

(3) The flowers of Digitalis purpurea, L.—'In Suffolk and Essex they are called Blobs, because the children pull off a flower, and with the fingers of one hand closing up the mouth, and giving the other end a slap, it bursts with a noise like the word blob, -Francis's Little English Flora, p. 124 (1842).

Block-wheat. Polygonum Fagopyrum, L.—Hal.

Blodewort. Polygonum Hydropiper, L.—Grete Herball.

Blood Cups. Peziza coccinea, L.—Suss. From their crimson colour.

Blood Hilder (i. e. Blood Elder). Sambucus Ebulus, L.—Norf., where 'it is believed to have been brought over by the Danes, and planted on the battle-fields and graves of their countrymen.'-Cockayne, iii. xxxij. Cf. Dane's-blood.

Blood Root. Potentilla Tormentilla, Sibth. - Scotl. (Lammermuirs), Bot. E. Bord.; from the red colour of its roots, whence it was used in cases of dysentery. Prior, p. 25.

Bloodstrange. Myosurus minimus, L. - Lyte (Bloudstrange). 'Vel, q. d. Bloodstringe, à stringendo (i. e.) constringendo sanguinem, vel quasi Blood-stang vel stanch, ab It. stagnare, quod sistere sanguinem designat.'—Skinner. Parkinson speaks of its use as a styptic, and says, 'Blood-strange, I thinke corruptly from blood-staying.'— Theatr., p. 501. Prior, p. 25.

Blood Vine. Epilobium angustifolium, L. - Hants. The whole plant has a red appearance.

Blood Wall. Cheiranthus Cheiri, L.—Nhamp. Baker, Wr. The dark double variety, from the colour of its petals.

(1) Rumex sanguineus, L.—Ger.; Coles, A. in E., 286; Bloodwort. Prior, p. 25. N. of England. In Ches., R. Hydrolapathum, L. See Leechdoms, iii. 314.

(2) Sambucus Ebulus, L.-Lyte. See Dane's-blood.

 (3) Erythræa Centaurium, L.—Sal. (Hanwood).
 (4) Trifolium repens, L. (the variety with deep purple leaves).— With, ed. iv.

(5) Geranium Robertianum, L.—Cumb. E. D. S. Gloss, C. 8.
(6) Treveris (Grete Herball) assigns the name to Polygonum Hydropiper, L., of which he says, 'Some call it sanguinary or bloudworte, because it draweth bloud in places yt it is rubbed on.' He also calls Achillea Millefolium, L., bloudworte, as well as another plant which we cannot identify.

Bloodwort, Burnet. Sanguisorba officinalis, L.—With. ed. iv.

Bloody-bones. 'The dog willow.'-Nemnich.

Bloody Butchers. Orchis mascula, L.—Nhamp. Phyt. ii. 380, N.S. Sal.

Bloody Dock. Rumex sanguineus, L.—Prior, p. 25.

Bloody, or Bluidy Finger. Digitalis purpurea, L.—Cumb. (Keswick); Yks. (Bedale); Dumfries; Galloway, Jamieson.

Bloody Flixwort. Filago minima, Fries.—Lyte.

Bloody Man's (or Men's) Finger (or Fingers). (1) Orchis mascula, L., from the red blotches on the leaves, looking as if some one with bloody fingers had touched them.—Ches. (where the name is also given to O. Morio); Glou. N. & Q. 1, x. 226; Worc.

(2) Arum maculatum, L., for a similar reason, - Wore, With, ed. ii.;

Prior, p. 25.
(3) Digitalis purpurea, L. — Heref., probably from the habit of children to put the red flowers on their fingers.

(4?) Scilla nutans, L.—Glou. (Stroud). Some error is to be suspected here.

Bloody Man's Hands. Orchis mascula, L.—Kent (Folkestone).

Bloody Mars. A kind of wheat. A corruption of Blé de Mars. See Holl.

- Bloody Twig, or Rod. Cornus sanguinea, L.—Pratt, Nemnich. From the colour of its twigs.
- Bloody Wallier. Cheiranthus Cheiri, L.—West. Hal. Wallier is a corruption of Warrior.
- Bloody Warrior, or Warriors. Cheiranthus Cheiri, L., especially the double dark-flowered variety. Hal.; Prior, p. 25. Corn.; N. and S. Dev.; Dors. Barnes; Midd. (London); Nhamp. Baker; Sal. (Ellesmere); Som. Jennings; Suss. Pulman.
- Bloom-fell, or Fell-bloom. Lotus corniculatus, L.—Scotl. Jamieson-Anderson (Essays, i. 419) gives Fell-broom as a name for this plant.
- Blooming Sally, i. e. Flowering Willow. Epilobium angustifolium, L., and occasionally E. hirsutum, L.—Belfast, Antrim, Down, Fl. Belf.; Sally is a corruption of Lat. Salix, the Epilobiums being known as Willow herbs.
- Bloomy-down. Dianthus barbatus, L .- Pulman.
- Blowball. Leontodon Taraxacum, L., because children blow the ripe fruit from the receptacle to tell the time of day, and for other purposes of divination. See Daily Telegraph, May 29, 1873, where 'a feathery ball of thistle down' is erroneously said to have been employed. Hal. assigns this name to Centaurea Cyanus, but incorrectly, as is evident from the quotation which he gives in illustration;

'Her treading would not bend a blade of grass, Or shake the downy blowball from his stalk.' Sad Shepherd, p. 8.

Wr. has the same error; in both cases blewball is probably intended. Prior, p. 25.

- Blower. Leontodon Taraxacum, L. 'A child's name for the downy heads of dandelion.' Wr. See Blowball.
- Blubber Grass. 'Different species of Bromus, from their soft inflated glumes; in particular mollis, which infests barren pastures. East.' Hal. Wr. Forby, Norf. Cyc. Agric.
- Blue-ball. Scabiosa succisa, L .- Suss.
- Blue Bannets (i. e. bonnets). Scabiosa succisa, L. Lanarks.

 Jamieson.
- Blue Bell, or Bells. From the colour and shape of the flowers: 'In Douch Blauw clockens, that is to say in Latine campanula carulea.'—Lyte.
 - (1) Campanula rotundifolia, L.—Lyte (spelt Blewbelles); Cumb. E. D. S. Gloss. C. 8; Dev. (Teignmouth); Dors.; Herts.; Moray (Elgin), Fl. Moray; N.E. Yks.; E. Bord. Bot. E. Bord.; Prior, p. 25.
 - (2) Scilla nutans, Sm.—Cockayne, iii. 314. Bucks.; W. Ches.; S.W. Cumb.; Dev. (Teignmouth); Dors.; Glou.; Herts.; Leic. Pulteney in Herb. Mus. Brit.; Oxf., W. of Eng.; Yks. (Tadcaster); Warw. Prior, p. 25.
- Bluebell, The Little. Viola canina, L.-E. Bord. Bot. E. Bord.

Blueberry. Vaccinium Myrtillus, L.—Cumb.; Yks. N. & Q., I, vii. 231.

Blue Bird's-eye. Veronica Chamadrys, L.—S. Bucks., Oxf., Suss.

Blue - blauers, or Blue - blavers. Campanula rotundifolia, L.-Roxb. Jamieson.

Blue-blaw. Centaurea Cyanus, L.—Lyte, Turn. Names, &c. Nhumb. 'Hanc ego herbam arbitror esse quam northumbria vocat a blew-blaw aut a blew-bottel.'-Turn. Lib. Prior (p. 25) says this name is tautological, and means 'blue-blue;' which is supported by the fact that the plant is still called bleu-bleu in Normandy, according to Le Héricher. In Scotl. it is called Blue-blawort (Brown MS.).

Blue Bonnets. (1) Scabiosa succisa, L.—Scotl. Jamieson. Gothland in Sweden this plant has a fanciful name somewhat similar—Baetsmans myssa, the boatman's cap or mutch.'—Jamieson.

(2) Centaurea Cyanus, L.—Aberdeensh.; Moray, Fl. M.; Stirl.

(3) Jasione montana, L.—Dumfries.

Blue Bottle. A name assigned to various blue flowers, especially to (1) from the shape of its blossoms,

(1) from the shape of its blossoms,
(1) Scilla nutans, Sm.—Bucks (Wycombe); Wight, Fl. Vect.; Kent
(Folkestone); Surr. Phyt. iii. 994, O.S.; Suss.; Wilts (Devizes).
(2) Centaurea Cyanus, L.—Turn. Lib. (see Blue-blaw); Ger.
(Blew-bottel); Skinner; N. Linc. E. D. S. Gloss. C. 6; Oxon. Hal.
Wr.; Sal.; E. Bord. Bot. E. Bord.; Prior, p. 26.

(3) Echium vulgare, L.—Norf.

(4) Campanula rotundifolia, L.—Bucks (Wycombe).

Blue Buttons. A name assigned to various plants with round heads of blue flowers.

 Scabiosa succisa, L.—Ches.; Cumb. E. D. S. Gloss. C. 8; Warw. There is a field in Mobberley, Cheshire, called 'Blue Buttons,' from the prevalence of this plant.

(2) Scabiosa arvensis, L.—S. Cumb.
 (3) Jasione montana, L.—S. W. Cumb.

Moor assigns this name in Suff. to Heracleum Sphondylium or Senecio Jacobæa, but is certainly wrong in so doing: one of the above, or possibly Centaurea nigra, is doubtless intended. See Buttonweed.

Blue Camomile, or Blue Daisy. Aster Tripolium, L., which Ger. says is so called by 'women that dwell by the seaside.' Kent.

Bluecaps. (1) Scabiosa succisa, L.—Yks. Hal.; East, E. D. S. Gloss, B. 2; Prior, p. 26.

(2) Centaurea Cyanus, L.—Kent, Pratt; Nhamp. Wr.

(3) Scabiosa arvensis, L.—Hal. Wr.; Prior, p. 26.

Blue Cowslip. Pulmonaria augustifolia, L.-Wight, Fl. Vect. See Bethlem Cowslip.

Blue Daisy. Ger. Kent. See Blue Camomile.

Bluemony (i. e. Blue Emony, or Anemone). Anemone Pulsatilla, L. -Rutl.

Blue Eye. Veronica Chamadrys, L.—Wilts (Devizes).

Blue Foxglove. Campanula Trachelium, L. -Sal. (Tilstock).

Blue Gramfer Greygles. Scilla nutans, Sm.-N. & Q. 4, iv. 345.

Blue Grass, or Blue-gerss. Various species of Carex.—W. Scott.

Jamieson. Alopecurus geniculatus, L., is called Blue-grass by Nemnich, probably in error.

Blue-heads. Scabiosa succisa, L.—Sal. (Corvedale).

Blue-kiss. Scabiosa succisa, L.—Suss.

Blue-legs. Agaricus personatus, L., in reference to the colour of the stem.—Camb., Norf.

Blue Moor-grass. A book-name for Sesleria carulea, Scop.

Blue Poppy. Centaurea Cyanus, L.—Cockayne, iii. 314.

Blue Rocket. Aconitum 'pyramidale,' and other species.—T. Forster's Pocket Encyclopædia of Natural Phenomena.

Blue Runner. Nepeta Glechoma, Benth.-N. Bucks.

Blue Seggin. 'The blue flower-de-luce.' Iris fætidissima, L.—.
Ayrs. Jamieson.

Blue Starry. Aquilegia vulgaris, L.—Hal.

Blue Stars. Veronica Chamædrys, L.—Stirl.

Blue Tar-fitch (i. e. Tare Vetch). Vicia Cracca, L.—Ches.

Blue Thistle. Carduns lanceolatus, L.-Worc.

Blue Tops. (1) Centaurea nigra, L.—Worc. (2) Scabiosa succisa, L.—Worc.

Bluette. See Blewit.

Blue Violet. (1) Gentiana verna, L. — Dur. (Teesdale), With. ed. vii.

(2) Viola sylvatica, Fries.—Ches.

Bluid-tongue. Galium Aparine, L.—E. Bord. Bot. E. Bord.; Scotl. Wilkinson. 'Children with the leaves practise phlebotomy upon the tongue of those playmates who are simple enough to endure it.'—Bot. E. Bord., p. 100: a custom which seems general in Scotland, and occurs also in Cheshire.

Bluidy Bills. Digitalis purpurea, L.-Lanarks. Jamieson.

Boar's, or Bore's, Ears. Primula Auricula, L. (of gardens).—N. Scotl. Jamieson. A corruption of Bear's Ears, which see. 'A bear is called a boar in Scotland, especially in North Scotland.'—Jamieson.

Boar's Foot. Helleborus viridis, L .- S. Bucks.

Boar Thistle (i. e. Bur Thistle, which see), Hal. (1) Carduns lanceolatus, L.—E. Anglia, Forby; S. Bucks; Hants, Holl.; Norf.; Sal.; Staff. Pitt, Essay on Weeding; Suff. Holl.; Suss. Holl.; Worc.; Midland District, E. D. S. Gloss. B. 5. 'The Carduns lanceolatus, having very strong prickles, and so called in opposition to the Sonchus arvensis, the sow thistle, having weaker prickles!'—Holl., cited as a fair sample of his derivations.

(2) C. arvensis, L.-Gard, Chron. 1860, p. 802.

Bobbin-and-Joan, Bobbin-Joan, or Bobby-and-Joan. Arum maculatum, L.—Nhamp. Wr., Sternb., &c.

Bobbins. (1) Arum maculatum, L.-N. Bucks. The spadices are

very like the lace bobbins in use in Bucks.

(2) 'The water-lily. Bobbins are properly the seed-vessels.'—Scotl. Jamieson. From a subsequent reference it appears that both Nymphæa alba, L., and Nuphar lutea, Sm., are included under this name.

Bobbyn. '(1) The seed-pod of birch, Loth. (2) The bunch of edible ligaments attached to the stalk of Badderlocks, a species of seaweed eaten by both men and cattle: Fucus esculentus, Linn. [Alaria esculenta, Grev.], Mearns. Fr. bubon, a great bunch, "Jamieson.

Bobby's Eyes. Veronica Chamadrys, L.—Hants.

Bob Grass. 'A kind of oat-grass often found among ray-grass,' probably Bromus mollis, L.—Dors. Agric. of Dors.

Bockwheat. Polygonum Fagopyrum, L.—Lyte. 'Du. Bockweit, Ger. Buchwaitzen, from the resemblance of its triangular seeds to beechnuts.'—Prior.

Boddle. A spelling of Boodle or Buddle, which see. See E. D. S. Gloss. to Tusser, D. 21, p. 321.

Bogbean. Menyanthes trifoliata, L. — Hal. Wr. S.W. Cumb.; Nhamp. Baker; Warw.; Yks. Hal. (Northallerton); Belf. (pronounced boagbane); Ulster. Probably a corruption of its olden name, buckbean. Prior, p. 26.

Bog-berry, or Bogwort. Vaccinium Oxycoccos, L. — Nemnich. Prior, p. 26.

Bog Blaeberry (Rural Cyclopædia). See Blaeberry.

Boggard Flower, or Boggard Posy. Mercurialis perennis, L.—

Bog Featherfoil. A book-name for *Hottonia palustris*, L., from its feathery leaves. Prior, p. 26.

Bog Moss. A common book-name for various species of Sphagnum. Prior, p. 26.

Bog Myrtle. Myrica Gale, L.—Prior, p. 26.

Bognut. Menyanthes trifoliata, L.—Scotl. Jamieson.

Bog Onion. Osmunda regalis, L.—Cumb. E. D. S. Gloss. C. S.

Bog Pimpernel. Anagallis tenella, L.

Bog Reed. Phragmites communis, Trin.—E. Bord. Bot. E. Bord.

Bog Rhubarb. Petasites vulgaris, Desf.—Linc., from the likeness of its leaves to rhubarb, and its growth in swampy places.

Bog-rush. A book-name for Schænus nigricans, L.—Prior, p. 26.

Bogs Horns. Petasites vulgaris, Desf.—Linc. The children use the hollow stalks as horns or trumpets.

Bogspinks (i. e. Bog Pinks). Cardamine pratensis, L.—E. Bord.

Bot. E. Bord.

Bog Strawberry (see Strawberry). Comarum palustre, L.—Isle of Man.

Bog-thrissel. Carduus palustris, L.-E. Bord. Bot. E. Bord.

Bog Trefoil. Menyanthes trifoliata, L.—Yks. From its clover-like leaves which grow in boggy places. (French, trefle de marais.)

Bog Violet. Pinguicula vulgaris, L.—Hal. Cumb.; Yks.; East, Wr. E. D. S. Gloss. B. 2. Prior, p. 26.

Bolas. 'A bullace,'-Hal. Wr. See Bollas.

Bolbonac. Lunaria biennis, L.—Lyte, who says it is so called 'of the herboristes.'—Prior, p. 26.

Bolder, or Boulder. Scirpus lacustris, L. 'The rush used for bottoming chairs.'—Norf.; Hal. Wr.

Boleweed, or Bolleweed. (1) Centaurea nigra, L.—Hal. Wr.

Bolewort. 'Bishop's weed.'—Topsell's Hist. Beasts, p. 77; Hal. Wr.

Bolgan-leaves. Lapsana communis, L.—Scotland. 'Perhaps from Isl. bolg-a, tumere, or Su. G. bolginn, swollen, q. "swelling leaves," as being supposed by the vulgar in S. to be efficacious in removing swellings. —Jamieson, Bolgan is a Scotch word for 'a swelling that becomes a pimple. —Id.

Bolimonge. Polygonum Fagopyrum, L.—Lyte.

Bollas, or Bullas. 'A small wild plum, the fruit of the sloe or blackthorn. [Prunus spinosa, L.] The last form is general; the first Mid-Yorkshire. The word is the synonym for what is bright, black, or sour: "As bright as a bullas." '—E. D. S. Gloss. C. 5.

Bolt, or Bolts. (1) An equivalent of Buttercups in Park. Theatr. —Hal.; Prior, p. 26.

(2) Trollius europæus, L.-Ger. Appx.

Bolwes (i. e. 'balls, the hard round heads of the wort.'—Cockayne, iii. 315). Centaurea nigra, L.

Bomariskie. 'An herb, the roots of which taste exactly like licorice; perhaps the Astragalus glycyphillus of Linn. Upp. Ulydes.'—Jamieson. It is almost certainly Ononis arvensis, L. See Liquorice.

Boneflower. Bellis perennis, L.—North of Eng.—Hal. Wr. E. D. S. Gloss, B. i. 3.

Boneset. Symphytum officinale, L. 'Fracturas ossium consolidat, quotidianà experientià attestante, unde et Anglicè à nonnullis Boneset dicitur.'—R. Cat. p. 80. The name also occurs in Buddle's MS.

Bongay. Æsculus Hippocastanum, L.—Suff.; N. & Q. 5, ii. 326.

Bongrace moss. Splachnum rubrum. Nemnich.

Bonny Bird Ee, or Een. (1) Veronica Chamadrys, L.—Cumb.; E. D. S. Gloss, C. 8. (2) Primula farinosa, L.—Cumb.; E. D. S. Gloss, C. 8.

(3) Cardamine pratensis, L.—Cumb.; E. D. S. Gloss, C. 8.

Bonny Rabbit. Antirrhinum majus, L. — Dev. (i. e. Bunny Rabbit, a tautological children's name).

Bonwort. Bellis perennis, L.—Arch. xxx. 404; Hal. Wr.

Boodle. Chrysanthemum segetum, L.—Hal.

'The brake and the cockle be noisome too much, Yet like unto Boodle no weed there is such.' Tusser .- 'Five Hundred points of good Husbandry.'

Norf. With. ed. iv.; Nhamp. Baker; Suff. Moor. Prior, p. 26.

Booin. Senecio Jacobaa, L.—Cumb. E. D. S. Gloss. C. 8.

Boollesse. A spelling of Bullace, which see. See E. D. S. Gloss. to Tusser, D. 21, p. 321.

Boon-tree. Sambucus nigra, L.—E. Bord. Bot. E. Bord.

Boor's (Boures) Mustard. This arvense, L.—Turn. (Names) gives this name, from the Dutch Bauren-senfe. Lyte quotes it as Bowers Mustard, from which the transition to Bowiers or Bowyers Mustard (Ger. 204, 205, where the name is applied to Lepidium ruderale) is easy. Cf. Churl's Mustard.

Boor-tree. Sambucus nigra, L.-S. Lanc. E. D. S. Lanc. Gloss.; Scotl. (Ayrs.); Irel. (Belfast), Fl. B.

Bootry. Sambucus nigra, L.—Clackm.

Boots. Caltha palustris, L.—Ches. Ger. Compare Meadow Bouts. Prior, p. 27.

Boots and Shoes. (1) Lotus corniculatus, L.-Suss. (2) Aquilegia vulgaris, L.—Corn.

Borage. Borrago officinalis, L.-Lyte, and all subsequent authors. Prior, p. 26.

Bore. (1) A word used by Tusser, and probably meaning Sambucus

nigra, L.-Prior, p. 26. See Bore-tree.

(2) Dr. Prior writes to us: 'A police-constable, giving evidence at Bishop's Lydeard (Som.) in a case of starving sheep, said "they had ate up everything they could get at but the bores in the hedge." of the magistrates has since procured and shown me one. It is Curduus eriophorus. The man meant Burs' (which see).

Borecole. Hal. Wr.; Prior, p. 26.

Bore-tree, or Bor-tree. (1) Sambucus nigra, L. - Ches. Wilbraham's Gloss.; Cumb. E. D. S. Gloss. C. 8 (pronounced bortery); N. Lanc. E. D. S. Lanc. Gloss.; Yks. Clevel. Gloss, and E. D. S. Gloss. C. 2; Scottish Bord. Jamieson; Irel. (Belfast). Prior, p. 27. In N. Lanc. elder wine is called bortree joan; or it may be because children bore the wood to make popguns, which in Cumb. are called boretree guns. Coles (A. in E.) says: 'Perhaps because the pith being forth, it seemeth as if it was bored.' See Bourtree and Bur-tree.

(2) Scrophularia nodosa, L.—Cumb. Ray's North Country Words.

Borith. See Buryt.

Borral, or Borral Tree. Sambucus nigra, L.—Scotl. Jamieson; Bot. E. Bord.

Boss Fern. A book-name for various species of Nephrodium.

Boston. In the Inventory of goods of the Guild of the B. V. Mary of Boston (Linc.), 1534, occurs: 'Itm, an altar cloth of red silke powtheryd wt flowres called boston.' We cannot determine what flower was intended; but it has been suggested that boston may have been written in error for bouton, fleurs de boutons meaning such button-shaped flowers as daisies, bachelor's buttons, &c., which might have been the character of the pattern figured in the fabric. See N. & Q. 1, x. 182, 291.

Bosvel. 'A species of crowfoot,'—Wr. We do not know what plant is here intended.

Botham. Chrysanthemum segetum, L.—Dors. Agric. of Dors.

Bothen. Chrysanthemum segetum, L.—Hants. Fl. Vect. It is rendered Rosmarinus officinalis in Cockayne, i. 185, and Thymus Serpyllum in Cockayne, ii. 373, iii. 315; but we find no reference elsewhere to either plant under this name.

Bothen, White. Chrysanthemum Leucanthemum, L.—Ger. (Appx.); Cockayne, iii, 315.

Botherum, or Botherem. Chrysanthemum segetum, L. - Dors. Barnes.

Bothery-three. Sambucus nigra, L.—Yks. (Holderness), E. D. S. Gloss. C. 7. The same as Bottery-tree (which see). The toy popular made from the branches are called bothery-guns.

Bothul. 'A cowslip.' Prompt. Parv. 'Perhaps the marigold.'
Hal. Wr. Probably not Primula veris but Chrysanthemum segetum is
intended.

Bottery (a corruption of Bore-tree). Sambucus nigra, L.—Yks. E. D. S. Gloss, C. 5.

Bottery Tree, i. e. Boretree tree, a pleonastic name. Sambucus nigra, L.—North, Grose.

Bottle. See Bluebottle.

Bottle, White. Silene inflata, Sm.—With. ed. iv., from the flask-shaped calyx.

Bottle, Yellow. Chrysanthemum segetum, L.—Kent, Martyn, Fl.

Bottle Brush, or Brushes. (1) Equisetum sylvaticum, L.—E. Bord. Bot. E. Bord. From the form in which it grows.

(2) Equisetum arvense, L.-Prior, p. 27.

(3) Hippuris vulgaris, L.—Hants. Holl.

Bottle of all Sorts. Pulmonaria officinalis, L., no doubt in allusion to the flowers of two different colours.—Cumb. E. D. S. Gloss. C. S.

Bottry (i. e. Bore tree), or, tautologically, Bottry-tree. Sambucus nigra, L.—E. Yks. E. D. S. Gloss. B. 2.

Boulder. See Bolder.

Bountree. Sambucus nigra, L.: the fruit Bountree Berries.—
Scotl. Jamieson.

Bourage. Minsheu gives this spelling of Borage.

Bourholm. Arctium Lappa, L .- MS. Sloane, 5 f. 3; Hal. Wr.

Bourtree. Sambucus nigra, L.—Turn. Lib.; Scotl. (Borders), Jamieson; Ayr.; E. Bord. Bot. E. Bord.; Moray, Fl. M.; Pertheh. Prior, p. 27. 'It seems to have received its name from its being hollow within, and thence easily bored by thrusting out the pulp.'—Jamieson. The same name is applied to 'a small air-gun made of a twig of elder with the pith taken out.' An elder shrub is called a Bourtree bush.

Boutree, Boutrey, or Boutry. Sambucus nigra, L.—Cumb., Ayrsh., Irel.

Bouts, Meadow. Caltha palustris, L.—Ches. See Boots. Prior, p. 27.

Bowel-hive, or Bowel-hive Grass. Alchemilla arvensis, Scop.—E. Bord. Bot. E. Bord.; Scotl. N. & Q. 2, v. 48. 'Because it is said to be an effectual remedy in the bowel-hive of children;' a disease which subsequent writers consider either as 'the irritation caused by intestinal worms,' or as 'flatulency or heaving of the bowels with wind' (op. cit. 266, 303). Jamieson says it is 'an inflammation of the bowels to which children are subject.'

Bowens. Senecio Jacobæa, L.—Cumb.

Bowers Mustard. See Boor's Mustard.

Bow Fistle, or Thistle. Carduus lanceolatus, L .- Ches.

Bow Kail. 'Cabbage, Scotl. So called from the circular form of this plant. For the same reason its Belg. name is buyskool.'—
Jamieson.

Bowlochs (Gaelic, buaghallan). Senecio Jacobæa, L.—S. Wigtonsh. Jamieson.

Bowweed. Centaurea nigra, L.-Hal.

Bowwood. Centaurea nigra, L., and C. Scabiosa, L.-Ger. (Appx.)

Bowyer's Mustard. Thlaspi arvense, L.—Ger. It is suggested by Skinner that 'Bowyer' was the name of some apothecary by whom it was employed, but it is a corruption of Boor's Mustard (which see). Prior, p. 27.

Box, or Box Tree. Buxus sempervirens, L.—Lyte. A general name. Prior, p. 27.

Box, Dwarf, or Ground. Buxus sempervirens, L. (the small variety used for edgings).—Lyte.

Box, Flowering. Vaccinium Vitis-Idea, L.—Ches. (in gardens), from the resemblance of its leaves to those of box.

Box, Prickly. Ruscus aculeatus, L.-Lyte.

Box Holly. Ruscus aculeatus, L.—Baxter. Prior, p. 27.

Boyds, or Black-boyds. Rubus fruticosus, L.-W. Scotl. Jamieson.

Boy's Love. Artemisia Abrotanum, L.—West, Hal. Wr.; Dev.; Dors. Dors. Gloss.; Som. Jennings; Pulman; Prior, p. 27.

Boy's Mercury. The female plant of Mercurialis annua, L., which was supposed by Lyte and other old writers to be the male plant. A similar confusion prevailed with regard to other species (see Carl Hemp). This name (like Baron's Mercury, which on p. 26 we have inadvertently referred to the 'male plant of M. perennis') is a mere translation from the Greek, and refers to an old belief that when 'dronken [it] causeth to engender male children.'—Lyte, p. 78.

Bozzom, or Bozzum. (1) Chrysanthemum Leucanthemum, L.—Wight, Fl. Vect.

(2) Chrysanthemum segetum, L.-Wight, Hal. Wr.

Bozzum, Yellow. Chrysanthemum segetum, L.-Wight, Fl. Vect.

Bracken, or Brecken, the plural of Brake, q. v. Ferns generally, especially the larger kinds, and perhaps more particularly Pteris aquillina, L.—Hal, Wr. Cumb.; Yks.; E. Bord. Bot. E. Bord.; Scott. Jamieson (spelt Brachen, Braikin, and Brecken); Inverness; Moray, Fl. M.; Antrim and Down. Turner (Lib.), under Filix-mas, says, "Angli a Ferne aut a brak aut a bracon:" and (Names) says of Pteris, "The northerne men cal [it] a bracon." Prior, p. 27.

Bracken, French. Osmunda regalis, L.—Cooke's Fern Book for Everybody.

Bracken, Lady. 'The female fern. Dumfr., Roxb.'—Jamieson, who intends Pteris aquilina, L., by this name.

Bracken, Royal. 'Osmunda regalis, L., or rather Pteris aquilina.' Scotl. Jamieson, who spells it Brachens.

Bracken, Sweet. Myrrhis odorata, Scop.—Cumb. E. D. S. Gloss. C. S. From its aromatic fragrance, and the resemblance of its leaves to those of fern or bracken.

Brackins, Fearn. Nephrodium Filix-mas, Rich., and allied species.
—Cumb. E. D. S. Gloss. C. 8.

Bragger. 'The broad leaves of the Alga marina.'—Western Isles,
Jamieson. We are uncertain what seaweed is here intended.

Brain-leaf. 'Apparently a kind of herb. It is mentioned in Greene's Gwydonius, 1593.'—Hal.

Brake, or Brakes. Pteris aquilina, L., and other large ferns.—
Turner, Lyte, Ger., Hal. Wr. North. Grose; East (usually confined to Pteris), Forby; Nhumb.; Suff. Moor; Suss. Parish; E. Bord. Bot. E. Bord. Cockayne, iii. 315. See Bracken. Prior, p. 27.

Brake-fern. North. 'A general word all England over, and better known in this county (Essex) than fern; indeed the only word in use among the vulgar, who understand not fern.'—Ray. See Gloss, B. 15.

Brakens. Pteris aquilina, L.-Moray (Elgin), Fl. M.

Brake of the Wall. Polypodium vulgare, L.-Turn. Lib.

Brakes, Rock. Allosorus crispus, L.—Treas. Bot.

Braklemp. 'The herb Orpin.' Wr. See Broklambe.

Bramble. (1) Usually Rubus fruticosus, L. — Turn. Lib. S.W. Cumb., Dors., Herts., Inverness, Suff., Yks. (Wakefield Gloss.). Cockayne, iii. 315. Prior, p. 28.

(2) Occasionally Rosa canina, L.

'The bramble flour that bereth the red hepe.'
Chaucer, 1. 13,676.

Prior, p. 28.

(3) The fruits of Rubus fruticosus, L., are called Brambles in Perthshire; by Lyte and in the North of England (Hal.) they are called Bramble-berries, while the shrub producing them is termed a Bramble-bush by Turner, Lyte, Gerard, &c.

Bramble, Blue. A book-name for Rubus casius, L., from the blue bloom on the fruit. With. ed. iv.

Bramble, or Brumble, Cock. Rubus fruticosus, L.—E. Angl. Forby; Hal.; Norf. Holl.

Bramble, Heath. Rubus cæsius, L .- Lyte.

Bramble, Horse. Rosa canina, L.-Norf. Grose.

Bramble, Mountain. Rubus Chamæmorus, L.-Treas. Bot.

Bramble, Stone. A book-name for Rubus saxatilis, L.—J. Wilson's Synopsis, 1744.

Brammelkite. Rubus fruticosus, L .- Dur.

Brammle, or Brammles. Rubus fruticosus, L.—Aberdeensh.; Dumfr.; Yks. (Wakefield); (Holderness, 'never called blackberry as in the south; plural, brammleses.' E. D. S. Gloss. C. 7).

Brancorn. 'The smut in wheat,' probably Ustilago segetum, Tul.— Cotgrave. Hal. Wr.

Brandy-bottle. Nuphar lutea, Sm.—Norf. Hal.; Suss.; Yks. 'A name usually explained as alluding to the odour of the flower, but rather more probably taken from the shape of the seed-vessel.'—Prior, p. 28. But Hal. assigns the name to 'the flowers of the yellow water-lily.'

Brandy Mint. Mentha piperita, L.—Westm. Wilson's Synopsis, 1744.

Brandy-snaps. Stellaria Holostea, L.-E. Suss.

Brank (or in With. ed. iv. Branks). Polygonum Fagopyrum, L.—Hal.; Ess. Ray; E. Anglia, Forby; Norf. Ray; Suff. Ray; E. D. S.

- Gloss. B. 3. 'From a Lat. word, brance, that occurs in Pliny, 1, xviii. c. 7, where it seems rather to mean a barley. The word will be identical with blanc, white, Port. branco, and equivalent to wheat, which properly means "white." —Prior, p. 28. See quotation under Buck.
- Brasselty-buttons (a corruption of Bachelor's B.). Lychnis diurna, Sibth.—Hal.
- Brassics. Sinapis arvensis, L.—Yks. (Whitby). 'The name is derived from the fact that in old Latin leases in the East Riding, and doubtless elsewhere, the plant in question is termed Brassica. Conditions were customarily introduced into such documents in mediaval times that the Brassica should be duly kept down in the land let.'— E. D. S. Gloss. C. 4, p. 158.
- Brassock. Sinapis arvensis, L. (Cfr.)—Yks. (Holderness, E. D. S. Gloss, C. 7; brassocking, weeding out brassocks, id.; Whitby (Brazzocks), E. D. S. Gloss, C. 2). See Brassics.
- Brawlins. (1) Arctostaphylos Uva-ursi, L.—N. Scotl. Jamieson;
 Forfarsh, Fl. Forf.
 - (2) 'The name is sometimes applied to the fruit of the Vaccinium Vitis-Idæa. Gael. braoilag denotes a whortleberry.'— N. Scotl. Jamieson.
- Brawn. (1) Same as Brancorn, which see.—W. of Eng. Hal. Wr. (2) Holme speaks of a fungus (perhaps a Lycoperdon or Tuber) as 'the Puffe or Brawne of the earth, growing most under ground.'—Holme, Acad. of Armory, ii. 55.

Brazzocks. See Brassock.

- Bread, Cuckoo's. (1) Oxalis Acetosella, L.-With.
 - (2) Cardamine pratensis, L.—Dev.
- Bread-and-Cheese. (1) The young leaves and shoots of Crategus Oxyacantha, L., which are very generally eaten by children in spring. Bucks., Camb., Ches., N. Ess., Hants., Lanc. (E. D. S. Lanc. Gloss.), Midd., Norf., Notts., Suff., Suss., Wilts., Worc., Scotland (Dumfries).
 - (2) The fruits of Malva sylvestris, L., which are thought by children to resemble cheeses in shape and flavour. See Cheeses. N. Linc. E. D. S. Gloss, C. 6; Yks.
 - (3) Oxalis Acetosella, L.—Dev. (Teignmouth); N. Lanc. E. D. S. Lanc. Gloss.
 - (4) Rumex Acetosa, L.—Dev.
- Bread and Cheese, Cuckoo's. (1) Oxalis Acetosella, L.—S.W.
 Cumb., Lanc. Cuckoo Bread and Cheese, Cumb. E. D. S. Gloss.
 C. 8.
 - (2) Crategus Oxyacantha, L.—Suss.
- Bread-and-Milk. Cardamine pratensis, L.—'May be simply explained by the associations connected with the old custom among country people of having bread-and-milk for breakfast about the season when this flower first comes in' (!)—Wilkinson.
- Breakbones. Stellaria Holostea, L.—Ches. (Cheadle).

Breakstone. 'From Lat. Saxifraga, a plant that fissures a rock, understood as meaning a lithontriptic plant, to be administered in cases of calculus.'-Prior, p. 28.

Sagina procumbens, L.—Pratt.
 Pimpinella Saxifraga, L.—Prior, p. 28.
 Alchemilla arvensis, Scop.—Prior, p. 28.

(4) 'More particularly the genus Saxifraga,'-Prior, p. 28.

Breakstone, Parsley. Alchemilla arvensis, Scop. - Suff.; Scott. Jamieson.

Break-your-spectacles. Centaurea Cyanus, L. - Treas. Bot. A translation of the French name Casse-lunettes.

Brear, Breer, Brere, or Breers. A common North Country name for (1) Rubus fruticosus, L., E. D. S. Gloss, C. 8, and (2) Rosa canina, L. See E. D. S. Gloss, B. 2, C. 1, C. 2, C. 6; also used in Ireland (Antrim and Down). Hal. Wr. In E. D. S. Lanc, Gloss, the form Brere is given, and the names of certain places in Lanc. (Brerecliffe, Brerecroft) are connected with it: a quotation from William of Palerne (see Blakeberry) shows this form to have been in use in 1350,

Breckon. Pteris aquilina, L.—Yks. E. D. S. Gloss. C. 1, and C. 2, where it is rendered 'the larger kind of ferns.'

ree. 'A briar. As sharp as a bree, intellectually acute.'—Yks. (Whitby), E. D. S. Gloss. C. 2. But bree in the same dialect means a gadfly (op. cit.), which may perhaps be its explanation in the saying quoted.

Breeam. 'Broom [Sarothamnus scoparius, Wimm.], Heather [Calluna vulgaris, L.]. "Breeam teea," an infusion of broom as a diuretic medicine.'-Yks. (Whitby), E. D. S. Gloss. C. 2.

Breem. Sarothamnus scoparius, Wimm.—Aberdeensh.

Breer, Sweet (Cumb.), or The Wild Sweet Breer (Berw. Bot. E. Bord.). Rosa rubiginosa, L.

Brekens. 'Ferns.'-Yks. (Mid.), E. D. S. Gloss. C. 5, 14. See Bracken.

Bremmyll. Rubus fruticosus, L.—Prompt. Parv. Hal.

A general name for various wild roses and Briar, or Brier. brambles, especially

(1) Rubus fruticosus, L.-E. Bord. Bot. E. Bord.; Yks. (Northallerton); Prior, p. 29.

(2) Rosa canina, L., and R. arvensis, L.—Ches.; Glou.; Prior, p. 29.
 (3) R. rubiginosa, L.—E. Bord. Bot. E. Bord.

Briar, or Brier, Sweet. The general name for Rosa rubiginosa, L. -Ger.; E. Bord. Bot. E. Bord.

Briar Rose. Rosa canina, L.-E. Bord. Bot. E. Bord.; Prior, p. 29.

Briar, or Brier, Tree. Rosa canina, L., which Turn. calls a Breretre (Lib.), a Brier-tree (Names), and a Brere-bush (Herb.).

Brid Een (i. e. Birds' Eyes). Lychnis diurna, Sibth. - Ches. (Sale).

Briddes-nest. Cockayne, iii. 315. See Bird's-nest (1).

Briddes-tunge. Cockayne, iii. 315. See Bird's-tongue (1).

Bride's Laces. Phalaris arundinacea, L., the cultivated striped variety. Nhamp. Baker. In allusion to the ribbon-like leaves: bride-laces were 'a kind of broad riband or small streamer, often worn at weddings."—Hal. Prior, p. 28.

Bridewort. (1) Spirae Ulmaria, L.—'From its resemblance to the white feathers worn by brides.' Prior, p. 28; or perhaps because it was used for strewing the houses at wedding festivities. Ger. says 'the leaves and flowers far excell all other strowing herbes, for to decke up houses, to strowe in chambers, hals, and banketting houses in the sommer time; for the smell thereof maketh the hart merrie, delighteth the senses:' and Parkinson (Theatr.) adds that 'Queen Elizabeth, of famous memory, did more desire it than any other sweet herbe to strew her chambers withall.' Ger. (Appx.) prints it Bridwoort, and Hal. and Wr. Bridwort.

(2) Spiraa salicifolia, L.-Loudon, Arboretum.

Brier. See Briar.

Brier, Hep. Rosa canina, L.-Ches.

Brier Bush. Rosa canina, L., and R. arvensis, L.—Turner (Brere-bushe); Lyte (Bryer-bushe).

Bright. 'Chelidonia.'—Ger. Appx. No doubt Ranunculus Ficaria, L., the Chelidonium minus of his Herbal. Also in Trev. and Hal.

Bright, Meadow. Caltha palustris, L.-Nhamp. Baker.

Brimbles. Rubus fruticosus, L.—Dors. Wr.

Brimmle (in Prompt. Parv. Brymmeylle). (1) Rubus fruticosus, L. —Dev.; Sal. Hartshorne; Som. Holl.; West, Hal.

(2) Rosa canina, L.—Sal. Hartshorne.

Brimmle, He. Rubus fruticosus, L. 'A bramble of more than one year's growth."—Som. Hal.

Brimstonewort. Peucedanum palustre, Moench.—Ger. From its 'yellow sap or liquor, which quickly waxeth hard or dry, smelling not much unlike brimstone.'—Coles, A. in E., 61; or 'a sulphureo foliorum odore sic dictum.'—Skinner. Prior, p. 29.

Briony. See Bryony.

Bristle Fern. A modern book-name for Trichomanes radicans, Sw. Prior, p. 29.

Bristol Weed. Mercurialis perennis, L. — Som. This is given as a Bristol name by S. Rootsey in Trans. Medico-Botanical Soc. of London for 1832-33, p. 95.

Briswort, or Brisewort (i. e. Bruisewort, which see).

(1) Symphytum officinale, L.—Cockayne, iii. 316,

(2) Bellis perennis, L .- Id. Hal.

Brivet. Ligustrum vulgare, L .- Glou. Cotswold Gloss.

Broad Bent. Psamma arenaria, R. & S.—Shetland, Edmonston MS.; not Scotland generally, as stated at p. 38.

Broad Clover. Trifolium pratense, L.-Wight, Fl. Vect.

Broad Kelk. Heracleum Sphondylium, L.—N. Yks. From the large leaves, Kelk being an equivalent of Keck. In Country Life, 1868, p. 25, Broad-leaved Kelk.

Broad Leaf. Plantago major, L.—Ches.

Broad-leaved Elm. See Elm.

Brockellhempe. See Broklembe.

Brockles. Juncus squarrosus, L.—'On the hills of Scotland.'—Country, Sept. 10, 1874. See Bruckles.

Brokeleak. 'The water dock.'-Hal. Wr.

Broklembe. 'The herb orpin. [Sedum Telephium, L.] It is the translation of Fabaria in MS. Sloane 5, f. 5. Spelt broklemp in Arch. xxx. 405.'—Hal. There is some error here; Veronica Beccabunga is the plant called Brooklime now and also by the old herbalists; and Mr. Cockayne (Leechdoms, iii. 316) glosses Broclempe ('properly Broclemke') as that plant. In Markham's English Housewife's Houshold Physicke (1637), p. 23, it is spelt Brockellhempe.

Bromegrass. A book-name for the species of *Bromus*, invented by Stillingfleet (Obs. on Grasses).

Brookbean. Menyanthes trifoliata, L.—Treas. Bot.

Brook Betony. See Betony.

- Brooklime. (1) Generally applied to Veronica Beccabunga, L.—Prior (p. 29) does not give the origin of the word, and Skinner's three solutions do not throw much light on it. He says: 'Vel q. d. Brookslime, quia sc. cœnoso solo gaudet: vel quasi Brook-line, quia ad margines fossarum crescit, easque instar fimbriæ investit; vel ab A.S. lim, Belg. liim, Teut. lesm, gluten viscum, & dicto Brook, quia marginibus rivorum adhæret.' Lyte, Wr.; W. Ches.; Derby; S. Dev.; Hants. (New Forest); Suff.; N. Yks.
 - (2) The large form of Nasturtium officinale, L. (N. sijfolium, Reich.). —Bucks, (Buckingham), where it is considered quite distinct from true watercress.
 - (3) Helosciadium nodiflorum, Koch.—Warw. This may be what Ruskin (Modern Painters, v. part 9, chap. ii. § 12) alludes to as 'the common weed something like water-cress, but with a serrated leaf,' which he says is called Brooklime in Derbyshire.

Brook Mint. Mentha hirsuta, L.—Lyte, Wr.; Cockayne, ii. 373, iii. 316.

Brook-tongue [Brochung]. Cicuta virosa, L.—Cockayne, iii. 316.

Brook-weed. A common book-name for Samolus Valerandi, L.— Prior, p. 29. Broom (in Turn. Names Broume).

(1) Sarothamnus scoparius, Wimm.—Lyte and subsequent authors. Ches.; S.W. Cumb.; E. Bord. Bot. E. Bord. Cockayne, ii. 373, iii. 316; Prior, p. 29.

(2) Calluna vulgaris, L., from its use in making brooms. S. Bucks.

In R. Cat. Erica Tetralix is called Broom Heath.

Broom, Base. See Base Broom.

Broom, Dyers'. Genista tinctoria, L.-Prior, p. 29.

Broom, Feal, or Fel. Lotus corniculatus, L.—Anderson's Essays.

From the resemblance of its flowers to those of broom, and its growth on hillsides. Jamieson has Fell-bloom.

Broom, Green. Sarothamnus scoparius, Wimm.-Herts.

Broom, He. Cytisus Laburnum, L. — Fife, Jamieson. Perhaps meaning High Broom, to distinguish it from the common Broom, which is of lower growth, or from the Low Broom (Genista tinctoria, L.).

Broom, Low. Genista tinctoria, L.-Lyte.

Broom, Prickly, or Thorn. Ulex europœus, L.-Ger.

Broom Heath. Erica Tetralix, L.-R. Cat.

Broomles. Rubus fruticosus, L.—Cumb.

Broomrape. A general name for the species of Orobanche.—Lyte and subsequent authors; especially O. major, L., which is the Rapum genistæ of Lobel and old writers. Prior, p. 29.

Broomwort. (1) Applied by Ger. (p. 210) to various species of Thlaspi and allied plants. The stalks of a nearly-related cress (Lepidium sativum, L.) are still employed in Russia in broom-making. See Journ. Bot. 1871, 110. Skinner's derivation, 'quia folia genistam referunt' is absurd.

(2) Scrophularia aquatica, L.—Culpeper. Probably a misprint for

Brownwort

(3) 'Broomewort is an herbe with browne coloured leaves, and beareth a blew flower, and most commonly growes in woods.'—Markham's Table of Hard Words, prefixed to his Way to get Wealth. We do not know it.

Broosewort. See Bruisewort (1).—Ger. Appx,

Brosewort. 'Henbane. It is translated by simphoniata in MS. Sloane, 5, f. 9. Ger. has it in his supplement, but according to him it is the Consolida minor.'—Hal. But in Ger. Appx. the name is spelt Brossewort, and undoubtedly refers to Bellis perennis, L.

Brotherwort. (1) Thymus Serpyllum, L.—Ger. Appx. (2) Mentha Pulegium, L.—Hal.

Browne. Sarothamnus scoparius, Wimm.—Turner.

Brown Back. In reference to the colour of the back of the fronds.

Asplenium Ceterach, L.—Dev.

Brown Bugle. Ajuga reptans, L.-In Ger. Appx., Browne Begle.

Brown Cress. Nasturtium officinale, L.-Ger.

Brown Mint. Mentha viridis, L.—Ger.

Scrophularia nodosa, L. - i. e. Brown Nettle, the Brown Net. leaves being 'very like unto nettell leaves.'-Lyte. Dev.

Brownwort. (1) Serophularia aquatica, L.—Turn. Herb. Cornu. 'From the colour of the stalks,' Coles, A. in E.; 'the Duche men name it Braunwurtz,' Turn. Herb. Turner confines the name as in actual use to S. aquatica, but says S. nodosa 'maye be called in English wood brounwurt.' Johnson includes both species under the name; and Lyte assigns it to S. nodosa.

(2) Cockayne (Leechdoms, ii. 374) also assigns the name to Prunella

vulgaris, L.

(3) Cockayne considers the Brownwort of Saxon times to have been also Asplenium Ceterach, L. See Leechdoms, i. 159, ii. 374, iii. 316.

Bruckles. Juncus squarrosus, L.—Aberd. 'A word most expressive of the wire-like hardness and rigidity of the species.'-Phyt. iii. 979.

Bruisewort. (1) Bellis perennis, L.—Trev. 'The leaves stamped taketh away bruses and swellings if they be laide thereon, whereupon it was called in olde time Bruseworte. Ger. 512. Spelt also Brusewort and (in Cockayne, iii. 316) Briswort; in Ger. Appx. Broosewort. Prior, p. 30.
(2) Saponaria officinalis, L.—Ger. Index. 'Quia ad contusiones

utilis credita est. —Skinner. Prior, p. 30.
(3) It would appear from Cockayne, iii. 316, that Symphytum officinale, L., was so called in A-S.

Bruklempe. 'The herb orpin.'-Wr. See Broklembe.

Brum. Galium verum, L.—Sal. (Stokesay).

Brumble. Rubus fruticosus, L.—Norf.; Suff. Moor.

Brumble-berries. Rubus fruticosus, L.-North, Hal.

Brume-cow. A Scotch name for some plant which we cannot identify. See Gard. Chron., Aug. 19, 1876, 247.

Brumleyberry Bush. Rubus fruticosus, L.-E. Bord. Bot. E. Bord. In Yks, (Wensleydale), Brumleys.

Brummel, or Brummle (or in the plural Brummles). Rubus fruticosus, L., more particularly the fruit. Hants. Hal.; Yks. (gen.); Berw. Bot. E. Bord.; Moray. In E. D. S. Gloss. C. 2 (Yks. Whitby), we find 'Brummel-nooas'd, pimpled like a blackberry. "A brummel-nooas'd yal-swab," an inveterate ale-drinker, with the signs of his propensities upon his nose.' The fruit is called Brummel-berries in Berw., Bot. E. Bord.; and the shrub in the same work is styled Brummleberry-bush.

Brummelkites. Fruit of Rubus fruticosus, L.—Cumb. E. D. S. Gloss. C. 8.

Brunel, Prunella vulgaris, L.—Ger. A modification of Brunella, the Latin name (now more frequently but less correctly written Prunella), which took its rise from the German die Braune, an 'infirmitie among soldiers that lie in campe' described by Gerard (p. 508); this appears to have been a kind of quinsey, attended with other symptoms, for which the *Prunella* was deemed a specific.

Brusewort. See Bruisewort.

Brushes. (1) Centaurea Cyanus, L.—Stirling. (2) Dipsacus sylvestris, L.—Linc.

Brushes, Barber's. See Barber's B.

Brushes, Beggar. See Beggar B.

Brushes, Devil's. See Devil's B.

Brushes, Sweep's. Dipsacus sylvestris, L .- Dev.

Brylocks (Gaelic braoilag, Jamieson). Vaccinium Myrtillus, L.— Scott, Jamieson.

Brymble. Rubus fruticosus, L.—Huloet, 1552. Hal.

Bryon. 'Wild nepte.' Hal. Wr. Bryonia dioica, L.

Bryony. (1) Bryonia dioica, L.—Grete Herball, Turn. Lib. (2) Tamus communis, L.—Hants. Phyt. iii. 890.

Bryony, Black. Tamus communis, L.—Prior, p. 30. According to Lyte some persons used to assign the name to Actea spicata, L.

Bryony, Red or White. Bryonia dioica, L. -Lyte. Prior, p. 30.

Bryswort. Hal. Wr. See Briswort.

Buck. A.S. Boc. (1) Fagus sylvatica, L.—Scotl. Jamieson. Cock-

ayne, iii. 314. Prior, p. 30.

(2) Polygonum Fagopyrum, L.—'In the central parts of the East Norfolk district its only name is buck.'—E. D. S. Gloss, B. 3. Tusser says:—

'In May is good sowing thy buck or thy brank,
That black is as pepper, and smelleth as rank;
It is to thy land as a comfort or muck,
And all thing it maketh as fat as a buck.'

Buckbean. Menyanthes trifoliata, L.—Lyte. Ger. Ches.; Yhs. (Wakefield, Bedale); E. Yks.; E. Bord. Bot. E. Bord. Supposed by some to have been originally bog-bean, but this name is not found in the older writers. Prior (p. 30) considers it to be derived from the Dutch word Bocks-boonen (Germ. Bocksbohne), as it is considered to be a remedy against the scharbock, or scurvy; and that the Dutch word seems to be derived from the Lat. scorbutus, the scurvy. Jamieson says: 'A name given in Roxb. to the common trefoil. It seems rather to be the Menyanthes trifoliata, marsh trefoil, or bog bean. It grows somewhat like a bean, and many people in Scotland infuse and drink it for its medicinal virtues.'

Buckbean, Fringed. Limnanthemum nymphæoides, Lk.—From its fringed corolla; a book-name invented when the plant was considered a species of Menyanthes. Prior, p. 30.

Buckbeards. Avena elatior, L.-E. Bord. Bot. E. Bord.

Buckgrass. Lycopodium clavatum, L.-Cumb.

Buckhorn. See Buck'shorn (1 and 2).

Buck-horn Moss. Lycopodium clavatum, L.—Cumb. E. D. S. Gloss, C. 8.

Buckie-berries. Fruit of Rosa canina, L., and other species.—
Antrim and Down,

Buckies. Fruit of Rosa canina, L.—Aberdeensh.

Buckler Fern. A modern book-name for the genus Lastrea.

Buckles, Horse. Primula veris, L.—Kent (Folkestone). Probably a corruption of Paigles, the East Anglian name for cowslips, which see.

Buck Mast. Skinner. 'The nuts or mast of the beech, which was formerly called bucke.'—Prior, p. 30; not, as Coles (A. in E.) says, 'because deere delight to feed thereon.'

Buckrams. (1) Allium ursinum, L.—Lyte, Turn. Names, Ger. (2) Arum maculatum, L.—Ger. Appx.

Buck's-beard. (1) Mascal (Government of Cattell, 1662, p. 220) describes under this name a plant which 'groweth in forests and shades, and hath flowers and seeds like a buck's-beard, his leaves like great parsley.' This we have not been able to identify.

(2) Tragopogon pratensis, L.—Baxter, See Goat's-beard. Prior,

p. 30.

- Buck's-horn. (1) Senebiera Coronopus, Poir.—'Bukes hornes or els swynes grese (grass), and has leues slaterde as an hertys horne, and hit groyes groppyng be the erthe. And hit has a litell whit floure, and groyes in the ways.'—MS. Bodl. 356; Cockayne, iii. 316. Culpeper has Buckhorn.
 - (2) Lycopodium clavatum, L.—Cumb. (also Buckhorn); Stirling.

(3) Plantago Coronopus, L., and P. maritima, L.—Lyte.

Buckshorn Moss. Lycopodium clavatum, L.-Cumb.

Buckshorn Plantain. Plantago Coronopus, L., from the deeply-cut leaves, and P. maritima, L.—Lyte.

Bucks-mast. The fruit of Fagus sylvatica, L. — Skinner. See Buck-mast.

Buck Thistle. A name applied in E. Yks. to the larger thistles, C. nutans, L., C. eriophorus, L., and C. lanceolatus, I. In N. Linc. 'the large meadow-thistle' (E. D. S. Gloss. C. 6), no doubt one or more of the foregoing.

Buckthorn. (1) The general name for Rhamnus catharticus, L.—Lyte, Ger., Prior, p. 31.

(2) Prunus spinosa, L.—N. Linc. E. D. S. Gloss, C. 6.

Buckthorn, Alder. See Alder.

Buckthorn, Sea. The common book-name for Hippophae rhamnoides, L., suggested, like the Latin specific name, by its general resemblance to a buckthorn.

- Buckwheat. Polygonum Fagopyrum, L.—Ger. E. Bord. Bot. E. Bord. Prior (p. 31) refers it to Du. bockweit, Ger. buchwaitzen, from the resemblance of its triangular seeds to beechnuts. See Beechwheat. The paste used by weavers in dressing their webs is in West Scotland called Bucketie, a name which Jamieson says is corrupted from Buckwheat, of which grain it is made.
- Bucky. Rosa canina, L.—Irel. (Belfast), Fl. Belf.
- Buddle. Chrysanthemum segetum, L.—E. Anglia, Forby; Norf. With. ed. iv.; East, E. D. S. Gloss, B. 3. 'It occurs in an early list of plants, MS. Sloane, 5, f. 6, spelt budel.' Hal. See Boodle. Prior, p. 31.
- Buddy-bud, or Buddy-buss. The 'flower' of Arctium Lappa, L.— North, Brockett, Hal. Wr.
- Budland, Chrysanthemum segetum, L .- Norf. Rural Cyclopædia.
- Bug Agaric. Agaricus muscarius, L.—'A mushroom that used to be smeared over bedsteads to destroy bugs.'—Prior, p. 31.
- Bugbane. Given by Nemnich as 'a. Cimicifuga; b. The Bogbean:' in the latter case a mere corruption of Bogbean.
- Bugle. Ajuga reptans, L.—Lyte; N. Yks. Turn. Names. Ger. has also Brown Bugle. Prior, p. 31. 'It is put in drinkes for woundes; and that is the cause why some doe commonly say, that he that hath bugle and sanicle, will scarce vouchsafe the chirurgion a bugle.'—Surflet's Countrie Farm, p. 262.
- Bugloss. (1) Echium vulgare, L.—'Cirsion aliqui buglossû magnû vocant angli Buglos, et aculeatâ illam herbam quam vocamus Langdebefe hujus buglossi esse speciem arbitror, hacq. referendam censeo agrestam herbam quam rustici vocant Cattestayle.'—Turn. Lib. See Cat's-tail. In Turn. Herb. Wild B.
 - (2) Lycopsis arvensis, L.—E. Bord. Bot. E. Bord.; which is often called in modern books Small, Corn, or Field B.
 - (3) Anchusa officinalis, L.—Ger., &c. Prior, p. 31.
 - (4) Helminthia echioides, L.—Ger. The name is extended in a general sense to many rough-leaved plants.
- Bugloss, Viper's. The common book-name for Echium vulgare, L.—Lyte; Ger. (who calls it also Snake's B); E. Bord. Bot. E. Bord.; Prior, p. 31. 'For as the ancient Nicander writeth, Alcibiades (being asleepe) was hurt with a serpent: wherefore whan he awoke and saw this hearbe, he tooke of it into his mouth and chewed it, swalowing downe the iuyce thereof: after that he layed the herbe being so chewed upon the sore, and was healed . . . It is very good against the bitings of serpents and vipers, and his seede is like the head of an adder or viper.'—Lyte.
- Bugloss Cowslip. Pulmonaria officinalis, L.—'From its having the leaves of a bugloss and the flowers of a primula.'—Prior, p. 31. With. (ed. iv.) applies the name to P. angustifolia, L.
- Bulfer. See Bulleist.

Bullace. Prunus institita, L.—Ger. (who spells it Bulleise and Bullesse). Camb., Ess., Glou., Norf., Suss., Ches., Yks. Sometimes applied especially to the variety with white or pale yellow fruit. Palsgrave has 'Bolas frute, prunelle; bolas tre, espine noir.' The name is usually applied to the cultivated form, but in E. D. S. Gloss. C. 2 it is rendered 'the bluish black plum of the hedges: "as bright as a bullace." This is probably the same as that intended by Hal., who says: 'A small black and tartish plum, growing wild in some parts of the country, not the sloe. It must not be confused with the common plum so called. The provincial meaning seems to be intended in Cotton's Works, 1734, p. 137; and Florio has bulloes in the same sense in v. Bulloi.' Holme spells it Bullays. Prior, p. 31.

Bullbeef. The young shoots of Rosa canina, L., and Rubus fruticosus, L., especially the latter, are peeled and eaten under this name by children.—Mid. Ches.

Bull-berries. Fruit of Vaccinium Myrtillus, L.—Ger. 1231. Prior (p. 20) has Bulberry.

Bullbind (in *Hants*, and *Herts*, Bullbine). In the Herts Mercury for Nov. 13, 1875, is a letter referring to a fire supposed to have been caused by a boy who 'had been smoking a bit of bullbine' near some straw. Clematis Vitalba, L.—R. Cat.

Bulldairy. (1) Orchis mascula, L.—Scotl.: Dumfriesh. N. & Q. 4, viii, 143.

(2) Orchis latifolia, L.-Edinb. (spelt Bullderries).

Bull Daisy. Chrysanthemum Leucanthemum, L. — Camb., Ches., Cumb., N. Ess., Norf., Suff. From its large size compared with other daisies.

Bulldogs. Antirrhinum majus, L.—Pratt.

Bullens. Prunus spinosa, L.—Sal.

Bulles. A spelling of Bullace.—Turn. Herb.

Bull Faces. (1) Aira cæspitosa, L.—Ches.; Cumb. E. D. S. Gloss, C. 8; Yks. Clevel. Gloss, ; E. Bord. Bot. E. Bord.

(2) Dactylis glomerata, L.—Ches. (occasionally).

(3) 'Tufts of coarse grass,'-North. Hal.

Bullfeist. Lycoperdon Bovista, L.—Hal. Wr. E. Anglia, Forby; Norf. Holl.; Suff. Moor. Ger. has Bulfists, and Bulfers is a common Norfolk spelling: in Trans. Norf. and Norwich Nat. Hist. Soc. for 1872-3 it is Bulver. From Lat. bovista, Germ. bofist; or from bull and feist, crepitus. Cfr. Lat. Onopordum. Prior, p. 32.

Bull-foot, or Bulls-foot. Tussilago Farfara, L. — Turn. Names (Bulfote); Lyte, Ger. S. Bucks. From the shape of the leaf. Prior, p. 32.

Bull Front. Aira cæspitosa, L.—Hal.; Cumb. E. D. S. Gloss. C. 8;
Yks. Hallamsh. Gloss.; North, Brockett.

Bull-grass. Bromus mollis, L.—E. Bord. Bot. E. Bord.; Aberdeensh.; Fife (Kelso), where it may refer to either B. mollis, B.

commutatus, or B. racemosus, or (which is more likely) to all of them.—Science Gossip, 1876, p. 39. In Aberdeensh, it is applied to B. mollis when growing in hayfields and overtopping other grasses.

Bull-hassocks. See Bullpates.

- Bull Haws. The fruit of Crategus Oxyacantha, L., when it contains a double stone.—E. Bord. Bot. E. Bord. 'The largest kind of haws.'—Yks. (Whitby), E. D. S. Gloss. C. 2.
- Bullies. The fruit of Prunus spinosa, L.—Linc. Wr. In E. D. S. Gloss. C. 6 (N. Linc.) it is (probably more correctly) assigned to 'the bullace, or larger sloe'—i. e. P. insititia, L.
- Bullimong. Polygonum Fagopyrum, L.—Ger. A term also applied in Ess. to a mixture of oats, pease, and vetches. Ray, E. D. S. Gloss. C. 16, 79.
- Bullins. The fruit of Prunus spinosa, L.—Sal. Hartshorne.
- Bullions. 'Wild plums; large sloes.'-Wr. Prunus insititia, L.?
- Bullister. 'Prunus communis, or rather a large form of it common on seashores.'—Scotl. (Galloway), Scottish Naturalist, April, 1871; Cumb. E. D. S. Gloss. C. 8.
- Bullock's eye. Sempervivum tectorum, L.-Ger.
- Bullock's Lungwort. Verbascum Thapsus, L.—Kent, Ger. 'The countrey people, especially those husband men in Kent, doe give their cattell the leaves to drinke against the cough of the lungs, being an excellent approoved medicine for the same, whereupon they do call it Bullocks Longwoort.'—Ger. 630. Prior, p. 32. See also Bullein, Bk. of Simples, fol. 34, where it is spoken of as furnishing a 'synguler medicine,' which conveyed 'into the throte of the sycke beast wyth a horne or tonnell made for the same purpose, wyll heale and clense theyr lunges.'
- Bulloe. 'The sloe or wild plum: Welsh bulas, winter sloes.'—E. D. S. Lanc, Gloss. Prunus insititia, L.? See Bullace.
- Bullpates. Aira cæspitosa, L.—West of Eng. According to Wr., 'a heavy crop of grass driven by wind or rain into an eddy is said to be bull-pated. Northampt.' In N. Linc. 'large round tufts of grass standing above the common level of the field are called Bull-hassocks. 'There is a place in the Isle of Axholme called Bull-hassocks.'—E. D. S. Gloss. C. 6. These tufts are probably Aira cæspitosa, L. See Bull-grass.
- Bull Rattle. (1) Lychnis vespertina, Sibth.—Bucks.
 - (2) Silene inflata, Sm.—Bucks.; Wight, Fl. Vect. The name rattle probably refers to the sound made by the dry inflated calyx of this species.
- Bullrush. (1) A name applied in books to Scirpus lacustris, L., but in modern popular use more usually applied to (2).—Lyte. Ches. 'Formerly spelt pole-rush, the pool-rush, jone d'eau, A.S. ea-rix, from its growing in pools of water, and not, like other rushes, in mire.'—Prior, p. 32. We have not met with the spelling polerush in our

earlier authors, and are inclined to think that the name bullrush simply means a large rush, bull as a prefix sometimes having this signification: see Bull Haws, Bull-grass, Bullslop, &c.

(2) Typha latifolia, L.—Berks., Cumb., Dev., Oxon., Suff., Warw. (including T. angustifolia), Westm., N. Yks.

Bulls. Stems of Cratagus Oxyacantha, L.— The stems of hedge thorns, Wr. E. Norf, E. D. S. Gloss, B. 3.

Bulls-and-Cows. The flowers of Arum maculatum, L.—Hal. Wr.; Nhamp. Baker; N. Linc. E. D. S. Gloss. C. 6; Yks. (apparently general), E. D. S. Gloss. C. 7; North, Brockett. From the spadices, which are sometimes dark red and sometimes pale pink or nearly white, giving an idea of male and female. Prior, p. 32.

Bulls and Wheys. Arum maculatum, L. -Yks. (Cleveland), Westm.

Bulls-bags. Orchis mascula, L., and O. Morio, L.—Scotl. (Angus, Mearns). 'It receives its name from the resemblance of the two tubercles of the root to the testes.'—Jamieson.

Bull-segg. (1) Typha latifolia, L. — Moray, Fl. M.; N. Scotl. Jamieson. 'The pool sedge or segg.' Prior, p. 32.
(2) Orchis mascula, L., and O. Morio, L.—N. Scotl. Jamieson.

(2) Orchis mascula, L., and O. Morio, L.—N. Scotl. Jamieson. 'Segg' has here a different meaning, being connected with many other names of the Orchis. 'To segg' is 'to castrate' in the North. See Bull-seg in E. D. S. Gloss. B. 1.

Bull'sfoot. See Bullfoot.

Bull's Forehead. Aira caspitosa, L.—Hal. Wr.; N. of Eng. Grose; E. Yks. E. D. S. Gloss. B. 2,

Bullslop. Primula variabilis, Goup. — Ches. The large hybrid oxlips are so called, as distinguishing them from the smaller cowslips, or cowslops.

Bull Thistle. Carduus lanceolatus, L .- Irel. (Belfast), Fl. Belf.

Bull Toppin. Aira cæspitosa, L.—Cumb. E. D. S. Gloss. C. 8. 'Toppin' in Cumberland = 'forehead.' See Bull Faces, Bull Front, &c.

Bull-tree. Sambucus nigra, L. — Cumb. E. D. S. Gloss, C. 8; Dumfr. (Moffat).

Bullum. Prunus communis, L.—Corn., Dev.

Bull Weed (in Mart. Mill. Bulward). Centaurea nigra, L.—Ger. Prior, p. 32. 'Quia boves ejus esu delectantur'!—Skinner.

Bull-wort. 'Properly pool-wort, from its growth in or near pools. Scrophularia, L.: also in Gerard, for the same reason, Ammi majus, L.' Prior, p. 32. We doubt this explanation.

Bully. Prunus communis, L.—Linc. Brogd.

Bulrose. Narcissus Pseudo-narcissus, L.—Som.

Bulver. See Bullfeist.

Bulwand. Artemisia vulgaris, L.—Caithness, Orkneys, Jamieson.

- Bumble, or Bumbles. Scirpus lacustris, L.—Ger. Emac. 'Rushes,' Linc. Hal. Wr., E. D. S. Gloss. C. 7. In Yks. (Whitby) a horse's collar of straw or rushes is called a bumble barfan, as distinguished from the leather barfan.
- Bumbleberries. Fruit of Rubus fruticosus, L.—Turn. Lib.
- Bumblekites. The fruit of Rubus fruticosus, L.—Hal. Wr.; Cumb.; Hants. Grose; Nhumb: Yks. (Tadcaster); Ray (Gloss. B. 15, 35). Prior (p. 32) says the derivation of this name is 'from Scot. kyte, belly;' 'from the rumbling and bumbling caused in the bellies of children who eat its fruit too greedily.' Bumble, however, appears to be merely a corruption of Brumble, i. e. Bramble; though it is quite likely that kyte may have been added from a confusion between the words 'berry' and 'belly.'
- Bumly-kites. Fruit of Rubus fruticosus, L.—Cumb. E. D. S. Gloss. C. 8.
- Bummelkites, or Bummlekites; more rarely Bummekites. (1)
 Rubus fruticosus, L.—Berw. Bot. E. Bord.; Cumb. E. D. S. Gloss. C.
 8; Yks. (gen.); North, Brockett, who gives a 'bummel-kite with a spider in't' as an equivalent of 'a bad bargain, a disappointment.'
 Bummle-kite in Yks. (Holderness) also signifies 'a person with a protuberant stomach.'—E. D. S. Gloss. C. 7.

(2) Rubus saxatilis, L .- Yks. Hallamsh. Gloss.

- Bummell. Rubus fruticosus, L. The fruit Bummel-berries.— Cumb. Wr.
- Bummely-kites, or Bummelty-kites. Fruit of Rubus fruitcosus, L.— Cumb. E. D. S. Gloss. C. 8; Westm. The bushes are Bummeltykite-busses.
- Bummull. Rubus fruticosus, L.—Hants. Grose.
- Bunchberry. The fruit of Rubus saxatilis, L.—Craven, Hal. Wr.; Cumb. E. D. S. Gloss. C. 8; North, Brockett.
- Buncholery Buttons. Pyrethrum Parthenium, L.—Stirl. A corruption of Bachelor's Buttons.
- Bunds. (1) Centaurea nigra, L.—E. Anglia, Forby, Holl.
 (2) Scabiosa succisa, L.—E. Anglia, Forby. Hal. and Wr. assign the name to 'a species of Scabious,' which may be this or S. arvensis,
- Bundweed. (1) Centaurea nigra, L.—E. Anglia, Forby, Holl.
 - (2) Scabiosa succisa, L.—E. Anglia, Forby, Holl. Forby suggests that 'it is quasi bum-weed, from the roundness and plumpness of the parts of fructification in the plants mentioned'! See also Bunwede (2).
- Bunk. (1) Any large hollow-stemmed Umbelliferæ-Norf.
 - (2) Conium maculatum, L.—Norf.
 - (3) Roots of Convolvulus sepium, L.—Norf.
 - (4) Cichorium Intybus, L. (Bunks).—E. Anglia, Forby, Hal.
- Bunnel, or Bunnle. (1) Heracleum Sphondylium, L.—Cumb. (dry stalks), E. D. S. Gloss, C. 8; Lanarks, Jamieson.

(2) Senecio Jacobæa, L.—Upper Clydesd. Jamieson.

(3) Cannabis sativa, L .- (Dry stalks) Cumb. Hal.

Bunnerts. Heracleum. Sphondylium, L.—Yks. Cleveland Gloss.; N. Scotl.; Lanarks. Jamieson.

Bunny Mouth (i. e. Rabbit's Mouth, which see). Antirrhinum majus, L.—Surr. Hal.

Bunt. (1) Lycoperdon Bovista, L.—With. ed. iv.; Nhamp. Baker. (2) Tilletia caries, Tul.-Var. dial.

Bunwand. Heracleum Sphondylium, L.—Yks. Cleveland Gloss.; N. Scotl. Jamieson, who also spells it Bunewand.

Bunwede. (1) Senecio Jacobæa, L.—Jamieson.

(2) Polygonum Convolvulus, L.-Jamieson. Moor gives the name Bundweed or Bunweed for Suff., and thinks it refers to (1) or to Heracleum Sphondylium.

Bur, Burr, or Burrs. (1) Arctium Lappa, L.—Turn. Names; C. Cumb. E. D. S. Gloss. C. 8; S.W. Cumb.; N. Linc. E. D. S. Gloss. C. 6; Nhamp. Baker; (fruit) Sal.; Suff. Moor; Moray, Fl. M.; Dumfr. (Moffat); Hal. Wr. applies it both to the fruit and to the plant itself.

(2) Galium Aparine, L.—Bucks. (Wycombe); Ches.
(3) Carduus lanceolatus, L.—Scotl. Jamieson. The heads of this thistle after flowering time covered with spines.'-Yks. (Whitby), E. D. S. Gloss. C. 2. See Bore.

(4) Fruit of Humulus Lupulus, L .- Kent; E. Suss, Holl.

(5) (Or Burres) 'The cone of the fir.'—N. Scotl. Jamieson.
(6) 'The prickly seed of the chestnut. "He stuck tu it like a burr."'—E. D. S. Gloss. C. 7.

Bur, Button. See Button.

Bur, Clot. (1) Arctium Lappa, L.—Cumb. E. D. S. Gloss. C. 8. Yks. Cleveland Gloss,

(2) Xanthium Strumarium, L.—Turn. Names.

Burr, Cockly. Arctium Lappa, L.-S.W. Cumb. E. D. S. Gloss. C. 8.

Bur, Ditch. Xanthium Strumarium, L.—Turn. Names.

Arctium Lappa, L.-Lyte. Bur. Great.

Bur, Hurr. Arctium Lappa, L.—Sal.

Bur, Louse. Xanthium Strumarium, L.—Lyte.

Burdock, or in the North Burdocken. Arctium Lappa, L.—Ger.; Ches.; Cumb. E. D. S. Gloss, C. 8; E. Bord. Bot. E. Bord.; Scott. Jamieson; Prior, p. 33.

Bur-flag. Sparganium ramosum, L.— Ab aculeatis rotundis folliculis seu tuberculis Lapparum similibus.'-Skinner.

Burgundy Hay. Medicago sativa, L.— Because the Burgundians have been alwaies very carefull for the sowing and tilling of this herbe,' Surflet's Countrie Farm, p. 698. Baxter gives Burgundy Trefoil.

Burhead. Galium Aparine, L.-Nhamp. Baker.

Burk, or Burk-tree. Betula alba, L.—North, Hal.; Cumb. E. D. S. Gloss, C. 8; E. Yks, E. D. S. Gloss, B. 2. 'Burk-rods and burk-besoms are still in use.'

Bur Marigold. A book-name for Bidens tripartita, L. — Prior, p. 33.

Burnet. (1) Sanguisorba officinalis, L.—Lyte.

(2) Poterium Sanguisorba, L.—Turner, Lyte, Wr. Prior, p. 33. Hal. has 'The herb pimpernel.'

'Of pympurnolle to speke thenke y 3et, And Englysch y-called is burnet.'

MS. Sloane, 2457, f. 6.

But the Poterium is intended, which is often called Salad Burnet.

Burnet Bloodwort. Sanguisorba officinalis, L. — With. ed. iv.; Prior, p. 33.

Burnet Rose. A common book-name for Rosa spinosissima, L.— Prior, p. 197.

Burnet Saxifrage. A book-name for Pimpinella Saxifraga, L.— Prior, p. 33.

Burning Bush. Dictamnus Fraxinella, L. (in gardens).—It is said that the plant gives off so large a quantity of essential oil that the air around it becomes inflammable, and will ignite if a light be brought near.

Burning Nettle. Urtica urens, L., and U. pilulifera, L.-Lyte.

Burntweed. Scolopendrium vulgare, Sym.—W. Meath, being used there as a remedy for burns.

Bur Parsley. A book-name for Caucalis daucoides, L.—From its bristly seeds, which cling like burs. Prior, p. 33.

Burr, Creeping. Lycopodium clavatum, L.—Caithn. Jamieson.

Burr, Upright. Lycopodium clavatum; L.-Scotl. Jamieson.

Burra. Juneus squarrosus, L.—Scotl.; Ork. Shetl. Jamieson.

Burrage, or Burridge. Borago officinalis, L.-Hal.

Bur Reed. A common book-name for Sparganium ramosum, L.— From its round prickly bur-like fruits. Prior, p. 33.

Burro. Laminaria digitata, Lam.—Antrim and Down. 'A tall shapeless person is called in derision a burro.'

Burstwort. Herniaria glabra, L.—' From its supposed efficacy in ruptures.'—Prior, p. 33.

Bur Thistle. 'The spear thistle.' Carduus lanceolatus, L.—Hal. Wr.; Cumb. E. D. S. Gloss. C. 8; North, Grose; Yks. (general); E. Bord. Bot. E. Bord.; Scotl. Jamieson (as Bur Thristle); Prior, p. 33.

Bur-tree (i. e. Bore-tree, which see). Sambucus nigra, L.—Prompt.
Parv. (spelt Burtre), Hal. Wr.; Ches. Wilbraham's Gloss.; Cumb.
E. D. S. Gloss. C. 8; North, Brockett; Yhs. (Craven), E. D. S. Gloss.

B. 7, where there is an erroneous explanation of the name by Dr. Willan; (Swaledale) E. D. S. Gloss, C. 1; (Whitby) E. D. S. Gloss, C. 2. Brockett says that the pop-guns made from it are called bur-tree guns or bur-tree pluffers.

Burweed. (1) Galium Aparine, L.-Nhamp. Baker.

(2) Xanthium Strumarium, L.—Prior, p. 33.

(3) Sparganium.—With. ed. ii., where Stokes substitutes this name for Bur-reed, which he (erroneously) says 'would seem to be a species of reed (Arundo).

Burwort. 'The pilewort.'—Nemnich. i. e. Ranunculus Ficaria, L. Apparently an error.

Bury-dokkes. Arctium Lappa, L.-Hal. A spelling of Burdocks.

Buryt. Saponaria officinalis, L.—Grete Herball. Bailey (Dict. 1736) has 'Borith, an herb or sort of soap, which fullers use in scouring cloths,' Skinner gives the same word.

Bushgrass. Calamagrostis Epigejos, Roth.—Baxter.

Bush-tree. Buxus sempervirens, L.—Scotl. Duncan, 1595. See E. D. S. Gloss. B. 13.

Butcher, or Butcher's, Broom. Ruscus aculeatus, L.—Turn. Lib. and subsequent authors. Wr.; Prior, p. 33.

Butcher's Prick Tree (in Prior Butcher's Prickwood). (1) Rhamnus Frangula, L.—Ger. From its use in making skewers. Prior, p. 34.

(2) Euonymus europæus, L., in Skinner.

Butter and Bread. Cratagus Oxyacantha, L.—Yks. (Wensleydale). See Bread-and-Cheese.

Butter and Eggs. Several flowers which are of two shades of yellow are so called.

(1) Narcissus, various species, especially N. Pseudo-narcissus, L. (Dev.; Nhamp., 'a variety,' Baker; Som., 'a variety,' Jennings; W. of England, Hal. Wr.); N. incomparabilis, Curt. (Dev.; Lanc.; Surr.); N. biflorus, L. (Dev.); N. poeticus, L. (Dev.); and 'the double-flowered variety of N. aurantius.'—Treas. Bot. It is probable that under the name of N. Pseudo-narcissus other species are included. Pulman assigns the name to 'the jonquille;' the 'double narcissus' is so called in Wexford.

(2) Linaria vulgaris, L.—N. Bucks.; Cumb. E. D. S. Gloss. C. 8; N. Dev.; Dors. Barnes; Ess.; Glou. (Stroud); Suss.; Wilts.; Worc.; E. Bord. Bot. E. Bord.; Prior, p. 34.

(3) Lotus corniculatus, L.-Warw. ; Cumb. (Butter't Eggs).

(4) Leucojum vernum, L.-Dors. (Bridport), Journ. Bot. 1866, p. 88.

(5) Iris Pseudacorus, L.-N. Bucks.; Nhamp.; Oxon.

Butter Basket. Trollius europœus, L.-Yks. (Craven).

Butter-blob. Caltha palustris, L .- Yks. (Wakefield). See Blob.

Butter-bump. Trollius europœus, L .- Yks. (Bedale).

Butter-bur. Petasites vulgaris, Desf.—S. of England, Turn. Names; Camb. Turner, Lyte; N. Bucks.; E. Bord. Bot. E. Bord. 'Fæmine hujus herbæ foliis butyrii involuunt unde nomen fecerunt a butterbur.' —Turn, Lib. 'Because the countrey huswives were wont to wrap their butter in the large leaves thereof.'—Coles, A. of S., 31. Other plants have a similar name from their use in the same way. See Butter Dock and Butter Leaves.

Butter Churn. Nuphar lutea, Sm.-From the shape of the fruit.

Butter Creeses. Ranunculus acris, L., R. bulbosus, L., R. repens, L. -Bucks.

Butter-cup, or cups. (1) Ranunculus acris, L., R. bulbosus, L., R. repens, L .- 'A colore butyrum figura calicem æmulanti sic dicti.'-Skinner. Prior (p. 34) says: 'Not perhaps from butter and cup, but rather more probably from Fr. bouton d'or, the bachelor's button, a name given to its double variety.' But it seems to us that the more obvious derivation is also the more likely to be correct. Turn. Herb. Camb.; W. Ches.; Cumb. E. D. S. Gloss. C. 8; Dev.; Ess.; Hants. Holl.; Norf.; Radnor (borders of Heref.); Som. Holl.; Suff.; Suss. Holl.; Warw.; N. Yks.; E. Bord. Bot. E. Bord.; Wr.

(2) R. Ficaria, L.—Bucks.; Ches.; Cumb.; Glou.; Radnor (borders of Heref.); Suff.; Suss.; Warw.; Yks.; E. Bord. Bot. E. Bord.

(3) R. auricomus, L.—Suss. (4) Potentilla anserina, L.—S. Bucks.

Buttercup, Corn. Ranunculus arvensis, L.—N. Yks.

Buttercup, Water. (1) Caltha palustris, L.—Surr., N. and E. Yks. This is called Big Buttercup in E. Yks., and Great B. in S. Bucks. (2) Ranunculus aquatilis, L.—Withering.

Buttercups, White. Parnassia palustris, L.—E. Bord. Bot. E. Bord.

Butter Daisy. (1) Ranunculus acris, L., R. bulbosus, L., R. repens, L.-S. Bucks.

(2) Chrysanthemum Leucanthemum, I .- Hal, Wr. Dors, Barnes.

Butter Dock. Rumex obtusifolius, L.—Deering's Cat. Stirp.; because dairymaids pack butter in its leaves. Prior, p. 35.

Buttered Haycocks. Linaria vulgaris, Mill.—Yks.

Butterflower. An equivalent of Buttercup (1).-Ger., &c. 'The watered meadows are yellow with butterflowers. —Aubrey, Nat. Hist. of Wilts. Curtis (Fl. Lond.) says they are 'called butterflowers by the common people, which name seems to have originated from a supposition that the yellow colour of butter was owing to these plants.' Cows, however, will not eat them when growing.

Butterflower, Great. Caltha palustris, L.—Lyte's MS.

Butterfly Orchis. A common modern book-name for Habenaria chlorantha, Bab., and H. bifolia, Br.

Butter Haws. Crategus Oxyacantha, L.—Norf.

(1) Lotus corniculatus, L.—Grose, Ray, E. D. S. Butter Jags. Gloss. B. 15, 35. Prior (p. 35) says: 'An obscure name, perhaps in the first place bottle jacks,' but he gives no reason for this suggestion, which, moreover, would not assist to explain the name. With, ed. ii.

(2) Medicago falcata, L.-With. ed. ii.

Butter Leaves. (1) 'The leaves of the Atriplex hortensis, or garden orach; which dairy-women in general sow in their gardens annually for this purpose [i. e. for packing butter in]. They are sufficiently large, of a fine texture, and a delicate pale green colour.'—Glou. E. D. S. Gloss. B. 4.

(2) Rumex alpinus, L.—Cumb.

Butterplate. Ranunculus Flammula, L.—E. Bord. Bot. E. Bord.

Butterpumps. The seed-vessels of Nuphar lutea, Sm.—Dors. Hal.

Butter-root (a corruption of Butter-wort). Pinguicula vulgaris, L. —Yks, Ger.

Butter-twitch. Avena elatior, L.—Cumb.

Butterweed. Erigeron canadensis, L.-Treas. Bot.

Butter-wort. Pinguicula vulgaris, L.—Yks. Ger.; E. Bord. Bot. E. Bord. From the greasy feel of its leaves, 'as if melted butter had been poured upon' them.—Coles, A. of S., p. 30. Prior, p. 35.

Buttery. Sambucus nigra, L.—Yks. In E. D. S. Gloss, C. 7, p. 33 (Yks. Holderness), it is spelt Buthery-three. See Boretree.

Buttery Entry. Viola tricolor, L.—Derb. In explanation of this remarkable name it may be noted that the pansy rejoices in a considerable number of endearing names, such as Look up and kiss me (which see): amongst these names is found Meet her i' entry kiss her i' buttery (which see), of which the above seems to be a contraction.

Button Bur. Xanthium Strumarium, L. — Johnson's Mercurius Botanicus (1634).

Button Grass. Avena elatior, L.—In allusion to the round bulblike bodies which are frequently found at the base of the stems.— Cumb. E. D. S. Gloss. C. S.

Button-hole. Scolopendrium vulgare, Sym.—The fructification in a young state much resembles a button-hole in form and appearance.—
E. Suss.

Buttons. (1) Tanacetum vulgare, L .- N. Yks.

(2) Young Mushrooms, such as are used for pickling. A general name,

Buttons, Bachelor's. See Bachelor's Buttons.

Buttons, Beggars'. Fruit of Arctium Lappa, L .- Dev. Wr.

Buttons, Bitter. Tanacetum vulgare, L.—From the shape of the flower-heads and the bitter taste of the whole plant. Moray.

Buttons, Cuckolds'. Arctium Lappa, L.-Hal.

Buttons, Soldiers'. Geranium Robertianum, L.-S. Bucks.

Button-twitch. Avena elatior, L .- Cumb. E. D. S. Gloss, C. S.

Button Weed. Centaurea nigra, L. — Suss. Moor is probably wrong in applying this in Suff. to Heracleum Sphondylium or Senecio Jacobæa; the above or some scabious is more likely to be intended.

Bybbey. 'A kind of herb. See Chester Plays, i. 119, where the Bodl. MS, reads tibbie,' Hal. Wr.

Byllerue. 'A kind of water-plant, translated by berula in the Prompt. Parv., p. 16.' Hal. See Billers.

Bynde. Lonicera Periclymenum, L.-Prompt. Parv., Hal.

Bysmalow. 'The holyhock, a plant. [Althwa rosea, L.] See an old book of medical receipts, MS. Bod. 591, ad fin.'—Hal.

Cabbage, Bargeman's. See Bargeman's C.

Cabbage, St. Patrick's. A common book-name for Saxifraga umbrosa, L., a native of Ireland.—Prior, p. 35.

Cabbage, Sea. (1) Crambe maritima, L.—R. Cat. Prior, p. 35. (2) Verbascum Thapsus, L.—Glamorgansh.

Cabes. 'A cabbage. "Brassica capitata, cole cabes," Elyot. Cabbishes; Middleton, v. 35, and var. dial."—Hal. Wr.

Caddell. Heracleum Sphondylium, L .- Dev. Hal. Wr.

Cadilleck. 'A kind of pear.'-Wr.

Cadlick. Sinapis arvensis, L .- Kent, Holl.; E. Suss. Holl.

Cadlock. (1) Sinapis arvensis, L., and S. nigra, L.—Nhamp.; Warw. Hal. says: 'The rough cadlock is the wild mustard [S. arvensis, L.], and the smooth cadlock is the wild rape [Brassica Napus, L.]. North.'—Wr. Marshall gives the names as similarly applied in the Midlands. E. D. S. Gloss. B. 5.

(2) Raphanus Raphanistrum, L .- Warw.

Cadweed. Heracleum Sphondylium, L.-S. Dev.

Caers. Fruit of Pyrus Aucuparia, L .- Cornw.

Cain-and-Abel. The tubers of Orchis latifolia, L., 'Cain being the heavy one,' E. Bord. Bot. E. Bord. See Adam-and-Eve (1).

Cairn-tangle, or Carn-tangle. Laminaria digitata, Lam.—Aberd.; Mearns. Jamieson.

Calamint. The common book-name for Calamintha officinalis, Mench.—Prior, p. 35.

Calamus aromaticus. Diotis maritima, Cass.—'We found it plentifully on the sands, near Abermeney-ferry, in the Isle of Anglesey, where the common people call it Calamus aromaticus.'—R. Cat. The true Calamus aromaticus of Ray's time, as of commerce at the present day (see Pharmacographia, p. 614), was Acorus Calamus, L.; and the 'odor aromaticus' of the Diotis, mentioned by Ray (Syn.), probably

recalled the scent of the Acorus, and suggested the name. 'The sweet-smelling flag or Calamus' is given by Ray (Cat.) as the English equivalent of Acorus.

Calathian Violet. Gentiana Pneumonanthe, L.—Lyte and subsequent authors. Prior, p. 35. Skinner says: 'Elegans sane flos qui colore purpurea violam, cavitate et oblongà erectàque figurà calathrum seu potius poculum refert.' Gerard, however, figures a Campanula as 'the true Calathian Violet.'

Cale (more usually spelt Kale). Cabbage.—Dors. Aubrey, Hal.; Scotl. Jamieson. The leaves and shoots of cabbages are called callards in the Isle of Wight. Hal. From A.S. cavel, L. caulis, a stalk; 'a name given to a thick-stemmed variety, the Kohl-rabi, and extended to the other kinds of cabbage.'—Prior, p. 35; Wr. 'The apothecaries and the common herbaristes do call it Caulis, of the goodnesse of the stalke.'—Ger., 249.

Cale, Corn. Sinapis arvensis, L.-With. ed. ii.

Cale, Sea. Crambe maritima, L.—Prior, p. 35.

Calf's-foot, or Calves-foot. (1) Arum maculatum, L.—Grete Herball.

'Sic dictum ab aliqua radicum cum pede vitulino convenientia.'—
Skinner. Prior, p. 36. Minsheu finds the resemblance in the leaf.

(2) Allium vineale, L.—Grete Herball.

Calf-snout, or Calves'-snout. Lyte. (Greek antirrhinon.)—From the form of the capsule. A name given by Turner (Names) to Antirrhinum Orontium, L., and usually applied in books to that species. Prior, however (p. 36), assigns it to A. majus, L. In Wr. Calves'-snowt.

Call-me-to-you. Viola tricolor, L.—Coles, A. in E., p. 175; Prior, p. 59.

Callock. Sinapis arvensis, L.-Nhamp. Nth. Gloss. Prior, p. 42.

Caltrops. Centaurea Calcitrapa, L.—Lyte and subsequent authors. Prior, p. 35.

Caltrops, Water. A book-name for Potamogeton densus, L., and P. crispus, L. In English Botany, ed. iii., erroneously assigned to Caltha palustris, L.

Calverkeys. A plant mentioned by Aubrey (Nat. Hist. of Wilts., Britton's ed., 1847, p. 49), on which Ray notes: 'Calverkeys are country names unknown to me.' Probably the same as Culverkeys, which see. Prior, p. 36.

Calves'-feet. Sinapis arvensis, L .- Glou., Warw.

Calves'-foot. See Calf's-foot.

Calves'-snout. See Calf's-snout.

Camamel. See Camomile.

Cambie-leaf. Nymphwa alba, L., and Nuphar lutea, Sm.—N. Scotl. Jamieson. Cambridgeshire Oaks. 'Willows are so called as a reflection on this county for its marshy soil, where only those trees will grow; this is, however, not true of the whole county.'—Local Proverbs in Appx. to Grose's Gloss.

Cambuck. 'The dry stalks of dead plants, as of hemlock.'—East. Hal. Wr.; Suff. Prior, p. 36.

Camel's Straw. Juncus communis, Mey .- Lyte.

Camil. Anthemis nobilis, L .- Som. Wr. Hal.

Camlicks. The dried stems of Heracleum Sphondylium, L., and Chærophyllum temulum, L.—Suff.

Camline. A name in With. ed. ii. for Camelina sativa, Cr.

Cammock, or Cammick. (1) Ononis arvensis, L.—Lyte, Wr.; S. Bucks.; S. Dev.; Dors. Hal.; Wight, Fl. Vect.; Suss. Fl. Vect.

——'communlike in contrees Cammoke and weedes, Foulen the fruyt in the feld, ther thei growen togideres.' Vision of Piers Plowman, l. 13584.

Dr. Prior (p. 36) considers Peucedanum officinale, L., to be intended here, but Ononis is more probably meant. The Peucedanum is a rare plant of salt marshes, and would not occur with weeds in a field. Dr. Prior in his identification follows Mr. Cockayne (Leechdoms, ii. 374), and it would appear that there is much uncertainty as to what plant was intended originally under this name. Confer also Prior, ed. i. p. 37; and Leechdoms, iii. 317. Aubrey, as quoted by Halliwell (sub v. Heaving), says: 'Where ground beares naturally store of chamocks the cheese that is made off from such ground the dayry women cannot keep from heaving.'—MS. Royal Soc., p. 300. Ononis is accounted injurious to cheese in the Isle of Wight. 'In Sussex, and other parts of England, where it is reputed to communicate its nauseous goat-like odour to the milk and cheese of cows pastured where it abounds; cheese so tainted is said in these counties to be cammocky.'—Fl. Vect., p. 114. The word may have had the same signification as Cambuck (q. v.); but Nares, who gives Camock as 'a crooked tree, a crooked beam,' thinks the Ononis was 'so named from the crookedness of its roots.' In the sense of a crooked tree the word is used in Lyly's Euphues, p. 46: 'The cammocke the more it is bowed the better it serveth'

- (2) Hypericum perforatum, L., Senecio Jacobæa, L., Pulicaria dysenterica, L.—Hants. (New Forest), Cockayne, ii. 374. 'In Hampshire almost any yellow flower is called Cammock.'
 - (3) Achillea Millefolium, L .- Dev.

Cammock Whin. Ononis arvensis, L.—Cockayne, ii. 374.

Camomile, Camomill, or Chamomile; in Turn. Names Cammomyle, in Turn. Lib. Camomyle; in Tusser (E. D. S. D. 28, p. 95) Camamel. Anthemis nobilis, L.—Prior, p. 42.

Camomile, Blue. Aster Tripolium, L.—Lyte. 'Women that dwell by the seaside call it . . . blew camomill.'—Ger.

- Camomile, Dog's. Anthemis Cotula, L.—Lyte. In R. Cat. it is Matricaria inodora, L., or Anthemis arvensis, L. Prior (p. 67) assigns the name to Matricaria Chamomilla, L.
- Camomile, German. 'German chamomiles [of commerce] are the flowerheads of *Matricaria Chamomilla*, L.'—Catalogue of Pharmaceutical Society's Museum, p. 85.
- Camomile, Purple. (1) Aster Tripolium, L.—Turn. Names. From the blue flowers resembling those of camomile.
 - (2) Adonis autumnalis, L.—Lyte. From the finely-cut leaves, somewhat like camomile leaves.
- Camomile, Red. Adonis autumnalis, L.—Ger. See Purple Camomile (2).
- Camomile, Roman. Anthemis nobilis, L.—Lyte; and still a commercial name for the plant. 'Joachim Camerarius, who had observed its abundance near Rome, gave it the name of Roman Chamomile.'—Pharmacographia, p. 344.
- Camomile, Scotch. Anthemis nobilis, L.—'The true single or wild chamomiles are known in commerce as Scotch Chamomiles.'—Cat. Pharmaceutical Society's Museum, p. 85.
- Camomile, Stinking. Anthemis Cotula, L.-Lyte. N.E. Yks.
- Camomile, Unsavoury. A name invented by Lyte for Matricaria inodora, L., as a translation of one of its old Lat. names, Cotula non fatida, which he says, 'I have Englished Unsaverie Camomill.' Unsavoury here means not ill-smelling but scentless, as distinguished from the Stinking Camomile (A. Cotula, L.).
- Camomile, White. Anthemis nobilis, L .- Lyte,
- Camomile, Wild. Matricaria Chamomilla, L.—Lyte. S. Bucks., W. Ches. At the present day used in a more extended sense, and including the species of Anthemis with similar flowers. Prior, p. 42.
- Camomile Goldins. Matricaria inodora, L.-With. ed. iv.
- Camomine. Anthemis nobilis, L.—Sal.
- Camoroche. 'The wild tansy.'—Hal. Wr. This is Potentilla anserina, L. See Prompt. Parv., p. 204.
- Camovyne, or Camowyne. (1) Anthemis nobilis, L. Ross, Jamieson.
 - (2) Anthemis Cotula, L.—Scotl. Jamieson.
- Camovyne, Dogs'. 'Weak-scented feverfew'—probably Matricaria inodora, L. Scotl, Jamieson; or Matricaria Chamomilla, L.
- [Campanelle. Convolvulus sepium, L.—Prior (p. 36) gives this name as if used by Bulleyn; but he does not employ it, though he gives Campanella as one of the Latin names of the plant.]
- Campherie. See Comfrey.
- Camphire. Crithmum maritimum, L.-S.W. Cumb.

Campion. A general book-name for various species of Lychnis. Prior (p. 36) derives it 'from having been used in the chaplets with which champions at the public games were crowned. Ital. campione, M. Lat. campio, from campus, a battlefield.'

Campion, Bladder. See Bladder C.

Campion, Corn. A modern book-name for Lychnis Githago, Lam.

Campion, Meadow. Lychnis Flos-cuculi, L.

Campion, Moss. Silene acaulis, L.

Campion, Red. Lychnis diurna, Sibth .- N. Yks.

Campion, Rose. Lychnis coronaria, L.—Lyte, and still a general name.

Campion, White. Lychnis vespertina, Sibth.

Campion of Constantinople. Lychnis Chalcedonica, L.-Treas. Bot.

Canary Grass. Phalaris canariensis, L.—General. 'Sic dicta tum quòd ab Insulis Fortunatis Canariis, dictis huc primum advecta est, tum quòd avium canariensium dictarum accommodatissimum sit pabulum.'—Skinner. Prior, p. 37.

Canary Grass, Reed. A translation of Phalaris arundinacea, L.— Prior, p. 37.

Canary-seed. (1) Phalaris canariensis, L.—Lyte, and still so called generally.

(2) Plantago major, L.—Yks.

Cancer. 'A plant of some kind.

"Who taught the poore beast having poison tasted,
To seek th' hearbe cancer, and by that to cure him?"
Great Britaines Troye, 1609.'—Wr.

Possibly Cancerwort, which see.

Cancerwort. *Cancerwoort, that is Fluellen, 504.'—Ger. Index. Although the plant referred to on this page is Veronica officinalis, L., it is clear that Linaria spuria, L., and L. Elatine, L. (p. 500), were intended. In Ger. Emac. (Index) the same name (spelt Cankerwort) is assigned to these plants. It was given them on account of their singular efficacie to heale spreading and eating cankers,' of which Gerard gives a startling instance.

Candleberry Myrtle. Baxter assigns this name to Myrica Gale, L.; it belongs, however, to the American M. cerifera. Prior calls it Candleberry, but correctly speaks of it as a transferred name.

Candlegostes. 'Goosegrass.'—Ger. Wr. Probably Orchis mascula, L., which Ger. (Appx.) calls Gandlegosses (which see); but we do not find the name spelt as above in Ger., who has Kandlegostes,

Candlemas-bells. Galanthus nivalis, L.-Glou. (Cotswolds).

Candle-rush. Juncus communis, Mey.—Lyte. 'From its pith being used for rushlights.' Prior, p. 37. See Gard. Chron. for Oct. 3, 1874.

Candlesticks, Devil's. Nepeta Glechoma, Benth. Warw.

Candlestick, Lady's. Primula 'elatior' (probably the caulescent variety of P. vulgaris, Huds.).—'This is in the north commonly called Lady's Candlestick.'—Thos. Lawson, in Ray's Correspondence, 1688.

Candlewick. Verbascum Thapsus, L.—N. Som. Cockayne, ii. 316, where the A.S. name Candlewort is given to it. 'Called lucernaria or wick plant, useful for wicks of lamps.'—Id. In Cotgrave it is called Candleweek Mullein. Cfr. High Taper and Torches.

Candock. (1) Nymphæa alba, L. — Worc. With. ed. ii. Called Watercan 'at Tamworth [Leic. and Warw.], from the half unfolded leaves floating on the water, being supposed to resemble cans. They call the leaves can-leaves.'—With. ed. ii. vol. ii. 555. Wr. gives the

name, but says simply 'a water plant.'

(2) Nuphar lutea, Sm.—Warw. 'From its broad leaves, and the shape of its seed-vessel, like that of a silver can or flagon. Dan. aakande.'—Prior, p. 37. In Walton's Angler (pt. i. ch. xx.) some other plant must be meant, unless, as is not unlikely, only the Nymphæa is alluded to as the water-lily, while by candock the Nuphar is intended; the passage alluded to enumerates among water-weeds—'Water-lillies, candocks, reate, and bullrushes.'

Candy-tuft, or Candy Mustard. The common candy-tuft of gardens is Iberis umbellata, L.; the wild species is I. amara, L.—Prior, p. 37.

Cane Apple. Arbutus Unedo, L.—See Apple.

Canker. (1) Rosa canina, L .- Var. dial., Hal. Wr.; Dev. Grose.

'I had rather be a canker in the hedge than a rose in his grace.'
Much Ado about Nothing, Act I. sc. iii.

'To put down Richard, that sweet lovely rose, And plant this thorn, this canker, Bolingbroke.' K. Hen. IV., Pt. I., Act I. sc. iii.

'The canker-blooms have full as deep a die As the perfumed tineture of the rose.'

Shakes. Sonnet liv.

The name is applied especially to the fruit of this plant; Camb., Dors. (Dors. Gloss.), Ess., Norf.; and also to the mossy gall formed by Cynips rosæ upon its branches. In this last sense it is perhaps used by Milton (Lycides, 45): 'As killing as the canker to the rose.' Mr. H. T. Riley (N. & Q., 1, x. 153) says: 'It is a not uncommon belief that a scratch with a thorn of this plant is peculiarly venomous. May not the fact of its causing an inflamed and somewhat obstinate sore have originally obtained for it the name of canker?'

- (2) Papaver Rhoas, L.—East, Hal. Wr.; Norf.; Suff. 'From its red colour, and its detriment to arable land.'—Prior, p. 37. The Dutch name is Kanker-bloemen.
- (3) 'A toadstool.' West, Hal. Wr. 'A poisonous fungus resembling a mushroom.' Grose. 'A tree-fungus, from its seeming to eat like a cancer into decaying trees. Boletus, L.' Prior, p. 37. But Boleti do not grow on trees, and if there be any authority for limiting the name to a tree-fungus, a species of Polyporus is probably meant.
- (4) Leontodon Taraxacum, L.—Glou. This corresponds with the Dutch name Cancher-bloemen, given for this plant in Park. Theatr. 781.

Canker-berry. 'The hip; hence canker-rose, the rose that grows upon the brier [Rosa canina, L.].'—Kent, E. D. S. Gloss. C. 3.

Canker-flower. Rosa canina, L.—Heywood, Love's Mistress (1636).

Canker-root. 'The common sorrel.'-Nemnich.

Canker-rose. (1) Papaver Rhæas, L. (Du. Kanker-bloemen).—Ger. Index; East, Hal.; Prior, p. 37.

(2) Rosa canina, L.—Dev., Ess. See Canker-berry.

Cankerweed. Senecio Jacobæa, L.—E. Anglia, Forby, who includes S. sylvaticus and S. tenuifolius under the name; E. Norf. Marshall, E. D. S. Gloss, B. 3; Var. dial. Hal.

Cankerwort. (1) Leontodon Taraxacum, L.—Ger. See Canker (4).
(2) Linaria spuria, Mill., and L. Elatine, Mill.—Ger. Emac. See Cancerwort.

Can-leaves. See Candock (1).

Canna-down, or Cannach. Eriophorum vaginatum, L. — Gael. cannach. Jamieson.

Canterbury Bell. (1) The common garden name for Campanula medium, L. 'Of some about London Canterbury bels, but improperly, for that there is another kind of bell flower growing in Kent, about Canterbury, which may more fitly be called Canterburie bels, bicause they grow there more plentifully than in any other countrie. —Ger. p. 163. See (2). The name probably arose from the resemblance of the flowers to certain small bells worn by pilgrims to Canterbury, or rather worn on the trappings of their horses, mentioned by John Fox in Martyr. i. 168. See E. D. S. Gloss. C. 3, p. 68. It was stated in the Church Times for April, 1878, that the Canterbury Bell was the still recognised badge of the Archbishops of Canterbury; and an enquiry into the authenticity of this statement elicited a letter signed B. C. Curteis, from which the following is an extract:—'The Canterbury bell was not a badge of the Archbishops of Canterbury, but only a badge worn by persons who were going on a pilgrimage to the shrine of St. Thomas at Canterbury. I have a print of one of these bells which was found with several other leaden figures and tokens belonging to St. Thomas in the bed of the river when London Bridge was pulled down. It has an inscription Campana Thome on the outer edge, and is about the size of an ordinary handbell, with a flat top, on which is an open handle, through which a strap could easily be passed to attach it to a horse's collar. Giraldus Cambrensis mentions that Canterbury brooches were worn in the twelfth century. It is, therefore, probable that the horse bells also dated from the time of St. Thomas's canonization in 1173, when his shrine first began to be frequented, rather than from the time of the translation and first jubilee, fifty years later. These Canterbury bells are mentioned in the Examination of Master W. Thorpe Preste, accused of heresy before Archbishop of Canterbury, vide Wordsworth's "Eccl. Biog." vol. i. p. 168: "Some other pilgrims will have with them bagpipes; so that in everie towne they come through, what with the noise of their piping, and with the sound of their singing, and the jangling of their Canterburie bells,

&c., they make more noise than if the King came there away." I believe that these bells had originally nothing to do with either St. Thomas or Canterbury, but were only worn for the same reason that the cart-horses in Kent and Sussex were provided with similar articles—namely, to give timely notice of their approach when the roads were too narrow to admit of one party's passing another. All the pilgrims used them for this reason, they were adopted as the badge of the pilgrimage, and in process of time their original use becoming unnecessary was forgotten.'

(2) Campanula Trachelium, L., which is the species referred to by Ger. as above. Prior, p. 37.

rer. as above. Trior, p. 57.

(3) Cardamine pratensis, L.—Norf. Ger.

Cant-robin. Rosa spinosissima, L.—Fife, Jamieson.

Cap, Friar's. Aconitum Napellus, L.—Pratt.

Cap, Soldier's. Aconitum Napellus, L.-Nhamp. Nth. Gloss.

Cap, Turk's. (1) Aconitum Napellus, L.—Nhamp. Nth. Gloss.
(2) Lilium Martagon, L.

Caper, Wild. Euphorbia Lathyris, L .- Prior, p. 37.

Caper-bush. Euphorbia Lathyris, L.-Wight, Fl. Vect.

Caper-plant. 'A common garden weed.'—Hal. No doubt Euphorbia Lathyris, L., which is so called in E. Anglia (Forby) and E. Yks. Prior, p. 37.

Caper-spurge. The common book-name for Euphorbia Lathyris, L.

Caperoilie. Clydes, Jamieson. Lathyrus macrorrhizus, Wimm.

Capillaire. Adiantum Capillus-Veneris, L.—'From its being used to prevent the hair falling off.'—Prior, p. 37.

Cap-mint. Calamintha officinalis, Mench.-Yks.

Capon's-feather. (1) 'The herb columbine' [Aquilegia vulgaris, L.].—Hal. Wr.

(2) Valeriana officinalis.—Prior, p. 38, q. v.

Capon's-tail. (1) Valeriana pyrenaica, L.—Turn. Names. Prior (p. 38) assigns the name to V. officinalis, L., but incorrectly.

(2) Aquilegia vulgaris, L.

Capon's-tail Grass. Festuca Myurus, L .- R. Cat.

Caprifole (Spenser, Hal.), or Caprifoly, or Caprifoyle. Lonicera Caprifolium, L., or perhaps rather L. Periclymenum, L.—Lyte, Prior, p. 38.

Caps. 'All sorts of fungi.'-East, Hal. Wr.

Carageen, or Carrageen. 'A name given in Ireland to Chondrus crispus, Lyngb., and some other allied Algæ, when dried and bleached.'—Treas. Bot. For a note on its use see Phycologia Britannica, t. 63, where the name is spelt Carrigeen.

Carameile. Lathyrus macrorrhizus, Wimm.—Scotl. Jamieson.

Caraway. See Carraway.

Carberry. Fruit of Ribes Grossularia, L. — North, Hal.; Yks. 'Carberry-eyed, grayish-green-eyed, of the colour of a boiled goose-berry.'—E. D. S. Gloss. C. 2.

Carde Thistle (Lyte), or Teasel (Ger.). Dipsacus sylvestris, L.—
'In some of our northern counties . . . large quantities of the teasel are planted that their heads may be used in carding wool.'—
Pratt, ii. 86.

Cardiacke. Alliaria officinalis, Andrzj.-Ger. Appx.

Cardoon. Cynara Cardunculus, L.-Prior, p. 38.

Care. Pyrus Aucuparia, L .- Dev. Hal. Wr.; Cornw.

Carl-doddie. (1) Plantago lanceolata, L.—Scotl. Jamieson; Aberdeensh.; Forfarsh. Fl. Forf.; Angus, Jamieson.

(2) Plantago major, L.—Forfarsh. Fl. Forf.

(3) Carduus heterophyllus, L. - Forfarsh. (Glen Clova), Fl. Forf.

Carl-hemp, i. e. male hemp. The female plant of Cannabis sativa, L.—Scotl.; N. Eng. Jamieson. It is curious that this name is always given to the female plant by the old writers, who called it the male plant, although they observed that it bore the seed. Gerard says the female hemp is 'barren and without seede, contrarie to the nature of that sexe. . . The male is called Charle Hemp.' For a similar confusion of terms see Boy's Mercury. The term is in Scotland 'used metaphorically to denote firmness of character. Burns.'—Jamieson. Hal. interprets 'Karl-hemp' as 'late-grown hemp.' Brockett says 'the largest stalk of hemp.' See Churl Hemp.

Carline Thistle. Carlina vulgaris, L.—Prior, p. 38.

Carlings. 'Grey peas, steeped all night in water, and fried the next day with butter. Palm Sunday, formerly called Carling Sunday, is anniversary of this dish; though in some villages it is eaten on the previous Sabbath. North.'—Hal.

Carlin-heather. Erica cinerea, L .- Scotl. Jamieson; Forf.

Carlin-spurs, or Carline's Spurs. Genista anglica, L. — Moray;
N. Scott. Jamieson: 'i. e. the spurs of an old woman.'—Jamieson.

Carlock. Sinapis arvensis, L. — Turn. Names, Prompt. Parv. Bucks., Ess. (S. nigra), Nhamp., Suff. 'In Arderne's Practica, aubfoyn, which is probably the corn-flower, is rendered Karloke (Sloan. MS. 56).'—Prompt. Parv. p. 62.

Carlock-cups. 'In this neighbourhood (Bristol, Som.) the name of Carlock-cups is given to the Ranunculi, and perhaps the Caltha.'—
Trans. Medico-Botanical Soc. of London, 1832-33, p. 84.

Carl's Cress. The same as Churl's Cress (which see) .- Lyte.

Carl-tangle. Laminaria digitata, Lam.—Mearns., Jamieson.

Carmele, Carmeil, Carmile. Lathyrus macrorrhizus, Wimm.—Gael. cairmeal. Highlands, Jamieson. Carmylie. Lathyrus macrorrhizus, Wimm.-Highlands, Jamieson.

Carnadine. Dianthus Caryophyllus, L.—Hal.

Carnation. The general name for garden varieties of Dianthus Caryophyllus, L.—Prior (p. 38) says: 'Incorrectly derived in general from the flesh colour of the flowers, and supposed to be connected with L. carne, but more correctly spelt by our older writers coronation, as representing the Vetonica coronaria of the early herbalists, and so called from its flowers being used in chaplets, corona. So Spenser, in his Shepherd's Calendar,

"Bring coronations and sops in wine."

This is probably correct; Lyte gives the name as "coronations or cornations;" but it is curious that in Turn. Lib. it is called an incarnacyon.'

Carnation-grass. (1) Carex glauca, L., and C. panicea, L.—From the resemblance of the leaves to those of the carnation. Prior, p. 39. (2) Aira cæspitosa, L.—Glou. Grose.

Carn-tangle. See Cairn-tangle.

Carpenter, Herb. (1) Prunella vulgaris, L.

(2) Ajuga reptans, L.— Of some herbe carpenter, but not truly. Ger.

Carpenter, Proud. Prunella vulgaris, L.-W. Ches.

Carpenter-grass. (1) Prunella vulgaris, L.—Mid-Ches., where it is considered very efficacious in curing cuts. Cf. All-heal.

(2) Achillea Millefolium, L.—'In some places is called Carpenter-grasse; it is good to reioyne, and soudre woundes.'—Grete Herball.

Carpenter's-herb. Prunella vulgaris, L.—Lyte. 'Because it is good for cuts.'—Surflet's Country Farm. Glou. Prior, p. 39.

Carrageen Moss. Chondrus crispus, Lyn.—See Carageen. Prior, p. 39.

Carraway. Carum Carui, L.—In Turn. Lib. and in Hal. the fruits are called Carawayes. Prior, p. 39. In N. Linc. the term carraway-seed is used as the type of something quite worthless, because it is so small. 'I wouldn't give a carraway-seed to hev' it one way or tother.'—E. D. S. Gloss. C. 6.

Carraway, Wild. Anthriscus sylvestris, Hoffm.—Banff. Phyt. vi. 444, N. S.

Carrigeen. See Carageen.

Carrons. A variety of Prunus Avium, L.—'In Hertfordshire there is a cultivated variety called Carrons, which are larger and much finer flavoured than the common sort.'—With. ed. ii.

Carrot, Wild. Daucus Carota, L.—Turn. Lib. W. Cumb.; E. Bord. Bot. E. Bord. According to Holdich this name is also 'often applied by husbandmen' to Torilis infesta, Æthusa Cynapium, and Fæniculum vulgare, but some error is to be suspected in this statement.

Cars (A.S.), a cress; or Carses, cresses.—Ger. Hal. Wr.; Prior, p. 39.

Cartafilago. This is given by Turner (Herbal) as an English name in actual use. Of Gnaphalium sylvaticum, L., he says: 'In Englishe in some places Cartaphilago: howbeit there is an other herbe whiche is ye true Cartaphilago, [and] is much differente from this same herbe.' Of Filago germanica, L., he says: 'I thinke that the herbe which is called in Englande Cartafilago is a certayne kynde of the same herbe, for theyr properties are lyke, and their figures are not muche unlike.'

Carvies. Carum Carui, L .- Aberdeensh.

Carvy-seeds. The fruit of Carum Carui, L .- Som. Hal.

Case-weed, or Casse-weed. Capsella Bursa-pastoris, L. — Lyte; N. Engl. Coles, A. in E., p. 69; Prior, p. 39.

Cashes, or Caxes. (1) Conium maculatum, L.—' Caxes or Kicsies is hemlock.'—Park. Theatr. Ger. (Index) has 'Casses or caxes.'

(2) Anthriscus sylvestris, Hoffm., which 'is called in Cambrydge shire casshes.'—Turn. Herb.: 'bycause,' says Lyte, 'spinsters use the stems both of this herbe and hemlocke for quilles and caxes to winde yarne upon.' The term seems to be applied also to the dried stems of umbelliferous plants in general. Prior, p. 126. See Kex.

Caspere. 'The herb cardiac.' — Hal. Wr. Alliaria officinalis, Andrzj. ?

Cassabully. 'The winter cress. South.' — Hal. Wr. Barbarea vulgaris, L.

Cassidony. Lavandula Steechas, L .- See Cast-me-down.

Cast-me-down. Lavandula Steechas, L. — According to Gerard a corruption of Cassidonie, a name by which this plant was known 'in many parts of England.' (Park. Parad. 448.) 'Some simple people imitating the said name doe call it Cast-me-downe.'—Ger. p. 470. This is a good example of the way in which names get corrupted. Cassidony itself, according to Prior (p. 39), who here follows Skinner, is a contraction of the 'Lat. Steechas sidonia, from Sidon, where the plant is indigenous.'

Catapuce (A.N.). 'A kind of Spurge.'-Hal.

Cat-berries. Ribes Grossularia, L.—Cumb., Westm. (applied to hedge gooseberries only).

Catchfly. A name now generally applied in books to the species of Lychnis and Silene (Prior, p. 40), but originally bestowed by Gerard upon Silene Armeria, L., which was called Muscipula and Muscaria by old writers. Gerard says: 'If flies do light upon the plant . . . they will be so intangled with the limynesse [of the leaves and stalks] that they cannot flie away; insomuch that in some hot day or other, you shall see manie flies caught by that meanes: whereupon I have called it catch flie, or lime woort.'—Herbal, p. 482.

Cat-choops. Fruit of Rosa canina, L .- S. W. Cumb.

Catch-rogue. Galium Aparine, L.—'Generally growing in hedges, and adhering to the clothes of those who attempt to break through them.'—Scotl. Jamieson. Hal. explains the word as 'a constable or bailiff. East.' Cfr. Hariff.

Catchweed. (1) Galium Aparine, L.—Bailey's Dict. 1724. Lanc.; Yks. Hallamshire Gloss.; Prior, p. 40.

(2) A book-name for Asperugo procumbens, L.-With. ed. ii.

Catcluke, or Catluke. Lotus corniculatus, L.—Scotl. 'Named from some fanciful resemblance it has to a cat (cat's) or a bird's foot. Rudd. Dan. Katte-cloe, a cat's claw or clutch; Sw. Katt-klor, cat's claws.'—Jamieson.

Caterpillars. Scorpiurus sulcatus, L., which was a common plant in gardens two or three centuries back. 'Our English gentlewomen and others do call it Caterpillers, of the similitude it hath with the shape of that canker worme called a caterpillar.'—Ger. See also Park. Parad. 340. Myosotis palustris, L., is included in the same chapter and under the same name.

Cat-eyes. See Cat's-eyes.

Cat-gut. Chorda filum, Lam.—Orkn. Jamieson; Shetland, Rural Cyclopædia.

Cat-haws. Fruit of Cratagus Oxyacantha, L.—North, Wr.; Cumb.; Linc.; Yks.; Nhamp. Baker; Westm.

Cat-heads. Catkins of Salix .- Camb., N. Ess., Norf.

Cat-heather. More than one kind of heath seems to be so called in Scotland. In the Memoir of Dr. Guthrie (ii. 334) Calluna vulgaris, Salisb., is intended, but the description in Jamieson points to Erica cinerea, L., or possibly E. Tetralix, L. Both of these are so called in Aberdeensh.

Cat-hep, or hip. (1) Rosa spinosissima, L.—North, Hal. Wr.; E. Bord. Bot. E. Bord.

(2) Rosa canina, L.-Pratt.

Cat-in-clover. See Catten-clover.

Catjugs. Fruit of Rosa canina, L.—Durh.; Yks. In Whitby (E. D. S. Gloss. C. 2) Cattijugs.

Catlocks. Eriophorum vaginatum, L.—Cumb. E. D. S. Gloss. C. 8.

Catmint, Catnep, or Catnip. (1) Nepeta Cataria, L. — Lyte; Prior, p. 39.

(2) Calamintha officinalis, L .- Yks.

Cat-nut. Bunium flexuosum, With. - Yks. (Wakefield).

Cat-o'-nine-tails. Typha latifolia, L.-Linc. Brogd.; Warw.

Cat-peas. Vicia Cracca, L.—Clackm.

Cat-poddish. Lotus corniculatus, L .- S.W. Cumb.

Cat-posy. Bellis perennis, L.—Cumb. (Winderwath). 'Cat-pwozie: pwozie is a word fast going from us: a nosegay in my young days

was a pwozie or a posie, according as we used the vernacular or English.'—Mrs. Atkinson.

Cat-rushes. Various species of Equisetum .- Mid-Ches.

Cats-and-dogs. Blossoms of Salix. - Cornw. N. & Q., 1, xii. 297.

Cats and Keys. The fruit of Frazinus excelsior, L .- Var. dial. Hal.

Cats - and - Kittens, or Kitlings. (1) Blossoms of Salix. — Wr. Nhamp. Probably in allusion to their soft fur-like appearance. See Chatton.

(2) Catkins of Corylus Avellana, L .- Worc.

Cat's-claws. (1) Anthyllis vulneraria, L.-Moray, Fl. M.

(2) Lotus corniculatus, L.—Bucks.

Cat's Clover. Lotus corniculatus, L.-E. Bord. Bot. E. Bord.

Cat's-ear. (1) Hypocharis radicata, L.—A common book-name. Prior, p. 39.

(2) Antennaria dioica, Br.-Treas. Bot.

Cat's-een. Veronica Chamædrys, L.-Stirlingsh.

Cat's-eyes. (1) Veronica Chamædrys, L.—Cornw.; Glou.; Cumb-(Cat-eyes), E. D. S. Gloss. C. 8; Ess.

(2) Veronica Buxbaumii, Ten. -Ess.

(3) Myosotis sylvatica, L.—Herts.

(4) Epilobium angustifolium, L.—Sal. (Stokesay).

Cat's-faces. Viola tricolor, L .- Aberdeensh. ; Suss.

Cat's-foot. (1) Nepeta Glechoma, Benth.—From the shape of its leaves. Ger.; North, Hal. Wr.; Nhumb. Grose.

 Antennaria dioica, Br.—'From its soft flower-heads.'—Prior, p. 39. Rutl. Yks.

Cat's-heads. The catkins of Salix caprea, L. - Camb.

Cat's keys. The fruit of Fraxinus excelsior, L.—Yks. (Teesdale), Sternb.

Cat Sloes. The fruit of Prunus spinosa, L.—Lyte, who spells it Catte slose.

Cat's-lug. Primula Auricula, L.-Roxb. Jamieson. Lug = ear.

Cat's-milk. Euphorbia Helioscopia, L. — With. ed. ii. Worc. Prior, p. 39.

Cats-smere. 'An old name of a plant, axungia.'-Wr.

Cat's Spear. Typha latifolia, L.—Ger. Index.

Cat's-tail. (1) 'The catkin of the hazel or willow.'—Var. dial. Hal. Wr. Dev.; Hants. Holl.; Suss. Parish. Used as an equivalent of

catkin by Coles, A. of S., p. 42.

(2) Equisetum, various species, especially E. arvense, L.—Var. dial. Hal. Wr. S. Bucks.; Ches.; Forest of Dean, Ray's Correspondence, 291 (Ray Soc.); Kent: 'The horsetails are always called cat's-tails in Romney Marsh, and in some family deeds there is mention made of a

piece of land which a hundred years ago went by the name of Cafstail Field, from their abundance in it; this name it still retains.' Suff. Warw.

- (3) Typha latifolia, L.-Turn. Names; Prior, p. 40.
- (4) Aconitum Napellus, L.—Sal.
- (5) Phleum pratense, L.—Prior, p. 40. From the shape of the spike.
- (6) Echium vulgare, L.—'Is called in some partes of Englande Cattystayles.'—Turn. Herb. See also Turn. Lib. under Cirsion. Camb., N. Ess., Norf.
- (7) Amaranthus caudatus, L. (gardens). Norf. From its long pendulous inflorescence.
 - (8) Catkins of Juglans regia, L.-Lyte.
- (9) Hippuris vulgaris, L.—Norf.; Suff. Holl. Probably (2) was intended.

Cat's-tail Grass. A general book-name for Phleum pratense, L, and other species. Prior, p. 40.

Cat's-tails, or Cat-tails. (1) Eriophorum vaginatum, L., and E. angustifolium, L.—Aberdeensh.; White C. in Cumb.; E. Bord. Bot. E. Bord.; Mearns., Galloway, Jamieson.

- (2) Various species of Equisetum.—Bucks., Mid-Ches.
- (3) Catkins of Corylus Avellana, L .- Nhamp.
- (4) Hippuris vulgaris, L.-Norf. Holl.; Suff. Holl.
- (5) 'The heads of the great bulrush.' Typha latifolia, L.—N. Linc.
 E. D. S. Gloss, C. 6; Yks. (Holderness), E. D. S. Gloss, C. 7.

Catten-clover, Cat-in-clover. Lotus corniculatus, L. — S. Scotl. Jamieson.

Catteridge-tree. Cornus sanguinea, L.-Treas. Bot.

Cat-trail. 'Foetid Valerian root, attractive to cats, and used for "trailing" or enticing them into traps laid where they infest.'—Yks. (Whitby), E. D. S. Gloss. C. 2.

Cat-tree, or Cat-wood. Euonymus europæus, L.-S. Bucks.

- Catwhin. (1) Rosa canina, L. 'The dogrose.'—North, Hal. Wr.; Yks. (Whitby), E. D. S. Gloss. C. 2. Nemnich renders it 'the Scotch rose'
 - (2) Rosa spinosissima, L.—North, Grose; E. Yks. Marshall, E. D. S. Gloss, B. 2.
 - (3) Ulex nanus, L.—Cumb.
 - (4) Genista anglica, L.-Cumb.
 - (5) 'The herb "setwall" or valerian; gen.'—Mid-Yks. E. D. S. Gloss, C. 5. We cannot help suspecting some error here.

Cat-whistles. Equisetum palustre, L.—Suff.

Caul, Yellow. Ranunculus acris, L. - Wight, Fl. Vect.

Causeway-grass. Poa annua, L.—Berw. 'About Dunse it is called causeway-grass for a very obvious reason—its frequency in unfrequented streets.'—Bot. E. Bord.

Cave. A cabbage.—North, Hal.

Cawle, Sea. Convolvulus Soldanella, L.—Lyte, i. e. Sea Cole (which see).

Caxes. See Cashes.

- Cean. Currant. Mid-Yks. E. D. S. Gloss. C. 5, where is the following note: 'Curn [ku'n, kun'], or Cun [kuon'], or Céan [kuch'n], or Céan [kih'n], or Con [kon', kaon'], currant. One of those words which are thus distinctively varied in pronunciation. The last four are general rural forms, [kih'n] being the broad dialect one. The last [kon', kaon'] are perhaps most heard in Mid-Yorks. The variations of the first form are not unheard in the rural parts, but are, strictly, the town forms.'
- Cegge, i. e. seg or sedge, of which it is merely another spelling.

(1) Iris pseudacorus, L.—Hal.

- (2) A general term for Carex.-Prompt, Parv.
- Celandine. (1) Chelidonium majus, L.—'Angli vocant Celendyne aut Celidony.'—Turn. Lib. E. Cornw. (Celantine); Glou.; E. Bord. Bot. E. Bord.; Prior, p. 40. 'Chelidonium, that is to say Swallowherbe, bycause (as Plinie writeth) it was first found out by swallowes, and hath healed the eyes and restored sight to their young ones, that have had harme in their eyes, or have bene blinde.'—Lyte.
 - (2) Ranunculus Ficaria, L.-Grete Herball. N. Bucks., Glou.

Celandine, Brave. A name invented by Lyte for Caltha palustris, L.

Celandine, Great. Chelidonium majus, L .- Lyte.

Celandine, Lesser, or Small. Ranunculus Ficaria, L. — Lyte; Prior, p. 40. 'The small celandine was so called bycause that it beginneth to spring and to floure at the comming of the swallowes, and withereth at their return.'—Lyte.

'There's a flower that shall be mine,
'Tis the little celandine,'-Wordsworth.

Celery. Apium graveolens, L.—In Mart. Mill. it is usually spelt Celeri. Prior, p. 41.

Celery, Wild. (1) Apium graveolens, L.-Wight, Phyt. iii. 413.

(2) Smyrnium Olusatrum, L.—'In the Isle of Wight, . . . by a strange confusion of ideas, it shares with the genuine Apium graveolens the appellation of wild celery, and by that only is it known.'— Phyt. iii. 413, o. s.

Celery-seed. Rumex obtusifolius, L.-Suss.

Celidony, or Celydony. Chelidonium majus, L.—Prompt. Parv., Turn. Lib.

Cencleffe. Narcissus Pseudo-narcissus, L.—Ger. Appx. Hal. Wr.

Centaury: in Prompt. Parv., and in Turn. Lib. Centory, and in Ger. and other old authors Centorie. (1) Erythræa Centaurium, L.—Cumb. Yks.

(2) Centaurea nigra, L.-Prior, p. 41.

Centaury, Corn. Centaurea Cyanus, L.-Nemnich (Centory).

Centaury, Great, or More. Chlora perfoliata, L., in old black-letter herbals: Lyte, however, and subsequent herbalists assign the name to Centaurea nigra, L. Prior, p. 41.

Centaury, Little, or Small. Erythrea Centaurium, L.—So named to distinguish it from the Great C.—Ger.

Centaury, Sea. Erythræa littoralis, Fr.—Scotl.; Moray, Fl. M.

Centaury, Yellow. Chlora perfoliata, L.-Ger. Yks. (Wakefield).

Centinode, or Centynody. Polygonum aviculare, L.—Prior, p. 41.

Century. Erythraa Centaurium, L.-W. Ches., S. Dev.

Cernoyle. 'Honeysuckle.' Hal. Lonicera Periclymenum, L.

Cetywall. 'The herb valerian, also the mountain spikenard. Percy's Reliques, p. 79.'—Hal. Wr. 'The first is Valeriana pyrenaica, L.; the second is also a valerian, as appears from Ger.'s figure of 'mountain spikenard.' See Setwall.

Chadlock. Sinapis arvensis, L.—Ger. Ger. also figures Nasturtium amphibium, Br., as Water Chadlock. Prior, p. 41.

Chafeweed. (1) Guaphalium sylvaticum, L.—Turn. Herb. (Chafweed); in Turn. Names Chafewort. Wr. 'Centunculus [is] called in Yorke shyre cudweed and in Northumberlande chafweed, because it is thought to be good for chafinge of anye man's flesh with goynge or rydinge.'—Turn. Herb. Ger. uses Chaffweed as a general term including various species of Gnaphalium and allied genera. Lyte erroneously transfers the name to Diotis maritima, Cass. Prior, p. 41. (2) Filago germanica, L.—E. Bord. Bot. E. Bord.

Chaffweed. Centunculus minimus, L.—With. Generally applied to this plant by authors subsequent to Withering, but originally used for Gnaphalium and allied plants. See Chafeweed. Prior, p. 42.

Chalice-flower. Phillips (Fl. Historica, i. 99) gives this as an old name for Narcissus Pseudo-narcissus, L. We have not met with it elsewhere.

Chamock. Ononis arvensis, L.—See Cammock.

Chamomile. See Camomile.

Champeron. Agaricus arvensis, L.—Berks. (Abingdon), N. & Q. 4, i. 564.

Champignon. A general name for Agaricus oreades, Bolt., which was not known to our older authors. Hudson (Fl. Anglica) calls it Champignion. Prior, p. 42.

Champillion (ch pronounced as in chain). Agaricus arvensis, L.— Ches.

Changel. 'The herb bugloss.'-Wr.

Chantarelle. The usual modern name of Cantharellus cibarius, Fr. It was formerly (as in Hudson's Fl. Anglica) called Chantarelle Agarie,

a translation of Agaricus Cantharellus, its old scientific name. Prior, p. 42.

Chare. Cheiranthus Cheiri, L .- Hal. Wr.

Charity. Polemoniun caruleum, L .- Cumb.

Charle Hemp. See Carl Hemp.

Charlock. (1) Sinapis arvensis, L., and S. alba, L.—Ger, 'The mustard plant,' West, Hal. Wr.; Dev. (Teignmouth); Dors.; Glou.; Norf.; Suff.; Yks.; S. Wales (Swansea). Marshall (Glou.) assigns the name to S. nigra (E. D. S. Gloss. B. 4), but probably S. arvensis was meant. Prior, p. 42.

(2) Raphanus Raphanistrum, L.-Lyte. Dors., Glou., Suff.

Charlock, Jointed. From its jointed pods. Raphanus Raphanistrum, L.—Prior, p. 125.

Charlock, White. Raphanus Raphanistrum, L.-Berks., Ess.

Chasbol. 'Poppy.'—Scotl. Jamieson. Nares gives 'Chasbow, the poppy, Scotch.

> "The violet her fainting head declin'd Beneath a sleepy chasbow." Drummond, p. 13, ed. 1791.

It is probably Papaver somniferum, L. See Cheesebowl.

Chasse. 'The common poppy.'—Hal. Wr. Probably Papaver somniferum, L. See Cheesebowl.

Chastey. 'The chestnut. MS. Sloane, 5, f. 4.'—Hal. Castanea vesca, L.

[Chastweed. A misprint for Chaffweed in the index to Ger. Emac.]

Chatton. The flower of various species of Salix.—Lyte says the flower 'when it openeth is soft in handling, and lyke downe or cotton, and therefore the whole flower is called a chatton, kitekin, or catteken.'

Chats, or Chatts, sb. pl. (1) The fruit of Frazinus excelsior, L.— Norf., Suff., Yks. Holl.

(2) Catkins,—West, Hal. Wr. 'The catkins of the maple and other trees.' Lanc. E. D. S. Lanc. Gloss. 'Keys of the ash and maple; also the catkins of the hazel.' E. Yks., Marshall, E. D. S. Gloss. B. 2.

(3) Fruit of Acer Pseudo-platanus, L.—Norf., Suff., Yks. Holl.

(4) 'The cones of the fir-tree.'—Yks. (Whitby), E. D. S. Gloss. C. 4.

Chaws. Fruit of Cratægus Oxyacantha, L.-Moray (Elgin), Fl. M.

Cheadle. Mr. Cockayne (Leechdoms, i. 187, ii. 375) understands Mercurialis perennis, L., to be intended under this name.

Cheadle dock. Senecio Jacobæa, L.-Hal. Wr.

Cheat. Lolium temulentum, L.—Dors.; Wight: 'From its resemblance to the grain amongst which it grows—a name applied, for the same reason, in some places to Bromus secalinus, L.'—Fl. Vect., 622. In Treas. Bot. it is given as 'an American name for Bromus secalinus.

Cheats. 'Wild oats.'—Linc. Brogd. Bromus secalinus, L., may be intended.

Cheddar Pink. From its place of growth.—Dianthus casius, L.—Prior, p. 42.

Chedlock. Sinapis arvensis, L.—Yks. (Whitby), E. D. S. Gloss, C. 2; Prior, p. 42.

Cheese, but more frequently used in the plural, Cheeses. Fruit of Malva sylvestris, L., and (less generally) M. rotundifolia, L.—Hal. Wr. Bucks.; Camb.; Ches.; S. W. Cumb.; Dev.; E. Bord. Bot. E. Bord.; Ess.; Glou.; Hants.; Herts.; Leic.; Middx.; Norf.; Nhamp.; Sal.; Suff.; Suss. Holl.; Warw. E. D. S. Gloss. C. 6; Wilts. (Devizes); Worc.; E. Yks. This is a very general name among children for the fruit of the mallow. Clare alludes to

'The sitting down when school was o'er Upon the threshold of the door, Picking from mallows, sport to please, The crumpled seed we call a *cheese*,'

The cheeses have an insipid mucilaginous taste, and are eaten by children. In the United States certain 'succulent excrescences' on Azalea nudiflora, L., are called swamp-cheeses by boys: they are caused by 'the parts of the flower becoming enlarged and fleshy, and generally consolidated into a shapeless mass.'—Darlington's American Weeds and Useful Plants, p. 214.

Cheese-and-Bread, Bird's. Oxalis Acetosella, L .- Cumb.

Cheese, Dutch. Fruit of Malva rotundifolia, L .- Ches.

Cheese, Sheep's. The root of Triticum repens, L.—Scotl. (Loth., Roxb.), Jamieson.

Cheesebowl. (1) Papaver somniferum, L.—Ger. The name seems to belong more especially to this species of poppy, and occurs in various forms and spellings. Hal. quotes from MS. Lincoln, A. i. 17, f. 9: 'We sende the a male fulle of chesebolle sede in takennyng therof. Luke if thou may nombir and telle alle thir chessebolle sedez, and if thou do thatt, thane maye the folke of oure oste be nowmerd.' Jamieson has chesbol and chesbow. Chesboke (Hal. 'The chyne, the cholet, and the chesboke chene,' MS. Cott. Calig. A. ii. f. 1) is probably a misspelling of the same word. Prompt. Parv. has chesebolle, with the following foot-note: 'A chesse bolle, papaver, cinclus.'—Cath. Ang. The Promptorium gives also chybolle, cinclus. 'Papaver est herba somnifera, Anglice a chebole.'—Ort. Voc., 'Cheese bowls, flores papaveris hort. a similitudine aliquà vasculorum caseaceorum sie dicti,'—Skinner.

(2) Papaver Rhaas, L.-Coles, A. of S.; Prior, p. 43.

Cheese-cake. (1) Fruit of Malva sylvestris, L.—Ches., Dors., Linc., Worc., Yks.

(2) Lotus corniculatus, L.—Worc., Fks. (Tadcaster). Grose gives the name Cheese-cake Grass as a northern name for the plant, which is no doubt the 'trefoil,' which Hal. and Wr. say is so called. In Yks. (York) it is also called Cheese-cake Flowers.

Cheese-flower. Malva sylvestris, L.-Suss.

Cheese Log. Malva sylvestris, L.-S. Bucks.

Cheese-rennet (Cumb.), Cheese-renning (Ger.), or Cheese-running (Lyte; South, Hal. Wr.). Galium verum, L.—In allusion to its property of coagulating milk, for which purpose it was actually employed both in England and abroad. 'The herb may serve for rennet to make cheese: for as Matthiolus upon Dioscorides writeth, the people of Tuscane or Hetruria doo use it to turne their milke, by cause the cheese that they use to make of yeowes and goates mylke shoulde be the pleasanter and sweeter in taste.'—Lyte. 'The people in Cheshire, especially about Namptwich, where the best cheese is made, do use it in their rennet, esteeming greatly of that cheese above other made without it.'—Ger. 968.

Cheir, Wild. Cheiranthus Cheiri, L .- R. Cat. Prior, p. 43.

Chenile. 'Henbane (A-N.).'-Hal. Hyoscyamus niger, L.

Chequered Daffodil (Ger.), Chequered Lily (Park. Parad.), or Chequered Tulip (With. ed. iv.). Fritillaria Meleagris, L.—The flowers are 'of a reddish purple colour, spotted diversly with great spots, appearing like unto square checkes, of a deeper colour.'—Park, Parad. p. 40. Prior (p. 42) calls it Chequer-lily.

Chequer-tree. Pyrus torminalis, L.—Kent; Suss. Hal. Wr. The fruit is called Chequers, no doubt in allusion to its chequered or spotted appearance, and from this the tree takes its name. At Edenbridge (Kent) it is called Chequer-wood, and 'the farm-labourers use it in preference to other wood to make flails for threshing corn.'—Gard. Chron. 1870, p. 145. Prior, p. 43.

Cherlys-tryacle. Hal. Wr. Same as Churl's-treacle, which see.

Cherry, Bird's (With.), Cluster (With.), or Fowl C. Prunus Padus, L.—Prior, p. 43. See Bird Cherry.

Cherry, Crab. Prunus Avium, L.-N. Bucks.

Cherry, Gean. Prunus Avium, L.-Prior, p. 43.

Cherry, Naughty Man's. Atropa Belladonna, L.—Bucks. (Wycombe). 'On Keep Hill, near High Wycombe where we observed it, there chanced to be a little boy. I asked him if he knew the plant. He answered, "Yes; it was naughty man's cherries."'—Curtis, Flora Londinensis.

Cherry, Polstead. Prunus Padus, L.-Suff.

Cherry, Small, or Sour. Prunus Avium, L.—Lyte. Hal. quotes from Du Bartas, 'Cherrilet, a little cherry.'

Cherry, Wild. Prunus Avium, L .- S.W. Cumb. Prior, p. 43.

Cherry-pie, from the smell of the flowers.

(1) Epilobium hirsutum, L.-Dors.

(2) A general garden name for Heliotropium peruvianum, L.

Cherry-wood. Viburnum Opulus, L.—Warner, Pl. Woodfordienses, 1771. Prior, p. 43. Chervell. Lonicera Periclymenum, L.—' Caprifolium is Chervell or gootes leaves.'—Grete Herball. A corruption of chèvre-feuille, the old French name for the plant, which is still in use; Lat. caprifolium.

Chervil (of gardens), spelt also Chervel. Anthriscus Cerefolium, Hoffm.—Lyte; Prior, p. 44.

Chervil, Cowweed. Anthriscus sylvestris, Hoffm.—With. ed. iv. See Cow-weed.

Chervil, Great. Myrrhis odorata, L.-Coles, A. of S., 168.

Chervil, Hemlock. Torilis Anthriscus, L.—From the stem spotted like hemlock. Prior, p. 44.

Chervil, Mock. (1) Anthriscus sylvestris, Hoffm.—Turn. Names.
(2) Scandix Pecten, L.—Ger. Index.

Chervil, Needle. Scandix Pecten, L.-Lyte.

Chervil, Rough. Torilis Anthriscus, L .- Prior, p. 44.

Chervil, Sweet. Myrrhis odorata, L.-Ger.

Chervil, Wild. (1) Scandix Pecten, L.-Lyte.

(2) Anthriscus sylvestris, Hoffm.—'The whole plant is somewhat aromatic, and is eaten in some parts of the kingdom, where it is called Wild Chervil.'—Pratt.

Chesboke and Chesbolle. Hal. Wr. See Cheesebowl.

Chesbow. Papaver Rhaas, L.—Scotl. Jamieson. See Cheesebowl.

Chess-apple. Fruit of Pyrus Aria, L.—Parkinson (Theatr. 1420) considered this a distinct species of Sorbus, and described it as 'Sorbus sylvestris anglicus, red chesse apples, or the English wild service;' he records it from Westmoreland, where 'the natives call [the berries] red chesse apples, and sea oulers.' Ray (Syn.) says that only P. Aria was intended, 'ut me certiorem facit D. Lawson;' and says it was known by the above English names at 'Consick-Scar, Silverdale, Arnside, places in Lancashire and Westmoreland.'

Chessaroons. A Bristol name for an apparently poisonous fungus. A basket of supposed mushrooms having been exposed for sale was seized and examined, when it was found that 'the large majority consisted of that species of fungus locally called *chessaroons*, which are found in abundance in Leigh woods, and more particularly in the vicinity of Portishead.'—The Newspaper, Sept. 14, 1850.

Chesses. Pæonia officinalis, L.—Coles, A. in E., 4. Prior (p. 44) says 'a name by mistake transferred to this plant from the poppy.' See Cheesebowl.

Chesteine (A-N.). Castanea vesca, L.—Wr. Hal., who gives a variety of spellings of the word.

Chestnut, Earth. Bunium flexuosum, With,—Lyte. Ger. says 'The root is of a taste like the chesse-nut or chest-nut, whereof it tooke his name.'

Chestnut, Horse. The general name for *Æsculus Hippocastanum*, L., probably on account of the size and coarseness of its fruit compared with that of the common chestnut, to which it bears a certain resemblance. Parkinson (Theatr.), however, says: 'The horse chesnuts are given in the East Country, and so through all Turkie, unto horses to cure them of the cough, shortnesse of winde, and such other diseases,' Its old Latin name was Castanea equina. Prior, p. 44.

Chestnut, Spanish, or Sweet. The general name for Castanea vesca, L.

Chevisaunce. Cheiranthus Cheiri, L. — In Spenser's Shep. Cal. April, l. 142, 'The pretty pawnce and the chevisaunce,' evidently a misprint for cherisaunce, comfort, heart's-ease, the cheiri or wallflower, the plant to which the name of heart's-ease was originally given.' — Prior, p. 44.

Chevorell. Anthriscus Cerefolium, Hoffm.-Hal.

Chewbark. Ulmus montana, Sm.—E. Bord. Bot. E. Bord. 'The inner bark of the elm, for a certain pleasant clamminess, is chewed by children, and hence the tree is called Chewbark.'—Id.

Chibbals (A-N.). Onions.—Hal. Wr.; who also give 'Chibe, a kind of onion. North.' In Dev. a small onion is called Chipple.

Chiche. '(A-N.). A dwarf pea or vetch. "Pease chiches or chichpeasan." Nomenclator.'—Wr.

Chichelings, or Cichlings. Vetches.—North, Hal. Wr. Probably Vicia sativa, L.

Chicken's-meat. Stellaria media, L.—E. Anglia, Forby; Norf. and Suff. Holl. 'Chickne-mete occurs in an early list of plants in MS. Harl. 978, translated by intiba, the endive. Dross corn is also called chicken's-meat.'—Hal. Wr.

Chickenweed. (1) Stellaria media, L.—Turn. Lib. In Prompt. Parv. Chekynwede and Chekenwede. Ches., Cumb., Norf. 'Because chicken and birds love to pick the seed thereof.'—Coles, A. in E., 294.

(2) Cerastium triviale, Link .- S. Cumb.

(3) Sonecio vulgaris, L.—Yks. (Bedale), Field, June 5, 1876; because so much used for feeding birds.

Chickenwort. Stellaria media, L. — Scotl. Jamieson; Forf. Fl. Forf.; E. Bord. Bot. E. Bord.

Chickling. See Cichling.

Chick Pea. Cicer arietinum, L.-Wr. Prior, p. 44.

Chickweed. Stellaria media, L.—Turn. Lib., and almost universally at the present day. 'Because chickens and birds love to pick the seed thereof.'—Coles, A. in E., 294. But the name was formerly applied to many small plants of similar habit, such as the annual species of Veronica, as in Coles, A. in E., 293, Hudson's Fl. Anglica, and Bullein, where V. agrestis is figured as 'Chickenweede.' Lyte includes under the name the plants already mentioned and several others, such as Stellaria aquatica, Scop., Arenaria trinervis, L., and A. serpyllifolia, L.

Chickweed, Bastard. Sibthorpia europæa, L.-R. Cat.

Chickweed, Ivy. Veronica hederifolia, L .- With, ed. iv.

Chickweed, Mouse-ear. A general book-name for the species of Cerastium, especially C. triviale, Link.—Prior, p. 45.

Chickweed, Sea. Honkeneya peploides .- R. Cat.

Chickweed, Water. 'Montia fontana; also sometimes applied to Malachium [Stellaria] aquaticum and Callitriche verna.'—Treas. Bot.

Chicory. Cichorium Intybus, L.-Prior, p. 45.

Chier, Wild. Cheiranthus Cheiri, L.-Prior, p. 45.

Childing Cudweed. Filago germanica, L.-Prior, p. 45.

Childing Pink. Dianthus prolifer, L.—In Ger. Emac. this is called Childing Sweet William. See Prior, p. 45.

Children of Israel. (1) A small garden species of Campanula, so called from the profusion of its flowers.—Wilts.

(2) A garden species of Aster, with very numerous small flowers.— Bucks. (Wycombe).

Chimney-sweeps, or sweepers. (1) Heads of Plantago lanceolata, L. —Hal. Wr. Nhamp, Nth. Gloss,; Warw.

(2) Luzula campestris, L.—Ches., Lanc. When Cheshire children first see this plant in the spring they repeat the following rhyme, possibly to bring them good luck:—

Chimney-sweeper, all in black, Go to the brook and wash your back; Wash it clean, or wash it none; Chimney-sweeper, have you done?

Chinchone. Senecio vulgaris, L.—Hal. Wr. In Prompt. Parv. it is spelt Chynchone.

Chirchewort. See Churchwort.

Chives (in Prompt. Parv. Cyvys). Allium Schoenoprasum, L.—
'A place called Chiveysike, in Cartmell Fell in Lancashire, about six miles from Kendal' (Robson, Brit. Flora, 1777), appears to have taken its name from the growth there of this plant. Prior, p. 45.

Chock-cheese. Malva sylvestris, L. - Dev.

Choke-fitch. See Chokeweed.

Choke-pear. Pyrus communis, L.—Prior, p. 45. It is defined by Nares as a 'coarse kind of pear,' and the same writer gives Chokeplum as a 'similar plum.' Prior, p. 45.

Chokeweed. A translated name proposed by Turner (Names) for Orobanche, 'because it destroyeth and choketh the herbes that it tyeth and claspeth wyth his roote,' In his Herbal he says it 'may well be called in our tong chokefiche or stranglewede.'

Choke-wort. 'A plant.

"The Libians call'd it Reena, which implies It makes them dye like birds 'twixt earth and skyes; The name of choak-wort is to it assign'd, Because it stops the venom of the mind."

Taylor's Workes, 1630.'-Nares.

- Choop, or Choops. Fruit of Rosa canina, L .- North, Hal. and Wr., who spell it Choups; S.W. Cumb., Durh., Yks., Ayrsh., Dumfr., Roxb., Jamieson. The tree is called in Cumb. Choop-rose or Choop-
- Chopt Eggs. Linaria vulgaris, L.—Cumb. E. D. S. Gloss. C. S.
- Chowps. Fruit of Rosa canina, L.—Yks. (Whitby), E. D. S. Gloss.
- Christlings. 'A small sort of plum.'-Dev. Hal. Wr.
- Ilex Aquifolium, L .- Hal. Wr. Camb.; Ches. (hut only so called when used for Christmas decorations); Hants. Holl.; Wight, Fl. Vect.; Norf. Holl.; Suff. Holl.; Suss. Holl. 'Evergreens used for Christmas decorations' are so called in N. Linc. E. D. S. Gloss, C. 6. Prior, p. 45.
- Christmas-flower. (1) Helleborus niger, L.—Park. Parad. 344.
 Scotl. (obs.), Jamieson. Lyte calls it Christmas Herb. See Christ's Herb.
 - (2) Eranthis hyemalis, L.—Coles, A. of S., 32.
- Christmas Rose. Helleborus niger, L.—General. Prior, p. 45.
- Christopher, Herb. (1) Osmunda regalis, L.—Lyte (who calls it S. Christopher's Herb), Park. Theatr., &c. Perhaps because of its growth by the waterside, in which locality S. Christopher before his conversion was wont to exercise his self-imposed task of carrying persons across the ford.
 - (2) Actaa spicata, L.—Ger. This is given in Park. Theatr. as the 'ordinary Herb Christopher; commonly with most it be called Christophoriana or herba sancti Christophori, but for what cause and respect I
 - cannot learne.'-Park. Theatr. 380.
 - (3) Pulicaria dysenterica, Gærtn. In Cheape side the herbe-women call it Herbe Christopher, and sell it to empericks, who with it (as they say) make medicines for the eyes, but against what affect of them, or with what successe, I know not.'—Ger. Emac. 483.

Prior (p. 111) mentions other plants as being so called by 'the older herbalists,'

- Christopher, Stinking. Scrophularia aquatica, L., and S. nodosa, L.—Cumb. (Wigton).
- Christ's Hair. Scolopendrium vulgare, Sym. Guernsey, 'because of the single black fibrovascular bundle in the leaf-stalk.'-Mr. W. G. Piper.
- Christ's Herb, Christ's Wort. Old book-names for Helleborus niger, L. - Translated from the Dutch Christwurtz and Heylichkersteruyt. 'It is called in Brabant Heylichkersteruyt, that is to say, the herbe of

Christ or Christmas herbe, because it flowreth most commonly about Christmas, especially when the winter is milde,'—Lyte, Jamieson gives Christswoort as a Scotch (obs.) name,

- Christ's Ladder. Erythrea Centaurium, L.—Cockayne (iii. 320) includes Chlora perfoliata under the name. In Ger. Appx. it is given as Cristaldre, and in this form Hal. and Wr. have it, with a note: 'Spelt Cristesladdre, and explained centaurea major in MS. Sloane, 5, f. 3., Prior (p. 46, which see for a suggested explanation of the name) says: 'We find it as Christis leddere in catalogues of the fourteenth century.'
- Christ's Thorn. (1) Crategus Pyracantha, Pers.—Lyte, Ches., from a local tradition that our Saviour's crown of thorns was made from this plant.
 - (2) In Rural Cyclopædia applied to Rhamnus catharticus, L., doubt-less through some confusion with the allied Paliurus aculeatus, Lam., to which the name is usually given in books.
- Chuckenwort (i. e. Chickenwort). Stellaria media, L.-Aberdeensh.
- Chucky-cheese. (1) Fruit of Malva sylvestris, L .- Dev.
 - (2) Young leaves of Cratagus Oxyacantha, L .- S. Dev.
- Churchbrooms. Dipsacus sylvestris, L. Ess. From the resemblance of the flower-heads in shape to the long 'turk's-head' brooms used for sweeping high places.
- Church-steeple. Agrimonia Eupatoria, L.-Suss.
- Churchwort. Mentha Pulegium, L.—Ger. Appx. Hal. Cockayne (iii. 317) has Chirchewort.
- Churl. Cheiranthus Cheiri, L .- Sal. Hal. Wr.
- Churl Hemp. The female plant of Cannabis sativa, L. 'The churle hempe doth beare sede.'—Fitzherbert, Boke of Husbandry. The old writers supposed it to be the male plant. See Carl Hemp.
- Churlick. Sinapis arvensis, L.—Hants., Holl.
- Churl's Cress. A name translated from the German, and apparently assigned to Lepidium campestre, Br., or an allied species. Lyte.
- Churl's Head. Centaurea nigra, L.—'From its rough hairy involucre.'—Prior, p. 46.
- Churl's Mustard. A name given by Ger. to Thlaspi arvense, L., or Iberis amara, L.; or perhaps synonymous with Churl's Cress, which
- Churl's Treacle. Allium sativum, L. Hal. Wr. Ger. Appx. Prior, p. 46.
- Churn. (1) Narcissus Pseudo-narcissus, L. N. Lanc. E. D. S. Lanc. Gloss.
 - (2) The capsule of Nuphar lutea, Sm .- Oxf.
- Churnstaff. (1) Euphorbia Helioscopia, L.—Ches., Cumb., Lanc. 'From its straight stem spreading into a flat top.'—Prior, p. 46.
 - (2) Linaria vulgaris, L.—Ches.

Churnstaff, Devil's. Euphorbia Helioscopia, L. — Belfast, Sal. (Ellesmere).

Chylle. 'Herbe, Cilium vel psillium.'-Prompt. Parv.

Cibbols. Allium Ascalonicum, L.-Prior, p. 45.

Cicely. Anthriscus sylvestris, Hoffm. — North, Hal. Wr.; Yks. (Whitby), E. D. S. Gloss. C. 2.

Cicely, Fool's. Æthusa Cynapium, L.-With. ed. ii.

Cicely, Rough. Torilis Anthriscus, L.—Prior, p. 46.

Cicely, Sweet. Myrrhis odorata, L.-Ger. N. Yks. Prior, p. 46.

Cicely, Wild. Anthriscus sylvestris, Hoffm.—With. ed. ii. Prior, p. 46.

Cichling. A name applied in Lyte, &c., to various species of Lathyrus. Prior (p. 45) spells it Chickling. In the North applied to 'vetches.'—Hal, Wr.

Cickenwort. Stellaria media, L.-E. Bord. Bot. E. Bord.

Cicory, Wild. Cichorium Intybus, L .- With. ed. iv.

Ciderage. Polygonum Hydropiper, L. - Lyte. Hal. Wr. Prior, p. 46.

Cinnamon-root. A name invented by Gerard for Inula Conyza, L.

'In English it may be called the cinamom-roote.... by reason of
that sweete and aromaticall sauour which his roote conteineth and
yeeldeth.'

Cinnamon Sedge. Acorus Calamus, L.

Cinquefoil, in Coles (A. in E.) Cinckfield, in Turner (Names)
Cynkfoly.

(1) Potentilla reptans, L., from its five leaflets.

(2) Sometimes misapplied, from the similar sound of the name, to sainfoin (Onobrychis sativa, L.), as in the following passage: 'The improvement by cinquefoile, which now spreads much in the storebrash lands, was first used at North Wraxhall about the yeare 1650.'—Aubrey, Wilts.

Cinquefoil, Marsh. A modern book-name for Comarum palustre, L.—Prior, p. 45.

Cipper-nut. Bunium flexuosum, With.-Culpeper.

Cislie, Silken. Vincetoxicum officinale, Moench.—Gerard had this in his garden, and it was probably in frequent cultivation at that period. 'Our London gentlewomen have named it Silken Cislie.'—Ger. 750.

Ciss, Sweet. Myrrhis odorata, L.—Yhs. (Settle), Curtis, Cat. of Settle Plants, 1782.

Cisweed. 'Cow parsley' (Anthriscus sylvestris, Hoffm.). — Yks. (Whitby), E. D. S. Gloss. C. 2.

City Avens. Geum urbanum, L.—Pratt. A mere translation.

Civet. Allium Schænoprasum, L.—Lyte, who gives it as Turner's name.

Claiton. Galium Aparine, L .- Dors.

Clamberer. See Climber.

Clappedepouch. Capsella Bursa-pastoris, L.—North of Eng. Coles, A. in E., 69. Prior, p. 46.

Clary (in Turn. Lib. Clare). Salvia Sclarea, L.-Lyte, Prior, p. 47.

Clary, Wild. Salvia Verbenaca, L.—Turn. Lib., Prior, p. 47.

Clate. See Clote.

Clatter-clogs. Tussilago Farfara, L.—Cumb.

Clatter Malloch. 'Meadow trefoil.' (Trifolium pratense, L.?)—
Scotl. (Wigton), Jamieson.

Clauir. See Claver.

Claut. 'The marsh ranunculus.'—Wilts., Hal. Wr. 'As yellow as a claut. Wilts.'—Cockayne, ii. 377. Caltha palustris, L.

Claver. 'A.S. claefer, Belg. klaver, from A.S. cleafan, to cleave; because of the remarkable division of the leaves. — Jamieson. A form of the word clover which is common in old writers and still in use in Scotland and the north of England. Hal. Wr. In With, ed. ii. it is given as the English equivalent of the genus Lotus. For the various plants so called by the older authors, see under Clover.

Claver- (Ger.), or Clavver-grass. Galium Aparine, L.—Cumb. A form of Cleavers (which see).

Claws, Devil's. See Devil's C.

Clayt. Tussilago Farfara, L.—Yks. Wine made from the flowers is called clayt wine. See Cleats.

Clayweed. Tussilago Farfara, L.—From its partiality to clay soils. Encyclopædia of Agriculture.

Clear Eye. (1) Salvia Sclarea, L.—Lyte, Prior, p. 47.
(2) Salvia Verbenaca, L.—Ger.

Clear Eye, Wild. Salvia Verbenaca, L .- Prior, p. 47.

Cleats, or Cleat-leaves. (1) Petasites vulgaris, Desf.—S.W. Cumb. (2) Tussilago Farfara, L.—Cumb., Yks. Beer made from the flowers is called cleeats beer. (Whitby) E. D. S. Gloss. C. 2. The name probably has reference to the shape of the leaves, as Hal. and Wr. give: 'Cleet, the hoof. North.'

Cleaver, Marsh. See Marsh Clover. Menyanthes trifoliata, L.—With. ed. iv.

Cleavers. Galium Aparine, L.—Ger. Appx. Cumb.; Dors.; Glou.; Linc. Brogden. Prior, p. 47. See Clever. From its habit of cleaving to objects which come in contact with it.

Cleden. Galium Aparine, L.—Dors. Dors. Gloss. Hal.

Design of the later of the later of SCHOOL SECTION THE REAL PROPERTY. Services Commission Name Division Time to the Title Divine p. 48. Of the Property Land Date . Cabe Amp given in Park Thate to Change I that of the money of Climatia, as being subably climbing plants. Park Paral various spories of Price and the common passages flower an probled in the chapter on ! (Chambanas or compute. The Sc Ch General Friedle in called Great Wild Olimbra Print, p. 15. Climbing Familiary. Cocydulis conveniulus, DC, 15 Cal-Climbing Sailor. Lineria Cyminiacia, Mitt. Dungrisa Cing fagers. Orchis maneulin, L. - Out. Cingrated Galium Apering L. Dan. Companie Exploreis Cyparismin, L. Chan, Luna. top of the (1) Galliers Apparing to these thought marks has been at the present day," He To Disc Orderedd Gross. See Cickayon, th. 2010. I wise Large, L. - Goz Appe. Print, p. 45. Lappe, L. Goz Appe, Hall Wir Price, to 4th Aperine, L. Ger. Hal. Wr. Printy in 10. In Laurine, L. - Dore Ton Loren Galliers Aparine, L. Turn. & W. Chink Hants,; Wight, Hal. We.; Ouf. & Sun. Italia peregrina, L. Wight, Fl. Voot. Targracum, L. (the fruit). - Huckey Carolly! Close; Notte, Fire. Children blow the down my burner wer it is L. S. Bucks, Assyrlia arcenda, In Olini, Print III time-i, c, about two para(2) Tragopogon pratensis, L.—Yks. Its blossoms close about twelve at noon.

Clock-needle. Scandix Pecten, L .- S. Bucks.

Clock-seaves, or sives. (1) Juncus acutiflorus, Ehrh. — Cumb. (Winderwath); Yks.

(2) Schonus nigricans, L.—North, Grose, Hal.; E. Yks. Marshall, E. D. S. Gloss, B. 2.

Clodweed. (1) Filago germanica, L.—S. Bucks.

(2) Scabiosa arvensis, L.-S. Bucks.

Cloffing. 'The plant hellebore.'—Hal. Mr. Cockayne (Leechdoms, ii. 71, 377, and iii. 319) understands by this Ranunculus sceleratus, L., but some Hellebore is probably intended. See Clove-tongue.

Clog. Gerard gives this name for the cone of *Pinus Pinea*, L.: 'in English pine apple, *clogge*, and cone.'

Clog-weed. (1) Heracleum Sphondylium, L.—Glou. (or Cow C.).
(2) Scabiosa arvensis, L.—S. Bucks. Prior, p. 48.

Close Sciences. Hesperis matronalis, L.—Ger. 'In the West parts of this island, from whence I had the double kinds, as I am enformed they call it double sciney, and the single close sciney, but Gerard saith close sciences.'—Park. Theatr. p. 628. Sciney is doubtless a corrupt contraction of damascena, the old specific name of the plant. Prior, p. 48.

Closs. Juneus acutiflorus, Ehrh., and J. lamprocarpus, Ehrh.—Cumb.

Clot, or Clote. Nuphar lutea, Sm.—Dev. Dors. 'Chaucer has clote-lefe, 16,045, explained the leaf of the burdock, although the present meaning best suits the context. See Gerard, p. 674, D. Cloten, Walter de Bibblesworth, MS. Arundel, 220.' Thus far Hal. Wr. also assigns the name to Nuphar, and quotes a MS. Med. Rec. xv. cent., which begins 'Take the rote of the klote,' and Lupton (Notable Things)—'lay a clot-leaf or else a wort-leaf,' &c. In this last reference the burdock (Arctium Lappa) may be intended: this plant is called clote and clote-bur in Lyte, and clote in Prompt. Parv. (followed by Prior, p. 48), and in Cockayne, ii. 376, clate, where it is extended (incorrectly?) to Galium Aparine, L. Mr. Cockayne's statement that Asperula odorata 'is not a bur plant' is incorrect. Mascal (Government of Cattell) mentions the water-clot, 'which hath a broad leaf on the water' (p. 222), probably meaning Nuphar, but not Nymphaa, as the 'water-lily' is separately mentioned. In Cockayne, iii. 318, all the above-named plants are placed under clate.

(2) Tussilago Farfara, L.—E. Norf. Marshall, E. D. S. Gloss. B. 3.

Clot-bur, or Clod-bur. (1) Arctium Lappa, L.—Ger. Cumb.; Yks. Cleveland Gloss. Prior, p. 48.

(2) Xanthium Strumarium, L.—Turn, Names.

Clote Bur, Great. Arctium Lappa, L.—Lyte.

Clote-lefe. See Clote.

- Clothier's Brush. Dipsacus fullonum, L.—Cumb. (Langwathly, where it is grown in gardens).
- Clots. Fruit of Arctium Lappa, L. (A.S. clote).—Ches. Wilbraham; North, Holl. 'Petasites; rather burdock.'—North, Ray, Gloss. B. 15. See Clot.
- Cloudberry. Rubus Chamæmorus, L. Lanc. Ger.; Yks. Ger.; North, Hal. Wr. Grows on Ingleborough and Pendle Hill, 'two of the highest mountaines in all England, where the cloudes are lower than the tops of the same all winter long, whereupon the people of the countrie have called them cloud-berries.'—Ger. 1368. Cloud signifies a hill in Staff. Hal.
- Clouts. Fruit of Arctium Lappa, L. (A.S. clote).—Ches. Wilbraham; North, Holl.
- Clove Gilliflower, or Clove Pink (in Turn. Lib. Clowgelofer; in With. ed. ii. Clove July Flower). Dianthus Caryophyllus, L.—Prior, p. 49. 'The floures grow out of long round smooth huskes, and dented or toothed above like the spice called cloaves . . . [they] do all smell almost like cloves.'—Lyte, p. 155.
- Clover. The general name for Trifolium pratense, L., and T. repens, L.; sometimes extended to Medicago Inpulina, L.—Prior (p. 49) says: "It is evidently a noun in the plural number, probably a Frisian word, and means "clubs," from L. clava, and refers to the clava trinolis of Hercules, It is in fact the club of our cards, Fr. trefle, which is so named from its resemblance in outline to a leaf with three leaflets.' But see Claver.
- Clover, Alsike. See Alsike Clover.
- Clover, Bird's-foot. Lotus corniculatus, L.—Prior, p. 49, who gives the same name to Trigonella ornithopodioides, L.
- Clover, Bokhara. Melilotus vulgaris, Willd.—Much recommended a few years ago as a forage plant.
- Clover, Broad. Trifolium pratense, L .- Wight, Fl. Vect.
- Clover, Cat's. See Cat's Clover.
- Clover, Cow. See Cow Clover.
- Clover, Crimson. The common name in cultivation for Trifolium incarnatum, L.—Prior, p. 49.
- Clover, Cuckoo's. Oxalis Acetosella, L.—Ireland (Armagh), Border Magazine, i. 155.
- Clover, Dutch. A general name for Trifolium repens, L., as a cultivated plant.—Prior, p. 49.
- Clover, Gowk's. Oxalis Acetosella, L .- E. Bord. Bot. E. Bord.
- Clover, Hare's-foot. Trifolium arvense, L .- Prior, p. 49.
- Clover, Hart's. Melilotus officinalis, L.—Yks. Ger. (Hart's Claver);

 North, Grose (Hart Claver). Prior, p. 49. 'In some places they
 call it Hart's Claver, because if it grow where stagges and deere
 resort, they will greedily feede thereon.'—Park. Theatr. 720.

Clover, Heart. Medicago maculata, L.—Gerard, who calls it Hart Claver, says: 'Every little leafe [is] of the fashion of a hart, whereof it tooke his name.' The leaflets are often, though not always, more or less obcordate. Coles (A. of S.) says it is so called 'not only because the leafe is triangular like the heart of a man, but also because each leafe containes the perfect icon of an heart, and that in its proper colour, viz. a flesh colour. It defendeth the heart against the noisome vapour of the spleen.' Prior, p. 49.

Clover, Hop. Trifolium procumbens, L. — Berw. Jamieson, who calls it T. agrarium. Prior, p. 49.

Clover, Horned. A name invented by Turner (Herb.), and applied by him to Medicago lupulina, L., or possibly M. falcata, L.; hardly to M. sativa, L., as stated by Prior, p. 49.

Clover, King's. Melilotus officinalis, L.—Ger.; Scotl. Jamieson—both as King's Claver. Prior (p. 127) says: 'From its M. Lat. name, corona regia, royal crown, "because," as Parkinson says. Th. Bot. p. 720, "the yellowe flowers doe crowne the top [toppes] of the stalkes." Parkinson, however, adds: 'In English wee call it generally King's Claver as the chiefest of all other three-leaved grasses.'

Clover, Marsh. Menyanthes trifoliata, L., from the trifoliolate leaf.
—Ger. (Marsh Claver).

Clover, Meadow. The common name for Trifolium pratense, L.—Prior, p. 49.

Clover, Plaister. Melilotus officinalis, L., Ger. (Plaister-Claver).—
'With the iuice hereof, oyle, waxe, rosin, and turpentine, is made a most soveraigne healing and drawing emplaister, called Melilote plaister, retaining both the colour and savour of the herbe, being artificially made by a skillfull chirurgion.'—Ger. 1035.

Clover, Red. Trifolium pratense, L.—General.

Clover, Soukie ('from being sucked by children'). Trifolium pratense, L.—Scotl. Jamieson.

Clover, Sour. Oxalis Acetosella, L.—E. Bord, Bot. E. Bord.

Clover, Spotted. Medicago maculata, L.—Cornw.

Clover, St. Mawes'. Medicago maculata, L.—Cornw. (at St. Mawes', where it is very abundant), Flora of Falmouth.

Clover, Strawberry. Trifolium fragiferum, L.-Prior, p. 49.

Clover, Thousand-leaved. Achillea Millefolium, L.—E. Bord. Bot E. Bord.

Clover, Trefoil. Trifolium medium, L.-S.W. Cumb.

Clover, White. The general name for Trifolium repens, L.

Clover, Yellow. A frequent name for Medicago lupulina, L.; sometimes extended to Trifolium procumbens, L., and T. minus, Sm.

Clover-grass. Trifolium pratense, L .- With. ed. ii.

Clove-tongue. Helleborus niger, L.—Hal. Wr. Skinner gives it as Cloven-tongue, 'à figura folii terete linguæ fissæ simili.'

Clove-wort. (1) Geum urbanum, L.-Culpeper.

(2) Mr. Cockayne gives this as an A.S. name for Ranunculus acris, L.—Leechdoms, i. 101, iii, 319.

Clow. Dianthus Caryophyllus, L. (gardens). — East, Hal. Wr.; Norf.; Suff. Holl.; Scott. (Mearns), Jamieson.

Clowns. Pinguicula vulgaris, L.-Roxb. Jamieson.

Clown's All-heal, or Wound-wort. Stachys palustris, I.—A name bestowed upon it by Gerard on account of 'a clownish answer' which he received from a 'very poore man,' who had cut his leg to the bone, and healed it with this plant. Gerard 'offered to heale the same for charitie, which he refused, saying that I coulde not heale it so well as himselfe.'—Herbal, p. 852.

Clown's Lungwort. (1) Verbascum Thapsus, L.— Clowne's Lungwort is Bullock's Lungwort. Park. Theatr. Index.

(2) Lathræa squamaria, L.—Ger. Prior, p. 50.

Clown's Mustard. Iberis amara, L.-Baxter.

Clown's Treacle. 'The garlick.'-Nemnich. Allium sativum, L.

Club-grass. A general name for the genus Scirpus.-With. ed. ii.

Club-moss. Lycopodium clavatum, L.—Ger.; and now also applied in general use to the other species of Lycopodium. Prior, p. 50.

Club-rush. (1) Typha latifolia, L.—Prior, p. 50.

(2) Scirpus lacustris, L.-With. ed. ii.

Cnout - berry. Rubus Chamæmorus, L.— 'The dwarf mulberry. There is a tradition in Lanc. that King Canute or Cnout, being reduced to great extremity, was preserved by eating this fruit.'—Hal. Wr. More usually spelt Knout-berry, which see.

Club-weed, or Clubbe-weed. 'Matfellon. Arch. xxx. 405.'—Hal. Wr. Centaurea nigra, L.

Club, Shepherd's. Verbascum Thapsus, L. — Wight, Fl. Vect.; Lanarks. Jamieson.

Cluts. Fruit of Arctium Lappa, L.—North, Grose, 'Petasites; rather burdock.'—North, Ray, E. D. S. Gloss. B. 15.

Cly. Galium Aparine, L.—Som. Hal. Wr.; in Dors. Clydern, Dors. Gloss.

Cnopwort. 'The ballweed.'—Arch. xxx. 405. Hal. Wr. Centaurea nigra, L.

Coachwheel, Devil's. Ranunculus arvensis, L.—Hants. (Hayling Island), Bromfield's MS.

Coal-brand. Smut in wheat .- Hal. Wr.

Coale, Sea. Convolvulus Soldanella, L.—Ger. See Cawle, Sea.

Coalier, The. Hieracium aurantiacum, L.—E. Bord. Bot. E. Bord. See Grim-the-Collier.

Coan. See Cean.

Coast. Tanacetum Balsamita, L.—A contraction of Alecost (which see), or perhaps of costus, given in Lawson's Country Housewife's Garden (1637): 'it is used in ale in May.'

Cob. 'Clover-seed.'-East, Hal. Wr.

Cob-nut. Corylus Avellana, L., var. grandis. Prior, p. 50. Linc. E. D. S. Gloss. C. 6. 'A master nut. It is the name of an old game among the children, played with nuts.'—Wr. Hal. gives a detailed account of the game.

Coccow Flowers. Lyte's spelling of Cuckoo Flowers (3), which

Cock-bramble. Rubus fruticosus, L.—Norf. Encyclopædia of Agriculture.

Cock-brumble. Rubus fruticosus, L.—Hal, Wr. E. Anglia, Forby; Norf. Holl.

Cock-drunks, sb. The berries of Pyrns Aucuparia, L.—S.W. Cumb. In E. D. S. Gloss. C. 8 it is also called Cock-drink (p. xxi.), and it is stated in that work (p. 45) that 'the fruit is reputed to possess the property of intoxicating fowls.'

Cockeno. Papaver Rheeas, L.—Berwicksh. Bot, E. Bord. 'In the neighbourhood of Gordon I heard this weed called Cockeno, evidently from coch, the Celtic for scarlet, and hence the name is probably coeval with the early inhabitation of the district.'—Bot. E. Bord., p. 30.

Cock-fighters. See Cocks.

Cock-foot. Chelidonium majus, L.—Ger. Appx.

Cock-grass. (1) 'Darnel.'—Camb. Hal. Wr.; by which is intended Bromus mollis, L., and B. secalinus, L.; not Lolium temulentum, L. (See Darnel.) Holdich mentions the former plants as being called Cock-grass 'in the fens.'
(2) Rhinanthus Crista-galli, L.—Holdich.

Cock-head. Stachys palustris, L.—Lanarks. Jamieson.

Cockheads. Centaurea nigra, L.—Midlands, Marshall, E. D. S. Gloss, B. 5; North, Hal. Wr.

Cockie-bendie. (1) Fir-cones.—Renfrewsh. Jamieson.

(2) Large buds of Acer pseudo-platanus, L.—Renfrewsh. Jamieson.

Cockiloorie. Bellis perennis, L.—Shetl. Jamieson. 'Perhaps from Su. G. koka, the sward, and lura, to lie hid; q. what lies hidden during winter in the sward.'—Jamieson.

Cockle. (1) Lychnis Githago, L.— 'Vulgus appellat Coccle aut pople.'—Turn. Lib. 'Cockole hath a longe smal leafe, and wyll beare v or vi floures purple colloure as brode as a grote, and the sede is rounde and blacke. —Fitzherbert, Boke of Husbandry. The Grete Herball also applies the name to this plant. N. Bucks., and general in books. Prior, p. 50. Hal., but the pearl-oyster seems intended in the passage quoted from Lydgate. Wr. Nemnich calls it also Cockle-weed. It is often called Corn Cockle.

(2) The fruit of Arctium Lappa, L.—Pulman. Dors. Dors. Gloss.

(3) Lolium temulentum, L.—Grete Herball (Cockyll).

Cockle, White. Silene inflata, L .- E. Bord. Bot. E. Bord.

Cockle-button. Arctium Lappa, L.—Dev.

Cockly-bur. Arctium Lappa, L .- S.-W. Cumb.

Cock-robin. Lychnis diurna, Sibth. Cornw.

Cockrose. Papaver Rhæas, L.—Scotl. ('any wild poppy with a red flower'), Jamieson; Yks. (York).

Cocks. Plantago lanceolata, L.—Irel. (Belfast, Armagh). Prior, p. 50. Hal. applies the term to 'a puerile game with the tough stems of [this plant]. One holds a stem, and the other strikes on it with another.' This game is very generally played by children throughout the country, and the plant is more usually known as Fighting-Cocks or Fightee-Cocks, on account of this use of it. Ches.; E. Bord. Bot. E. Bord.; East, Hal.; Nhamp. Nth. Gloss; Suff. Moor, who also includes P. major, L., under this name; Suss. Holl.; Irel. (Belfast). In the last-named locality Luzula campestris, L., is also known as 'a kind of cocks,' no doubt from the superficial resemblance of its black heads to those of P. lanceolata. In Cumb., Durh. (Bot. E. Bord.), and Nhumb., P. lanceolata is called Cock-fighters.

Cocks-and-Hens. (1) Plantago lanceolata, L. — S. Dev.; Irel. (Waterford).

(2) The leaf buds of Acer Pseudo-platanus, L.—E. Bord. Bot. E. Bord. 'In spring the children rob the tree of its leaf buds, calling those which are partially expanded cocks, and those which are less so hens.'—Ib. p. 48.

Cock's-caim. See Cock's-comb (5).

Cock's-comb. (1) Ophioglossum vulgatum, L.—Roxb. Jamieson.
(2) Rhinanthus Crista-galli, L.—Lyte, who spells it Coxcombes.
Sal.: North of Scotl.

(3) Onobrychis sativa, L.—Prior, p. 50.

(4) Of gardens. Celosia cristata, L.
 (5) Lychnis Flos-cuculi, L.—Scotl.; Ayrsh.; Lanarks. (Cock's-caim),

Jamieson. (6) Papaver Rhaas, L.—Berwicksh. Bot. E. Bord. See also Cock'skames.

(7) Pedicularis palustris, L., and P. sylvatica, L.—North of Scott.

Cock's-comb-grass. Cynosurus echinatus, L.-Prior, p. 50.

Cock's foot. (1) Aquilegia vulgaris, L.—Ger. Hal. Wr.; Cockayne, iii. 319.

(2) Dactylis glomerata, L.—General. Prior, p. 50.

Cock's-foot Grass. A general book-name for Dactylis glomerata, L.; but assigned in Ger. to Digitaria sanguinalis, because 'the crest or tuft is spred or stretched out abroad like a cock's-foote set downe upon the ground.' A similar name is assigned to other grasses in various countries for a similar reason: thus Eleusinec oracana, Guertn., is called near Canton Kai-keuk-kuk, i. e. 'fowl's foot grain;' Eleusine indica is the 'Pié de gallo' of the Spaniards; and in Italy Leptochloa arabica, Kth., is called 'Pie de gallo raspellone.' See Journ. Bot. 1869, p. 116.

Cock's-head. (1) Onobrychis sativa, L.-Ger. Prior, p. 50.

(2) Papaver Rhaas, P. dubium, and P. Argemone.—Scotl. Brown MS.

(3) Plantago lanceolata, L.—Grose, Hal. Wr. E. Norf. Marshall, E. D. S. Gloss. B. 4.

(4) Centaurea nigra, L.-Nemnich.

(5) Trifolium pratense, L.—Ger. (Cockheads). Cockayne assigns it to Melilotus officinalis, L., but we think not correctly.

Cock's-head, Purple. Astragalus hypoglottis, L.—Baxter.

Cock's Kames, i. e. cock's combs. (1) Orchis mascula, L.—Phyt. vi. 304, N. S.; E. Bord. Bot. E. Bord.

(2) Orchis latifolia, L.—E. Bord. Bot. E. Bord.; Roxb. (Kelso), Science Gossip, 1876, p. 39.

Cockweed. Lychnis Githago, L.—Hal. 'Herbe du cocq, ou de la poivrette, pepperwort, cockeweede; Spanish pepper: dittander.'— Nomenclator (Wr.). Some Lepidium seems here intended.

Cocky-baby. Arum maculatum, L .- Wight, Hal. Wr.

Cocolas panter. Rubus cæsius, L.—Lyte. We can find no clue to the origin of this singular name, which seems to occur nowhere else. Lyte's words are: 'In Englishe, a heare Bramble, or heath Bramble, a Cocolas panter, and of some a bryer.'—p. 661.

Cocowort. Capsella Bursa-pastoris, L.—Hal. Wr.

Codded Arsmart. Impatiens Noli-me-tangere, L.—R. Cat. A translation of its old Latin name, Persicaria siliquosa.

Coddled Apple. See Apple.

Codlins, or Codlings-and-Cream. Epilobium hirsutum, L.—Cumb.;
Dev.; Glou.; Nhamp. Nth. Gloss.; Oxf.; Staff.; Yks. 'Called . .
. . Codlings and Cream, from the smell of the leaves a little bruised.'
—R. Cat. See Apple-pie. Prior, p. 50.

Codweed. 'Centaurea nigra, from the head like a pudding-bag; cod, a bag. Gl. Rawl. C. 506,'—Cockayne, iii, 319.

Coine. 'A quince.'—A.-N. Hal. Wr.

Col. Coriandrum sativum, L.—'Abbreviated by the apothecaries from Coliander, used for Coriander.'—Prior, p. 51.

Cole. (1) Garden cabbages. —Turn. Lib.; Hal.; Ray; Cornw.; N. Linc. (Brassica Napus, L.), E. D. S. Gloss. C. 6; North.

(2) Crambe maritima, L .- South, Hal.; Suss. Parish.

Cole, Dog's. Mercurialis perennis, L.—Ger., Prior, p. 67. See Dog's Cole.

Cole, Red. Armoracia rusticana, Rupp.—'In the north part of England Redcole,'—Ger. Jamieson has Redcoll and Redcoal.

Cole, Sea. (1) Convolvulus Soldanella, L.—Lyte. A translation of its old Latin name, Brassica marina.

(2) Brassica oleracea, L.-Turn. Herb.

Cole-florey. Gerard's spelling of Cauliflower.

Coleseed. Brassica Napus, L.—Prior, p. 51.

Colewort. (1) Brassica oleracea, L. (the common cultivated cabbage).—Turn. Lib. Prior, p. 56.

(2) Brassica Napus, L.-N. Linc, E. D. S. Gloss, C. 6.

Colewort, Hare's. Sonchus oleraceus, L.—A translation of one of its old names, Brassica leporina, given by Ger.

Colewort, Sea. (1) Convolvulus Soldanella, L.-R. Cat. p. 289.

(2) Crambe maritima, L.—R. Cat. p. 46.(3) Brassica oleracea, L.—With. ed. ii.

Coliander (a corruption of Coriander). Coriandrum sativum, L.— Park. Theatr.

Colickwort. Alchemilla arvensis, L.—Heref. Merrett, Pinax. Cfr. Bowel-hive.

Coling. Pyrus Malus, L.—Sal. Wr.

Coll, Red. See Cole, Red.

Collar. 'Smut in wheat.'-Kent, Hal. Wr.

Collard. 'Colewort.'-East, Hal.

Collinhood. 'Wild poppy,' probably Papaver Rhaas, L.—Roxb., Loth., Jamieson.

Colmenier. A variety of Dianthus barbatus, L.—'There is a kinde of this herbe which is common in the countrey gardens, and they call it Colmeniers.'—Lyte, p. 157, who also spells it Colminiers. The passage given by Wr. in illustration of the name is not to be found in Lyte, as at first sight appears: he says: 'Col-me-near, i. e. hug me close, from the flowers being formed in so compact a cluster.'—Prior, p. 51. See Tolmenier.

Collybrand. Ustilago Carbo, Tul.-Cornw.

Colourbine. Aquilegia vulgaris, L.—Nhamp.; N. Linc., E. D. S. Gloss. C. 6.

Colt-herb. Tussilago Farfara, L.—Mascal, Government of Cattle, 1622.

Colt's-foot. A very general name (from the shape of the leaf) for Tussilago Farfara, L.—Lyte. Ches.; Cumb.; Oxf.; Warw.; Westm. (Cowt's-foot); E. Bord. Bot. E. Bord. Prior, p. 51.

Colt's-foot, Water. Nuphar lutea, Sm.—'Pees pully aquaticus, i. water coltys fot, it is [lyke] to water lyly, & hit hath a yeolow floure, & when the floure is fallen it berys lytyl potts & therin is sede.'—MS. Bodl. 536. Cockayne, iii. 319.

Coltza. Brassica Napus, L.-Prior, p. 51.

Columbine. (1) Aquilegia vulgaris, L. — Turn. Names, and all subsequent authors. Prior, p. 51.

(2) Verbena officinalis, L.—' Of some pigeon's grasse or columbine, bicause pigeons are delighted to be amongst it, as also to eate thereof, as Apuleius writeth.'—Ger. 581.

Columbine, Feathered. A frequent book-name for Thalictrum aquilegifolium, L., an old-fashioned garden plant, which Parkinson (Parad. 274) calls Tufted Colombine, and explains the name by saying that 'the leaves are both for colour and forme so like unto colombines leaves . . . that they may easily deceive one that doth not marke them advisedly . . . the flowers . . . are nothing but a number of threads, made like unto a small round tuft.' Ches., N. Yks.

Comfrey (in Bullein Cumphory, and in his Index Campherie).

Symphytum officinale, L.—Lyte; Ches. (gardens); E. Bord. Bot. E.
Bord.; Sal.; Prior, p. 51. The name comfrey, though now generally understood as referring only to Symphytum, had formerly a more general signification, and, like consound, included Bellis perennis, L.
Thus in Prompt. Parv. we have 'Cowmfory, herbe. Consolida major, et minor dicitur daysy.'

Comfrey, Middle. Ajuga reptans, L.-Lyte.

Comfrey, Saracen's. Senecio saracenicus, L.-Lyte.

Comfrey, Spotted. Pulmonaria officinalis, L.-Ger. Prior, p. 51.

Comfrey-Consound. Symphytum officinale, L.-Ger.

Con. See Cean.

Cone. The usual name for the fruit of the species of Pinus. 'In Latine conus, in Englishe a cone.'—Lyte,

Coney Parsley. Anthriscus sylvestris, Hoffm.—Suss.

Confery (A.-N.). Bellis perennis, L.—Prompt. Parv. Hal. Wr.

Conies. 'Fir cones.'-Kent.

Conquerors. The fruit of Æsculus Hippocastanum, L. — Ches., where children thread them on strings, and strike them against each other. The one remaining unbroken is the 'conqueror.'

Consound, or Consoud. L. consolida, 'quia tanta præstantia est, ut carnes, dum coquuntur, conglutinet addita, unde nomen.'—Pliny, xxvii. 6. A name given in the middle ages to several different plants. Prior, p. 51. Cockayne (iii. 319) has 'Consolde, consolida, a mediæval term for (1) major, Symphytum officinale; (2) media, Spiræa Ulmaria; (3) minor, Bellis perennis,'—The middle consolde is rather Ajuga reptans, L. The principal of the Consounds were the Comfrey Consound, Symphytum officinale, L. (Ger.); the Middle C., Ajuga reptans, L. (Lyte); and the Less C., Bellis perennis, L. (Grete Herball). There were also the King's Consound, Delphinium Consolida, L. (Lyte), and the Saracen's C., Senecio saracenicus, L. (Lyte). For a recent instance of the 'consolidating virtue' of Symphytum officinale, Cockayne, i. (preface, liii.), may be consulted; that of Bellis has been referred to under Banwort, which see.

Conval-Lily. Convallaria majalis, L.—Ger. A translation of its old name, Lilium convallium. Prior, p. 52.

Convolvulus. Convolvulus sepium, L. — E. Bord. Bot. E. Bord. This Latin name is one of those which has been completely adopted into popular use. Convolvulus, Wild. Convolvulus arvensis, L.—E. Bora. Bot. E. Bord.

Cooch, or Cooch-grass. Triticum repens, L.—Pulman; S. Bucks.; Dors.; Glou.; Suss. Parish.

Coolstock. Colewort .- Wr.

Cool-tankard. Borrago officinalis, L.—Nhamp. Nth. Gloss. The leaves are an ingredient in the drink so called.

Coombs (i. e. combs). The seed-vessels of Scandix Pecten, L .- Suff.

Cooslip. Primula veris, L.-E. Bord. Bot. E. Bord.

Coostropple, See Cowslip (1).

Cop-rose, or Copper-rose. Papaver Rhwas, L.—North, Hal. Wr.; Nhumb.; Suff. Holl.; Yks. Holl.; &c. One Yorkshire correspondent writes it Copperrass. Prior, p. 52.

Copse Laurel. Daphne Laureola, L.—Hal. Wr. Hants. Phyt. iii. 798; Wight, Fl. Vect.

Coral-root. (1) A modern book (translated) name for Corallorhiza innata, Br.—Prior, p. 52.
 (2) Dentaria bulbifera, L.—Treas. Bot.

Coralwort. The usual book-name for Dentaria bulbifera, L., in allusion to the appearance of the rhizome. Prior, p. 52.

Corance. 'Currants.'-Hal. Wr.

Cord-grass. Spartina stricta, L.—'Called so by Turner, because he "saw that rishe in the islands of East Friesland, and the people there make ropes of that rishe, and thache their houses also wyth the same." —Prior, p. 52.

Coriander. Coriandrum sativum, L.-Prior, p. 52.

Cork. Lecanora tartarea, Ach. (Scotch Highlands, Treas. Bot.), and Roccella tinctoria, DC. (Park. Theatr.).—'Norw. korkje, a corruption of an Arabic word into one more familiar.'—Prior, p. 52. Jamieson spells the name Corkes, and says: 'The ancient name for the Lichen omphalodes, now in S. called Cudbear. Gael. corcar, the Lichen tartareus, Lightfoot, p. 812. Shaw gives corcuir as signifying "purple, a red dye."'

Corkin. 'The Lecanora tartarea of the Highlands and Isles.'— Jamieson.

Corme. 'The service-tree.'-A.-N. Hal.

Cormeille, or Cormele. Lathyrus macrorrhizus, Wimm.—Highlands. 'Gael. caermeal, the heath-pea, a word adopted from the Gaelic.'—Prior, p. 52.

Corn, Black. See Black Corn.

Corn, Devil's. Stellaria Holostea, L .- Sal. (Shrewsbury).

Corn, Goose. (1) Juncus squarrosus, L.—R. Cat. Prior, p. 94.
(2) Bromus mollis, L.—Cumb.; Scotl. Jamieson. ('Field brome grass.')

Corn, Marsh. Potentilla anserina, L.-Belf. Flora Belfastiensis.

Cornation. Dianthus Caryophyllus, L.-Lyte.

Corn-bells. Nidularia campanulata, Sow.—'Call'd in Wostershire Cornbells, where it grows plentifully.'—Merrett, Pinax (1666).

Corn-berries. Vaccinium Oxycoccos, L .- With. ed. ii.

Corn-bind. (1) Convolvulus arvensis, L.— Wild convolvulus, Hal. Wr.; N. Linc, E. D. S. Gloss, C. 6; North, Grose; Nhamp. Nth. Gloss.; Oxf.; Yks.

(2) Convolvulus sepium, L.—Prior, p. 53,

(3) Polygonum Convolvulus, L.—North, Grose; E. Yks. Marshall, E. D. S. Gloss, B. 2.

Corn Bindweed. Polygonum Convolvulus, L .- N. Yks.

Corn-binks. Centaurea Cyanus, L .- Dev.

Corn-bottle. Centaurea Cyanus, L.—Dev.; Nhamp. Wr. Prior, p. 53.

Corn Bugloss. See Bugloss (2).

Corn Buttercup. See Buttercup, Corn.

Corn-cale. See Cale, Corn.

Corn Campion. See Campion, Corn.

Corn Centaury. See Centaury, Corn.

Corn Cockle. Lychnis Githago, Lam.—Hal. Wr. Dors., Ess., Glou., N. Yks. See Cockle (1). Prior, p. 53.

Corn Crowfoot. See Crowfoot, Corn.

Cornel. Cornus sanguinea, L.—Turn. Herb., where it is also called Corne-tree and Cornel-tree. Prior, p. 53.

Cornel, Female, or Wild. Cornus sanguinea, L.-Lyte.

Cornel, Dwarf. A common modern book-name for Cornus suecica, L.

Cornel-sallet. 'Seu potius Cornwall Sallet, vulgatius Corn-sallet, sic dicta quia in Cornubia potissimum usurpatur'(!)—Skinner. Valerianella olitoria, Moench. The name is a mere corruption of Cornsalad.

Corne-tree. See Cornel.

Corn-flower. (1) Centaurea Cyanus, L. — Lyte, and subsequent authors down to the present day. Prior, p. 53.

(2) Lychnis Githago, Lam.—Ches.(3) Papaver Rhœas, L.—Skinner.

Cornflower, Golden, or Yellow. Chrysanthemum segetum, L.-Ger.

Corn Honewort. A mere book-name for Petroselinum segetum, Hoffm.—With, ed. vii. See Honewort. Prior, p. 53.

Cornish Heath. Erica vagans, L.—Commonly so called in modern books, from its abundant growth in Cornwall. Cornish Moneywort. Sibthorpia europæa, L.-Prior, p. 53.

Corn-leaves. Cotyledon Umbilicus, L.—Worc., where the leaves are applied to corns and warts. Phyt. v. 137.

Corn-lily. (1) Convolvulus sepium, L.—Yks. (Wakefield).
(2) C. arvensis, L.—Yks. (Wakefield).

Corn Marigold. Chrysanthemum segetum, L.—Ger. Cumb.; E. Bord. Bot. E. Bord. Prior, p. 53.

Corn Mint. Calamintha Acinos, Clairv. in Turn. Names. The name is now usually given in books to Mentha arvensis, L.

Corn Mustard. Sinapis arvensis, L .- Pratt.

Corn Pink. Lychnis Githago, Lam.—Nhamp. Nth. Gloss. Wr. Prior, p. 53.

Corn Poppy. A common book-name for Papaver Rhaes, L.—Prior, p. 53.

Corn Rose. (1) Papaver Rhæas.—Turn. Lib.; Lyte (who includes P. dubium, L.); Hal. Wr. (From the Dutch korne-rozen, Turn. Names.) Prior, p. 53.

(2) Rosa arvensis, L.-With. ed. iv.

Corn Salad, or Sallet. Valerianella olitoria, Meench.—
'Quoniam seepius provenit inter segetes, et similitudinem habet cum lactuca, quæ est præcipua inter acetariorum herbas.'— Minsheu. Prior, p. 53.

Corn Speedwell. Veronica hederifolia, L., and V. arvensis, L.— Hudson, Fl. Anglica (1798).

Corn Thistle. Carduus arvensis, L .- Cumb. ; Belf. Fl. Belf.

Corn Violet. Campanula hybrida, L.-With. ed. iv. Prior, p. 53.

Cornwall Sallet. See Cornel-sallet.

Coronation. Dianthus Caryophyllus, L.-Lyte, Prior, p. 53.

Corr. Lathyrus macrorrhizus, Wimm.—Prior, p. 52. See Cormeille.

Cost. Tanacetum Balsamita, L.—Cockayne, ii. 377, iii. 320. See Alecost and Coast. The English Cost of the Saxons was Tanacetum vulgare, L.—See Cockayne, iii. 320.

Costmary. Tanacetum Balsamita, L.—Lyte. Prior, p. 53.

Cotton, Petty. A general name for Gnaphalium and allied plants. Lyte erroneously assigns it to Diotis maritima, Cass. See Chafeweed.

Cotton, Wild. The species of Eriophorum.-N. Scotl. Jamieson.

Cottoner, The. Viburnum Lantana, L.—Kent, Garden Flowers of the Year, p. 189.

Cotton-grass. A general, though not very old, name for the species of Eriophorum.—E. Bord. Bot. E. Bord.; Yks. Prior, p. 54.

Cotton-rush. 'A name sometimes given to Eriophorum.'—Treas. Bot. Bentham calls the genus Cotton-sedge.

Cotton-thistle. The usual book-name for Onopordum Acanthium, L.—Lyte, Prior, p. 233.

Cotton-tree. (1) Viburnum Lantana, L.—'I enquired of a country man in Essex if he knew any name of this; he answered, it was called the Cotton-tree, by reason of the softnesse of the leaves.'—Ger. Emac. 1490. Ess. Ger. Emac.; Kent.

(2) 'The female of *Populus nigra* is called the *Cotton-tree* at Bury St. Edmunds' [Suff.], the seeds being 'enveloped in a beautiful white cotton.'—Loudon, Arboretum. Yks.

Cotton-weed. Turn. Herb. Ger, employs the name in an extended sense for the species of Gnaphalium and allied plants, Diotis maritima, Cass.—R. Cat. Prior, p. 54.

Couch, or Couch-grass. A name given to several creeping grasses, but most usually to Triticum repens, L.—Ger. Hal. Wr. Bucks.; Glou.; Kent, E. D. S. Gloss. C. 3; Midd.; E. Yks. E. D. S. Gloss. C. 6; Warw. ('large coarse grass'). Prior, p. 54. Holdich (Essay on Weeds) mentions 'two other grasses which have strong creeping roots, and are indifferently called Couch'—viz. Holcus mollis, L., and Poa pratensis, L., the latter of which seems to be the plant figured and described by Lyte as Couch-grass. In Martyn's Flora Rustica the name is also applied to Avena elatior, L. See Quitch.

Couch, Black. See Black Couch.

Couch, Onion. Avena elatior, L.—West. In allusion to the tuberous onion-shaped nodes of the root-stock.

Couch-grass. See Couch.

Couch-grass, White. Triticum repens, L .- Pratt.

Couchwheat. Triticum repens, L.-With, ed. iv.

Coughwort. Tussilago Farfara, L.—Culpeper. Prior, p. 54.

Coul. 'Cole or cabbage.'-Som. Hal.

Countryman's Treacle. 'An old name for Ruta graveolens.' — Treas. Bot.

Country-pepper. Sedum acre, L.—Ger. From its extremely pungent flavour.

Courake. 'A plant, cauliculus.'-Wr.

Courtship-and-Matrimony. Spiraea Ulmaria, L.—Cumb. 'From the scent of the flower before and after being bruised.'—E. D. S. Gloss, C. 8.

Cous. A kex.-Lanc. Wr.

Couslop. Primula veris, L.-Wr.

Cout-fit (i. e. Colt's-foot). Tussilago Farfara, L.—Irel. (Belfast), Fl. Belf.

Coventree. Viburnum Lantana, L.—Bucks. (Wycombe); Wilts.

Aubrey. 'Coven-tree common about Chalke and Cranbourn Chase;
the carters doe make their whippes of it.'—Aubrey.

- Coventry-bells. (1) Campanula medium, L.— 'They use about Coventrie in England, where as great store of these plantes do grow, to eate their rootes in salads, as Pena writeth.'—Lyte. Pena, however, refers to certain differences between the cultivated and wild plant, which render it probable that he meant C. Trachelium, so far as the wild plant is concerned. Wright has 'a kind of violet, a mariet,' by which C. medium is intended, Viola Mariana being an old name of the species. Prior, p. 54.
 - (2) Anemone Pulsatilla, L.—'In Cambridgeshire, where they grow [at Hildersham], they are termed Coventry-bels.'—Ger. 309.
- Coventry-rapes. Campanula medium, L.—A name proposed by Lyte, who says 'we may also call them Coventry Rapes,' the latter part of the name being suggested by the Latin Rapum sylvestre. Prior, p. 54. See Coventry-bells.
- Cover-keys, or Covey-keys. The oxlip:—not the true Primula elatior, Jacq., but the plant known as P. variabilis, Goup.—Kent, Field, June 26, 1876, and N. & Q., 4, iii. 563. See Culverkeys (4).
- Cover-shame. Juniperus Sabina, L., in allusion to its criminal use in procuring abortion. Harl. Misc. iv. 440.
- Covey, or Sweet Covey. 'Pro Muscovy.'—Skinner: i. e. Erodium moschatum, L.
- Cowbane. Cicuta virosa, L.—With. ed. ii. From its fatal effects upon cows. 'Early in the spring, when it grows in the water, cows often eat it and are killed by it.'—With. Prior, p. 54. See Linnæus, Flora Lapponica.
- Cow-basil. Saponaria Vaccaria, L.—Ger. 395; but in his Index he says: 'Cow Bassill, that is Red Valerian' [Centranthus ruber, DC.]. There was, however, doubtless an error here, as the Saponaria alone is called Cow-basil in Ger. Emac. See Basil, Cow.
- Cowbell. Silene inflata, L .- Scotl.
- Cow-berry. (1) Vaccinium Vitis-Idea, L.—With. ed. vii.; Hal. Wr.; N. Yks.; Prior, p. 54.
 - (2) Comarum palustre, L.—'In some parts of Scotland the fruits are called cowberries, on account, it is said, of their being used to rub the inside of milk-pails for the purpose of thickening milk.'—Treas. Bot. Pratt says the name is used in some parts of England.
- Cow-cakes. 'Wild parsnip. Roxb., Loth. The Heracleum Sphondylium of Linn. is called the cow parsnip, but this seems to be rather the Pastinaca sylvestris,' Jamieson. H. Sphondylium is so called in Edinb.
- Cow-clogweed. Heracleum Sphondylium, L.-Glou.
- Cow-cloos. Trifolium pratense, L .- N. Scotl. Jamieson.
- Cow-clover. (1) Trifolium medium, L.—N. Yks.
 - (2) Trifolium pratense, L.-With, ed. ii.
- Cow-cracker. Silene inflata, L.—Scotl. Athenœum, Mar. 13, 1869;
 Dumfriesh. N. & Q. 4, viii, 143.

Cow-cress. (1) Lepidium campestre, L.—Prior, p. 54.

(2) Helosciadium nodiflorum, Koch.—Hants.

(3) Veronica Beccabunga, L.—Ess. (Brentwood). One of its French names is Cresson de cheval.

Cow-fat. 'The red valerian.'-Hal. Wr. Centranthus ruber, DC.

Cowflop. Digitalis purpurea, L .- Dev. Hal. Wr.

Cow-foot. Senecio Jacobæa, L .- Sal. (Tilstock).

Cow-grass. (1) Trifolium medium, L.—Ches.; E. Bord. Bot. E. Bord.; N. Linc. E. D. S. Gloss. C. 6; 'a species of clover,' Scotl. Jamieson.

(2) Trifolium pratense, L.—Wight, Fl. Vect.; Berwicksh.; Johnston's Flora of Berwick. Often applied to a cultivated form of this

plant known as T. pratense perenne.
(3) Polygonum aviculare, L.—Treas. Bot.

Cow-heave. Tussilago Farfara, L.—'Perhaps originally cow-hoof, from a supposed resemblance to the hoof of a cow.' Selkirks, Jamieson.

Cow-keeks (i. e. cow-kecks—a large kind of keck). Heracleum Sphondylium, L.—E. Bord. Bot. E. Bord.

Cow-keep. Heracleum Sphondylium, L. — Fifesh. Gard. Chron., 1861. Another form of the last name, or it may be because cows are fond of it.

Cowmack. 'An herb supposed to have great virtue in making the cow desire the male.'—N. Scotl. Jamieson. This is no doubt Lychnis vespertina, Sibth., of which Mascal (Government of Cattle) says: 'Some husbands (to make the cow take the bul the sooner) do give her of the herb called Cow-make, which growth like a white gilli-flower among corn.'

Cow-mumble. (1) Anthriscus sylvestris, Hoffm.—Cumb., Ess., Norf.
(2) Heracleum Sphondylium, L.—Hal. Wr.; E. Anglia, Forby;
Linc.; Norf. and Suff. Holl.

(3) Hedge Umbelliferæ generally.-Ess.

Cowpaps. Silene inflata, L.—E. Bord. 'Evidently derived from the shape and size of the turgid seed-capsules.'—Bot. E. Bord.

Cow-parsley. Anthriscus sylvestris, Hoffm.—Camb., N. Ess., Glou., Hants., Norf. Prior, p. 55.

Cow-parsnip. Heracleum Sphondylium, L.—A name invented by Turner (Names), explained as 'being good fodder for cows.' Coles, A. in E., 580. Loth.; Roxb. Jamieson. Prior, p. 55.

Cowquake. (Also called Cow-quakers.) (1) Briza media, L.— Derb.; Sal. (Ellesmere), Ger.; E. Bord. Bot. E. Bord.; Prior, p. 55. 'Maio mense paniculam explicat, unde nonnulli adagium illud anglicum: May, come she early, come she late, makes the cov quake, de hoc gramine interpretantur, hoc est, Majus citiusne an serius advenerit non vaccam facit tremulam, sed gramen tremulum cow-quakes dictum producit.'—R. Syn.

(2) Spergula arvensis, L.—East, Hal. Wr.

Cow-rattle. Lychnis vespertina, Sibth.—S. Bucks. This name, though now apparently very local, is of ancient date. In Cockayne (iii. 320) is the following from MS. Lansd. 553: 'Cauliensis agrestis = glande or cowrattle (cowrattle margin). This herbe hath leves liche to plantayne, but hii biith nought so much & he hath a stalk to the lengeth of a cubyte, & he hath whit floures, & he growth in whete.' There can be little doubt that the above-named plant is here intended, but perhaps Silene inflata, L., was comprehended under the name, as is still the case in S. Bucks.

Cows and Calves. The flowers of Arum maculatum, L.—Hal. Wr. Pulman; Dors.; I. of Portland; N. Linc. E. D. S. Gloss, C. 6; Nhamp. Nth. Gloss.; Notts.; Sal. (Worthin); Warw.; Worc.; Yks. In N. Yks. also called Cows and Kies.

Cowslap. Primula veris, L.—Turn. Names.

Cowslek. Primula veris, L.-Prompt. Parv.

Cow's-lick. Bryonia dioica, L .- Norf.

Cowslip. (1) Primula veris, L.—Grete Herball, where it is spelt Cowslypp; Turn. Names. S.-W. Cumb.; E. Bord. Bot. E. Bord.; Yks. (Cleveland); West, Turn. Herb., where it is spelt Cowislip. Mr. H. Weatherill favours us with the following note upon this name: 'The etymon of the A.S. cuslippe is supposed to be cus and lippe, i. e. cow's-lip. Yet Bosworth gives us cus-lippe for cowslip and oxanslippan for oxlips—a division of the words which makes for each a different derivation and meaning. In our York dialect the name of the flower and plant is cooslop, a name which I believe to be derived from keslop (A.S. ceselib, cyselib), which is our provincial term for the prepared stomach of the calf, used as rennet for the coagulation of milk in cheese-making, &c. The name cooslop, I suppose, originated in a fancied resemblance between the wrinkled leaves and calyx of the plant and the corrugated surface of the calf's stomach. (In Arch. xxx. 409, kousloppes.) See Atkinson's Cleveland Gloss., sub keslip and loppered. In support of this etymology, I may mention that the name for the cowslip in Durham and Northumberland is coostropple, a name which seems to have been given them from an imagined resemblance of the plant to the plaits of a cow's throttle. In the Vale of Pickering cowslips are called coostriplins and coostruplins, names having a similar signification as coostropple. In Norfolk stroop signifies the gullet.' See Cowslop. See also Prior, p. 54.

(2) 'The oxlip,' under which name the plant often called P. variabilis, Goup., is included, as well as the true P. elatior, Jacq.—Ess. Ray; Camb.; Herts.; Kent (Ashford, Journ. of Horticulture, May 1, 1873; Dover, Phyt. v. 36, N. S.); Middx. Ray; Norf.; Suff. Ray.

(3) Orchis mascula, L.—Rutl.

(4) Narcissus Pseudo-narcissus, L.—Dev.

(5) Anemone nemorosa, L. — 'Cowslip is the popular name for Anemone nemorosa in the north' of Scotland.—Border Magazine, 1863, p. 286.

(6) Fritillaria Meleagris, L.—Hants. (Strathfieldsaye), Phyt. iii. 965.
Cowslip, Bedlam. Pulmonaria officinalis, L.—See Bedlam Cowslip.

Cowslip, Blue. Pulmonaria angustifolia, L.—Hants. Phyt. iii. 575;
Wight, Fl. Vect.

Cowslip, Bugloss. See Bugloss Cowslip.

Cowslip, French. Primula Auricula, L.—'They are called by divers women French cowslips.'—Park. Parad. 240. Prior, p. 55.

Cowslip, Great. Primula elatior, Jacq.—Warner, Fl. Woodfordienses, 1771.

Cowslip, Jerusalem. Pulmonaria officinalis, L. — Bucks., Ches., Glou., Oxf.

Cowslip, Mountain. Primula Auricula, L.-Ger. Prior, p. 55.

Cowslip, Our Lady's. Gagea lutea, Ker.-Lyte's MS.

Cowslip of Jerusalem. Pulmonaria officinalis, L.-Lyte.

Cowslip Primrose. Primula veris, L.-With. ed. iv.

Cowslips of Bedlem. Pulmonaria officinalis, L. — Langham's Garden of Health.

Cowslop. Primula veris, L.—Ches.; E. Anglia, Forby; Nhamp.

Nth. Gloss., where it is also pronounced Cowslap. This is an old form of the word. In Prompt. Parv. we have cowslope, cowslek, and cowslop. See Cowslip.

Cow's Lungwort. Verbascum Thapsus, L.—With. ed. iv. See Bullock's Lungwort. Prior, p. 55.

Cowsmouth. Primula veris, L .- Scotl. Jamieson.

Cow-stripling. Primula veris, L.—North; Cumb. (Winderwath); in E. D. S. Gloss, C. 8 (Cumb.), Cow Struplin; Yks.

Cow-stropple. Primula veris, L.—' North, Brockett. A cow-stropple in the month of Jan., 1632, was considered sufficiently curious to be presented as a new year's gift. See Chron. Mirab. p. 21,' Hal. Wr. See Cowslip.

Cow Vetch. Vicia Cracca, L .- Glou.

Cow's Weather-wind, or Withy-wind. Stachys sylvatica, L.—S. Bucks.

Cow's-wort. Pedicularis palustris, L.—Deering, Cat. of Nottingham Plants.

Cow-thistle. 'The seeds of the great Cow-thistle, dryed and made in powder' are recommended as a cattle medicine in Mascal's Government of Cattel (1662). We do not know what plant is intended; it is perhaps a misprint for Sow Thistle.

Cowthwort. Leonurus Cardiaca, L.—Hal.

Cow-weed. Anthriscus sylvestris, Hoffm.—Prior, p. 55. 'In some places they call this Cow-weed, and in the spring-time give it to their kine, which greedily eat it.'—R. Cat. p. 71. 'Cows are so fond of it, that when a pasture is over-run with it, as is often the case about Dudley, they always turn them in to eat it up.'—With. ed. ii. In With. ed. iv. it is called also Cow-weed Chervil.

Cow-wheat. (1) Melampyrum.—A translation of the old Latin name Triticum vaccinium. See Bauhin, Hist. iii. pt. 2, p. 439. Lyte, Prior, p. 55.

(2) Rhinanthus Crista-galli, L.—S.-W. Cumb.

(3) Hal. and Wr. assign the name to 'the horse-flower.' We do not know what plant is intended.

[Cow-wort. Geum urbanum, L.—Pratt says 'the old herbalists call it Cow-wort;' but we have not been able to meet with the name.]

Crab, or Crab-apple. Pyrus Malus, L.—Ches.; E. Bord. Bot. E. Bord.; N. Linc. E. D. S. Gloss. C. 6; Warw.; E. Yks. Prior, p. 55, q. v. In N. Linc. gathering crabs is termed crabbing, and an acid liquor, similar to vinegar, made from crabs, is called crab-vargis. The name is A.S.: "Mala maciana wode crabbis." Gl. Harl. 3388."—Cockayne, iii. 320.

(2) 'A potato-apple. Lanc.'-Hal. Wr.

Crab, Minshull. Mespilus germanica, L.—'In all the hedges about Minshull [Ches.] (Eng. Fl.): there, I am told, known by the name of Minshull Crab.'—New Bot. Guide, i. 255. There seems, however, to be some error about this, as the Minshull Crab is a well-known and much-valued variety of cultivated apple found in old orchards in Cheshire; while the Hon. J. L. Warren informs us that 'nothing is known of Mespilus there since anything like the memory of man.'

Crabby Ore. Fucus serratus, L.—Scilly Isles, Journal Royal Agr. Soc. 1870, part ii. p. 384.

Crab Cherry. Prunus Avium, L .- N. Bucks.

Crab-grass. (1) Salicornia herbacea, L.—Ger. Prior, p. 56.

(2) Polygonum aviculare, L.—Norf.

Crab's Claw. (1) Stratiotes aloides, L.—Ger. Index. 'Among [the leaves] come foorth divers cases or husks, very like to crab's clawes; out of which when they open growe white flowers.'—Ger. 677.

(2) Polygonum Persicaria, L.—Dors.

Crab-stock. Pyrus Malus, L.-Wr.

Crab-tree. The common name for Pyrus Malus, L., and sometimes used figuratively. Bp. Hall, in his Satires, speaks of

'The crab-tree porter of the Guild Hall gates.'

The inhabitants of Mobberley in Cheshire are known in the county as 'Mobberley Crabs;' and fifty or sixty years ago it was the custom in Mobberley to pelt the parson with crab apples on 'Wakes' Sunday—the Sunday next after S. Luke's day.

Crab-weed. Polygonum aviculare, L.—Ess.

Craches. 'The herb chickweed.'-Hal. Wr. Stellaria media, L.

Crack-berries. See Crake-berries.

Crackerheads. 'The roots of big tangles, or Alga marina, eaten by young children.'—Angus, Jamieson.

Crackers. Silene inflata, L.—Suss.

Crack Willow. Salix fragilis, L .- R. Cat.

Craid. 'Perhaps vellow clover. But see Croyd.'-Scotl. Jamieson.

Ranunculus Ficaria, L.-Nhamp. Nth. Gloss. R. Flammula, L., in the same work is called Yellow Crane.

Craisey. See Crazy.

Crake-berries. The fruit of Empetrum nigrum, L.-North, Hal. Wr.; Yks. Ger. Emac. Skinner has Crack-berries. Prior, p. 56, See Crow-berry.

Crake-feet. (1) 'The orchis.'-North, Hal. Wr.; E. Yks., Marshall, E. D. S. Gloss. B. 2. No doubt Orchis mascula, L.

 Scilla nutans, Sm.—North, Grose Suppl. (Crake's-feeat); Yks. (Whitby), E. D. S. Gloss. C. 2.

Crake-needle. Scandiz Pecten, L.-Hal. Wr. North, Ray; Yks. Prior, p. 58.

Crake-silk. W. Cumb. The same as Crow-silk, which see.

Vaccinium Oxycoccos, L.—Ches. Phyt. i. 702. Cramberries.

Crambling-rocket. Prior (p. 56) assigns this name to Sisymbrium officinale, L., and interprets it as 'a spurious crambe or mustard (as vetchling is a spurious vetch), with the leaves of rocket.' Ger. and Park. Theatr., however, apply the name to Reseda lutea, L., and as one of its old Latin names was Eruca peregrina, there seems little doubt that crambling is to be understood as scrambling, or wandering, rocket.

Cranberry. (1) Vaccinium Oxycoccos, L.—General. Ches.; Yks.;

E. Bord. Bot. E. Bord.; Prior, p. 56.
(2) Vaccinium Vitis-Idaa, L. — Aberd., Banffsh., Kincardinesh., Dickie's Bot. Guide; Moray (Elgin), Fl. M.

(3) Arctostaphylos Uva-ursi, Spreng.—Aberdeensh.

Crane, Yellow. See Crain.

Craneberry. Vaccinium Oxycoccos, L.—Sutherlandsh.

Crane's-bill. A general name for the species of Geranium .- Turn. Herb. Prior, p. 56.

Crane's-bill, Crowfoot. See Crowfoot C.

Cranna-berries. Vaccinium Oxycoccos, L.—Sal. (Stiperstones).

Crap. (1) Polygonum Fagopyrum, L.-With. ed. iv.; Hal. Wr.;

Prior, p. 56.
(2) Lolium perenne, L.—With. ed. iv. Suff.; Suss. Parish, where it is also called Crap-grass. Hal, and Wr. assign the name to 'darnel,' but doubtless this plant is meant. Prior, p. 56.

Craps. 'The seed-pods of runches or wild mustard' [Sinapis arcensis, L.].—Roxb. Jamieson. Also 'runches in general.'

Crashes, Water (i. e. water-cresses). Nasturtium officinale, L .-

Craw. Ranunculus bulbosus, L.—Ger. Index. Lyte calls it Yellow Craw.

- Crawberry. (1) Empetrum nigrum, L.—Aberdeensh.; E. Bord. Bot. E. Bord.
 - (2) Vaccinium Oxycoccos, L.—This 'must be the crawberry of Tannahill:—
 - "He pu'd me the crawberry, ripe frac the boggy fen."
 Works, p. 31, —Bot. E. Bord.
- Crawcrooks. Empetrum nigrum, L.—E. Bord. Bot. E. Bord. Jamieson gives Craw-croops as a north of Scotland name for the plant.
- Craw-crowfoot. Ranunculus bulbosus, L.—Ger. Index.
- Craw-dulse. Rhodymenia ciliata, Gray .- Scotl. Jamieson.
- Craw-feet. (1) Scilla nutans, Sm.-Hal. Wr.
 - (2) Orchis mascula, L., and O. Morio, L .- Yks.
- Craw-flower. A name used by the Scotch poet Tannahill, who probably intended Scilla nutans, Sm. See Bot. E. Bord., p. 55.
- Craw-foot. Ranunculus acris, L., and R. repens, L. Scott. Jamieson.
- Crawn-berries. Vaccinium Oxycoccos, L.—Cumb. (Winderwath).
- Crawnebs. Anthyllis vulneraria, L.-E. Bord. Bot. E. Bord.
- Craw-peas. Lathyrus pratensis, L.-E. Bord. Bot. E. Bord.
- Crawps. Raphanus Raphanistrum, L.—Berw. Bot. E. Bord.
- Craw-taes. (1) Ranunculus acris, L., and R. repens, L.—Scott.

 Jamieson; Edinb.
 - (2) Lotus corniculatus, L.-E. Bord. Bot. E. Bord.; Edinb. .
- Craw-tees. (1) Scilla nutans, Sm.—'In the north partes Craw-tees.'
 —Turn. Names. E. Bord, Bot. E. Bord.; Edinb.
 - (2) Orchis mascula, L.-N. Cumb.
- Crayfery. Pulmonaria officinalis, L.—Grete Herball.
- Crayfish. Gerard invented this curious name for *Doronicum Pardalianches*, L., on account of the shape of the roots, which he says are thicke and manie, very crookedly crossing and tangling one within another, resembling a scorpion. Sith I woulde be glad that our English women might know how to call it, they may terme *Doronicum* by this name, *Crayfish*. The name was not generally adopted, though it is given in the index to Park. Theatr.
- Crazy. (1) Hal. and Wr. give 'Crazey, crow's-foot, South;' and 'Craizey, the buttercup, Wilts.' The name seems to be commonly applied in Glov. (Grose), Som., Wilts., and Warw. to the three species of Ranunculus commonly known as buttercups, R. Ficaria being also included in Wilts. In N. & Q. 5, v. 364, it is stated that 'the common buttercup (Ranunculus acris) bears among rustics in the midland counties the vulgar name of crazy. . . . This meadow plant is considered an "insane herb" by country people, for I heard lately from a trustworthy source that the smell of the flowers was considered to produce madness.' R. repens is in Glou. called Creeping Crazey

'Creeping crowfoot, provincially creeping crazey, is here esteemed as a valuable species of herbage.'—Marshall, E. D. S. Gloss. B. 4. Prior, p. 56.

(2) Caltha palustris, L.-Glou.

Creashak. Arctostaphylos Uva-Ursi, Spr.—'In Ross-shire creashak, a corruption of the Gaelic name croiseagan,'—Brown MS.

Creeper. Convolvulus sepium, L .- Notts.

Creeping-bur. Lycopodium clavatum, L.—Caithness, Jamieson.

Creeping Crazy. See Crazy.

Creeping Ivy. Hedera Helix, L. (the procumbent form) .- Ger.

Creeping Jack. Sedum acre, L.-Ches.

Creeping Jenny. (1) Lysimachia Nummularia, L.-Herts., Middx.

(2) Chrysosplenium oppositifolium, L.—Suss. (Hastings).

(3) Nepeta Glechoma, Bth .- N. Linc. (Flixborough).

Creeping Sailor. (1) Saxifraga sarmentosa, L.—Sal. (general). (2) Sedum acre, L.—Sal. (Shrewsbury).

Creeping Thyme. Thymus Serpyllum, L.-Ger.

Crees, Yellow, or Creeses, Butter. Ranunculus bulbosus, L., R. acris, L., and R. repens, L.—S. Bucks.

Cress. Turn. Names. A general name for many cruciferous plants. Prior (p. 57) says 'used absolutely it means the genus Lepidium.' Hal. gives it as 'a rush,' and quotes from Linc. MS. 'I cownte hym noghte at a cresse.' But although a rush figures in a similar saying (see Bulleyn, fol. 20) as a thing of little worth, we do not think it is necessarily intended here by the word cress.

Cress, American. Barbarea pracox, Br.—Treas. Bot. It is commonly cultivated under this name. Also called Belleisle Cress (see Belleisle C.), and in I. of Wight Bank Cress.

Cress, Bank. See Bank Cress.

Cress, Bitter. A general name for plants of the genus Cardamine; Prior (p. 57) assigns it especially to C. amara, L. See Bitter Cress.

Cress, Brown. See Brown Cress.

Cress, Carl's, or Churl's. See Churl's Cress.

Cress, Cow. See Cow-cress.

Cress, Dock. Lapsana communis, L.—Ger. His figure, which is not that plant, is corrected in Ger. Emac. Pratt calls it Succory Dock Cress.

Cress, French. Barbarea vulgaris, Br. - With. ed. ii.

Cress, Garden. Lepidium sativum, L.-Prior, p. 57.

Cress, Lamb's. Cardamine hirsuta, L .- Dev.

Cress, Land. (1) Barbarea præcox, Br.—Middx.; South, Hal.; Wight, Fl. Vect.; Warw.; Yks. Prior (p. 57) assigns the name to B. vulgaris, Br.

(2) Cardamine hirsuta, L.-W. Ches., Hants., Warw.

Cress, Meadow. A book-name for Cardamine pratensis, L.—Treas.

Bot.

Cress, Penny. A common, though apparently not an old, book-name for Thiaspi arvense, L.—Prior, p. 57.

Cress, Peter's. 'An old name for Crithmum maritimum.'—Treas. Bot. We have not found it so used.

Cress, Sciatica. A name invented by Turner (Herb.) for a cruciferous plant (which Prior (p. 206) identifies with *Iberis amura*, L., but which seems to us a species of *Lepidium*), 'bicause the herbe is good for the sciatica.'

Cress, Swine's. (1) Coronopus Ruellii, DC.—'In some places of England they call it Swynescressis.' Lyte. Prior, p. 57. Warw.

(2) Lapsana communis, L.—Pratt.

(3) Senecio Jacobaa, L.—Rural Cyclopædia.

Cress, Town. Lepidium sativum, L.-Lyte. Prior, p. 57.

Cress, Wall. A general book-name for the species of Arabis, L.— Prior, p. 57.

Cress, Wart. A common book-name for Coronopus Ruellii, DC., in reference to the 'wart-shaped fruit.'—Prior, p. 245.

Cress, Water. (1) Nasturtium officinale, L.—General. Lyte. Prior, p. 57.

(2) Helosciadium nodiflorum, Koch.—'Of some, falsely.'—Turner, The plant is still occasionally confused with the true water-cress by inexperienced persons.

(3) Cardamine amara, L., being mistaken for the true watercress, which it much resembles, Cumb. See Water-cress.

Cress, Wild. Thlaspi arvense, L .- Ger.

Cress, Winter. Barbarea vulgaris, Br.—Ger.; South, Hal.; Prior, p. 57.

Crestmarine. Crithmum maritimum, L.-Lyte.

Crewel, or Cruel. Primula veris, L .- Som.; Dev. Hal. Wr. Pulman.

Crex. Prunus insititia, L.-Camb. N. & Q. 1, iii. 451.

Creyt. 'A species of the Polypody fern.'—Dumbartonsh. Jamieson.

Polypodium vulgare, L.?

Cricksey. Fruit of Prunus insititia, L.—Camb., N. Ess., Norf.

Crimson Clover. See Clover.

Cristaldre. See Christ's Ladder.

Croan-berries. See Crone-berries.

Crockelty-bur. Arctium Lappa, L.—Cumb. E. D. S. Gloss, C. 8.

Crocodile. Stems of Clematis Vitalba, L.—Kent (Folkestone).

Comb., Lady's (Ger.), Shepherd's (N. Yks.), or Venus' (Ger.).

Scandix Pecten, L.—Prior, p. 129. It has long 'seeds . . . orderly set by one another like the great teeth of a combe, whereof it tooke the name Pecten Veneris, or Venus' Combe.'—Ger.

Crocus, Autumn. From the time of its flowering. Colchicum autumnale, L.-Warw.

Crocus, Fog. Colchicum autumnale, L. — N. Yks. Because it flowers in the autumn amongst the 'fog' or after-grass.

Crocus, Meadow. Colchicum autumnale, L .- Yks.

Crocus, Michaelmas. Colchicum autumnale, L.-Wilts. (Devizes).

Crocus, Purple. Colchicum autumnale, L .- Yks.

Crone, or Crone-berry. (1) Vaccinium Oxycoccos, L.—Ger. Appx. Hal. Cumb.; Westm. (Croan-berries), Wilson, Syn., 1744,

(2) Vaccinium Myrtillus, L.—Hal. Wr.

Crones. Fruit of Vaccinium Oxycoccos, L .- S.-W. Cumb.

Cronesanke. 'The persicaria.' — Hal. Wr. 'Cronesanke, crane's shank, Polygonum Persicaria. Gl. Harl. 978.'—Cockayne, iii. 320.

Crony. A potato. - Dumfriesch. Jamieson.

Crop. (1) Polygonum Fagopyrum, L.-R. Cat. Prior, p. 56.

(2) Lolium perenne, L.—Baxter. Culpeper says of L. temulentum, L., 'in Sussex they call it Crop, it being a pestilent enemy among corn;' but this is probably an error. See Crap.

Crop-weed. Centaurea nigra, L.—Ger. Appx., Hal.

Cross of Jerusalem. Lychnis chalcedonica, L.—Prior (p. 57) says, 'From the resemblance of its scarlet flower, both in shape and colour, to a Maltese or Jerusalem cross;' but Theis observes, 'une fleur à cinq pétales ne peut former une croix; mais chacun d'eux est bifide, comene sont les branches de la croix-de-Malte.'—Glossaire de Botanique, p. 282.

Cross-flower. Polygala vulgaris, L.—Prior, p. 57. 'It doth specially flourish in the Crosse or Gang weeke, or Rogation weeke; of which flowers, the maidens which use in the countries to walke the procession, do make themselves garlands, and nosegaies.'—Ger., who invented the name.

Crosswort. Galium Cruciata, L.—Lyte, who calls it Golden C. Ger. N. Yks. Hal. and Wr. have 'Croswort, Herba Crimatica, bot.;' no doubt a misprint for Herba Cruciata, the old name of the plant. Prior, p. 57.

Crotal, Crottle. Parmelia omphalodes, Ach. (Gael. crotal and crotan).—Scotl. Jamieson

Crottles, Black. Parmelia saxatilis, Ach.—Scotl. (Highlands).

Crottles, Light. Lecanora pallescens, Ach. - Scotl.

Crottles, Stone. Parmelia saxatilis, Ach.—N. of Ireland.

Croupans. Fruit of Empetrum nigrum, L.-Moray (Elgin), Fl. M. Jamieson has 'Croup, a berry.'

Crow-bells. Scilla nutans, Sm. - Wilts. 'In a ground of mine called Swices growes abundantly a plant called by the people hereabout crowbells, which I never saw anywhere but there. Mr. Rob. Good, M.A., tells me that these crowbells have blew flowers, and are common to many shady places in this country.'—Aubrey's Wilts., Royal Soc. MS. p. 126. Hal. Wr. Prior (p. 58) assigns the name to Narcissus Pseudo-narcissus, L., which, however, cannot be intended in the passage quoted.

Crowbells, Yellow. Narcissus Pseudo-narcissus, L.-Lyte.

- Crow-berry. (1) Generally Empetrum nigrum, L. Ger. Appx. Hal. Wr. Yks., Cleveland Gloss., &c. According to Prior (p. 57), 'from the black colour of its fruit;' but it is stated in the Scottish Naturalist for Jan. 1875, from actual observation, that crows feed on the berries. Johnston also says 'crows eat the berries greedily.'-Bot. E. Bord.
 - (2) Vaccinium Myrtillus, L.-Moray, Jamieson. (3) Vaccinium Vitis-Idea, L.—Yks, Baines' Flora,

Crow-bill. See Crowe-pil.

Crow-cranes. Caltha palustris, L.—Oxf.

Crowcup. Fritillaria Meleagris, L.—Bucks. (Dinton), Phyt. v. 119, N. S. 'The field in which the plant grows is known throughout the neighbourhood, and even so far as Aylesbury, by the name of the Crowcup field.'-Id.

Crowe-pil. 'Erodium moschatum, L., "acus moschata minor." Gl. Sloane, 5. Pil for bill.'—Cockayne, iii. 320. Hal. and Wr. give · Crouwepil, the herb crane's-bill,'

Crowfeet. (1) Ranunculus repens, L.—Cumb.

(2) Luzula campestris, L.-N. Yks.

(3) Orchis mascula, L.—Cumb. (Wigton), Yks. (Crow's-feet).

Crow-flower. (1) 'Crowfoot.'-North, Hal.; Midlands, Marshall, E. D. S. Gloss. B. 5. Under this head the three common species of Ranunculus, R. acris, L., R. bulbosus, L., and R. repens, L., are doubtless intended. Prior, p. 58.
(2) Caltha palustris, L.—Som. (Bristel), Trans. Medico-Botanical Soc. of London, 1832-33, p. 89.
(3) Lychnis Flos-cuculi, L.—Ger.

(4) Geranium sylvaticum, L.—Stirl.

Crowfoot. (1) The three commonest species of Ranunculus, R. acris, R. bulbosus, and R. repens, L., are included under this name.— Turn Lib. Ches., Glou., Som., N. Yks. (rarely). (2) Orchis mascula, L. (probably also O. Morio, L.).—Linc. and Yks.

(Ger. Appx.); still commonly so called in the latter county. Durh. In the Byshoprike of Durisme, in a place called Warrell shyre, the people doe call it Crowfoote. - Bulleyn,

(3) Orchis maculata, L.—Ths. (Northallerton).

(4) Scilla nutans, Sm.—Hal. Cumb., Lanc., Radnor (borders of Heref.).

(5) Lotus corniculatus, L.—Glou.

Crowfoot, Corn. The common book-name for Ranunculus arvensis, I.

Crowfoot, Rape. Ranunculus bulbosus, L.—'The roote is white and round as a litle turnep.'—Lyte; this and the German name, Sint Anthuenis Raepken (which he also gives), explain the above name.

Crowfoot, Spear. Ranunculus Lingua, L., and R. Flammula, L.—Ger.

Crowfoot, Urchin. Ranunculus arvensis, L. — Lyte. From its prickly carpels: a translation of Ranunculus echinatus. 'When they be fallen away, in place of every flower commeth foure or five round graines or beries, rough like yrching.'—Id.

Crowfoot, Wood. The ordinary book-name for Ranunculus auricomus, L.—In R. Cat. it is assigned to Anemone nemorosa, L.

Crowfoot Cranesbill. Geranium pratense, L.—From the form of the leaves. Prior, p. 58.

Crow-garlic. The usual name for Allium vineale, L.—Turn. Names. Prior, p. 58.

Crow-leek. Scilla nutans, Sm.—Ger. Appx. Hal. Wr. Prior, p. 58.

Crow-ling. Erica cinerea, L .- Yks. Cleveland Gloss.

Crownation. Dianthus Caryophyllus, L.—Suss.

Crow-needle. Scandix Pecten, L.—S. Bucks.; Ess.; Wight, Fl. Vect.; Nhamp. Nth. Gloss.; Wr. Prior, p. 58.

Crow-onions. Allium vineale, L. - Warw.

Crow-parsnip. Leontodon Taraxacum, L.-Hal. Wr.

Crow-peas. Empetrum nigrum, L.-Moray.

Crowpecks. Scandix Pecten, L.—Hants.

Crow-pightle. 'Buttercup' (probably the three common species of Ranunculus so called).—Nhamp. Wr., Nth. Gloss.

Crow's-claws. (1) Ranunculus arvensis, L.—Ess. Referring to the carpels.

(2) Ranunculus repens, L. Hants., Holl.; Suss.

Crow's-foot. (1) Lotus corniculatus, L .- Suff.

(2) Ranunculus bulbosus, L., and allied species.—Suss. Parish.

Crow's-foot, Yellow. Anthyllis Vulneraria, L.—Bucks. (Eton).

Crowsilk. 'A name sometimes given to the Confervæ and other delicate green-spored Algæ.'—Treas. Bot. R. Cat. Camb., N. Ess., Norf. In W. Cumb. Crake-silk. Conferva rivularis is sometimes especially intended by this name: 'this species has been called Crowsilk, for what reason we know not.'—Eng. Bot. t. 1654.

Crow's nest. 'Wild parsley.' — Hal. Wr.; but it is likely that Daucus Carota, L., is intended, which is so called in Beds. (Batchelor's Beds. Gloss.). See Bird's nest (1).

Crowsope. Saponaria officinalis, L.—Grete Herball, Hal. Wr.; but according to Lyte and Ger. Index, Lychnis diurna, Sibth.

Crowtoe. 'The Ranunculus.'—Hal. Wr. Probably the three common species: see Crowfoot.

Crow-toes. (1) Lotus corniculatus, L.—Pratt. Prior, p. 58. Som. (Bristol), Trans. Medico-Botanical Soc. of London, 1832-33, p. 89. Nemnich assigns the name to 'the milk vetch,' but probably the above is intended.

(2) Scilla nutans, Sm.-Lyte. See Craw-tees.

Croyd. 'Yellow clover, Ayrs. I find no word resembling this, save the terms which denote an herb in general—Teut. kruyd, Germ. krout, Su. G. krydda, &c.'—Jamieson. Probably Medicago lupulina, L.

Crudwort. This is given in Lyte's MS. as a name for Galium verum, L.: it should probably read Curdwort, and alludes to the well-known property of the plant. See Cheese-rennet.

Cruel. See Crewel.

Crummock. Sium Sisarum, L.— Skirret, a plant. Gael. crumag.'— Scotl. Jamieson.

Crystals. Fruit of Prunus institita, L.-Corn. Dev.

Cuckenwort. Stellaria media, L.-Scotl. Brown MS.

Cuckle. The fruit of Arctium Lappa, L .- Dors. Dors. Gloss.

Cuckold. Arctium Lappa, L.—Hal. Wr. Dors. Dors. Gloss.; Glou. (Cotswolds); Som. Jennings; Yks. In E. Cornw. Cuckold-dock.

Cuckold's Buttons. Fruit of Arctium Lappa, L.-Hal. Wr.

Cuckold's Cap. Aconitum Napellus, L.—Camb., N. Ess., Norf.

Cuckoldy-burrs. The fruit of Arctium Lappa, L.; Cuckoldy-burr-busses, the plants themselves.—Cumb.

Cuckoo (or Cuckoos). (1) Scilla nutans, Sm.—Dev. Hal. Wr.

(2) Orchis mascula, L.-N. Bucks., Camb., Ess., Herts., Norf., Suff.

(3) Orchis morio, L.—Ess.

(4) Cardamine pratensis, L.-Glou.

In Ess. Cuckoo seems to be used as a general term for early spring wild flowers.

Cuckoo-babies. Arum maculatum, L.-Wight, Fl. Vect.

Cuckoo's beads. Fruit of Cratagus Oxyacantha, L.—Sal. (Ellesmere).

Cuckoo-bread. (1) Oxalis Acetosella, L.—Hal. Wr. Grete Herball (Cuckowes Brede), Prior, p. 58.

(2) Cardamine pratensis, L.—Dev.

Cuckoo (or Cuckoo's) bread-and-cheese. (1) Young shoots of Cratagus Oxyacantha, L. The tree is called the Cuckoo's-breadand-cheese-tree,—Suss. Parish.

(2) Oxalis Acetosella, L.-Cumb., Lanc., Sal.

Cuckoo-buds. Ranunculus bulbosus, L.—Nhamp. Nth. Gloss., Wr.; Suss. N. & Q. 1, x. 226. Nemnich renders it 'The lady's smock.' Prior, p. 58.

Cuckoo Cock. Arum maculatum, L.-Ess. Cockayne, iii. 319.

Cuckoo-flower. The various cuckoo-flowers, both British and foreign, are treated of in the Popular History of the Cuckoo, by James Hardy, printed in the Alnwick Mercury for April 1, 1862.

(1) Orchis mascula, L., and O. Morio, L.-Hal. Wr.; E. Anglia,

Forby; Dev.; Ess.; Herts.; Suff.

(2) Lychnis Flos-cuculi, L.-With. Hal. Wr.; Dev. (Teignmouth);

Suff. Moor. Prior, p. 58.

(3) Cardamine pratensis, L.—Lyte, Hal. Wr.; Ches.; Dev.; E. Bord. Bot. E. Bord.; Glou.; N. Linc. E. D. S. Gloss. C. 6; Hants.; Suff.; Wilts. (Devizes); Yks.; Irel. (Belfast); Prior, p. 58.

(4) Stellaria Holostea, L.-Kent, Wr.; Wight.

(5) Lychnis diurna, Sibth .- Nhamp. Nth. Gloss., Wr.

(6) Arum maculatum, L.

- 'Where peep the gaping speckled cuckoo-flowers, Prizes to rambling school-boys' vacant hours.' Clare's Poems, p. 8.
- (7) Oxalis Acetosella, L.—S. Bucks., where it is sometimes confined to the blossoms, the leaves being Cuckoo's-meat; Notts.; N.E. Yks.
 - (8) Anemone nemorosa, L.-S. Bucks.; Ches.; Yks. (Tadcaster).

(9) Scilla nutans, Sm .- Corn., Dev.

(10) Saxifraga granulata, L.—E. Yks.

Nares thinks that Cuckow-flowers in the passage in King Lear, i. 4, certainly means cowslips; but this is not likely.

Cuckoo-flower, White Wild. Lychnis vespertina, Sibth .- With.

Cuckoo-gilliflower. Lychnis Flos-cuculi, L.-Lyte. Prior, p. 58.

Cuckoo-grass. Luzula campestris, L.—E. Bord. Bot. E. Bord.; Prior, p. 59.

Cuckoo-hood. Centaurea Cyanus, L.—Scotl. Brown MS.

Cuckoo (or Cuckoo's-)-meat. (1) Oxalis Acetosella, L.—Grete Herball; S. Bucks. (especially the leaves); Mid-Ches.; E. Bord. Bot. E. Bord.; Glou.; Lanc.; Warw.; Yks.

(2) Geranium Robertianum, L.-S. Bucks.

(3) Stellaria Holostea, L.—Bucks.

Cuckoo Orchis. Orchis mascula, L.-Ger.

Cuckoo-pint. (1) Arum maculatum, L.—Lyte; Nhamp. Nth. Gloss.;
E. Bord. Bot. E. Bord.; Suss. The explanation of this name given by Prior (p. 59) and Cockayne (iii. 319) is no doubt the correct one, and is supported by a passage in Coles, A. of S., p. 91, which need not be quoted here, as well as by another name given by Bulleyn, Book of Simples, fol. 24. It is a contraction of Cuckoo-pintle.

(2) Orchis mascula, L.—N. Bucks.

Cuckoo-pintle. Arum maculatum, L.—Wr.; Turn. Names, where the name is spelt Cuckopintell; and Turn. Lib., where it is rendered Cockowpintell. See Cuckoo-pint. Prior, p. 59.

Cuckoo-point. Arum maculatum, L .- Yks.

Cuckoos. See Cuckoo.

Cuckoo's-caps. Some garden species of Aconitum. — Ches.; Sal. (Ellesmere).

Cuckoo-cheese. Oxalis Acetosella, L.—Dev. In Cumb. Cuckoo-cheese-and-bread.

Cuckoo's Eye. Geranium Robertianum, L .- S. Bucks.

Cuckoo's Clover. See Clover.

Cuckoo's Shoe. Viola 'canina,' L .- Sal. (Worthin).

Cuckoo's Shoes and Stockings. Cardamine pratensis, L., 'the whiter [flowers] being the stockings and the pinkish or darker-coloured the shoes.'—S. Wales, Field, May 1, 1875.

Cuckoo's Sour. Oxalis Acetosella, L.—Sal. (Pulverbatch).

Cuckoo-sorrel. Oxalis Acetosella, L.—Ger. Index; Suss.; Worc.; Irel. (Belfast), Fl. Belfast. Prior, p. 59.

Cuckoo-spice. O.calis Acetosella, L.-Hal. Wr.

Cuckoo-spit. (1) Cardamine pratensis, L.—'In the north of England the plant is known only by the name of cuckoo-spit, the rather inelegant cognomen being gained, no doubt, from the fact of almost every flower-stem having deposited upon it a frethy patch much resembling the human saliva, in which is enveloped a pale green insect. Few north-country children will gather these flowers; they have a superstition that it is unlucky to do so, and will tell you with the gravest countenance that the cuckoo has spit upon it while flying over.'—Journal of Horticulture, May 4, 1876 (p. 355).

(2) Arum maculatum, L.—Mascal's Government of Cattle. No doubt an error for Cuckoo-pint, but not a misprint, as it occurs on

pp. 36, 219, 232, &c.

Cuckoo's Stockings. (1) Lotus corniculatus, L.—Sal. (Stokesay).
(2) Seilla nutans, Sm.—Derb., Notts., Staff.

Cuckoo's Victuals. (1) Oxalis Acetosella, L.-S. Bucks.

(2) Geranium Robertianum, L.-S. Bucks.

(3) Stellaria Holostea, L.—S. Bucks.

Cucurd. 'A kind of plant, mentioned in MS. Med. Linc. f. 313.'— Hal. Perhaps Bryonia dioica, L.

Cudbear. Lecanora tartarea, Ach.—Jamieson. 'The name was derived from Dr. Cuthbert Gordon, who first introduced the manufacture [of the dye from this plant] in Glasgow,'—Treas, Bot. Prior, p. 59.

Cuddy's Lugs. Leaves of Verbascum Thapsus, L.-Roxburghsh.

Cudweed. Gnaphalium sylvaticum, L.—'Called in Yorke shyre Cudweede and in Northumberlande Chafweed, because it is thought to be good for chafinge of anye mans flesh with goynge or rydyne.'—Turn. Herb. Ger. figures this plant as English Cudweede, but applies the name generally to species of Gnaphalium and allied plants, in which sense it is used in modern books. Lyte erroneously transfers Turner's names to Diotis maritima, Cass. Prior (p. 59) assigns the name to Filago germanica, L., and Gnaphalium uliginosum, L.

(2) 'A plant. Roxb. Apparently the same as Cudbear, q. v.'-

Jamieson.

Cudweed American. Antemaria margaritacea, L.-Hal.

Cudweed, Sea. A common modern book-name for Diotis maritima, Cass.—Prior, p. 59.

Cudwort. Filago germanica, L.—Turn. Names. Mascal (in the Government of Cattle, 1662, p. 40) speaks of this as a plant 'which they bruise small and put a quantity of fat thereunto, and so convey it into the beast's mouth to swallow that hath lost his quide, and so he will amend.' See Quidwort for another passage illustrating this meaning. Ray gives a similar explanation: 'Herba impia jumentis ruminantibus utile existimatur ad rumen amissum revocandum, unde et nomen Cudweed apud nostrates indeptum est.'—R. Cat.

Cukstole. 'The toadstool.'-Hal. Wr.

Culerage. See Culrage.

Cullack. An onion .- Dev. Wr.

Cullavine (i. e. Columbine). Aquilegia vulgaris, L.—North, Hal.; in W. Cumb. Cullenby.

Cullions. A general name for the species of Orchis, corresponding in meaning with the scientific title.—Prior, p. 59.

Cull-me- (or Cuddle-me) to-you. Ger. Viola tricolor, L.—Prior, p. 59.

Culrage, or Culerage (Turn. Lib., Hal. Wr.). Polygonum Hydro-piper, L.—Grete Herball. From the French curage, culrage, Cotgrave; and having the same meaning as the English Arsesmart, which see.

'An erbe is cause of all this rage In our tongue called culrage.'

Hartshorne, Metr. Tales, 133.

In Prompt. Parv. it is spelt Culrache and Culratche. Prior, p. 59.

Culverfoot. 'A plant.'—Wr. In Lupton's Book of Notable Things (ix. 14) the 'juice of culverfoot' is mentioned as possessing healing properties. Prior (p. 60) thinks 'the dove's-foot crane's-bill, Geranium columbinum, L.,' is here intended. In Cockayne, iii. 320, culverfoot is explained as G. molle, L., and as this is the crane's-bill more usually known as dove's-foot, this explanation is probably the true one.

Culverkeys. (1) The fruit of Frazinus excelsior, L.-Kent, Grose;

Johnston's Flora of Berwick. Hal. Wr.

(2) Aquilegia vulgaris, L., the flowers of which 'do seeme to expresse the figure of a dove or culver.'—Lyte. Hal. Nares assigns the name to this plant, and adds 'culver being columba, and the little flowrets like keys.'

- (3) Scilla nutans, Sm.—Prior, p. 60. It would seem to be this plant which was intended by the poet Davors when he speaks of azure culverkeys: a reference which has caused much discussion, Som. Journal of Horticulture, May 1, 1873.
- (4) Primula veris, L.—Kent (Ashford), where the wine made from it is called 'culverkey-wine.'—Journ. Hort. as above. E. D. S. Gloss. C. 3.
 - (5) Orchis mascula, L.—Treas. Bot. Suppl. See Coverkeys.
- Culvers. Scilla nutans, Sm.—Ess.; Oxf. Journ. of Horticulture, May 1, 1873.
- Culverwort. Aquilegia vulgaris, L.—Ger. Hal. Wr. Lyte says that the flowers 'do seeme to expresse the figure of a dove or culver.' Prior, p. 60.
- Cumberfield. Polygonum aviculare, L.—Bullein, Book of Simples, fol. 32.
- Cumberland Hawthorn. Pyrus Aria, L.—Ger. It delighteth 'to grow in our shadowie woods of Cumberland and Westmerland.'— Ger, 1146.

Cumfirie. Bellis perennis, L.-MS. Harl. 978 (Hal.).-Wr.

Cun. See Cean.

Cunger. A cucumber. - Warw. Wr. Hal.

Cunie. Moss .- Cornw. Hal.

Cup Lichen. Scyphophorus pyxidatus, Hook.—Prior, p. 60.

Cup-moss. (1) Lecanora tartarea, Ach.—Banfis. Jamieson.

(2) Scyphophorus pyxidatus, Hook. General name. Prior, p. 60.

Cup Mushroom. A name for various species of Peziza.—R. Cat., &c. See Blood Cups.

Cuprose. Papaver Rhwas, L., and probably other species.—North, Hal. Wr.; Yks. Marshall, E. D. S. Gloss. B. 2.

Cups-and-ladles. 'The husks of the acorn, from their resemblance to these utensils.'—Roxb. Jamieson.

Cups and Saucers. Acorns.—Yks. 'A child's term for acorns and the cups that contain them.'—N. Linc. E. D. S. Gloss. C. 6.

Curage. Polygonum Hydropiper, L.—Hollyband's Dictionary, 1593 (Hal.). Lyte spells it Curagie. See Culrage.

Curdwort. See Crudwort.

Cure-all. Geum rivale, L .- Nemnich.

Curl-doddy, or Curly-doddy. (1) Scabiosa succisa, L.—Irel. (Belfast); S. Scotl. Jamieson; E. Bord. Bot. E. Bord. 'The provincial name is derived from the resemblance of the head of flowers to the curly pate of a boy, and is very ancient,'—Bot. E. Bord. p. 160. 'In Fife, children thus address the stalk and flower of the scabius or devil's-bit, which they call the curly-doddy:

"Curly doddy, do my biddin', Soop my house, and shool my widden'."' R. Chambers' Pop. Rhymes of Scotland, ed. iii. p. 204.

- (2) Scabiosa arvensis, L.—E. Bord. Bot. E. Bord.; S. Scott. Jamieson.
 - (3) Plantago lanceolata, L.—Forf. Jamieson. See Carl Doddy.
 - (4) Plantago major, L.—Scotl. (Forfar).
 (5) 'Natural clover.'—S. Orkn. Jamieson.
 (6) 'Curled cabbage.'—Scotl. Jamieson.

Curlick. Sinapis arvensis, L .- Bucks., Oxf.

Curluns. 'Bunium [flexuosum, L.] Bulbocastanum.' — Kirkcudbr. Jamieson.

Curn. See Cean.

Curnberries, or Curranberries. 'Currants.'-North, Hal.

Curranberries, Black. Ribes nigrum, L .- S.-W. Cumb.

Curranbine. Aquilegia vulgaris, L.—Ches. (gardens).

Curran-Petris. 'The name given to a certain root. South Uist. Gael. curran denotes a carrot; perhaps St. Peter's carrot, it being very common in the Highlands and Islands of S. to denominate objects from some favourite saint,'—Jamieson.

Currant-berries. Currants.—Kent. 'In most parts they say only currants.'—E. D. S. Gloss. C. 3. 'Curranberry, the garden currant.'—N. Linc. E. D. S. Gloss. C. 6. Yks. (Ribes rubrum, L.) Cleveland Gloss.

Currycomb, Devil's. Ranunculus arvensis, L.—Sal. (Shrewsbury).

Cursed Thistle. Carduus arvensis, L .- Nemnich.

Cushag. Senecio Jacobæa, L.-I. of Man, E. Forbes' MS.

Cushia. Heracleum Sphondylium, L.-North, Hal. Wr.; Yks.

Cushion, Eve's. Saxifraga hypnoides, L.—Yks.

Cushion, Lady's, or Ladies'. (1) Armeria maritima, L. — Park. Parad, 318 (Our Ladies' Cushion). Prior, p. 129.

- (2) Saxifraga hypnoides, L.-With. ed. iv. Cumb. (Keswick).
- (3) Chrysosplenium oppositifolium, L.—Rural Cyclopædia.
- (4) Lotus corniculatus, L.—Dors.

Cushion, Sea. Armeria maritima, L.-Park. Parad. 318.

Cushion-pink. Armeria maritima, L.—Wilts. (gardens). Prior, p. 60.

Cushy-cows. Rumex obtusifolius, L. (when in seed).—E. Bord. Bot. E. Bord. 'Children call the seeded plant Cushy-cows, and they milk it by drawing the stalks through the fingers.'—Bot. E. Bord. p. 174.

Cusk. Papaver Rhoeas, L.—Warw. Hal. Wr. Probably from the shape of the flower, as Hal. has also 'Cuskin, a drinking-cup.'

Custard Cheeses. Malva sylvestris, L.-Linc.

Custard-cups. Epilobium hirsutum, L.—Sal. (Wellington).

Custin. 'A wild plum.'-Som. Hal. Wr.

Cutberdill, or Cutberdole. Acanthus mollis, L.-Ger. Appx.

Cutfinger. (1) Valeriana pyrenaica, L.—'Nostrates vulneribus levioribus folia trita imponunt, unde a nonnullis Cut-finger appellatur (hortensem intellige).'—R. Cat.

(2) Vinca major, L.—Oxf. The leaves are commonly applied to chapped hands, and are said to have healing properties.

Cut-grass. Leersia oryzoides, Sw. Bromfield in Phyt. iii. 682.—This grass is 'remarkable for extreme asperity, which makes some pre-caution requisite to avoid cutting the hand, an accident that is said to befal the women employed in weeding it out of the rice-fields in Lombardy.'-Id.

Cut-heal. Valeriana officinalis, L., according to Prior (p. 60), but more likely V. pyrenaica, L. - It would appear that Polemonium caruleum, L., was formerly believed to share the healing properties of the Valerians among which it was classed. Turner (Names) says of it: 'Thys is oure commune Valerian that we use agaynste cuttes with a blewe floure.'

Cutleaf. Valeriana pyrenaica, L.—S. Bucks.

A name applied to various marine Algæ, as Fucus vesiculosus, L., F. serratus, L., and Laminaria digitata, Lam.—Cat. Pharmaceutical Society's Museum.

Cuvy. Laminaria digitata, Lam.—Orkneys. 'The Orkney kelp-men have assigned peculiar names to each, calling the ordinary L. digitata Cuvy.'-Harvey's Phycologia Britannica, t. 338.

Cyderach. Polygonum Hydropiper, L.—Prior, p. 61.

Cyphel. Sempervivum tectorum, L.-With. ed. iv. North, Wr. Holl. Ray. This name is usually given in modern books to Cherleria sedoides, L. Prior, p. 61.

Cypress. (1) Cupressus sempervirens, L.—Prior, p. 61.

(2) Tamarix gallica, L.—Cornw. Hooker's Brit. Fl.

(3) Cyperus longus, L. Ger. A contraction of the Latin name.

Cypress, Field. Ajuga Chamæpitys, L.—Lyte. Ger. Appx.

Cypress, Garden. (1) Artemisia maritima, L.- In English, of some women of the countrey, garden cypresse.'- Ger.

(2) In Lyte, Santolina Chamacyparissias, L.

Cypress-moss. Lycopodium alpinum, L.—Park. Theatr.

Cypress Root, or Sweet C. Cyperus longus, L.—Prior, p. 61.

Cypress Spurge. Euphorbia Cyparissias, L.-Lyte.

Dabberlack. Alaria esculenta, Grev. - Nairn, Jamieson.

```
Cu.
  C.·
  C:
  C.
  C
  C.
 (
 (
                                                       - ··f
                                                  Ind

To a Nettle.

in

and

r
(
                                                        Ξ.
```

Daisy, Blue. Aster Tripolium, L.-Lyte. Kent.

Daisy, Bull. See Bull Daisy.

Daisy, Butter. See Butter-daisy.

Daisy, Devil's. Chrysanthemum Leucanthemum, L.-Middx.

Daisy, Dog. (1) Chrysanthemum Leucanthemum, L.—Bucks.; Ches.; Cumb. E. D. S. Gloss. C. 8; Herts.; Lanc. E. D. S. Lanc. Gloss.; Leic. (Belgrave); Linc.; Yks.; Irel. (Antrim and Down).

(2) Achillea Millefolium, L.—Belfast.

(3) Bellis perennis, L.—North, Hal. Wr.; Cumb. E. D. S. Gloss, C. 8; Lanc. E. D. S. Lanc. Gloss.; Linc. E. D. S. Gloss, C. 6; N. Yks.

(4) Anthemis Cotula, L.—Sal. (Tilstock).

Daisy, Ewe. Potentilla Tormentilla, L.—E. Bord. (Cheviots), Bot. E. Bord.

Daisy, Great. Chrysanthemum Leucanthemum; L.—Ger.; Prior, p. 62; Cumb. E. D. S. Gloss. C. 8.

Daisy, Horse. From its size and coarseness. Chrysanthemum Leucanthemum, L.—Bucks.; Cornw.; Dev.; Kent; Nhamp. Nth. Gloss.; Suff.; Suss. The name is often extended to other similar flowers, e.g. in Bucks to Anthemis Cotula, L., and Matricaria inodora, L.

Daisy, Irish. Leontodon Taraxacum, L.—Yks.

Daisy, Marsh. Armeria maritima, Willd.—N.E. Cumb. E. D. S. Gloss. C. 8.

Daisy, Michaelmas. Aster Tripolium, L. — W. Ches.; S. Dev. Various garden species are likewise so called from the time of flowering. Prior (p. 153) limits the name to A. Tradescanti, L.

Daisy, Midsummer. Chrysanthemum Leucanthemum, L. — Suss. Prior, p. 153. From its flowering about Midsummer.

Daisy, Moon. Chrysanthemum Leucanthemum, L.—Prior, p. 156.
Glou.; Worc.; E. Yks. Prior, p. 156.

Daisy, Ox-eye. A frequent name for Chrysanthemum Leucanthemum, L.—Prior, p. 62; Cumb.; E. Bord. Bot. E. Bord.

Daisy, Poor-land. Chrysanthemum Leucanthemum, L.—Nhamp. From its growth on poor clay land.

Daisy, Sea. Armeria maritima, L.—Cornw.; Suss.; E. Bord. Bot. E. Bord.; Forfar.; Ross. 'Even the highest hills afford good pasture, and are scattered over with the sea daisy and other plants.'—(Forest of Applecross, Rosshire) Scrope's Art of Deerstalking (1838), p. 388.

Daisy, Shepherd's. Bellis perennis, L.—Nhamp. Nth. Gloss.

Daisy, Small. Bellis perennis, L.-Ger.

Daisy, The Children's. Bellis perennis, L. ('hen and chicken' variety).—Yks. Hallamsh, Gloss. This should perhaps be the childing daisy, i. c. the daisy producing young ones, just as Filago germanica is called Childing Cudweed.

Daisy Goldins. Chrysanthemum Leucanthemum, L.-With. ed. iv.

Damasee. 'The damson. Damysé, Sqyr of Lowe Degré, 36.

"Pere and appille bothe rippe thay were, The date and als the damasee."

MS. Linc. A. i. 17, f. 150.'-Hal. Wr.

Damasins (Prior, p. 62), or Damasyn. Palsgrave, Hal. See Damson.

Damask Violet. Hesperis matronalis, L. — See Dame's Violet. Prior, p. 62.

Dame's Gillofers. See Gillofers.

Dame's Violet. Hesperis matronalis, L.—Ger. 'Viola Damascena from Damascus in Syria, Fr. Violette des damas, misunderstood for Violette des dames.'—Prior, p. 62. Skinner's suggestions are ingenious. He says: 'Vel quod matrones hi flores propter pulchritudinem valde expetiti sunt, vel quod subtile illud linteamen Damascenum dictum, simul leni tractu, simul colore albido referant.' In With. ed. iv. it is called Damewort.

Damsel. The damson.—Ches.; Yks. (Holderness), E. D. S. Gloss. C. 7, where it is spelt Damsil. Ireland (Antrim and Down.)

Damson. Prunus communis, Huds., var. damascena, 'A kind of plum first brought from Damascus.'—Prior, p. 62.

Damson, Wild. 'The bluish-black plums of the hedges.'—Yks. (Whitby), E. D. S. Gloss, C. 2. Prunus institia, L.?

Dandelion. (1) A name in general use for Leontodon Taraxacum, L.—Yks. Prior, p. 62. In Turn. Lib. it is spelt Dandelyon, and in Lyte Dantdelyon, a near approach to the original French form dent-de-lion.

(2) Caltha palustris, L.—Radnor (borders of Heref.).

Daneball. Sambucus Ebulus, L.—'So, formerly, after the battle with the Danes at Swornfield, a certain shrub sprang up (therefore called Daneball, or Danewort, by others Dwarf Elder), which is said to be nowhere found but there, or transplanted from thence.'—Camden, Britannia, ed. iii. 25. See also Danes' Blood.

Danes' Blood. A name applied to three very different plants, and in every case connected with a legend that they sprung up from the blood of Danes who had been killed in battle. For a full account of the tradition see Gard. Chron. 1875, p. 515. It is worthy of note that all three plants are so called in the vicinity of the Bartlow Hills (Camb.), and that these hills are said to have been thrown up by the Danes in commemoration of the battle fought between Cnut and Edmund Ironsides in 1016.

(1) Sambucus Ebulus, L.—The plant usually so called in books. Aubrey appears to have been the first to record this name. Hal, Wr. Camb.; Wilts. (Slaughtonford), Aubrey. Prior, p. 62. See Dane-

wort and Blood Hilder,

(2) Anemone Pulsatilla, L.—Camb., N. Ess., Norf.

(3) Campanula glomerata, L.—Camb.

Danes' Flower. Anemone Pulsatilla, L.—Camb. See Daneball and Danes' Blood.

Dane Weed, or Dane's-weed. (1) Eryngium campestre, L.—Nhamp.

Nth. Gloss. 'From Dayentry we went a little out of the road to see a great camp called Barrow Hill. . . . They say this was a Danish camp, and everything hereabouts is attributed to the Danes, because of the neighbouring Daventry, which they suppose to be built by them. The road hereabouts, too, being overgrown with Daneweed, they fancy it sprung from the blood of Danes, slain in battle; and that if upon a certain day in the year you cut it, it bleeds.'—De Foe, Tour through Great Britain. See Danes' Blood and Danewort.

(2) Sambucus Ebulus, L.—Prior, p. 62. Suff. Bullein, Book of Simples, fol. 51.

Danewort. Sambucus Ebulus, L.—Turn. Names, Lyte, Ger.; in Turn. Herb. spelt Daynwort. Prior, p. 62. 'Ab anglis danwort aut walwort vocatur.'—Turn. Lib. The traditional origin of the name is given under Danes' Blood (which see); but Parkinson (Theatr. p. 210) says: 'It is supposed it tooke the name Danewort from the strong purging quality it hath, many times bringing them that use it unto a fluxe, which then we say they are troubled with the Danes.' The more generally received explanation is, however, further supported by the name Walwort (which see). Skinner says: 'Vel quod in Dania frequens crescit, vel quod e Danorum sanguine in prælio quodam occisorum orta olim credita est.'

Dangle-thorn. 'The quaking grass.'—Nemnich. This would be Briza media, L.; but some error may be suspected.

Darbottle. Centaurea nigra, L.—Coles, A. of S.

Darnel. A name that has been variously applied, but is usually taken to mean Lolium temulentum, L. It is used in this sense by Turner (Names), who says: 'Darnel groweth amonge the corne, and the corne goeth out of kynde into darnel;' and also by Fitzherbert (Boke of Husbandry), who says: 'Dernolde groweth up streyghte lyke an hye grasse, and hath long sedes on eather syde the sterte' [stalk]. 'In the Grete Herball, ch. 246,' says Prior (p. 63, which see), 'we find under the picture of a vetch (!) "Lolium is cokyll."' Lyte extends the name to Lolium perenne, and Hal. and Wr. assign it to this plant only. In Holdich's Essay on Weeds (1826) it is stated that 'Bromus secalinus and B. mollis are the darnel of British agriculture, I know of no darnel but the B. secalinus, and less generally the B. mollis.' The name is given to L. temulentum in Ches., where it is sometimes supposed to be degenerated wheat; also in Cumb., Suff. (Moor), Scotl. (Jamieson), and elsewhere. Skinner derives the name from the 'Belg. deeren, deren, deyren, nocere, quia utilioribus granis nocet eaque enecat.' In Drayton's Polyolbion, Song xv., the name is applied to Papaver Rhoeas, L., or some other corn-field poppy:

'The crimson darnel flower, the bluebottle, and gold.'

Darnel, Red. Lolium perenne, L.-With. ed. ii.

Darning-needle, Devil's. Scandix Pecten, L.-See Devil's D.

Darsham Fern. Nephrodium cristatum, Rich.-Norf. (Darsham).

Dart Grass. Holcus mollis, L., and H. lanatus, L.—North, Hal. Wr.; Yks. Hallamsh. Gloss. Dashel (a corruption of thistle). Carduus arvensis, Curt., and C. lanceolatus, L.—Dev. Hal. Wr. 'Thistles (the ordinary name).'—Marshall, E. D. S. Gloss, B. 6.

Dashel, or Dassel, Milky. Sonchus oleraceus, L.-Cornw., Dev.

Dauke. Daucus Carota, L.—Grete Herball. Prior, p. 64.

David's Harp. Polygonatum multiflorum, All.—'The provincial name of David's harp appears to have arisen from the exact similarity of the outline of the bended stalk, with its pendent bell-like blossoms, to the drawings of monkish times, in which King David is represented as seated before an instrument shaped like the half of a pointed arch, from which are suspended metal bells, which he strikes with two hammers.'—Wilkinson, p. 269. It is not stated where this name is in use.

Davie-drap. '[The children] of Galloway play at hide-and-seek with a little black-topped flower, which they call the Davie-drap, saying:

"Within the bounds of this I hap My black and bonny Davie-drap: Wha is he, the cunning one, To me my Davie-drap will fin'?"

R. Chambers' Pop. Rhymes of Scotl. ed. iii. p. 204.

This is no doubt Luzula campestris, L., which often figures in children's games and rhymes. See Chimney-sweep (2).

Davison. 'A large wild plum.'-Hal. Wr.

Dawther (i. e. dodder). Briza media, L.—Kent, E. D. S. Gloss. C. 3.

Day-berry. Ribes Grossularia, L. (the wild plant).—Cornw. 'The garden gooseberry does not seem to be so called, only the small, semiwild ones.'

Day Nettle. In Hal. and Wr. 'dead nettle,' which may mean either Lamium purpureum, L., or L. album, L., both of which are so called in Yks. (Northallerton), and the latter also in Scotl. (Jamieson). Here the name is probably a form of Dead or Deaf Nettle (which see); but in the case of Galeopsis Tetrahit, L., which is called Day Nettle in Yks. (Cleveland Gloss.) and Moray (Fl. M.), it is equivalent to Deyenettle (which see).

Dazeg. Bellis perennis, L.—Cumb. Hal. Wr.

Dead Arsesmart. See Arsesmart.

Dead Man's Bell. See Bell.

Dead Man's Bones. Stellaria Holostea, L.-E. Bord. Bot. E. Bord.

Dead Man's, or Men's, Fingers. (1) There is little doubt that Orchis mascula, L., was the plant which Shakespeare alludes to as

That liberal shepherds give a grosser name,
But our cold maids do dead men's fingers call them.'
Hamlet, Act iv. sc. 7.

It is still so called in Suss. See N. & Q. 1, x. 225.

- (2) Orchis Morio, L .- Suss. Phyt. ii, 448, N. s.
- (3) Orchis maculata, L.-E. Bord. Bot. E. Bord.
- (4) Orchis latifolia, L.—E. Bord. Bot. E. Bord. The palmate shape of the pale tubers in this and the last-named species renders the name sufficiently appropriate.
 - (5) Arum maculatum, L .- Worc.
- (6) Lotus corniculatus, L. Hants. Trans. Medico-Bot. Soc. of London, 1832-33, p. 89.
- (7) Alopecurus pratensis, L.—Surr. (Kew). This seems an unlikely plant to have received the name, but we have heard it so called.
- Dead Man's, or Men's, Hand. (1) Orchis maculata, L.—E. Bord. Bot. E. Bord. See Dead Man's Fingers,
 - (2) Orchis mascula, L.—Glou., Hants., Suss., Warw.
 - (3) Nephrodium Filix-mas, Rich., and some other ferns, from the appearance of the young fronds before they begin to open, resembling a closed fist. Lothians and Border Country.
 - (4) Laminaria digitata, Lam.—Nemnich.
- Dead Man's Neeshin. The spores of Lycoperdon, especially L. Bovista, L.—Scotl. Jamieson.
- Dead Man's Thumb. Orchis mascula, L.—Ger. N. & Q. 1, x. 225.

'Then round the meddowes did she walke, Catching each flower by the stalke; Such as within the meddowes grew, As dead man's thumbs and harebell blew.'

Roxburghe Ballads.

E. Bord. Bot. E. Bord., where the name is rightly supposed to have been given 'from the colour or shape of the tuber; children tell one another with mysterious awe that the root was once the thumb of some unburied murderer.' Another version of the above-quoted ballad has for the last line, 'The dead man's thumb, an hearb all blew,' and it is on this account that Hal, and Wr. speak of it as a blue flower.

- Dead Man's Toe. Laminaria digitata, Lam.—Nemnich.
- Dead Men's Bellows. Ajuga reptans, L.—E. Bord. 'A name which it shares with Digitalis, Pedicularis sylvatica, and the Boleti,'—Bot. E. Bord. p. 162; at p. 156 Pedicularis palustris is so called.
- Dead Nettle (in Turn. Lib. Dede Nettell). A name pretty generally applied to various species of Lamium, especially L. album and L. purpureum. Although nettle-like in foliage they do not sting. Lyte includes Stachys sylvatica, L., which is still so called in Yks. (Wakefield), under the name. Prior, p. 64.
- Dead Nettle, Red. Lamium purpureum, L.—Prior, p. 64.
- Dead Nettle, White. Lamium album, L.-N. Yks. Prior, p. 64.
- Dead Nettle, Yellow. Lamium Galeobdolon, Cr.-Prior, p. 64.
- Dead Tongue. Œmanthe crocata, L.—Cumb. E. D. S. Gloss. C. 8; Lanc. (Furness); E. D. S. Lanc. Gloss.; Westm.; T. Lawson, in Ray's

Letters (1688). 'From its paralysing effects on the organs of voice.'—Prior, p. 64. In E. D. S. Lanc. Gloss, it is glossed 'the water hemlock,' which is usually Cicuta virosa, L.; but in the present case there seems no doubt that the Enanthe is meant, especially as the Cicuta is not recorded as growing in the Furness district.

Deadly Nightshade. Atropa Belladonna, L.—Prior, p. 64. The name is often misapplied in popular use to Solanum Dulcamara, L.

Deadwort. Sambucus Ebulus, L.—Culpeper.

Deaf Nettle. (1) Lamium purpureum, L.—Yks. Cleveland Gloss. Hal. and Wr. say 'The dead nettle,' which may be either this or (2). The meaning is the same as dead nettle—i. e. a nettle-like plant that does not sting.

(2) Lamium album, L.—Prompt. Parv.; Yks. Cleveland Gloss.; N. Linc, E. D. S. Gloss, C. 6 ('the stingless nettle'); Prior, p. 64. See

Dead Nettle.

Deal Apple. The cone of Pinus sylvestris, L.—Nhamp. Nth. Gloss.;
East, Hal. Wr.

Deal Tree. Pinus sylvestris, L., the fir that mainly produces the deal timber of commerce.—E. Anglia, Forby, Hal. Wr.; Nhamp. Nth. Gloss.; Prior, p. 65.

Dea Nettle. (1) Various species of Lamium.—Cumb. E. D. S. Gloss. C. 8. See Day Nettle.

(2) Galcopsis versicolor, L.—Nhamp. Sternb. See Deye Nettle. This or the next is probably the plant intended in Hal, and Wr. by 'Wild hemp nettle.'

(3) Galeopsis Tetrahit, L.—Midlands, Marshall, E. D. S. Gloss. C. 5; Yks. (Whitby), E. D. S. Gloss. C. 2; E. Yks. Marshall, E. D. S. Gloss. B. 2.

(4) Stachys palustris, L.-S.-W. Cumb.

Dearth-cap. 'A species of fungus which in its form resembles a bowl, or what is in S. called a cap, containing a number of seeds. Carse of Gowrie.'—Jamieson. This is probably Nidularia campanulata, Sow.

Death-come-quickly. Geranium Robertianum, L.—Cumb. E. D. S. Gloss, C. S.

Deathin. Œnanthe Phellandrium, L.—Teviotdale, Jamieson.
'Denominated perhaps from the deadly nature of the herb.'—
Jamieson.

Death's-herb. 'Nightshade.' Hal. Wr. No doubt Atropa Belladonna, L., is intended, on account of its poisonous qualities. Prior, p. 64.

Deberries. Fruit of Ribes Grossularia, L.—Dev. Hal. Wr.

Deceivers. Nepeta Glechoma, L.—Ess. (Brentwood).

Dee Nettle. (1) Lamium purpureum, L.—Fitzherbert (Boke of Husbandry); With.; S.-W. Cumb.; Worc. With. ed. ii.; Yks. (Wakefield).

(2) Lamium album, L.—Nhumb.

Deer-balls. Elaphomyces granulatus, Fr.—An explanation of the name will be found in Park, Theatr. p. 1320.

Deer-hair, or Deer's-hair. Eleocharis cospitosus, Link.—Nhumb. (Cheviots), Bot. Guide; Scotl. Jamieson; Highlands; Forf.; E. Bord. Bot. E. Bord. 'From its tufts of slender stems looking like coarse hair.'—Prior, p. 65.

Deer's Foot Grass. Agrostis setacea, Curt.-Wight, Fl. Vect.

Deer's Milk. Euphorbia amygdaloides, L .- Hants. (New Forest).

Deer's-weed. Nemnich. No doubt a misprint for Dier's (Dyer's) Weed, which see.

Deil's Apple-riennie. Matricaria Chamomilla, L., or an allied plant.—From the superficial resemblance of the foliage to that of the true Apple-riennie, which see. Stirlingsh.

Deil's Apple Trees. See Apple-trees.

Deil's-bit. See Devil's-bit.

Deil's Bread. Bunium flexuosum, With.—Yks. See Deil's Meal and Deil's Oatmeal.

Deil's Darning Needle. Scandix Pecten, L.-E. Bord. Bot. E. Bord.

Deil's Elshin (i. e. devil's awl). Scandix Pecten, L.—Berwicksh.
Proc. Berw, Nat. Club, 1870.

Deil's Foot. The tubers of Orchis latifolia, L.—E. Bord. Bot. E. Bord.

Deil's Kirn Staff. Euphorbia Helioscopia, L.—W. Scotl. Jamieson. See Devil's Churn Staff.

Deil's Meal. Anthriscus sylvestris, Hoffm., and other hedge Umbelliferæ.—Dumfries. Deil from its supposed poisonous qualities, which many of this tribe possess; meal, in the sense of ground corn, from the light powdery appearance of its bunches of flowers. Cf. Naughty Man's Oatmeal and Deil's Oatmeal.

Deil's Oatmeal. Bunium flexuosum, With .- Yks. Cf. Deil's Meal.

Deil's Snuff-box. See Devil's Snuff-box.

Deil's Spoons. From the shape of the leaves.

(1) Potamogeton natans, L.—Scotl. Jamieson.

(2) Alisma Plantago, L.—Scotl. Jamieson.

Deith-bell (i. e. death-bell). Fritillaria Meleagris, L. (in gardens). Cumb. (Langworthy). From the dingy, sad colour of the bell-shaped flowers.

Delt - Orach. Atriplex patula, Sm.—' An orach whose leaves are triangular, like a Greek letter Δ.'—Prior, p. 65.

Denny. 'A plum ripe on August 6th. See MS. Ashmole, 1461.'—Hal. Wr.

- Dentelion, Dentylion, Dentilium. Leontodon Taraxacum, L.—E. Bord. Bot. E. Bord.; Scotl. Jamieson.
- Deptford Pink. Dianthus Armeria, L.—Prior, p. 65. This is the plant usually so-called, and is figured in Ger. Emac. (p. 594) as Deptford Pink. Gerard's original description would seem to refer rather to D. deltoides, L. He says: 'There is a wilde creeping Pinke, which groweth in our pastures neere about London, and other places, but especially in the great field next to Deptford, by the path side as you go from Redriffe to Greenwich, which hath many small tender leaves, shorter than any of the other wilde Pinkes; set upon little tender stalks, which lie flat upon the ground, taking holde of the same in sundrie places, whereby it greatly encreaseth; whereupon doth growe little reddish flowers. The roote is small, tough, and long lasting.'—Ger, 476.
- Deusan. 'A kind of apple or any hard fruit, according to Minsheu. See Florio, p. 163. Still in use, Forby, i. 92.'—Hal. Wr. It is clearly a kind of apple in the illustrative quotation from Quarles given by Nares.

Deutery. See Dewtry.

- Devil in a Bush. (1) Nigella damuscena, L. (gardens).—Glou.
 'From its horned capsules peering from a bush of finely-divided involucre.'—Prior, p. 65.
 - (2) Paris quadrifolia.—Perthsh. Here also the flower is surrounded by four leaves.
- Devil on both sides, or Devil o' both sides. Ranunculus arvensis, L.—Bucks.; Durh. (Hartlepool); Wurw. The prickly achenes are supposed to account for the name.
- Devil's Bit, or Deil's-bit (L. morsus diaboli). Scabiosa succisa, L. —Grete Herball, &c. N. Linc, E. D. S. Gloss, C. 6; Sal.; Wilts.; Yks.; E. Bord, Bot, E. Bord.; S. Scotl. Jamieson; Prior, p. 65. From the well-known legend that the devil bit off a portion of the root in order to destroy its medicinal properties, a story invented to account for its premorse root.
- Devil's Bit Scabious. See Devil's Bit .- S.- W. Cumb.
- Devil's Brushes. A general name for ferns in the 'Black Country.' —N. & Q. 3, ii. 342.
- Devil's Candlesticks. Nepeta Glechoma, Benth.—Warw.
- Devil's Churn Staff. Euphorbia Helioscopia, L.—Sal. (Ellesmere); Ireland (Belfast). From its poisonous properties. See Churn Staff.
- Devil's Claws. (1) Ranunculus arrensis, L.—Wight, Fl. Vect. So called from the dislike which farmers have for one of the worst of weeds, and from the hooks which terminate each seed.
 - (2) Lotus corniculatus, L.—Som. (Bristol), Trans. Medico-Botanical Soc. of London, 1832-33, p. 89.
- Devil's Coach Wheel. Ranunculus arvensis, L.—Hants. (Hayling Island), Bromfield's MS.

Devil's Corn. Stellaria Holostea, L.-Sal. (Shrewsbury).

Devil's Currycomb. Ranunculus arvensis, L.—Sal. (Wellington).

Devil's Cut. 'The wood of the wild Clematis [C. Vitalba, L.] dried and used by boys for smoking.'—Pulman.

Devil's Daisies. See Daisies.

Devil's Darning Needles. Scandix Pecten, L.— 'From its long awns.'—Prior, p. 65. It is curious that another plant with somewhat similar fruit, Bidens pilosa, L., has a corresponding name in Japan, where it is called Oni Fari, which signifies devil's needle. See Thunberg, Flora Japonica, p. 307.

Devil's Eyes. Stellaria Holostea, L.—Denbighsh. (Wrexham).

Devil's Fingers. Lotus corniculatus, L.—Som. (Bristol), Trans. Medico-Botanical Soc. of London, 1832-33, p. 89.

Devil's Flower. Lychnis diurna, Sibth.—About Liverpool.

Devil's Garter. Convolvulus sepium, L .- Ireland (Wexford).

Devil's Guts. (1) Cuscuta, various species, especially C. europæa, L.—From the thread-like stems which wind round other plants and strangle them. Threlkeld. Camb., Glou., Sal., Suss., Worc. 'In Sussexia rustici et agricolæ eam execrantur, odiosis nominibus Hellweed et Devils guts appelantes,'—R. Cat. p. 88. In Mart. Mill. C. Epithymum, L.

(2) Convolvulus arvensis, L.—Sal. Coles, A. in E.

(3) Convolvulus sepium, L.—Norf. In the last two cases from the long creeping roots.

Devil's Horn. Phallus impudicus, L .- Norf.

Devil's Ladies and Gentlemen. Arum maculatum, L.—Denbighsh. (Wrexham); or Devil's Men and Women, Sal.

Devil's Milk. From the acrid quality of the milky juice.

(1) Chelidonium majus, L .- Yks.

(2) Euphorbia Peplus, L.—Lyte, who seems to have invented the name 'folowing the Douche' Teufels Milch. Prior, p. 65.

(3) Euphorbia Helioscopia, L, -Middx.

Devil's Nettle. Achillea Millefolium, L.—Ches. Children draw the leaves across their faces, which leaves a tingling sensation.

Devil's Oatmeal. Anthriscus sylvestris, Hoffm. - Surr.

Devil's Parsley. Anthriscus sylvestris, Hoffm.—Ches.

Devil's Posy. Allium ursinum, L.—Sal. (Shrewsbury).

Devil's, or Deil's, Snuffbox. Various species of Lycoperdon, especially L. Bovista, L.—Hal, Wr. Pulman. Ches.; W. Cumb.; Cornw.; Sal.; Scotl. Jamieson; Clackmannansh.; E. Bord. Bot. E. Bord. From its supposed deleterious properties, and from the clouds of brown snuff-like spores that fly off when a ripe puff-ball is squeezed.

Devil's Stinkpet. Pholius impuliesa, L.—Fitz Phyt. vi. 199, x. s. Devending Bennty. A white front garden species of Phlux.—Glox.

Devendice Myrtle. Myrics Gale, L.-S. Don.

Dewberry. (1) Raine coming L.—Is generally so called in books and popular use. Lete, fix.; Prior, p. 66. In With, ed. if it is called Dewberry-bush. Hall and Wr. assign the name in error to R. Changemoras, L.

(2) Biles Grandaria, L. — Calles, A. in E.; Hal. Wr.; Suz. Calpeper.

Dewerp. Alchemilla enigoria, L.—Scotl Jumisson. An appropriate name, as it is frequently seen with drops of dew or of rain lying in the foliage, which do not wet the leaves but roll about on the hairy surface.

Dew Grass. Ductylis glomerata, L.—Prior, p. 66. Skinner has 'Den-grass, Ischemon salivum, fort. quia recem copiosum imbibit et collegit.'

Dewtry. Daturs Strumonium, L.— From L. Dature (see Hudibras, iii. c. 1). — Prior, p. 66. Hal., and Wr., who spells it also Deutery (p. 383, which see for illustrative quotation).

Deer Nettle. (1) Galeopsis Tetrahit, L.—E. Burd. 'Depe, or Describle, not Day-nettle, as usually written. The name is very old, and seems to be derived from the belief in its injurious effect upon labourers employed in agriculture. (See Frompt. Parv. sub verb. 'Deye.') Labourers in harvest are sometimes affected with whitlow, and they ascribe the disease invariably to the sting of the Deys-nettle.' Bot. E. Bord. p. 162.

(2) Stachys sylvatica, L.—E. Bord., where it is 'believed by the common people to sting like the common nettle."—Bot. E. Bord.

Dicky Daisy. A general name for wild flowers among children in Ches., applied more especially to Bellis perennis, L.

Dicky Daisy, Large. Chrysanthemum Leucunthemum, L.—Ches. (Northwich).

Dicky-dilver. Vinca major, L., or V. minor, L.-Suff. Moor.

Dickles. A general name for thistles.-S. Dev.

Dickles, Milky. Sonchus oleraceus, L .- Dec.

Die weed. See Dye-weed.

Didder-grass. Briza media, L.-Lanc. E. D. S. Lanc. Gloss.

Diddery Docks. Briza media, L .- Durh.

Dill. (1) Holdich says this name is 'often applied by husbandmen' to shillman Founiculum, Daucus, and Torilis infesta. 'When our fore-fathers had clover-need to sell, they sometimes used to recommend it by saying that it had neither dock nor dill in it.' In Hal, and Wr. it is applied in this sense to the 'two-seeded tare' (probably Vicia hirsula) and 'hedge paraley' (probably Anthriscus sylvestris, Hoffm.).

To the former of these it is applied in Glou. (Grose Supp.), and it is given in Leic, to Vicia sepium, I..

(2) Usually signifies in books Anethum graveolens, L., which is also known as Dill-seed, 'from O.N. dilla, lull, being used as a carminative to cause children to sleep,'—Prior, p. 66.

Dillies, White (i. e. white daffodillies). Narcissus poeticus, L. (gardens).—Lanc. (Wigan).

Dillisk. Rhodymenia palmata, Grev. — Ireland, Phycologia Britannica.

Dills. Rhodymenia palmata, Grev.—Scotl. With. ed. iv.

Dilly. Narcissus Pseudo-narcissus, L.—Derb. An abbreviation of Daffodilly.

Dilnote. 'Cyclamen.'—Ger. Appx. In Cockayne, iii. 321, it is given as a Saxon name for Bunium flexuosum, With. In both Hal, and Wr. Cyclamen is misprinted Cidamum.

Dindle. (1) Sonchus oleraceus, L., and S. arvensis, L.; 'also the taller hawkweeds.'—E. Norf. Marshall, E. D. S. Gloss, B. 2; Hal, Wr. (2) Leontodon Taraxacum, L.—Norf., Suff.

Dirtweed. From its growth on manure heaps. Chenopodium album, L. ('C. viride, Lin.'—Hal. Wr.).—E. Anglia, Forby.

Dirty Dick. Chenopodium album, L., &c.—Ches. From its growth on dunghills. See Dirtweed and Midden Myles.

Dirty John. Chenopodium Vulvaria, L .- W. Ches.

Dishalaga, Dishlago, Dishylagie. Tussilago Farfara, L. — E. Bord. Bot. E. Bord.; Scotl. Jamieson; Clackmannansh. A corruption of the Latin name.

Dish Mustard. A name given by Turner (Names) to Thiaspi arvense, I., 'because the seede is lyke mustard seede in colour and in tast, and the vessel that coteyneth the seede is lyke a disshe.'

Dishwashings. Equisetum hyemale, L.—' Dysshewasshynges fortassis hujus herbæ ad fricandos discos et patinas aliquis fit usus.'— Turn, Lib.

Disle. A general name for thistles .- Cornw.

Ditch Bur. Xanthium Strumarium, L.—Turn. Names. Prior, p. 66.

Ditch Fern. Osmunda regalis, L.-Cockayne, iii. 321.

Ditch Reed. Phragmites communis, Trin.—Sal.

Dithering Grass. Briza media, L.—Lanc. Dithering is a North Country word for shivering.

Dittander. Lepidium latifolium, L.—Lyte. Prior, p. 66. See Dittany.

Dittany. Lepidium latifolium, L.—Prior, p. 66. A name misapplied to this plant. Turn. (Names) says: 'Lepidium is wel knowen in Englande, and is called by a false name Dittany.' Divan. 'A small wild plum or kind of sloe,'—S. Renfreush. Jamieson.

Dock (in Turn. Lib. Doc). (1) When used absolutely generally signifies various species of Rumex. Prior, p. 66. In composition it is applied to many large-leaved plants. In the N. of England the form Dockin or Docken is used.

(2) Malva sylvestris, L.—Var. dial. Hal. Wr. Some confusion seems to exist in the application of this name to the mallow. Akerman says 'the leaf is supposed to be good for the sting of the nettle,' but this belief is almost universally confined to Rumex obtusifolius, L., and allied species. See Dock, Round.

Dock, Batter. See Batter Dock.

Dock, Bloody. See Bloody Dock.

Dock, Bur. See Burdock.

Dock, Butter. See Butter Dock.

Dock, Can. See Candock.

Dock, Cheadle. See Cheadle Dock.

Dock, Cuckold. See Cuckold Dock.

Dock, Dove. See Dove Dock.

Dock, Elf, or Else. See Elfdock.

Dock, Fiddle. A book-name for Rumex pulcher, L.—' From the shape of its leaves,'—Prior, p. 66.

Dock, Flap, Flapper, Flappy, or Flobby. See Flap Dock.

Dock, Flatter. Many large-leaved plants are called generically 'docks;' flatter probably refers to the floating leaf. See Cockayne, ii. 379, iii. 322.

- (1) Nymphaa alba, L.-Ches.
- (2) Nuphar lutea, Sm.—Ches.
- (3) The water form of Polygonum amphibium, L.—Ches.
- (4) Potamogeton natans, L.-Ches. Wilbraham, Hal. Wr.

Dock, Flea. Petasites vulgaris, Desf.—Hal.

Dock, Gentle. Polygonum Bistorta, L.—Notts. Deering, Cat. Stirp. Possibly a euphuism for Patient Dock.

Dock, Kadle. (1) Senecio Jacobaa, L.—Ches.

(2) Anthriscus sylvestris, Hoffm.—Ches. (occasionally). Cf. Kedlock.

Dock, Kettle. (1) Senecio Jacobæa, L.—Ches.

- (2) Anthriscus sylvestris, Hoffm.—Ches. (occasionally).
- (3) Petasites vulgaris, Desf.—Ches. (Gatley).

Dock, Mullein. Verbascum Thapsus, L.—Norf.

Dock, Patience. Polygonum Bistorta, L.—North, Hal. From the old name Passions, because eaten about Passiontide. In Ches. it is called Patient Dock.

- Dock, Pop. Digitalis purpurea, L.—Cornw. Dock from its large coarse leaves; pop, from the habit of children to inflate and burst the flower.
- Dock, Round. Malva sylvestris, L.—Som. Jennings. Prior (p. 67) says: 'The common mallow, still called so in the charm that is used by children who have been stung with nettles, and alluded to by Chaucer in Troilus and Cressida (b. iv. sb. 62): "Nettle in, dock out."' But the allusion here is almost certainly to some Rumex.
- Dock, Sharp. Rumex Acetosa, L.-Prior, p. 67.
- Dock, Smear. Chenopodium Bonus-Henricus, L. -Moray; in N. Scotl, Smeardokke, Jamieson.
- Dock, Sour. Rumex Acetosa, L.; sometimes extended to R. Acetosella, L.—'Sorel, which in the North is called Sower Dockes.'—Bulleyn, Book of Simples, fol. 7. In Turn. Lib. Sourdoc, Ches.; S.-W. Cumb.; Dors.; Lanc. Hal.; Som. Holl.; Yks. (Tadcaster).
- Dock, Velvet. (1) Inula Helenium, L.—Wight, Fl. Vect.
 (2) Verbascum Thapsus, L.—Prior, p. 67. From its soft leaves.
- Dock, Water. Rumex Hydrolapathum, Huds.—Turn. Names.
- Dock Bistort. Polygonum Bistorta, L. A name invented by Turner (Herb.).
- Dock Cress. See Cress, Dock.
- Dockan, Docken, Dockens, Dockin, or Docking. Rumex obtusifolius, L., and other species.—Cumb.; N. Linc. E. D. S. Gloss. C. 6; Yks. (Wakefield); E. Bord. Bot. E. Bord.; Scott. Jamieson; Aberdeensh.; Dumfriessh.; Forfarsh.; Moray.
- Docken, Eldin. Rumex aquaticus, L.—Roxb. Jamieson. 'Often cut, dried, and used as eldin or fuel by the lower classes; thence supposed to have its name,'—Jamieson. See Eldin.
- Docken, Ell. See Ell-dockens.
- Docken, Flop, or Flous. See Flous Docken.
- Docken, Flowery. Chenopodium Bonus-Henricus, L.—E. Bord. Bot. E. Bord. Probably floury is meant, from the mealiness of its leaves.
- Docken, Mercury. Chenopodium Bonus-Henricus, L. Mearns. Jamieson.
- Docken, or Docking, Sour. Rumex Acetosa, L.—North, Grose; Cumb.; Yks.; E. Bord, Bot. E. Bord.
- Docken, Water. Petasites vulgaris, Desf.—Cumb. E. D. S. Gloss. C. S.
- Dod. 'Dod is the Reedmace (Typha latifolia, L.) in the north of England.'—Alnwick Mercury, March 1, 1864. Hal, and Wr. assign it to 'the foxtail reed. North.'

Dodder. (1) Cuscuta.—Wr. Prior, p. 67. 'Cassutha, aliqui poda-gram lini, angli dodder.'—Turn. Lib.

(2) Spergula arvensis, L.-Ches.; Cumb. E. D. S. Gloss, C. 8; S.

Lanc.

(3) Polygonum Convolvulus, L.-Mid-Ches.

Dodder Grass. (1) Briza media, L.—Cumb.; Kent, E. D. S. Gloss.
C. 3. This has no connexion with the last word, but has the same meaning as dother and dither, words of northern dialects used to denote trembling.

(2) In the British Museum Herbarium is a specimen from Sowerby's Herbarium of Poa subcarulea, Sm. (a variety of P. pratensis), labelled found at Bletchingley near Godstone [Oxf.], called there Dodder

Grass.'

Doddering Dickies. Briza media, L.—North, Hal. Wr.; Cumb. E. D. S. Gloss, C. 8; Yks. (Whitby), E. D. S. Gloss, C. 2.

Doddering Dillies. Briza media, L.-Durh.

Doddering Grass. Briza media, L.-S.-W. Cumb., Durh.

Doddering Jockies. Briza media, L .- Yks. (Northallerton).

Dodderin Nancy. Briza media, L.—Cumb. E. D. S. Gloss. C. 8.

Doddle Grass. Briza media, L.-Suss. Parish; Wilts.

Dodger. Sherardia arvensis, L .- Sal. (Corvedale).

Dog-banner. 'The wild camomile' [probably Anthemis Cotula, L.].
—Mid-Yks. E. D. S. Gloss. C. 5.

Dog Berry. (1) Cornus sanguinea, L.—Turn. Herb. (Dogberry Tree), Prior, p. 67. 'We for the most part call it the Dogge berry tree, because the berries are not fit to be eaten, or to be given to a dogge.'—Park. Theatr. 1521. But see Dogwood.

(2) Vibusnum Opulus, L .- Cumb. (Cockermouth).

(3) Arctostaphylos Uva-ursi, Spr.—Aberdeensh.

(4) Fruit of Rosa canina, L.—N. Yks. (Cleveland).

Dog Binder. Anthemis Cotula, L.-N. Yks.

Dog-bobbins. Arum maculatum, L.—Nhamp. Nth. Gloss.

Dog-cherry. The fruit of Cornus sanguinea, L.—Prior, p. 67.

Dog-chowp. The fruit of Rosa canina, L.—Yks. E. D. S. Gloss. C. 2 and C. 7.

Dogcole. 'The herb dogbane.'—Hal. Wr. Probably the same as Dogs'-cole, which see.

Dog Daisy. See Daisy.

Dog-eller. Viburnum Opulus, L.—Ches. Dog is applied here, as in many other cases, as meaning spurious, not the right thing. Eller is elder; at first sight its flowers look like those of the elder tree.

Dog-fennel. (1) Anthemis Cotula, L.—Midlands, Marshall, E. D. S. Gloss. B. 5; Warw, Hal. Wr. *Dog-fenell and mathes is both one,

and in the comyng up is lyke fenell and it is the worste wede that is except terre.'—Fitzherbert.

(2) Peucedanum palustre, Moench.—Grete Herball.

Dog-fingers. Digitalis purpurea, L.—Som. (Bristol), Trans. Medico-Botanical Soc. of London, 1832-33, p. 88. Burnett (Medical Botany) gives Dog's Fingers as a name in use in Wales.

Dog Finkle. Anthemis Cotula, L.—North, Grose; E. Yks. Marshall, E. D. S. Gloss. B. 2.

Dog Flower. Chrysanthemum Leucanthemum, L.—Cumb. E. D. S. Gloss. C. 8.

Doggies. Linaria vulgaris, L.—Aberdeensh.

Dog Gowan. N. Scotl. 'Weak-scented feverfew.'—Jamieson. This is probably Matricaria inodora, L.

Dog Grass. Triticum repens, L.—Ger. Cumb. See Prior, p. 67, who refers the name to T. caninum, L.; both species were probably so called. 'Sic dictum,' says Skinner, 'quia canes eo tanquam naturali emetico utuntur.'

Dog Heather. Calluna vulgaris, Salisb.—Aberdeensh.

Dog-hip (in Aberdeensh. Dog's-hippens). The fruit of Rosa canina, L.—Scotl. Jamieson.

Dog-job. The fruit of Rosa canina, L.—Yks. (E. Holderness), E. D. S. Gloss. C. 7; Whitby (Dog-jugs), E. D. S. Gloss. C. 2.

Dog-jumps. The fruit of Rosa canina, L.—Yks. (Whitby), E. D. S. Gloss, O. 2.

Dogmouth, Dogmooth. Antirrhinum majus, L.—N. Linc. E. D. S. Gloss. C. 6. Pratt gives Dog's-mouth.

Dog Nettle. (1) Lamium purpureum, L.—Ches.

(2) Galeopsis Tetrahit, L.—Berw. Pratt.

(3) Glossed Urtica urens in Cockayne, iii, 322.

Dog Oak. Acer campestre, L. - Yks. (Tadcaster).

Dog-poison. Athusa Cynapium, L.—Treas. Bot.

Dogrise. Euonymus europæus, L.?—The name occurs in Turn. Names under Cornus, but it is not applied to that shrub.

Dog Rose. Rosa canina, L.—An old name in very general use; the shrub, according to Prior (p. 67), was 'so called from its [comparative] want of scent and beauty.' Theis (Gloss. de Botanique) says 'parce qu'elle a longtemps été en vogue pour guérir de la rage,' a belief dating from the time of Pliny. See Ger. 1089.

Dog Rowan Tree, the fruit Dog Rowans. 'The red elder' [Viburnum Opulus, L.]—Scotl. (Lanarks.), Jamieson. Dog is used here as in dog elder, to denote spurious. In this case it is the berries which at first sight resemble those of the rowan (Pyrus Aucuparia, L.).

Dogs and Cats. Trifolium arvense, L .- Moray, Fl. M.

Dog's-berry Tree. Cornus sanguinea, L.-Ger.

Dog's Camomile. See Camomile.

Dog's Camovyne. See Camovyne.

Dog Cods, or Cullions. Various species of Orchis.-Lyte.

Dog's Cole (in Lyte Dogges Call). Mercurialis perennis, L.—Ger. Prior, p. 67. A translation of the Latin Brassica canina.

Dog's Dogger (i. e. dog's dung). Orchis mascula, L., and other species.—Clackmannansh.

Dog's Fingers. See Dog-fingers.

Dog's Foot. Dactylis glomerata, L .- Suff.

Dog's Grass. Cynosurus cristatus, L.—Hal. Wr.; E. Anglia, Forby; Hants.; Norf.; Suss. Holl.

Dog's Lugs. Digitalis purpurea, L.—Fife, Jamieson.

Dog's Mercury. Mercurialis perennis, L.—Ger. A spurious kind, so called to distinguish it, not as Prior (p. 67) thinks from 'the so-called English Mercury' (Chenopodium Bonus Henricus), but rather from the French Mercury (M. annua), which was formerly used in medicine, is similar to M. perennis, and immediately precedes it in Ger.

Dog's Mouth. See Dogmouth.

Dog's Orach. Chenopodium Vulvaria, L.-Prior, p. 67.

Dog's Parsley. Æthusa Cynapium, L.-Prior, p. 67.

Dog's-rib. 'Arnoglossi seu Plantaginis species, sic dicta quia foliorum nervi costa caninas aliquo modo referre videntur.'—Skinner. This is the rib-grass (*Plantago lanceolata*, L.). See Rib-grass. There is a Dutch name for it similar to the above—Hontsribbe.

Dog's Siller. Rhinanthus Crista Galli, L.—Scotl. Jamieson.

Dog Snout. Antirrhinum majus, L .- Norf.

Dog's-tail Grass. Cynosurus cristatus, L. — Suff. Prior, p. 67.
Crested Dog's-tail Grass is the general agricultural and bookname for this plant.

Dog Standard, Stander, or Standers. Senecio Jacobæa, L.— North, Hal. Wr.; Yhs. (Wakefield); Mid-Yhs. E. D. S. Gloss. C. 5; Worc.

Dog's Tansy. Potentilla anserina, L.—Scotl. Jamieson.

Dogstones. Orchis mascula, L.—Turn. Herb.

Dog's-tongue. A translated name for Cynoglossum officinale, L.— Turn. Names; Prior, p. 68.

Dog's-tooth Grass. (1) Triticum caninum, Huds.—Prior, p. 68.
(2) Cynodon Dactylon, L.—Prior, p. 68.

Dog Thistle. Apparently Cardnus arvensis, L.—See Gard. Chron. 1845, p. 864.

Dog Tree. (1) Cornus sanguinea, L.—Turn. Names.

(2) Euonymus europæus, L.- Warw.

(3) Sambucus nigra, L.-Yles. (Thoresby), E. D. S. Gloss. B. 17.

(4) Alnus glutinosa, L .- North, Hal. Wr.

Dog Violet. Viola sylvatica, Fr., and V. canina, L.—A common name for these plants, both in books and in actual use. Prior, p. 68.

- Dogwood. (1) Cornus sanguinea, L.—This is the shrub usually so called in books. Prior, p. 68; Oxf. N. & Q. 4, ii. 465. 'Not so named from the animal, but from skewers being made of it.'—Prior. By a curious coincidence, the Cherokee name for C. florida, L., the Dog-wood of New Jersey, is Kela-achera, i. e. Dog-flower. Dr. Prior's explanation of the name is no doubt the correct one, though Loudon thinks it alludes to the employment of a wash prepared from the leaves and branches for dogs afflicted with mange, &c. See also Dogberry (1).
 - (2) Euonymus europœus, L.—N. & Q. 4, ii. 465. By analogy with its other names, such as Skewer-wood, the meaning here seems the same as in (1). But Loudon says 'It is called dogwood because a decoction of its leaves was used to wash dogs to free them from vermin' (Arboretum, 496); and this derivation receives some support from another of its synonyms, Louse-berry Tree.
 - (3) Rhamnus Frangula, L.—The 'dogwood' used in the manufacture of gunpowder is produced by this shrub. Hants. Culpeper.

(4) Prunus Padus, L.-N. & Q. 4, ii. 465.

(5) Viburnum Opulus, L.—Lanc. (Ormskirk), where it is so called by the watchmakers, who use small twigs of it in cleaning watches.

(6) Solanum Dulcamara, L .- Lanc.

Dogwood, Black. See Black Dogwood.

Dogwood, White. Viburnum Opulus, L.—Surr. (Lingfield), N. & Q. 4, iii. 44. As a distinction from the red-branched Cornus sanguinea, L., or to distinguish it from Black Dogwood, Prunus Padus, which has a dark-coloured bark.

Doll Cheeses. Malva rotundifolia, L .- Yks. See Cheeses.

Dolphin-flower. A translation of *Delphinium*, applied to *D. Consolida*, L., in With. ed. vii.

Donninethell (i. e. Dunny Nettle). Galeopsis Tetrahit, L.—Ger. Appx. Hal. Wr.

Doodykye. Various species of Rumex.-Nhumb.

Door-weed. Polygonum aviculare, L.—Treas. Bot.

Dornel (i. e. Darnel). Lolium temulentum, L .- Scotl. Jamieson.

Dother. (1) Cuscuta. - Gard. Chron. 1864, p. 737.

 Spergula arvensis, L.—Ches.; S. Lanc.; E. Bord. Bot. E. Bord. (Dothers).

(3) Vicia hirsuta, Koch.—Ches.

Dethering Broks, Docks, or Ducks. Briza media, L. — Durh.; Name Dochesing Dickies; North, Hal.; Cumb, E. D. S. Gloss, C. S. where it is also called Dotherin Nancy and Dotherin Grass, Inducency means trembling.

Dethering Toms. Briza media, L.—Rural Cyclopædia.

Doubleleaf Listera ovata, L.—Lyte. From its two opposite and

Double-tooth. A translation of Bidens, used in With. ed. iv.

Dondlam Root of Menyanthes trifoliata, L.-Roxb. Jamieson.

boadle. 'The root of the common Reed-grass [Phragmites commonia. Trin.], found, partially decayed, in morasses, of which the children in the south of S. make a sort of musical instrument similar to the caten pipe of the ancients, Roxb.'—Jamieson.

Bough-fig. 'A Turkey fig. Som.'-Hal. Wr. Pulman.

Dove dock. Tussilago Farfara, L.-Caithness, Jamieson.

Dove's Foot. (1) Geranium molle, L.—Grete Herball, Turner, Lyte, Ger., Prior, p. 68.

(2) Aquilegia vulgaris, L.—Hal. Wr.

Dowballs. Brassica rapa, L. (field turnips).-Linc. Brogden.

Down. 'Carduus tomentosus.'-Skinner.

Down Dilly. Narcissus Pseudo-narcissus, L. — S. Bucks. An abbreviation of Daffadowndilly.

Down Thistle. Onopordum Acanthium, L.—Park. Theatr. (Index). The leaves are 'covered over with a long hairy wooll or cottony downe.'—Id. p. 979.

Downweed. Filago germanica, L.—Turn. Herb.

Downy Ling. Eriophorum polystachyon, L .- Ayrsh.

Dracke. See Drake.

Dragans. 'The herb serpentine.'—Hal. Wr. Probably Arum Dracunculus, L.

Dragge. Lolium temulentum, L .- Norf., Suff. See Drank.

Dragon, Great, or Small. Arum maculatum, L .- Suss.

Dragon-bushes. Linaria vulgaris, L.-S. Bucks.

Dragons. 'A name applied by English herbalists (1) to Polygonum Bistorta; (2) to Ophioglossum vulgatum; (3) to Arum maculatum.'—Cockayne, ii. 379. We have no other authority for this statement. See also Prompt. Parv. p. 130.

Dragon's Blood. Geranium Robertianum, L.-Sal. (Pulverbatch).

Dragons, Female. 'Water-dragons. Ger.' — Hal. Wr. Calla palustris, L.

Dragons, Water. Calla palustris, L.—Ger. Pratt gives Water Dragon as a name for Caltha palustris, but we are inclined to suspect that this is an error, caused by the similarity of the two Latin names.

Dragons' Heads. Antirrhinum majus, L.-Bucks.

Dragon's Mouth. (1) Digitalis purpurea, L.—Suss. (2) Antirrhinum majus, L.—N. Linc.

Dragonwort. Polygonum Bistorta, L.—Culpeper. A name given like Snakeweed and Adderwort on account of its writhed root. But the Dragonwort of Gerard and other old authors was Arum Dracunculus, L.

Drake, Drauk, Drawk, or Dravick. A name which signifies, according to Prior, 'darnel, cockle, or weeds in general;' and which is applied by him (p. 68) to 'Bromus sterilis and Avena fatua, L., &c.' In Ger. Index we have 'Drauicke and Drake, that is wilde otes,' which appears from the figure to be Bromus sterilis; in Ger. Emac. there is a figure, seemingly of B. secalinus, of which Johnson says 'in Brabant they call it Drauich, in English Drauke;' and Park. (Theatr.) gives the same figure, and says it 'is called both by the Dutch and us Dravick and Dravick oates.' Fitzherbert (Boke of Husbandrie) has the following passage, which seems to refer to B. secalinus: 'Dracke is lyke unto rye tyll it begynne to sede, and it hathe many sedes lyke fenell sedes, and hangeth downeward.' In the 1598 edition of the same work the name is printed Drake. Holdich states that B. secalinus is called Drauk in Norf. and in many parts of England. Robson (Brit. Flora, 1777) applies the name to various species of Bromus. Holl. bestows all the above forms of the name upon Lolium perenne, L. Drake (Suff. Moor; Suss. Holl.) and Drawk (E. Anglia, Forby; Kent; Norf.; Suff.) are applied to L. temulentum, L.; while Lychnis Githago is called Drawk in the Grete Herball. The name thus has much the same extended signification as Darnel, which see. Drook (which see) is another form of the same word. Ray (N. Country Words) has Drank. Hal. and Wr. give 'Drake, the darnel grass. East.'

Drank, a name given in Hal., Wr., With., and others, for 'darnel-grass,' is almost certainly a misprint for Drauk (which see). Ray (Syn.) gives it for Bromus sterilis, L., and other species, and this is the earliest occurrence of it which we have met with.

Drant. 'The herb rocket. It is the translation of eruca in MS. Lansd. 560, f. 45, written in Lancashire.'—Hal. Wr.

Draper's Teasel. Dipsacus fullonum, L.-Nemnich.

Dravick. See Drake.

Drawling. (1) Eleocharis cœspitosa, Link.—Scotl. Jamieson.
(2) A species of Eriophorum.—Peebles, Jamieson.

Drew. Chorda filum, Lam. - Orkneys, Jamieson.

Driftweed. The cylindrical portion of the frond of Laminaria digitata, Lam.—Catalogue of Pharmaceutical Society's Museum.

Droke. (1) Bromus secalinus, L.—Yks. Wakefield Gloss. This is doubtless the plant intended in E. D. S. (Whitby) Gloss. C. 2: 'Drooak, or Droke, darnel; a weed-like head of oats in the cornfields. Fuller, who notices some of the old words of this part, says it is called Lolium murinum, because "so counterfeiting grain that even the field mice are deceived by it."

(2) Lolium temulentum, L.-E. Yks. Marshall, E. D. S. Gloss. B. 2,

(3) 'A filmy weed very common in standing water.'-Kent, Hal. Wr.

Drook. Bromus secalinus, L.—Ches., where it is popularly believed to be degenerated oats.

Drooping Avens. Geum rivale, L.

Drooping Tulip. Fritillaria Meleagris, L.—Ches. (gardens). The flower hangs downwards, and is much like a tulip in form.

Dropwort. (1) Spiræa Filipendula, L.—Turn. Names, Lyte, Hal., Wr., Prior, p. 68. According to Coles (A. in E.) it was so named from its employment in cases of strangury.

(2) A modern book-name for the species of Enanthe.

Dropwort, Hemlock. A common book-name for Enanthe crocata, L.—With, ed. ii.

Dropwort, Water. A common book-name for Enanthe fistulosa, L. —With. ed. ii. Prior, p. 69.

Drought-weed. 'Green goosefoot.' — Nemnich. Chenopodium album, L.?

Druid's Hair. 'Long moss.'-Wilts. Hal. Wr.

Drumstick. Centaurea nigra, L., and C. Scabiosa, L. — Wr.; Nhamp. Nth. Gloss. From the hard round flower-head at the extremity of the stalk resembling a drumstick.

Drunk. 'The darnel grass.' Lolium temulentum, L.—North, Hal. Wr. This word, which at first sight appears to be connected with Drank, Drauk, and Drook (which see), more probably refers to the reputed intoxicating qualities of Lolium temulentum. Cfr. Ray-grass, from Fr. ivraie.

Drunkwort. Nicotiana Tabacum, L.-Minsheu, Hal. Wr.

Dry Kesh. Heracleum Sphondylium, L.—Cumb. E. D. S. Gloss. C. 8.

Dry-rot. Merulius lacrymans, Wulf .- Prior, p. 69.

Duck Havver. Bromus mollis, L.—Cumb. E. D. S. Gloss. C. 8. Havver = oat.

Duck Meat, or Duck's Meat. Lemna minor, L.—Turn. Lib., Grete Herball, Hal. Wr., and all the older herbalists; Ches.; Warw.; Prior, p. 69.

Duck Mud. The same as Crowsilk, which see.—Camb., N. Ess., Norf.

Duck-pond Weed. Lemna minor, L.-S.-W. Cumb.

Duck's-foot. Alchemilla vulgaris, L.—E. Bord. Bot. E. Bord. From the shape of the leaf. Duckweed. A general name for the species of Lemna, more especially L. minor, L.—Prior, p. 69. The name has also been sent us by a correspondent as applied to a Chenopodium in Kent, but probably Muckweed was the name used.

Duck Wheat. 'Red wheat, a Kentish word in Cotgrave's time.'— Hal, Wr.

Duck Willow. Salix alba, L. See Willow.

Dudder Grass. Adiantum Capillus-Veneris, L.—Norf. See Dodder Grass.

Dudgeon. The root or wood of Buxus sempervirens, L.—'Turners and cutlers, if I mistake not the matter, do call this wood dudgeon, wherewith they make dudgen-hafted daggers.'—Ger. 1225. Hal, Wr.

Duffel Grass. Holcus mollis, L., and H. lanatus, L .- N. Yks.

Duffle. Verbascum Thapsus, L.—Suff. From the softness of its leaves, like the textile material so called.

Dufoil. Listera ovata, L .- Holme's Acad. of Armory, ii. 58.

Duke's Meat (i. e. duck's meat). Lemna minor, L. — Scott. Jamieson.

Dullesh. Rhodymenia palmata, Grev .- Ireland. With. ed. iv.

Dulse. Rhodymenia palmata, Grev., and Iridea edulis, Bory.— Nhumb. With. ed. iv.; Scott. Jamieson; Prior, p. 69.

Dulse, Craw. See Craw-dulse.

Dulse, Mountain. 'A seaweed.'—Scotl. Jamieson. Probably a form of Rhodymenia palmata, Grev.

Dulse, Pepper. Laurencia pinnatifida, Lamour.— 'Has often, though not invariably, a hot and biting taste, and was formerly eaten in Scatland under the name of Pepper Dulse. It does not appear to have ever been in much repute as an article of food, and its use is now rare.'—Phycologia Britannica.

Dumb Nettle. Lamium album, L.-Ess., Herts.

Dunce Down. Typha latifolia, L .- Ger. Appx.

Dunche Down. Typha latifolia, L.—'Bycause the downe of this herbe will cause one to be deafe, if it happens to fall into the ears, as Matthiolus writeth.'—Lyte, 513. Prior (p. 69) spells it Dunse-down, and explains it as a pleonasm from Du. dons, which means down.

Duncus. 'A kind of weed. Linc. Possibly connected with A.-S. tun-cars, garden cress.'—Hal. Wr. We have not met with the name elsewhere, and cannot identify the plant.

Dun John. Various species of Agrostis .- Ches.

Dunnies. Petasites vulgaris, Desf.—Hants.

Dunny Nettle (i. e. deaf nettle). (1) Lamium Galeobdolon, L.—S. Bucks.

(2) Lamium album, L.—S. Bucks.

(3) Ballota nigra, L.-S. Bucks.

Durgan Wheat. 'Bearded wheat.'-Kent, Hal.

Duscle. 'The herb Solatrum nigrum.'—Hal. Wr. No doubt a misprint for Solanum nigrum, L., but we have not met with the name elsewhere.

Dusty Husband. (1) Cerastium tomentosum, L. (gardens).—Ches. From the white mealiness of the leaves.

(2) Arabis alpina, L. (gardens).—Ches. From the masses of white

Dusty Miller (or sometimes, as in Linc., Dusty Milner). From its white powdery appearance. Primula Auricula, L. — Aberdeensh.; Lothians; Mearns, Jamieson.

Dutch. Trifolium repens, L.-Prior, p. 69; Dors. Hal. Wr.

Dutch Agrimony. Eupatorium cannabinum, L.-R. Cat.

Dutch Beech. See Beech.

Dutch Cheese. Fruit of Malva rotundifolia, L .- Ches.

Dutch Clover. See Clover. Prior, p. 69.

Dutch Medlar. Mespilus germanica, L .- See Medlar.

Dutch Mice. Lathyrus tuberosus, L., is 'occasionally cultivated' under this name.—Gard. Chron. 1860, p. 774.

Dutch Morgan. Chrysanthemum Leucanthemum, L. - Wight, Hal.

Dutch Myrtle. Myrica Gale, L.-With. ed. ii.; Prior, p. 69.

Dutch Rushes. Equisetum hyemale, L.-With. ed. iv.; Prior, p. 69.

Dwale. (1) Atropa Belladonna, L.—Turn. Lib., Lyte, Ger. Appx., Prior, p. 69.

> 'The frere with his fisik 'this folke hath enchaunted, And doth men drink dwale 'that men dredeth no synne.' Piers Plowman, C. text, Pass, xxiii, 378 (ed. Skeat, vol. iii. pp. 446, 447).

Dwale means an opiate, that which dulls. The English dull, A.S. dol [Germ. toll], is a mere variation of dwal, the older form, apparent in the Mœsogothic dwals, which means dull; hence Swedish dwala, a stupor, and Mid. Eng. dwale, an opiate. Mr. Johns (Flowers of the Field, p. 447) says: 'The English name dwale is derived from a French word deuil, which signifies "mourning." This remark is, of course, utterly wrong; the mere presence of the letter w in the word is enough to show that the word is of Teutonic origin; and a moment's reflection will show that the French deuil has assumed in English the well-known form dool or dule. The Mæso-Gothic dwals means foolish; the A.S. dol (formerly dwol) means stupid, and is now spelt dull. Dwale means dulling or stupefying, from the effect of the plant. Hence, in Piers Plowman, C. xxiii. 379, the phrase 'to drynke dwale' is used of men who have lost all conscience. We are indebted to Mr. Skeat for the foregoing note.

(2) 'Common nightshade. Forkshire.'—Harte's Essays on Husbandry, p. iii. (1770). He means Solanum Dulcamara, L., not Atropa,

which is subsequently named.

Dwale, Deadly. Atropa Belladonna, L.-With. ed. iv.

Dwarf Bay. See Bay.

Dwarf Cornel. See Cornel.

Dwarf Elder. See Elder.

Dwarf Honeysuckle. Cornus suecica, L.-With. ed. ii.

Dwarf Mallow. Malva rotundifolia, L.-Lyte.

Dway-berries. Atropa Belladonna, L.-With. ed. ii.

Dyer's Broom. See Broom.

Dyer's Rocket. Reseda Luteola, L.-Prior, p. 70.

Dyer's Weed, or Dyer's Green-weed. (1) A common book-name for Genista tinctoria, L.—S.-W. Cumb. Prior, p. 70.

(2) Reseda Luteola, L.-Lyte, Ger., Skinner.

(3) Isatis tinctoria, L.—Treas. Bot.

Dyer's Yellow-weed. Reseda Luteola, L.—With. ed. iv.; Prior, p. 70.

Dyeweed. Genista tinctoria, L.—'In't Enghelsch Die-weed ende Woodwaxen.'—Dodoens, Cruydt Boeck, p. 1196.

Eagles, Bird. See Bird Eagles.

Eak. An oak .- North, Wr.

Ear-aches. Papaver Rheas, L., and other species.—Derb.; Notts. (Worksop). 'The popular name for field poppies, as well as cultivated ones, in this district is "ear-aches.". . . . It is said that if they are gathered and put to the ear a violent attack of ear-ache will be the result.'—N. & Q. 5, ix. p. 488.

Ear-drops, Lady's. The common garden Fuchsia.—Dev.

Earning Grass. Pinguicula vulgaris, L.—Lanarks. Jamieson. Hal. gives earning as a North-country word for cheese rennet, and to earn means to curdle milk. The plant is so called because it has this property.

Ear-ring Flower. The common Fuchsia,—Linc. Brogden. From its resemblance to an ear-ring.

Earth-balls. Tuber cibarium, L. — 'Balls that grow under the earth.'—Prior, p. 70.

Earth Chestnut. Bunium flexuosum, With.—Lyte; Prior, p. 70; Hal. Wr. See Chestnut.

Earth-gall. 'A.S. eor's-gealle, from their bitterness, plants of the gentian tribe, more particularly Erythrea Centaurium, L.'—Prior, p. 70. Grete Herball, Ger. Appx. Hal. and Wr. assign the name to 'the larger Centaury (West),' but the plant above specified is probably

intended. Holme (Academy of Armory, ii. 88) calls it Gall-of-the-earth. The root of Sonchus floridanus, Willd., is so called in North America for a similar reason: see De Candolle's Prodromus, vii. 250.

Earth-moss. 'Phascum.'-Prior, p. 70.

Earth Nut. (1) Bunium flexuosum, With.—Ger.; Ches.; S.-W. Cumb.; N. Yks.; E. Bord. Bot. E. Bord. From the nutty flavour of the tuber. Prior, p. 70.

(2) Enanthe pimpinelloides, L. — Hants. (Wareham, &c.). The children eat the tubercles under the name of earth-nuts. — Phyt.

iii, 260.

Earth-puff. A species of Lycoperdon (Nomenclator, 1585).—Nares.

Earthquakes. Briza media, L.-Nhamp. Sternb.

Earth-smoke (L. fumus terræ). Fumaria officinalis, L.—Hal. gives Erthesmok, from MS. Sloane, 5, f. 5. In the Grete Herbull it is called Smoke of the Earth or Fume of the Earth. Prior, p. 70. In Pratt's Wild Flowers of the Year the name is said to be in use in the northern counties. See Fumitory.

Earth-star. Various species of Geaster, 'so called from [their] stellate shape when burst and lying on the ground.'—Prior, p. 70.

Easter Bell. See Bell.

Easter, or Eastern, Giant. Polygonum Bistorta, L.—S.-W. Cumb. See Easter Magiants.

Easter Ledges. Polygonum Bistorta, L.-Cumb., Westm.

Easter Magiants, or Easter Mangiants. Polygonum Bistorta, L.-Cumb., Westm. It has been suggested that this is a corruption of the old name, Bistorta major, but Easter probably refers to the season at which this plant is often eaten. Magiants or mangiants may be from Fr. manger, to eat. That Easter refers to the season, and is not corrupted from Bistorta, is borne out by other names of the plant. Cf. Passions, Patient Dock. One correspondent spells it Easterma Jiands. Mr. Dickinson (E. D. S. Gloss, C. 8) has Eastermun-jiands and Easter May-giants. Mrs. Atkinson refers to the Westmoreland volume of the Beauties of England and Wales (no date), which 'seems to have been written about 1812 by a Rev. Mr. Hodgson, a native of the county. He says: "Till about the middle of the last century, garden vegetables, except onions and a few savoury herbs, were little known; but a mess made of the tender leaves of Alpine bistortviviparum Polygonum, called here Easter-ment-gions, i. e. sprouts of the Easter month—and groats, mixed with a small portion of young nettles, leaves of the giant bell-flower, and a few blades of chives, all boiled together in a linen bag with the meat, was accounted a delicacy to eat with yeal in the spring."' There is no doubt, as Mrs. Atkinson observes, that Mr. Hodgson was mistaken in his identification of the plant, and that P. Bistorta was intended. She adds: 'Every cottage orchard throughout the two counties has its little patch of it still grown for the mess above described, universally called "an erb puddin'," or "a yearbe puddin'." ' See Gard. Chron. Sept. 19, 1874, for a more lengthy note on the name.

Eastning Wort. 'Scabious.'-S. Scotl. Jamieson.

Eaver, or Ever. Lolium perenne, L. — Cornw.; Dev. Hal. Fr. ivraic, drunkenness, from the intoxicating qualities of the darnel, an allied species.

Ebble. Populus tremula, L.—E. Anglia, Forby; Norf.: East, Wr.
'We have ebelle tre, ebonus, in Prompt. Parv. p. 17: "juse of eble" in
MS. Med. Linc.'—Hal. See Abele. The Aspen and the Abele Tree
may here be confounded from the somewhat similar shape of their
leaves.

Eccle Grass. Pinguicula vulgaris, L.—Orkneys, Jamieson.

Eckberry. Prunus Padus, L.—Cumb. E. D. S. Gloss. C. 8.

Edder's-tongue (i. e. adder's-tongue). Ophioglossum vulgatum, L.—
Cumb.

Edderwort. 'The herb dragonwort.'—Hal. Wr. Arum Dracunculus, I.,—Edder is an A.S. name for an adder, which is still in use in the north.

Eddick. Arctium Lappa, L .- Ches.

Edgeweed. *Enanthe Phellandrium*, Lamk.—A name apparently invented by Dr. J. Hill in his Herb. Brit. 1769, and referring to the growth of the plant on the edges of ponds.

Eel-beds. Ranunculus fluitans, Lamk.—Roxb. (Kelso), Science Gossip, 1876, p. 39. A name also extended to several species of pond weeds, probably from a supposition that they harbour eels.

Eel Ware. Ranunculus fluitans, Lamk.—E. Bord. 'Either from its wavy motion on the water, or from harbouring eels when growing in a mass.'—Bot. E. Bord. p. 26.

Eestrige. Salsola Kali, L.—'I remember now that one English man called this herbe Eestrige.'—Turn. Herb.

Eever. Lolium perenne, L .- Dev. Hal. Wr. See Eaver.

Eevy. Hedera Helix, L.—Pulman.

Egers. 'Spring tulips.'-Bailey (Hal.), Wr.

Egg-berry. Prunus Padus, L.—North, Hal. Wr.; Cumb.; Yks. Hallamsh. Gloss. Cf. Heckberry.

Egg-peg Bushes. Prunus spinosa, L.-Glou.

Egg Plant. (1) Solanum Melongena, L.—From the shape of its fruit. Prior, p. 70.

(2) Symphoricarpus racemosus, Michx.—Ches. From its round white

Eggs and Bacon. From the two shades of yellow in the flower.

(1) Linaria vulgaris, Mill.—Glou.; Norf.

(2) Lotus corniculatus, L.—Nhamp. Nth. Gloss., Wr.; Suss.
 (3) *Narcissus incomparabilis bicolorata.'—Sal. (Ellesmere).

Eggs and Butter. (1) Linaria vulgaris, Mill.—Dev. (2) Ranunculus acris, L., and R. bulbosus, L.—Ches.

Eggs and Collops. Linaria vulgaris, Mill.—North, Hal. Wr.; the term is also applied to fried eggs and bacon. Lanc. E. D. S. Lanc. Gloss.

Eglantine. 'A name that has been the subject of much discussion, both as to its exact meaning, and as to the shrub to which it belongs.'—Prior, p. 70. The Eglantine of the Grete Herball, Lyte, Gerard, and Parkinson, was, however, no doubt Rosa rubiginosa, L., the shrub now usually so called; and Turner (Names) probably has the same shrub in view when he says 'Cynorrhodus, named of the latines Rosa canina, is called in englishe a swete brere or an Eglentyne.' Prior says, 'In Gerard and the herbalists it was a shrub with white flowers that was meant;' but Gerard (p. 1269) only describes the blossoms as 'most commonly whitish, seldom tending to purple;' while Parkinson (Parad, 419) calls them 'small single blush roses.' Dr. Prior adds: 'Milton in the expression "twisted eglantine" is supposed to have meant the woodbine' (Lonicera Periclymenum), which is still known as eglantine in N.E. Yks. Hal. says the name was occasionally given to the wild rose.

Eglentere. 'Eglantine.'-Chaucer, Hal. Wr. Rosa rubiginosa, L.

Eglet, Egglet. Fruit of Cratagus Oxyacantha, L.—Cornw., Dev.

Egremoine. Agrimonia Eupatoria, L.—A.-N. Hal. Wr. In Cumb. it is still called Eggremunny.

Egremounde. Agrimonia Eupatoria, L.-A.-N. Hal. Wr.

Egyptian Rose. (1) Scabiosa arvensis, L.—Wight, Fl. Vect. (2) Scabiosa atropurpurea, L.—Wight, Phyt. iii. 430.

Egyptian Thorn. Cratagus Pyracantha, Pers.-Ches.

Eike Tree, or Eke-tree (Turn. Names). Quercus Roburr, L.— North, Turn. Herb.; Yhs. Hal. Wr.

Eileber. Alliaria officinalis, Andrzj.-Ger. Appx. Hal. Wr.

Fisch-Keys. The fruit of Frazinus excelsior, L.—A.-S. asc, ash; esch key, Prompt. Parv. N. and Mid-Lanc. 'Let's ga an' gedder some eisch-keys an' lake at conquerors.'—E. D. S. Lanc, Gloss.

Eker. 'Water cresses.'-A.S. Hal. Wr. Nasturtium officinale, Br.

Elbowit Grass. Alopecurus geniculatus, L. — Lanarks. Jamieson. From its stems, which bend at the joints.

Elden. See Eldin.

Elden-dockin. See Eldin-docken.

Elder (in Turn. Lib. Elder Tree). The usual name for Sambucus nigra, L.—Turner, Lyte, &c. Prior, p. 71. In some old writers the names Elder and Alder, like Eller and Aller, are used interchangeably; thus Dodoens (Cruydtboek, p. 1312) says of Alnus glutinosa, 'In Enghelandt Alder ende Elder.' Holme (ii. 81), referring to the fruit of Sambucus nigra, says, 'the Alder-berries are black and grow in umbels,' while at p. 72, after writing a description of the Sambucus, and speaking of its branches as Alder-branches, he adds, 'some

write it the Elder tree.' See Alderne and Eller. From this we get the adj. eldern, made of elder.

'An eldern stake and blackthorn ether Will make a hedge to last for ever.'—Suss. Parish.

Elder, Bishop's. See Bishop's Elder.

Elder, Dwarf. (1) Sambucus Ebulus, L.—Ger.; Prior, p. 71; S.-W. Cumb.

(2) Ægopodium Podagraria, L.—Hants.; Wight, Fl. Vect.

Elder, Ground. (1) Sambucus Ebulus, L. — Wight, Fl. Vect.; 'dwarf elder,' South, Hal.

(2) Angelica sylvestris, L.—Ches.

(3) Ægopodium Podagraria, L.—Hants.; Wight, Fl. Vect.

Elder, Marsh, or Marish. Viburnum Opulus, L.-Lyte, &c.

Elder, Water. Viburnum Opulus, L.—Lyte; Nhamp. Nth. Gloss.; Prior, p. 71.

Elder, White. Viburnum Opulus, L .- W. Ches.

Elder, Wild. Ægopodium Podagraria, L.—Bucks.

Elderberry. Sambucus nigra, L.—Ayrsh.

Eldern. Sambucus nigra, L.—East, Hal. Forby, Wr.; Nhamp.
Also as an adjective, meaning made of elder. See Elder.

Eldin, or Elden. Petasites vulgaris, Desf.—'In the North it is called about Morpeth Eldens.'—Turn. Names. 'Northumbrienses vocant an Elden.'—Turn. Lib. The name doubtless refers to the fact that the plant is used as elden or fuel by the poorer classes in the north. See Prior, p. 71, under Elder. Cumb. E. D. S. Gloss, C. 8, p. 30, 'as used in lighting fires;' at p. xviii., however, it is assigned to Arctium Lappa, I..., and referred to as 'a general term for dry stems used in lighting fires.'

Eldin-dockin, or Elden-dockin. (1) Petasites vulgaris, Desf.—E.

Bord. (Jedburgh), Bot. E. Bord.

(2) Rumex aquaticus, L.—Roxb. Jamieson. 'Often cut, dried, and used as eldin, or fuel, by the lower classes; thence supposed to have its name.'—Jamieson. See Eldin. It is possible that the Petasites, which has the same name and is used for a similar purpose, may really be intended here by Jamieson.

Eldroot. See Eltrot.

Elecampane. Inula Helenium, L.—Turn. Names, Lyte, Ger., Prior, p. 71. See Alacompane.

Elem. Ulmus campestris, L.—West of England; Linc. E. D. S. Gloss, C. 6.

Elephant. 'A kind of scabious.'-Wr.

Eleven o'Clock Lady. Ornithogalum umbellatum, L.—'Fr. dame d'onze heures, from its waking up and opening its eyes so late in the day.'—Prior, p. 71.

Elf-dock (in Grete Herball and Ger. Appx. Elfe-docke). Inula Helenium, L.—See Prior, p. 71.

Elfwort. Inula Helenium, L.-Dr. J. Hill, Herb. Brit. 1769.

Elgins. Rumex aquaticus, L.—Roxb. Jamieson. See Eldin.

Ellar. Sambucus nigra, L.-Kent, Holl.; Linc. Holl.; Suss. Wr.

Ellarne. Sambucus nigra, L.—A.S. Wr. 'Still in use, see Heref. Gl. and Pr. Parv. p. 239.'—Hal. Sal.

Ell-docken, Petasites vulgaris, L.—Jedburgh, Bot. E. Bord. Hal. and Wr. have 'Coltsfoot, North,' but the same plant is doubtless intended.

Ellem. Ulmus campestris, L.—Suss. Parish. Pulman gives the adj. ellemin, relating to elm: 'ellemin timber.'

Ellen Tree. Sambucus nigra, L.—Yks. Hal. Wr.

Eller, or Eller Tree. (1) Alnus glutinosa, L.—Cumb.; Linc. Brogd.; Norf.; North, Hal. Wr.; Suss. Parish; N. Yks.; Scotl. Jamieson.

(2) Sambucus nigra, L.—Ches.; Kent, Holl.; Linc. Holl.; Suss. Holl.; E. Yks. Marshall, E. D. S. Gloss. B. 2. It is applied to this tree in Piers Plowman. Prior, p. 71. See Aller and Elder.

Eller, Dog. See Dog Eller.

Ellern. Sambucus nigra, L.—Dors.

Ellet, or Ellot. Sambucus nigra, L.-Suss. Hal. Wr.

Ell-shinders, Yellow. Senecio Jacobæa, L.-E. Bord. Bot. E. Bord.

Elm, or Elm Tree. The general name for Ulmus campestris, L., and other species.—Turner, Lyte, Prior, p. 71.

Elm, Broad-leaved. The 'Ulmus latifolia' of Ger. is U. montana; but he says of Tilia parvifolia, L., that 'the people in Essex about Heningham (whereas great plenty groweth by the way sides) do call it broad leafed Elme' (p. 1298).

Elm, English. Ulmus campestris, L.—E. Bord. Bot. E. Bord. A frequent book-name for the species.

Elm, Scotch. Ulmus montana, Sm.—E. Bord. Bot. E. Bord. A common name in nurserymen's catalogues.

Elm, Witch, or Wych. Ulmus montana, Sm.—A common bookname. Prior (p. 256) supposes it to be so named 'from its wood having been used to make the chests called in old writers wyches, huches, or whyches. Fr. huche, A.S. hwæcce.'

Elm, Yoke. Carpinus Betulus, L.—Ger., who appears to have invented the name. He says: 'It is called Betulus, as if it were a kinde of Birch, but myselfe better like that it should be one of the Elmes.' Yokes were formerly made of it. See Ger. p. 1296. Prior, p. 259.

Elmen, or Elmen Tree. Ulmus campestris, L.-West; Dev.

Elnorne. Sambucus nigra, L.-Prompt, Parv. Hal. Wr.

Elphamy. 'Briony.'—North, Hal. Wr. We do not know whether Bryonia or Tamus is intended.

Elren. Sambucus nigra, L.—North, Hal. Wr.

Elsedock. Inula Helenium, L. — Hal. Wr. This seems to be a corruption or misreading of Elfe-dock, which see.

Elshins (i. e. awls, in allusion to the long-pointed fruits). Scandix Pecten, L.—Berwicksh. Proc. Berw. Nat. Club, 1870. Also called Deil's Elshin.

Eltrot. (1) Heracleum Sphondylium, L.—Dors., Wilts.

(2) Anthriscus sylvestris, Hoffm,—Dors. Dors. Gloss., where it is also called **Eldroot**. Pulman gives **Eldrot**, and has the following note; 'From A.S. eald, old, and root, or from elt, a young pig, and root. A plant which grows in the hedgerows and in some meadows, and is gathered by boys for food for rabbits. It is, I believe, the cowparsnip.'

(3) 'Stalk of wild barley.'-West, Hal.

Elven. Ulmus campestris, L.—Var. dial. Hal. Wr.; Kent, E. D. S. Gloss. C. 3; Suss. Parish.

Emony. Anemone coronaria, L.—'The anemony misunderstood as an Emony.'—Prior, p. 72. Coles (A. in E.) says 'the common people call them Emones.'

Emrose. Probably a garden Anemone (A. coronaria, L.?).—Skinner says, 'Hoc nomine, ni fallor, hortulani corrupte anemonas vocant, q. d. Rosa anemones.'

Enchanter's Nightshade. Circaa lutetiana, L.—Prior, p. 72. See Nightshade.

Endive. Cichorium Endivia, L.—Prior, p. 72.

Endmete. Lemna minor, L.—Prompt. Parv. Hal. Wr.

Enemy. Anemone nemorosa, L.-Linc.

'Doon i' the woild enemies.'

Tennyson, Northern Farmer, Old Style.

The garden species of Anemone are not unfrequently called Anenemy even by educated people. See Emony.

English Elm. See Elm, English.

English Maidenhair. Asplenium Trichomanes, L.—Turn. Herb., Lyte. See Maidenhair.

English Mercury. Chenopodium Bonus-Henricus, L.—Ger. Prior, p. 72. See Mercury.

English Sea Grape. Salicornia herbacea, L.-Lyte.

English Treacle. Alliaria officinalis, Andrzj.—See Treacle.

Eps. Populus tremula, L.—Kent, Hal. Wr. See Aps.

Eringo. Eryngium maritimum, L.—Merry Wives of Windsor, Act v. sc. 5. See Nares. Ernfern Physic aquilina, L.—Scotl. Jamieson.

Brunt. Human fermosum, With.—Roxb. (Kelso), Science Gossip. 1876, 38. Hal has 'Ernute, an earth-nut.'

Brick Archim Lappa, L.—Ches. Cf. Heriff.

Sprik Gullum Aparine, L .- S. Ches. Cf. Heriff.

Novem Ervilia, L.-Fr. Ers, L. Ervum. Prior, p. 72.

Similar Vetch. 'Melius, ni fallor, Arch bitter Vetch, i. e. vicia

Ersmert. Polygonum Hydropiper, L.—' See an early list of plants in MS. Sloane, 5, f. 4.'—Hal. Wr. See Arsesmart.

Erswort. 'The herb mouse-ear.'—Wr. 'See a list of plants in MS. Sloane, 5, f. 8.'—Hal. Mouse-ear is Hieracium Pilosella, L.

Erthegalle. 'The herb centaury.'-Hal. Wr. See Earth-gall.

Erthesmok. Hal. Wr. See Earthsmoke.

Eryngo (Lat. Eryngium). Eryngium maritimum, L.—Prior, p. 73.

Esh. Fraxinus excelsior, L.—North, Hal.; Cumb.; Linc. Brogd.; Norf. Holl.; Yks.; E. Bord. Bot. E. Bord.; Esch, Scotl. Jamieson; Esche, 'an ash tree,' Prompt. Parv.; Hal. Wr.

'Breäk me a bit o' the esh for his 'eäd, lad, out o' the fence!'
Tennyson, Northern Farmer, New Style.

In Holderness (Yks.) to esh means to flog, the twig of the ash being used for that purpose. E. D. S. Gloss. C. 7. Young ash trees are called eshlings at Whitby (E. D. S. Gloss, C. 2). In N. Linc. there is a widespread opinion that if a man takes a newly-cut 'esh-plant,' not thicker than his thumb, he may lawfully beat his wife with it. E. D. S. Gloss, C. 6.

Esp. Populus tremula, L.—Cumb.; North, Hal. Wr. 'Ah trimm'l't like an esp-leaf,' is a common saying in Cumberland. See Asp.

Espibawn. Chrysanthemum Leucanthemum, L.—Ireland (Belfast).

Espin. Populus tremula, L .- North, Hal. Wr. ; Yks. See Aspen.

Etnagh-berries. Fruit of Juniperus communis, L.—Angus, Jamieson. Etnagh or Etnach is used in the north of Scotland as an adjective signifying made of juniper wood, or in some way belonging to juniper. Jamieson. The name is also written Aitnach, which see.

Ettle. 'A nettle.'-West, Wr.; Worc. (Cotswold district).

Euphrasy. Euphrasia officinalis, L. — Milton, Par. Lost, b. xi. 1. 414. Prior, p. 73.

Evening Primrose. Enothera biennis, L.—' From its pale yellow colour and its opening at sunset.'—Prior, p. 73.

Evenlesten, 'The herb mercury.'—Hal. Wr. We cannot identify this plant.

Ever. Lolium perenne, L .- Dev. Hal. See Eaver.

- Everferne. Polypodium vulgare, L.—Ger. Appx. Hal. (and Wr.) have 'Everferne, wall fern;' but in a recipe printed at p. 36 we read 'Take everferne which grows on the ake,' which clearly refers to Polypodium vulgare, L.
- Ever-grass. Lolium perenne, L.—Pulman. See Eaver.
- Evergreen Cliver. Rubia peregrina, L.-Wight, Fl. Vect. See Clivers.
- Everlasting, or Everlasting Flower. A name assigned to many Compositæ, from their retaining shape and colour when dried. Hal. and Wr. apply it to 'American Cudweed' (Antennaria margaritacea), and Prior applies it (p. 73) to Gnaphalium, but certain species of Helichrysum are the plants most usually so called.
- Everlasting, Moor. Antennaria dioica, Gærtn.—E. Bord. Bot. E. Bord.
- Everlasting Pea. Lathyrus latifolius, L.—Not that the flowers are of the nature of everlasting flowers, but because the plant is perennial, Prior, p. 73.
- Everocks. Rubus Chamæmorus, L.—Scotl. Jamieson.
- Every (Fr. ivraie). Lolium perenne, L.—Dors.; 'a species of grass,' West, Hal. Wr. Cf. Eaver and Raygrass.
- Eveweed. Hesperis matronalis, L.—A name apparently invented by Dr. J. Hill in Herb. Brit. 1769, in reference to the fragrance of the blossoms in the evening.
- Eve's Cushion. Saxifraga hypnoides, L. (in gardens).—Yks. (York).
- Ewe. Taxus baccata, L.—Lyte, &c. A frequent method of spelling yew in old writers. See Prior, p. 257. Wr. and Nares have it Ew: in the quotation given by the latter something else may have been meant. Warner (Plantæ Woodfordienses) spells it Eugh, and Hal. and Wr. have Ewgh.
- Ewe-daisy. Potentilla Tormentilla, L.—E. Bord. (Cheviot), Bot. E. Bord.
- Ewe-gowan. Bellis perennis, L.—Scotl. Jamieson; North, Hal. Wr.
- Ewfras (L. Euphrasia). 'A herb.'—Arch. xxx. 377. Hal. Wr. Euphrasia officinalis, L.—Prior, p. 73.
- Exan. 'Exan is Croswort, yet not our Cruciata.'—Ger. Appx. Hal. Wr. We do not know what plant is meant.
- Eye. 'The pink; in Tusser called Indian Eye. Dianthus, L.'—Prior, p. 73.
- Eyebright. (1) Euphrasia officinalis, L.—Turn. Names. W. Ches., N. Yks., and more or less in general use. Coles (A. in E., 46, 47) says; 'Divers authors write that goldfinches, linnets, and some other birds, make use of this herb, for the repairing of their own and their young ones' sight. . . . The purple and yellow spots and stripes, which are upon the flowers of Eyebright, doth very much resemble the diseases of the eyes, as blood-shot, &c. By which signature it hath

been found out that this herb is very effectual for the curing of the same.' See Celandine, and Prior, p. 73.

(2) Veronica Chamædrys, L.-Midland Counties; Sal. (Pulverbatch);

N.E. Yks.; E. Bord. Bot. E. Bord.

(3) Bartsia Odontites, L. (occasionally).-Lyte.

Eyebright Cow-wheat. Bartsia Odontites, L.-Huds. Prior, p. 74.

Eyes, Devil's. Stellaria Holostea, L.—Denbighsh. (Wrexham).

Eyeseeds. 'A plant whose seeds, if blown into the eye, are said to remove bits of dust, cinders, or insects, that may be lodged there.'—
N. Linc. E. D. S. Gloss. C. 6. Probably Salvia Verbenaca, L., which shares the properties attributed to S. Sclarea, L. See Gard. Chron. 1871, pp. 45, 76, 106.

Ezob. Hyssopus officinalis, L.—Yks. (Whitby), E. D. S. Gloss. C. 2.

Fabes, Fapes, Feabes, Feapes, in Nemnich Feabers. Fruit of Ribes Grossularia, L.—East, Hal. Wr.; E. Anglia, Forby; S. Counties, Bailey's Dict.; Norf.; North, Grose; Suff. Hal.; Prior, p. 75.

Face and Hood. Viola tricolor, L.—From the markings in the petals bearing some resemblance to a human face, and the often dark hood-like appearance of the upper part of the flower. Camb., N. Ess., Norf.

Face-in-hood. Aconitum Napellus, L. — From the upper petals forming a hood, the stamens and pistils, with the lower petals, bearing some fanciful resemblance to a face. Norf.

Faeberry. See Fayberry.

Fair Days. Potentilla anserina, L.—E. Bord. Bot. E. Bord. 'Probably because it expands its bright flowers only in clear weather and in sunshine.'—Bot. E. Bord. p. 71. But this is hardly the reason, for the blossoms always remain open. See Fair Grass.

Fair Grass. Potentilla anserina, L.—Forf. Jamieson assigns this name to Ranunculus bulbosus, I., and adds, 'said to be so denominated from the whiteness of the underside of the leaf. Teviotdale,' In all probability, however, P. anserina is the plant intended.

Fair-in-sight. Campanula patula, L.—Lyte.

Fair Maids. Galanthus nivalis, L .- Norf.

Fair Maids of February. Galanthus nivalis, L.—With. ed. ii. A common book-name, though not apparently a very old one, in allusion to the blossoming of the snowdrop about Feb. 2 (Candlemas Day). Prior, p. 74.

Fair Maid, or Maids, of France. (1) Saxifraga granulata, L. (the double garden variety).—Bucks.

(2) Achillea Ptarmica, L. (the cultivated variety).-Midd.

(3) Ranunculus aconitifolius, L. (double variety). — Mart. Mill. Prior, p. 74.

(4) Lychnis Flos-cuculi, L. (double variety).-Park. Parad. 256.

Fair Maids of Kent. The double-flowered variety of Ranunculus aconitifolius, L.—Mart. Mill.

Fairies' Bath. Peziza coccinea, Jacq .- Hants; Suss.

Fairies' Hair. Cuscuta Epithymum, L.-Jersey.

Fairies' Horse. Senecio Jacobwa, L.—Ireland, where fairies are supposed to ride on it. A similar legend is attached to the St. John's Wort in the Isle of Wight, where peasants say that if you tread on it after sunset a fairy horse will rise from the earth and carry you all night, leaving you in the morning wherever you may chance to be at sunrise. See Henderson's Folk Lore of the Northern Counties, p. 191

Fairies' Petticoats. Digitalis purpurea, L.—Ches.

Fairies' Table, or Tables. (1) Agaricus campestris, L., and other Fungi.—N. Wales.

(2) Hydrocotyle vulgaris, L .-- Ches.

Fairy Bell. Digitalis purpurea, L.—Ireland, Science Gossip, 1870, p. 135.

Fairy Butter. Tremella albida, Huds., and 'T, arborea' [= Exidia glandulosa, Bull.].—Yks. Cleveland Gloss.; E. Anglia, Forby ('tremella'). 'Even yet believed by many to be the produce of the fairies' dairy.'—Cleveland Gloss.

Fairy Cap. Digitalis purpurea, L.—Ireland, Science Gossip, 1870, p. 135.

Fairy Cheeses. Malva rotundifolia, L.—Yks. (York).

Fairy Cups. Primula veris, L.-Linc. (Bottesford).

Fairy Fingers. Digitalis purpurea, L.—Cumb. E. D. S. Gloss. C. 8, p. xix.; Yks. (Whitby), E. D. S. Gloss. C. 2; Ireland, Francis's Little English Flora.

Fairy Flax. Linum catharticum, L.—E. Bord. Bot. E. Bord. The Fairy Flax of Longfellow (Wreck of the Hesperus) is, however, probably L. perenne, L.

'Blue were her eyes as the fairy flax.'

Prior, p. 74.

Fairy Glove. Digitalis purpurea, L.—Ireland, Science Gossip, 1870, p. 135.

Fairy Lint. Linum catharticum, L.-E. Bord. Bot. E. Bord.

Fairy Purses. 'A kind of fungus like a cup, or old-fashioned purse, with small objects inside,'—N. Linc. E. D. S. Gloss. C. 6. This is probably Nidularia campanulata, Sow.

Fairy Thimbles. Digitalis purpurea, L.—Camb.; N. Ess.; Norf.
Fairy-weed. Digitalis purpurea, L.—Irel. Science Gossip, 1870, p. 135.

Fallen Stars. Nostoc commune, Vauch.—Scotl. Jamieson; Prior, p. 74. It was formerly supposed that this alga was the remains of a fallen star; thus Bailey's Dict. has 'Nostock, stinking tawney jelly of a fallen planet, or the nocturnal solution of some plethorical and wanton star.' See **Shot Star**, and Britten's Popular British Fungi, p. 82, for a fuller account of the superstition.

Faitour's Grass (Faytowrys gresse or faytours gress—Prompt. Parv.).

Hal. Wr. 'A faytowre was, as it seems, a conjuror or a quacksalver, so called from the French faiteor or faiturier, a sorcerer; and thence the name was applied to itinerant pretenders to such skill, to mendicants, and generally to idle livers. The plant called quacksalver's turbith or spurge, the Tithymalus or Esula of the old botanists, Euphorbia, Lin., was much employed in homely physic, as also by the empirics in former times. Its virtues are detailed by Gerard and Parkinson.'—Prompt. Parv. This seems to be Euphorbia Esula, L.

False-blows. 'The male flowers of the melon and cucumber. East.'
—Hal. Wr.: no doubt so called because they produce no fruit.

False Mercury. Chenopodium Bonus-Henricus, L.—Ger. Index.
'It is taken for a kinde of Mercurie, but unproperly, for that it hath
no participation with Mercurie, either in forme or qualitie, except yee
wil call every herbe Mercurie which hath power to loose the bellie.'—
Ger. p. 259. See Mercury.

False Parsley. Æthusa Cynapium, L.-Sal.

False Rhubarb. Thalictrum flavum, L.—Lyte. The plant is possessed of laxative properties, according to Lyte, hence the name; 'partly so called' also on account of the roots being 'yellow like rewbarbe.'

Fancy. Viola tricolor, L.—'An attempted explanation of pansy.'— Prior, p. 74.

Fane. 'The white flower-de-luce. Gerard.'—Hal. Wr. This name, which is given in Ger. Appx., applies to some white-flowered Iris, but we cannot determine the species.

Fapes. See Fabes.

Fare-nut, or Vare-nut. Bunium flexuosum, With. - Cornw.

Farewell Summer. Saponaria officinalis, L.—Monmouth (Pontypool), Phyt. iv. 443. From its flowering in the months of August and September.

Farmers' Plague. Ægopodium Podagraria, L.—Ireland (Belfast).
From the extreme difficulty experienced in eradicating it.

Farn. Pteris aquilina, L.—Glou. Phyt. i. 263. 'Farn-tickles. To tick is to ticket or mark anything, hence fern-ticks, fern-marks: freckles on the skin resembling the seeds of ferns. North.'—Holl.

Farthing-rot. Hydrocotyle vulgaris, L.—Norf.

Faselles. See Feasils.

Fatch, or Fatches. Vicia sativa, L.—Glou.; West, Hal. Wr.; Worc.

Fatch, Meadow. Onobrychis sativa, L.—Pratt.

A name applied to various plants, but especially to certain Chenopodiaceæ having thick succulent foliage. See Prior, p. 74. Leichardt named 'Fat Hen Plains,' Australia, from a species of Atriplex or Chenopodium (perhaps C. erosum, Br., which is still so called in Australia, according to Woolls' Contributions to Flora of Australia, p. 25), with which and the shoots of a sow thistle he was glad to eke out the scanty subsistence of his party.

(1) Chenopodium album, L.—Ches.; Cumb. E. D. S. Gloss. C. 8, p. xix.; Linc. Brogd., E. D. S. Gloss. C. 6; Norf.; Suff.; Suss. Parish; Yks. This is probably 'the wild orache' mentioned by Hal. and Wr., and also the plant intended in E. D. S. Gloss. B. 2, C. 4 (Surr.), and C. 7, by the names 'Chenopodium,' 'the plant goosefoot,' and 'goosegrass (Chenopodium),' respectively.

(2) Chenopodium Bonus-Henricus, L.-Surr, E. D. S. Gloss. C. 3;

Prior, p. 75.

(3) Chenopodium rubrum, L.—Deering (Cat. Stirp. Nottingh.).

(4) Chenopodium Vulvaria, L.—Norf.

(5) Atriplex patula, L.—Yks. (Wakefield); E. Bord. Bot. E. Bord.; Prior, p. 75.

- (6) Atriplex erecta, Huds.—Herts.
 (7) Atriplex hastata, Huds.—With. ed. ii. (8) Polygonum Fagopyrum, L.— N. Bucks. (9) Nepeta Glechoma, Benth.—Bucks. (10) Chrysanthemum segetum, L.—Hants.
- (11) Capsella Bursa-pastoris, L.—Glou. (12) Artemisia vulgaris, L.—S. Bucks.

The name may also be taken to mean weeds in general: in E. D. S. Gloss. C. 5 (Mid-Yks.) we have 'Fatten, weeds.'

Father of Heath. Erica Tetralix, L.-N. Yks.

Fatten. See Fat Hen.

Faverel. (1) 'An onion.'—Hal. Ger. Appx.

(2) Draba verna, L.-Dr. J. Hill, Herb. Brit. 1769.

Faverole. 'Water-dragons.' Ger. Appx. Hal. Calla palustris, L.

Fayberry, Faeberry, or Feaberry. (1) Fruit of Ribes Grossularia, L.—Ger., Cotgrave, Hal.; S. Counties, Bailey's Dict.; Ches. Ger.; Lanc.; Sal. (Hartshorne); North, Grose; Warw.; Yks.; Prior, p. 75. In Lawson's New Orchard (1638) Feaberry; in his Country Housewife's Garden (1637) Feberry. Ger. calls the bush Feaberry-bush.

(2) 'Very rarely signifies a whinberry' (Vaccinium Myrtillus, L.). -Sal. (Hartshorne).

Feabes. See Fabes.

Feaberry. See Fayberry.

Feal Broom. See Broom, Feal.

Feapberry. See Fayberry.—Culpeper.

Feapes. See Fabes.

Feasils. 'Kidney beans.'- West, Hal. Wr. From the L. Phaseolus. Ger, calls them Faselles.

Feather, Feathered, or Feathering Columbine. See Columbine, Feathered.

Feathered Gillofers. Dianthus plumarius, L.-Lyte. From the

deeply-fringed petals.

Featherfew. This is one of the two most distinct forms (the other being Feverfew) of the popular name for Pyrethrum Parthenium, L., a name which is written and pronounced in an almost endless variety of ways. Prior (p. 75) considers it a confusion with Featherfoil (Hottonia palustris, L.), but the two plants do not at all resemble each other. It is really a corruption of febrifuga, one of the old names of the plant mentioned by Parkinson (Theatr. p. 84), who adds: 'From whence I thinke our English name Featherfew or Feaverfew is derived, it being good to expell feavers or agues.' In one form or another the name is in very general use. In Turn. Lib. it is spelt Fetherfew, in Prompt. Parv. Fedyrfoy, in Ger. Fedderfew, in Langham's Garden of Health Feverfue, and in Lawson's Country Housewife's Garden of Health Feverfue, and Fetherfewell. Fetherfewell and Fetherfewle. The name has come to us from different districts in different spellings, of which the following are the different districts in different spellings, of which the following are the principal:—Featherfoy, Glou.; Featherfeuil, Yks.; Featherfewl, Cumb. (Winderwath), Yks. (Whitby, E. D. S. Gloss, C. 2); Featherfold, West (Hal. Wr.); Featherfooly, E. Bord. (Bot. E. Bord.), Roxburghsh. (Kelso, Science Gossip, 1876, p. 39); Featherfowl, Hal. Wr., Dors.; Yks.; Featherfowlie, Scotl.; Featherfull, E. Bord. (Bot. E. Bord.) (in E. D. S. Gloss. C. 5 (Mid-Yks.) this name is assigned to 'the herb rue,' but probably the Pyrethrum is meant); Fedderfew, Lyte: Fetherbow, E. Cornw.: Fetherfahl. Yks. (Wuke-Fetherbow, E. Cornw.: Fetherfahl. Yks.) Fedderfew, Lyte; Fetherbow, E. Cornw.; Fetherfahl, Yks. (Wukefield Gloss.); Fetherfoe, Hal. Wr.; Feverefox, MS. Sloane, Hal. Wr.; Feverfoullie, Scott. (Jamieson); Featherwheelie, N. Scott. (Jamieson); Fitherfew, Sal.

Feather-foil. Hottonia palustris, L.—Prior, p. 75; Cumb. (Winderwath). From its beautiful feathery leaves. Also called Bog Feather-

Feather Grass. Stipa pennata, L.-With. ed. ii. Prior, p. 75.

Feathertop Grass. Calamagrostis Epigejos, Roth. — Ger. Emac.

Featherwheelie. See Featherfew.

Fech. 'Vetches. Nominale MS.'-Hal. Wr.

Fedderfew. See Featherfew.

Fedyrfoy. See Featherfew.

Feern. Fern.-Ches.

'A puff-ball.' - Suff. Hal. Wr. Probably Lycoperdon Feist. Bovista, L. See Bullfeist.

Fel Broom. See Broom, Feal.

Feldwood. 'The herb baldmoney.'

'Tho took sche feldwod and verveyne, Of herbis be not betir tweyne.'

Gower, MS. Soc. Antiq. 134, f. 152,-Hal. Wr.

Probably a species of Gentiana. See Baldmoney (2) and Felwort.

Fell-bloom. Lotus corniculatus, L .- Scotl. Jamieson.

Fellin Grass. See Fellon Grass (1).

Fellon-berry. Bryonia dioica, L.—Buddle MS.

Fellon Grass. (1) Imperatoria Ostruthium.—Cumb. E. D. S. Gloss. C. 8; Westm. Wilson's Synopsis (1744). This is doubtless 'the grass or herb boiled with other things to cure the fellon' [in cattle], referred to as Fellon-gress in E. D. S. Gloss. C. 2 (Yks. Whitby); and is very probably the Fellin-grass which Jamieson gives as the Roxburghsh. name for 'the plant called Angelica,' also used in disease of cattle.
'In Upper Teesdale [this plant] is still used on some of the remote dale farms as an aromatic stimulant for sick cattle, and as a galactagogue,'-Report of Botanical Locality Record Club for 1875.

(2) Helleborns niger, L.—Cumb. (Winderwath). The leaves of this plant are much used for making setons or setters in cattle.

The term fellon or felon has different meanings in different cases. In old writers it is usually applied to a whitlow or similar swelling in the human subject (see Fellonwort (1) and Fellonweed), and Nares (q. v.) understands it only in this sense. See also a note in Prompt Parv. p. 154. From a passage in Langham's Garden of Health, under Columbine, in which it is stated that that plant 'is good for young children to drinke against the red gum or fellon,' it would seem that the word had another signification, especially as in the case of the ordinary fellon or whitlow an external application was usually prescribed; and this meaning it still retains in some districts (see E. D. S. (The. Whitby) Gloss, C. 2, where it is defined as 'a kind of eruptive disorder in children'). But a disease in cattle is also called the fellon (Linc. E. D. S. Gloss, C. 6), and this is defined in E. D. S. Gloss, C. 2 (Yks. Whitby) as 'the tightness and soreness of a cow's skin from cold,' cripple fellon being 'the lameness in the legs of cattle from fellon.' Jamieson refers to a plant which was 'viewed as a specific in the disease of cattle called the fellin,' but does not explain what that disease was, unless we suppose it to be the same as fell-ill, in which 'the fell or skin, instead of being soft and loose, becomes hard, and sticks closely to the flesh and bones;' he also mentions fell-rot as 'a species of rot in sheep, apparently denominated from affecting the skin or fell.' Mr. T. Q. Couch tells us that in E. Cornw. fellon is 'the vulgar name for inflammation occurring in cattle,' See Cleveland Gloss. for further notes on the subject,

Fellon-herb. (1) Artemisia vulgaris, L.—Cornw. Borlase.

(2) Hieracium Pilosella, L.—E. Cornw.

Fellon - weed. Senecio Jacobea, L.-Bullein, who says 'this will heale furunculi called Fellons.'-Id.

Fellon-wood. (1) Solanum Dulcamara, L.—Hal. Wr.; Cumb. E. D. S. Gloss, C. 8; Yks, Prior, p. 76.

(2) Imperatoria Ostruthium, L.—Cumb, E. D. S. Gloss, C. S. p. xxi.

Fellon-wort. (1) Solanum Dulcamara, L.—Coles, A. in E.; Prior, p. 76, 'The leaves or berries stamped with rusty bacon, applyed to that joynt of the finger that is troubled with a felon, hath been found to be very successful for the curing of the same,'-Id. 'Country

people commonly use to take the berries of it, and having bruised them, they apply them to felons, and therby soon rid their fingers of such troublesome guests,'-Culpeper,

(2) Chelidonium majus, L.—Buddle MS.
 (3) Imperatoria Ostruthium, L.—Cumb. E. D. S. Gloss. C. 8, p. xxi.

Fellwort. See Felwort.

Felt. Triticum repens, L.—Scotl. Jamieson.

Feltrike. 'The small centaury.'-Prompt. Parv. Hal. Erythræa Centaurium, L. This appears to be only a corruption of the old Latin name, fel terræ.

Feltwort (A.S.). Verbascum Thapsus, L.—'The felty leaves give it the name, whence it is also called in German wollkraut. . . . "Filtrum terre, anglice feltwort vel molayn idem," Gl. Rawl. c. 607. Feltwort vel hegetaper, Gl. Arund. 42.'—Cockayne, ii. 383.

Gentiana Amarella, L. ('the herb baldmony,' MS. Sloane, Hal. Wr., Grete Herball), and other species of gentian. Ger. gives also Felwort Gentian. Prior, p. 75. 'A mongrel word mixed of Latine and English together.'—Coles, A. in E. Cfr. Cockayne, ii.

Female Cornel Tree. Cornus sanguinea, L.—Lyte. A translation of its old Latin name Cornus foemina.

Female Dragons. See Dragons.

Female Fern. Pteris aquilina, L.—Lyte. Prior, p. 77. This is a translation of Filix foemina, the old Latin name of the Bracken, the Filix mas being Nephrodium Filix-mas, Rich. These two are placed together by Lyte, who says: 'There be two kindes of fernes (as Dioscorides writeth) the male and the female, the which in leaves are very well lyke one another.'

Female Hemp, of the old herbalists, is the male plant of hemp, Cannabis sativa, L .- 'The femell hempe beareth no sede. -Fitzherbert, Book of Husbandry. See Carl Hemp.

Female Hems. 'Wild hemp.' - Linc. Hal. Wr. This is most likely Galeopsis Tetrahit, L.

Female Pimpernel. Anagallis arvensis, L., var. cœrulea.—Lyte, as distinguished from the Scarlet or Male Pimpernel. The colours red and blue were frequently employed as signifying male and female respectively; see N. & Q. 4, x. 105, 154, 235.

Femble. The male plant of Cannabis sativa, L. See Fimble and Carl Hemp. The term was constantly thus misapplied by the earlier writers, but is now more correctly used for the female plant. 'In the hemp districts of Norf. and Suff., about Lopham, the staminiferous hemp is called Carl-hemp; the pistilliferous, Femble-hemp.'—N. & Q. 1, x. 292.

Fenberry. Vaccinium Oxycoccos, L. - Lyte; North, Hal, Wr. : Staff. Prior, p. 76. A translated name: see Fen Grapes.

Fenecel. 'The herb feniculum, sow fennel.'-MS. Harl. Hal. Sow fennel, however, is not Faniculum, but Peucedanum officinale, L.

Fenel. Fæniculum vulgare, Gærtn.—Turn. Names, and in general use; now, however, more usually spelt Fennel. In Turn. Lib. it is given as 'Faenell aut Fynele.' Prior, p. 76.

Fen Grapes. Vaccinium Oxycoccos, L.—A mere translation of the 'High Dutch Mossbeeren, Veenbesien: that is to say Fen Grapes or Fenberries.'—Ger.

Fenkelle. Foniculum vulgare, Gærtn.—MS. Med. Linc., Hal. Turn. (Names) spells it Fenkle. Prior, p. 76.

Fennel, Dog, or Dog's. Anthemis Cotula, L.—Lyte; Warw. Hal.; Prior, p. 76. See Dog-fennel.

Fennel, Hog's. Peucedanum officinale, L.-Ger.

Fennel, Sea. Crithmum maritimum, L.—Coles, A. in E., p. 378.

Fennel, Sow. Peucedanum officinale, L.-Lyte.

Fennel, Water. Callitriche verna, L.-Park. Theatr.

Fennel-flower. A common book-name for Nigella damascena, L., from the deeply-cut involucre of the flower, which resembles the leaves of fennel. Prior, p. 76.

Fen Rue. Thalictrum flavum, L.-Prior, p. 76.

[Fenvern. 'Sage, Gerard.'—Hal. Wr. We cannot find this name in Ger.]

Fern. A general name for plants of the order Filices, perhaps more especially applied to Pteris aquilina, L.

Fern, Adder's. See Adder's Fern.

Fern Basket. See Basket Fern.

Fern, Beech. See Beech Fern.

Fern, Bladder. See Bladder Fern.

Fern, Boss. See Boss Fern.

Fern, Brake. See Brake-fern.

Fern, Bristle. See Bristle Fern.

Fern, Buckler. See Buckler Fern.

Fern, Common. Pteris aquilina, L.-Lyte.

Fern, Darsham. See Darsham Fern.

Fern, Ern. See Ernfern.

Fern, Ever. See Everferne.

Fern. Female. See Female Fern.

Fern, Filmy. See Filmy Fern.

Fern, Finger. See Finger Fern.

Fern, Flowering. See Flowering Fern.

Fern, Ground. Nephrodium Thelypteris, Desv.-Wight, Fl. Vect.

Fern, Hard. Blechnum boreale, Sm.-Prior, p. 77.

Fern, Hare's-foot. Trichomanes radicans, Sw.—Ireland (Killarney), Phyt. iv. 164. The name is, however, more generally applied to Davallia canariensis, L.

Fern, Holly. Aspidium Lonchitis, Sw.-Prior, p. 77.

Fern, King. Osmunda regalis, L.-N.-W. Ches.

Fern, Lady. Athyrium Filix-famina, Presl.—Prior, p. 77.

Fern, Maiden Hair. Adiantum Capillus-Veneris, L.-Prior, p. 77.

Fern, Male. Nephrodium Filix-mas, Rich.—Lyte, and in general use. Prior, p. 77.

Fern, Marsh. Nephrodium Thelypteris, Desv.-Prior, p. 77.

Fern, Moon. Botrychium Lunaria, Sw.-E. Bord. Bot. E. Bord.

Fern, Mountain. Nephrodium Oreopteris, Desv.-Prior, p. 77.

Fern, Oak. (1) Polypodium vulgare, L.—Treveris and all the old herbalists, now transferred to

(2) Polypodium Dryopteris, L.-Prior, pp. 77, 78.

(3) Cystopteris fragilis, Bernh.-Lyte.

(4) 'In Norf. Pteris aquilina, L., is sometimes called by this name, from the appearance of the section of the vascular bundles in the rhizome.'

The name was no doubt given originally to *Polypodium vulgare*, because that species is frequently seen perched on the stems and branches of oak trees.

Fern, Black Oak. Asplenium Adiantum-nigrum, L .- Lyte.

Fern, White Oak. Cystopteris fragilis, L .- Lyte.

Fern, Parsley. Allosorus crispus, Bernh.—Prior, p. 78. From its resemblance to parsley.

Fern, Petty. Asplenium Adiantum-nigrum, L.-Lyte.

Fern, Scale, or Scaly. Asplenium Ceterach, L.-Lyte, Prior, p. 78.

Fern, Scented. Nephrodium Oreopteris, Desv.—From the citron odour of its fronds when rubbed gently.

Fern, Shield. Aspidium, Sw.-Prior, p. 78.

Fern, Snake. (1) Blechnum boreale, Sw.—Hants. (New Forest).
(2) Osmunda regalis, L.—Hants. (New Forest); Wight, Fl. Vect.

Fern, Stone. Asplenium Ceterach, L.-Lyte.

Fern, Sweet. Myrrhis odorata, Scop.—With. ed. ii.; Ess. The deeply-cut leaves of this sweet-scented umbelliferous plant are sometimes mistaken for ferns. Compare Sweet Bracken. Camden (Britannia) calls this the Sweet-scented Female Fern.

Fern, Wall. Polypodium vulgare, L.—Grete Herball. Prior, p. 78. Fern, Water. Osmunda regalis, L.—Ger.

Fern, Wood. Polypodium valgare, L.—Norf. From its growing on trees.

Fern Bracken. See Brackins.

Fernsmund (i. e. Fern-osmund). Osmunda regalis, L.—'An herb of some called water-fern, hath a triangular stalk, and is like polipody, and it grows in bogs and hollow grounds. Markham's Cheap and Good Husbandry, 1676.'—Nares.

Fescue (from Lat. Festuca). Festuca ovina, L., &c.-Prior, p. 78.

Fetch. Vicia sativa, L.—Ger. Chaucer has Fetche. Hal. Wr. The word is still in use, especially in the plural form Fetches. Sal. (Pulverbatch), &c.

Fetches, Wild. Vicia Cracca, L.-Clackmannansh.

Feverfew. (1) Pyrethrum Parthenium, L.—Prior, p. 78. See Feather-few.

(2) Erythraa Centaurium, L.—Ches. This is probably an old name for the plant: Cotgrave calls it Feaverwort.

Feverfoullie. See Feather-few.

Feverefox. See Feather-few.

Feverwort. See Feverfew (2).

Fews. Sempervivum tectorum, L .- Scotl. Jamieson.

Fiddle. Daucus Carota, L.-N. Linc.

Fiddle-cases. Rhinanthus Crista-galli, L .- Wight, Fl. Vect.

Fiddle Grass. Epilobium hirsutum, L .- Yks.

Fiddles. Scrophularia aquatica, L.—N. Linc. E. D. S. Gloss. C. 6;
Yks. (Tadcaster). See Fiddle-wood,

Fiddles, Snake's. Iris fætidissima, L.-Wight.

Fiddle-wood. Scrophularia aquatica, L.—E. Yks. So called because the stems are by children stripped of their leaves, and scraped across each other fiddler-fashion, when they produce a squeaking sound.

Field Ash. Pyrus Aucuparia, Gærtn.-Lyte.

Field Balm. See Balm.

Field Basil. See Basil.

Field Cypress. Prior, p. 78. See Cypress.

Field Kale. Sinapis arvensis, L.—Cumb. (Field Keall), E. D. S. Gloss, C. S.

Field Madder. A common modern book-name for Sherardia arvensis, L.—Prior, p. 78.

Field More. Either Daucus Carota, L., or Pastinaca sativa, L.— See More, and cfr. Cockayne, ii. 383. Field Nigella, or Field Nigelweed. Lychnis Githago, Lam.—Lyte, who says: 'Certayne fond people do use it in the steede of Vuray or Darnell, or for the right Nigella, to the great daunger and perill of the sicke people.'

Fieldwort. Gentiana Amarella, L.—Ger. Appx. Hal. Wr. See Felwort. Cfr. Cockayne, i. 111, ii. 383; it may possibly be Erythræa Centaurium, L.

Fifief (i. e. five-leaf). 'The herb quinquefolium.'—Hal. Wr. No doubt Potentilla reptans, L.

Figer-tree. 'A fig-tree.'-Hal. Wr.

Fightee, or Fighting Cocks. See Cocks.

Fig Bean. See Bean.

Figs. (1) Callithannion floridulum, Ag.—Ireland (West Coast), where 'at the close of summer great quantities of its hemispherical densely-matted and aggregated cushions, which are called figs by the country people, are washed on shore and collected as manure.—Phycologia Britannica.

(2) 'Raisins.'-Som. Hal. Pulman.

Fig-wort. The general book-name for Scrophularia aquatica, L., and S. nodosa, L.—Ger., who also calls them Great Figwort. Prior, p. 78.

(2) Ranunculus Ficaria, L.-Turn. Names.

Filaera, or Filayra. Eupatorium cannabinum, L.—E. Bord. Bot. E. Bord. No explanation is given of this odd name. In Lanc. and Ches. a variety of the potato is so called.

Filbeard. An old spelling of filbert, used by Tusser. 'Various derivations have been given for this word: one, the most probable, from full and beard, referring to the long beard or husk with which it is provided: cfr. Ger. bartnusz = bearded nut.'—E. D. S. Gloss. to Tusser. It is still the Ches. pronunciation of filbert.

Filberd Tree, the nuts Filberdes. Corylus Avellana, L., var. grandis.

—Lyte, Prior, p. 78.

Filewort. Filago minima, Fr.-Ger. Appx. Hal. Wr.

[Fill. 'The plant restharrow, Gerard.'—Hal. Wr. We do not find this in Ger.]

Fillyfindillan. Spiraea Filipendula, L.—Ireland (Co. Clare). This would seem to be a corruption of the Latin specific name,

Filmy Fern. A book-name for Hymenophyllum, L.-Prior, p. 77.

Fimble. The male plant of Cannabis sativa, L. — Tusser; Ess. Grose; Suss. 'All the old writers in botany, blindly following the ancients, call the male plants female and the females males: the mistake is still continued amongst the practical cultivators, who call the male plants fimble, femble, or thimble hemp, which is evidently a corruption of female.'—Martyn (Flora Rustica). But, like Femble (which see), it seems nowadays to be correctly applied to the female

plant. See E. D. S. Gloss. C. 6 (N. Linc.). Hal. and Wr. render it 'Thistle, or female hemp.'

Fin. Ononis arvensis, L.-Midlands, Hal. Wr.

Finckle. See Finkle. Prior, p. 78.

Fine John. Agrostis vulgaris, L., and A. alba, L.—Ches.

Fine Leaf. 'A violet,'-Linc. Hal. Wr.

Finger Fern. Asplenium Ceterach, L.—A name given by Turner (Names). Prior, p. 77.

——'finger fern, which being given to swine, It makes their milts to melt away in fine.'

Du Bartas, quoted by Wr.

See Miltwaste.

Finger Flower. Digitalis purpurea, L.—Ger. Index. 'Some do call them Finger-flowers, because they are like unto the fingers of a glove, the ends cut off.'—Park. Parad. Prior, p. 78.

Finger Root. Digitalis purpurea, L.—Suss.

Fingers, Bloody, or Bloody Man's. See Bloody Man's Fingers.

Fingers, Dead Men's. See Dead Men's Fingers.

Fingers, Devil's. See Devil's Fingers.

Fingers, Dog. See Dog-fingers.

Fingers, Fairy. See Fairy Fingers.

Fingers, Fox. See Fox-fingers.

Fingers, King's. See King's Fingers.

Fingers, Lady's. See Lady's Fingers.

Fingers, Lords' and Ladies'. Arum maculatum, L.-Warw.

Fingers, Purple. Digitalis purpurea, L.—Bullein, fol. 98.

Fingers-and-Thumbs. Lotus corniculatus, L.—Hants., Herts.

Fingers-and-Toes. (1) Lotus corniculatus, L.—Camb., N. Ess., Norf. (2) A diseased form of turnip, when the root becomes clubbed from the attacks of an insect.—Var. dial.

Finkel, Finkle, or Fynkle. Fæniculum vulgare, Gærtn.—North, Hal.; Yks. Holl.; Scott. Jamieson.

Finkle, Dog. See Dog Finkle.

Fintock. Rubus Chamæmorus, L.—Perthsh. Jamieson. 'Evidently from Gael. fundac.'

Finweed. Ononis arvensis, L.-Wr.; Nhamp. Sternberg.

Finzach. Polygonum aviculare, L.—Banffsh. Jamieson.

Fiorin, or Fiorin Grass. Agrostis stolonifera, L.—This is 'the real forin (butter) grass of the Irish' (With. ed. vii.), and is still sold by seedsmen under this name. Prior, p. 78.

Fir. A general name for many species of Pinus and Abies.—Prior, p. 79.

Fir, Scotch. Pinus sylvestris, L.—Prior, p. 79.

Fir, Silver. Pinus Picea, L.—Prior (p. 79) says 'from its white trunk;' an error, as its trunk is remarkably dark-coloured. The undersides of the leaves are, however, silvery, whence the name.

Fir, Spruce. Abies excelsa, Poir.-Prior, p. 220.

Fir, Stone. Allosorus crispus, Bernh. — So called by Southey, according to Pratt.

Fir Apple. A fir-cone.—Var. dial. Hal. Wr. See Apple, Fir. Spelt Fur Apple in E. D. S. Gloss. C. 8 (Cumb.).

Fir Balls. Fir cones .- Sal. (Clun).

Fir-bob. A fir cone. - Ches. ; Leic. Wr. ; Sal. (Pulverbatch).

Fire Flout. Papaver Rhaas, L.-Nhumb.

Fire Grass. Alchemilla arvensis, L.—'In some places in England it is called Fire Grass, and is found to be highly beneficial in erysipelas.'—John Smith's Domestic Botany, p. 408.

Fireleaves. 'In Gloucestershire the name is given to the leaves of Plantains, more especially to the Plantago media; and we have heard it in Herefordshire used for the Scabiosa succisa, which is very prevalent on the flats of the Wye. Both are named fire-leaves on the same principle, for we have seen the farmer of Gloucestershire with a plantain leaf, and he of Herefordshire with a scabious leaf, select specimens, and violently twist them, to ascertain if any water could be squeezed out of them. If so, this moisture is said to induce fermentation in newly-carried hay sufficient to fire the rick.'—Gard. Chron. 1860, p. 738. In Cheshire a large quantity of Plantago lanceolata in the herbage is supposed to have the effect of causing hay to heat.

Fireweed. (1) Plantago media, L.—Cyclopædia of Agriculture. See Fire-leaves.

(2) In Nemnich (no doubt erroneously), Carlina vulgaris, L.

Fire-o'-gold. Caltha palustris, L.-N. Bucks.

Fir-moss. Lycopodium Selago, E.--Prior, p. 79.

First-of-May. From its time of flowering. Saxifraga granulata, L. (the double garden variety).—Ches.

Firsun. 'Furze or gorse. MS. Med.'-Hal. Wr. Ulex europœus, L.

Fish-belly. Cnicus heterophyllus, L.—Cumb. 'The underside of the leaf is white, and turns up in the wind.'—E. D. S. Gloss. C. 8.

Fish Leaves. Potamogeton natans, L., and other species.—Suff.

From a belief that fish always lie under the shelter of the flat leaves.

See Tenchweed.

Fish Mint. Mentha aquatica, L .- Lyte.

Fissle. 'A thistle.'-Sal. ; Suff. Hal. Wr.

Fist balls. Lycoperdon Bovista, L.-Prior, p. 79.

Fistle. A thistle.—Ches.; Nhamp. Nth. Gloss.; Suff. Holl. See Bow Fistle.

Fitch, Fitches. Vicia sativa, L.—Var. dial. Hal. Wr.; Ches.; Cumb. E. D. S. Gloss. C. 8; Nhamp. Nth. Gloss.; Sal.; Suss. Parish; Warw. E. D. S. Gloss. C. 3; Yks. E. D. S. Gloss. B. 2, C. 2; Ireland (Antrim and Down); Prior, p. 79. Tusser, in a list of noisome weeds, says

'The fitches pull down both the rye and the wheat,'

and this would indicate that Vicia hirsuta is meant, which is a common and very troublesome weed amongst corn. 'He thresheth the fitches out with a flail.'—Bible, 1551, Isaye, c. 28. In E. D. S. Gloss. C. 2 (Whitby) we read: 'As full as a fitch, distended; a reference to the particular plumpness of the vetch-pod.'

Fitch, Blue Tar. Vicia Cracca, L .- Ches.

Fitch, Medick. Onobrychis sativa, L.-Lyte, Ger.

Fitch, Wild. Vicia sativa, L.—Cumb. E. D. S. Gloss. C. 8. Lyte gives the name to what seems to be the same plant.

Fitch, Yellow Tar. Lathyrus pratensis, L .- Ches.

Fitchacks. Vicia sativa, L. — Aberdeensh.; Moray, Fl. M. In Aberdeensh. also extended to V. Cracca, L.

Fitchling, Yellow. Lyte assigns this name, evidently by mistake, to Onobrychis sativa, which has a red flower: no doubt Lathyrus pratensis, L., was meant.

Fitherfew. See Feather-few.

Five-finger-blossom. Potentilla reptans, L.-Suff.

Five Finger Grass, or Five-fingered-Grass. (1) Potentilla reptans, L.—Turn. Names; Wight, Fl. Vect.; Prior, p. 79.

(2) 'Oxlips.'-Florio, Hal.

Five-fingered Root. Œnanthe crocata, L.—Pembrokesh. With. ed. vii. From its long fasciculated tubers resembling fingers.

Five-fingers. (1) Potentilla reptans, L.—Ess., Suff.

(2) Potentilla Tormentilla, L.—Suff.

(3) Lotus corniculatus, L.—Camb., N. Ess., Norf.

(4) 'Oxlips,' under which name is probably included Primula elatior, Jacq., and the caulescent forms of P. vulgaris, L.—E. Anglia, Forby, Hal. Wr.

Fiveleaf. Potentilla reptans, L.—Cockayne, i. 87; Hal. Wr.; Prior, p. 79. The N. American Indian name for Potentilla canadensis, L., is iske oncorage, i. e. five-leaves. P. reptans has a similar name in French: 'Pline dit que la quinte-feuille est bonne contre les maux de doigts, parceque sa feuille est divisée en cinq parties, comme la main en cinq doigts.'—Théis, Gloss. de Botanique, p. 28.

Five leaved Grass. Potentilla reptans, L. — Grete Herball; S. Bucks.; Warw.; Worc.

Fizbo'. Lycoperdon Bovista, L.—Cumb. E. D. S. Gloss. C. 8.

Flab. 'Apparently a mushroom.'—Scott. Jamieson. See Flaps.

Flag, or Flags. (1) Iris Pseudacorus, L.—S. Bucks.; Dev. (also I. fætidissima, L.); Linc. (Bottesford, Flag-plant); Notts.; Yks.; Prior, p. 79.

(2) Leaves of Typha latifolia, L.—Hants. Phyt. iii. 1006; Wight.

(3) 'The small pieces of coarse grass common in some meadows.'—

Hal. Probably Aira cospitosa, L.

Used in N. Linc. (E. D. S. Gloss, C. 6) as a general term for 'the iris or fleur-de-lys, sword-grass, reeds, and other such plants, which grow in or near to water.'

Flag, Corn. Gladiolus, L.—Prior, p. 79.

Flag, Myrtle. Acorus Calamus, L.-With. ed. ii.

Flag, Sweet. Acorus Calamus, L.—W. Ches. Prior, p. 79. With. (ed. ii.) calls it Sweet-smelling Flag.

Flag, Water. Iris Pseudacorus, L.—Lyte (who also calls it Wild Flag); E. Bord. Bot. E. Bord.

Flag, Yellow. Iris Pseudacorus, L.—W. Ches.; Herts.; Moray; Warw. Prior, p. 79.

Flaggan. Iris Pseudacorus, L.—Ireland (Belfast).

Flamy. Viola tricolor, L.—'Because its colours are seen in the flame of wood.'—Flora Domestica. Prior, p. 79.

Flannel. The leaves of Verbascum Thapsus, L., from their woolly texture,—Suff. The same resemblance has suggested many of the popular names of this plant, as Adam's Flannel (which see), Duffle (Suff.), Poor Man's Flannel (Bucks.), Flannel Flower (Suss.), Flannel Jacket (Norf.), Flannel Plant (Hants. Phyt. iii. 598; Wight, Fl. Vect.), Fluff-weed (Norf.), &c.

Flannel, Our Lord's, or Our Saviour's. Echium vulgare, L.—Kent (Bridge, near Canterbury).

Flap Dock (E. D. S. Gloss. B. 6), Flapper Dock, or Flappy Dock.

Digitalis purpurea, L.—Dev. Hal. Wr. Most likely from the habit which children have of inflating and bursting the flower. See Dock,

Pop. Mr. Briggs writes from Plymouth: 'I knew an old countryman once who compared a prosy preacher to "a drumble drane (humble bee) 'pon a flappadock."

Flapper-bags. Arctium Lappa, L.—Scotl. (Dumfriessh.), N. & Q. 4, viii. 143.

Flaps. (1) 'Large broad mushrooms' (probably Agaricus arvensis, L.).—E. Anglia, Forby, Hal. Wr.; Ches.; Suss.

(2) Peziza cochleata, Huds.— Tks. Gard. Chron. 1862, p. 621.

Flat Bean. See Bean.

Flats. Peziza cochleata, Huds.—Yks. Gard. Chron. 1862, p. 621.

Flatter Dock. See Dock.

Flat Vervain. Veronica Chamadrys, L.—Lyte, who places it with Verbena officinalis, L., and so names it because it trails on the ground, the true vervain growing upright.

Flaver. Avena fatua, L.—Scotl. (Dumfriessh.), Jamieson.

Flaw-flower. Anemone Pulsatilla, L.-Ger., Prior, p. 79.

Flax. Linum usitatissimum, L.—Grete Herball, and general name. Tusser spells it Flacks. Prior, p. 79.

Flax, Dwarf. Linum catharticum, L.-Prior, p. 80.

Flax, Fairy. See Fairy Flax.

Flax, Mountain. (1) Linum catharticum, L.—From its profusion in mountainous districts. Ches.; Cumb. (Mountain Flox); Sal.; Yks. (Northallerton, Cleveland).

(2) Erythræa Centaurium, L.—Cumb, E. D. S. Gloss, C. 8, p. xix. (Mountain Flox).

Flax, Purging. Linum catharticum, L.—W. Ches. Prior, p. 80.
In spite of the name it is used in Cheshire as a stomachic on account of its bitter taste,

Flax, Toad. (1) Linaria vulgaris, Mill.—Lyte, Prior, p. 80.

(2) Spergula arvensis, L.—Ches. The prefix toad denotes that it is a spurious kind—Linaria vulgaris, when not in flower, resembling true flax; Spergula arvensis resembling the dwarf or mountain flax.

Flax, Wild. (1) Linaria vulgaris, Mill.—Lyte. See Toad Flax.

(2) Cuscuta Epilinum, L.—Gard. Chron. 1864, p. 737. From its accompanying the flax crop, and being a pernicious weed in the flax fields.

Flax, Yellow Toad. Linaria vulgaris, Mill .- N. and E. Yks.

Flax-seed. Radiola Millegrana, L.—Prior, p. 80.

Flaxtail. Typha latifolia, L.—Kent. The fruiting heads are downy like finely-combed flax.

Flaxweed. Linaria vulgaris, Mill.—Ger., Prior, p. 80.

Flea-bane. (1) A common book-name for Inula Pulicaria, L., invented by Turner (Names). Prior, p. 80.

(2) Erigeron acris, L .- 'Considered to kill or drive away fleas.'-N.

Linc. E. D. S. Gloss. C. 6.

(3) Plantago Psyllium, L.—Lyte.

Flea-bane, Blue. Erigeron acre, L .- Prior, p. 80.

Fleabites. Lychnis diurna, Sibth.—Cornw.

Flea Dock. Petasites vulgaris, Desf.-Hal. Wr.

Flea-grass. Carex pulicaris, L.—'This was so denominated by Mr. Goodyer, because the seeds (which turn downward on the stalk) do in shape and colour somewhat resemble fleas.'—R. Cat.

Flea-weed. Galium verum, L.—Suff.

Fleawort. Inula Conyza, DC .- Prior, p. 80.

Fleedod. See Flydod.

Fleenurt. 'A field flower of a yellow colour.'—Lanc. Hal. Wr. Senecio Jacobaa, L. See Flydod.

Flege. 'Sedge grass.'—Nominale MS. Hal. Wr. This is probably only a spelling of Flag.

Flesh and Blood. Potentilla Tormentilla, L.—Lammermuirs, Bot. E. Bord. The name is 'obviously derived from the disease it is administered to cure, viz. dysentery.'—Id.

Fletches. 'Green pods of peas.'-East, Hal.

Flewort. 'Ippia minor. Sloane MS. 5, f. 5.'—Hal. Stellaria media, L.

Fliggers. 'The common flag.'—East, Forby, Hal. Wr. Probably Iris Pseudacorus, L. 'From the motion of its leaves by the slightest impulse of the air.'—Forby.

Flix. Linum usitatissimum, L.—Dors.

Flixweed, or Flixwort. Sisymbrium Sophia, L.—'The seede of Flixeweede or Sophia, dronken with wine or water of the smithes forge, stoppeth the bloudy flixe.'—Lyte. Prior, p. 83.

Float Grass. See Flote-grass.

Flobby Dock. Digitalis purpurea, L.-Der. See Flap Dock.

Flocks, Sniddle. Eriophorum angustifolium, L.—Ches. So called from its resemblance to flocks of wool. Sniddle is a generic name applied to Carices generally, and to allied plants.

Flop-a-dock. Digitalis purpurea, L.—Dev. See Flap Dock.

Flop Docken. Digitalis purpurea, L.—Yks. Cleveland Gloss. See Flap Dock.

Flop Poppy. Digitalis purpurea, L.—Dev. Phyt. iii. 619. See Flap Dock.

Floramor, or Florimer. A name formerly applied, like Flowergentle, to various cultivated species of Amaranthus, as A. hypochondriacus, L., A. caudatus, L., and A. tricolor, L.—Lyte, Turn. Lib., &c. Park. (Parad.) says: 'The name Flower-gentle in English, and Floramour, which is the French [are] equally given to all of these plants.' Prior, p. 80.

Floss. (1) 'The leaves of reed canary-grass' [Phalaris arundinacea, L.].—Orkneys, Jamieson.
(2) 'The common rush' [Juncus communis, Mey. (?)].—Orkneys, Jamieson.

Floss-docken. See Flowster-docken.

Floss-seave. Eriophorum, L.—Yks. Cleveland Gloss.; (Whitby) E. D. S. Gloss, C. 2.

Flote-grass. Glyceria fluitans, Br. — Ger., who also calls Alopecurus geniculatus, L., by the same name. Prior (p. 80) also includes under it Poa aquatica, L. Ger. says they are called 'Flote-grasse and Floter-grasse, bicause they swim and flote in the water;' and this seems the obvious meaning, although Prior prefers to regard the name as referring to their 'abounding in floted or irrigated meadows.' Hal. and Wr. give Float-grass as referring in Dev. to 'grass growing in swampy ground.'

Flous Docken. See Flowster-docken.

Flower Constantinople. Lychnis Chalcedonica, L.—Lyte. A translation of its old name, Flos constantinopolitanus: more usually written Flower of Constantinople (Park. Theatr., &c.). Prior, p. 81.

Flower de Luce, Yellow. Iris Pseudacorus, L.—Lyte. Turn. Lib. 'A yelowe floure de lyce.' See Prior, p. 80.

Flower Gentle. See Floramor. Prior, p. 81.

Flowering Box. See Box.

Flowering, or Flowery, Fern. Osmunda regalis, L.—Prior, p. 77.

This plant was formerly called Filix florida or florescens.

Flowering Rush. Butomus umbellatus, L.—Park. Theatr. Prior, p. 81.

Flower of Bristow. Lychnis Chalcedonica, L. — Park. Theatr. Prior, p. 81.

Flower of the Axe. See Axe.

Flowery Docken, See Docken, Flowery.

Flowk-wort. Hydrocotyle vulgaris, L.—Norf. From a supposition that it causes the 'flukes' which accompany liver-rot in sheep. Prior, p. 81.

Flowrie Cole. A cauliflower.-Lyte.

Flowster-docken. Digitalis purpurea, L.—Yks. (Whitby), E. D. S. Gloss. C. 2. This means the dock with showy flowers, flowster being explained in the same Gloss. as 'to flourish or flutter in showy colours.' The same Gloss, gives Flous-docken and Floss-docken.

Flox, Mountain. See Flax, Mountain.

Fluellen. Veronica officinalis, L.—Wr. 'In Welch it is called Fluellen, and the Welch people do attribute great vertues unto the same.'—Ger. In Turn. Names it is given as Fluellyng. Prior derives the name from a Dutch word 'fluweelen, downy, velvety;' and refers it to Linaria spuria, L. (Male Fluellin), and Veronica Chamædrys, L. (Female Fluellin). But Gerard's figure and description of the Fluellin leave no doubt but that V. officinalis, L., is meant, and this is certainly the Llysiau Llewellyn, or Llewellyn's Flower, of the older Welsh dictionaries, so that we may fairly regard the name as one of the few to which we can attribute a Welsh origin. In R. Turner's Botanologia, p. 123, will be found a supposed reason for the name, which we do not think it necessary to reproduce: he calls it 'Fluellin or Lluellin.' Ger. extends the name to many other species of Veronica, while he calls both Linaria spuria, L., and L. Elatine, L., Female Fluellin, not Male F., as stated by Prior.

Fluffweed. Verbascum Thapsus, L.-Norf.

Fly-bane. Agaricus muscarius, L.—Prior, p. 82.

Flydod. Senecio Jacobæa, L.—Ches. Hal. Wr. 'Flydod, pronounced fleedod. It is generally covered with a dusky yellow fly, which accounts for the first part of the name. Perhaps it should be fleedock.'—Wilbraham's Ches. Gloss.

Fly Flowers. (1) All species of Orchis except O. mascula.—Glou. (2) Prunella vulgaris, L.—Glou.

Fly Honeysuckle. A modern book-name for Lonicera Xylosteum, L.—Prior, p. 82.

Fly Orchis. Prior, p. 82. A name now confined in books to Ophrys muscifera, L., but originally more generally applied: thus Lyte (p. 222) says of various species of Habenaria and Ophrys, 'we may call it in English properly Flie Orchis, bycause al the kindes have in all their floures the proportion and likenesse of one kinde of flie or other.'—Cfr. Fly-flowers.

Foal-foot, Fole-foot, or Foal's-foot. From the shape of its leaves.

- (1) Tussilago Farfara, L.—Lyte, Wr.; North, Hal.; Cumb. (Fwoalfeet), E. D. S. Gloss. C. 8; Derb.; N. Linc. E. D. S. Gloss. C. 6; Nhamp.; Nhumb.; Notts.; Suff.; Yks. (E. Yks. E. D. S. Gloss. B. 2; Mid-Yks. E. D. S. Gloss. C. 5, &c.; Whitby (Fooal-feeat), E. D. S. Gloss. C. 2). Prior, p. 82.
 - (2) Ranunculus Ficaria, L.—Ayrsh.
- (3) Asarum europæum, L.—Lyte. (In Turn. Lib. Folfot.) Prior, p. 82.

(4) Nepeta Glechoma, Benth.-Wr.

Foalfoot (Folefoot), Sea. Convolvulus Soldanella, L.—Ger. The leaves are shaped like those of Asarum and other plants called Foalfoot.

Fog. A term given in Halliwell for 'Moss (North);' also in Jamieson, and applied in Aberdeensh. to 'mosses of all kinds.' In N. & Q. 1, x. 211, it is given as 'the Scottish term for the grey branching lichens to be found everywhere.' It is also a term in pretty general use for 'the second crop of grass, or aftermath.'—Hal., &c.

Fog, Yorkshire. Holcus lanatus, L.—Yks.

Fog Crocus. See Crocus.

Foile-foot. Tussilago Farfara, L .- Yks. See Foal-foot.

Foist. Lycoperdon Bovista, L.—Suff. Holl. It is doubtless some species of Lycoperdon which is intended by Hal. and Wr. by 'a toadstool.'

Fold Meadow-grass. See Fowl-grass.

Fole-foot. See Foal-foot.

Folesfoth (i. e. Foal's-foot). 'Ground ivy.'—Hal. Nepeta Glechoma, Benth. Fool's Ballocks. See Ballocks.

Fool's Cicely. Athusa Cynapium, L.-With. ed. ii.

Fool's Parsley. Æthum Cynapium, L.—W. Ches.; Suff.; Worc.; N. Fla. Prior, p. 82.

Fool's Stones. Orchis Mario, L.—In Ger. and other early writers O, muscula, L., was also included under this name, and thus also shared the English name of the plant.

Pool's Water Cress. Helosciadium nodiflorum, Koch. — Pratt. Because those who are ignorant or unobservant may mistake it for watercress.

Foos, or Fouse. Sempervisum tectorum, L.—Aberdeensh.; E. Bord.

Bot. E. Bord.; Scotl. Jamieson; Forfursh.; Moray. Hal. and Wr.

give Fooz, 'the herb Sempervisum tencrium,' a misprint for tectorum.

Forbete. 'The herb devil's-bit.'-Hal. Scabiosa succisa, L.

Fordboh. 'The herb dodder. The Latin is epitime is MS. Harl. 978.'—Hal. Wr.

Forebit. 'The herb devil's-bit.'—Cotgrave, Hal. Wr. Scabiosa sucrisa, L.

Forebitten More. Scabiosa succisa, L.—Ger. Index. i. e. bittenoff root, 'more or mor having formerly had the sense of "root," as it has still in the western counties.'—Prior, p. 82.

Forget-me-not. (1) Veronica Chamædrys, L.—N. Scotl.; E. Bord. Bot. B. Bord.; Dev.; Suff.; Yks.

(2) Myosetis palustris, With.—W. Ches.; S.-W. Cumb.; Dev.; E. Bord. Bot. E. Bord.; Fis.; Prior, p. 82.

(3) Myosotis arvensis, Hoffm.—S. Dec.; Yks. (Tudcaster).

(4) Ajuga Chamæpitys, L.-Ger.

Forks and Knives. Lycopodium claratum, L.— 'The spikes are called Forks and Knives, according as they are single, double, or triple,'—E. Bord, Bot, E. Bord.

Fortune Teller. Leontodon Taraxaeum, L. — Alluding to the children's custom of blowing off the down to tell the time.

Fonets. Sempervicum tectorum, L.—Scotl. Jamieson; Edinb.

Foul Rush. Euonymus europæus, L.—Bueks.

Four-leaved Grass. Paris quadrifolia, L.—Prior, p. 84. In Ger., Park Theatr., &c., this name is applied to a four-leaved variety of Trifolium repens, L.

Fow, Fows. Sempervirum tectorum, L. -Scotl. Jamieson.

Fowler's Service. Pyrus Aucuparia, Gærtn.—Pratt. 'Boyes and fowlers use the berries as buites to catch blackbirds, &c.'—Coles, A. in E., 305.

Fowl - foot. Ornithopus perpusillus, L. — Lyte. The seed-pods resemble birds' feet. Fowl Grass, Fowl Meadow-grass, or Fold Meadow-grass. 'The grass known by the above names to the London seedsmen and experimental farmer, is generally believed to be the Poa trivialis.'—With. ed. ii.

Fox-docken. Digitalis purpurea, L. — Yks. (Whitby), E. D. S. Gloss, C. 2.

Fox-feet. Lycopodium Selago, L.—Cumb. E. D. S. Gloss. C. 8.

Fox-fingers. Digitalis purpurea, L.—Yks. (Whitby), E. D. S. Gloss. C. 2.

Fox Geranium. Geranium Robertianum, L.—'A name which the species has received from the disagreeable scent of its leaves.'—E. Bord, Bot, E. Bord.

Foxglove. (1) Digitalis purpurea, I. — General; Turn. Herb.; Ches.; S.-W. Cumb.; E. Bord. Bot. E. Bord. It seems most likely that the derivation folks'-glove (i. e. fairies'-glove) is the correct one; other names, as Fairy-cap, Fairies' Thimbles, Fairies' Petticoats, and the Welsh Menig Ellyllyn (Fairies' Glove) and Bysedd Ellyllyn (Fairies' Fingers), show a connection between the plant and the 'good folk.' Several notes bearing on the subject will be found in Science Gossip for 1870: see also Prior, p. 84.

Science Gossip for 1870: see also Prior, p. 84.
(2) Verbascum Thapsus, L.—'Hegtaper, called Foxglove.'—Mascal,

Government of Cattle, p. 236.

Foxglove, Blue. Campanula Trachelium, L.—Sal. (Tilstock).

Foxglove, Ladies. Verbascum Thapsus, L.-With. ed. ii.

Foxglove, White. Campanula Trachelium, L.—Lanc. Probably this is a mistake for C. latifolia, L., of which the flowers are of so pale a blue as to be almost white, and which is so called at Silverdale (Lanc.).

Fox Grass. Geranium Robertianum, L.—Encyclopædia of Agriculture. From the smell resembling that of a fox.

Fox Rose. Rosa spinosissima, L.-Warw.

Fox's Brush. Centranthus ruber, DC .- Hunts. N. & Q. 4, vi. 68.

Fox's Claws. Lycopodium clavatum, L.—E. Bord. Bot. E. Bord.

Fox's Foot. Dactylis glomerata, L.—E. Bord. 'The clustered panicle somewhat resembles a fox's foot.'—Bot. E. Bord. Mr. Cockayne (ii. 385) assigns the name to Sparganium simplex, L.

Foxstones. Orchis mascula, L.—Turn. Herb.

Foxtail. From the form of the fruit or flower-head.

(1) Lycopodium clavatum, L.—Pratt.

(2) Lagurus ovatus, L.-Lyte.

Foxtailed Asparagus. Equisetum maximum, L.—Glou. We find the explanation of this curious name in Lyte, who aptly calls the fertile spikes of the Equiseta, and especially those of this species, Asparagus, which they sufficiently resemble. In his MS. notes in the copy of Dodoens before referred to (Bibl. Mus. Br. 442, h. 9), he has written against the figure of the fertile frond of this plant, 'The

shutes or Asparagus of the greate shavegrasse; and in his Herball he speaks of those Asparagus shutes or stemmes.

Foxtail Grass. Alopecurus pratensis, L.—E. Bord. Bot. E. Bord.; E. Yks.; Prior, p. 84.

Foxter Leaves. Digitalis purpurea, L.—Roxb. Jamieson.

Frag. 'A kind of rye.'-Som. Hal.

Fraghan. See Frughans.

Frail Rush. Scirpus lacustris, L.—Lyte. From its use in making 'frails,' 'a light kind of basket, made of rushes or matting, much used for fruit; the term is still in use in East Angha for a shapeless flexible mat basket.'—Hal.

Framboys. Rubus Idœus, L.—Turn. Herb. (the fruit Framboysberries), Lyte. Ger. has Framboise. The name seems to have been in local use. In N. & Q. 4, i. 532, is the following extract from Ayscough MS. 4464 (written 1630—1650): 'My Lord of Salisbury, 1638, told me that in Cramborne Chase [Dors.] there grew raspes commonly and in great plenty; and that the country people called them framboises, which is the French word for them.'

Franke. Spergula arvensis, L.—'This herbe is called in Englishe Francke, bicause of the property it hath to fat cattell.'—Lyte. In Park. Theatr. it is called Franck Spurry or Francking Spurnewort, 'from the francking or feeding fat of cattle.'

Franke Osier. See Osier.

Frankwort. A name invented by With. (ed. ii.) for Frankenia.

Fraxinell. In Holme's Academy of Armoury (ii. 100) Polygonatum multiflorum, All.

Freiser. Fragaria vesca, L .- Ger. Appx. Hal. Wr.

French Asparagus. See Asparagus.

French Beans. Phaseolus vulgaris, L.—Prior, p. 85.

French Berries. According to With. (ed. vii.) the unripe fruit of Rhamnus catharticus, L., is 'sold under the name of French Berries;' but in commerce this name is usually applied to the fruit of R. infectorius, L.

French Bracken. See Bracken.

French Brum (broom). Cytisus Laburnum, L.—Sal. (Pulverbatch).

French Cowslip. See Cowslip.

French Cress. See Cress.

French Furze. Ulex europæus, L .- With. ed. iv.

French Grass. (1) Onobrychis sativa, L.—Martyn (Flora Rustica), Prior, p. 85.

(2) Young shoots of Ornithogalum pyrenaicum, L.—Som. 'Grass' is here an abbreviation of 'Sparrow Grass,' the young shoots being used as a substitute for asparagus.

French Hales. Pyrus scandica, Bab.—Dev. (Barnstaple). 'The fruits are sold in Barnstaple market for a half-penny a bunch.'

French Heath. Erica hibernica, Syme. — Ireland (Connemara), Journ. Bot. ix. 52.

French Honeysuckle. Hedysarum coronarium, L.—Prior, p. 85.
Parkinson (Parad.) speaks of this as 'a foolish name' when applied to this plant, but it still remains in popular use.

French Lavender. Lavandula Stæchas, L.-Ger. Prior, p. 85.

French Leek. Allium porrum, L.-Lyte.

French Lungwort. Hieracium murorum, L.-With. ed. ii.

French Mercury. Mercurialis annua, L.-With. ed. ii.

French Moss. Sedum acre, L.-Bucks.

French Nettle. Lamium purpureum, L .- Sal. (Tilstock).

French Nut. The fruit of Juglans regia, L.—Lyte; West, Hal. Wr., Pulman; W. Dev. E. D. S. Gloss, B. 6; Prior, p. 85.

French Sorrel. Oxalis Acetosella, L.-Prior, p. 85.

French Sparrow Grass. Ornithogalum pyrenaicum, L. — Prior, p. 85.

French Spinage. Chenopodium rubrum, L.-Deering (Cat. Stirp.).

French Wheat. Polygonum Fagopyrum, L.—Ger. Prior, p. 85.

French Willow. Epilobium angustifolium, L.—With. ed. vii.; Warw. Prior, p. 85. This is probably 'the willow herb' of E. D. S. Glass. C. 6 (N. Linc.). A true willow (Salix triandra, L., var.?) is also 'so called, and cultivated in Sussex and the east parts of England,'—Loudon, Arboretum.

Fresh-water Soldier. Stratiotes aloides, L.-Ger. Prior, p. 85.

Freyn. 'An ash tree. A.N.'-Hal. Wr. Frazinus excelsior, L.

Frez. Ulex europæus, L.—Nhamp. Sternb.

Friar's Caps. Aconitum Napellus, L.—Dev. With. ed. vii.; Prior, p. 85.

Friar's Cowl. Arum maculatum, L.—'This is of some called Friers Coule, because of the hooding of the pestle, when it is springing forth.'—Holme's Academy of Armoury, ii. 90,

Friar's Crown. Carduns eriophorus, L.—Ger. Prior, p. 85.

Fringed Buckbean. See Buckbean.

Frisky, Meadow. A corruption of Fescue. Festusca pratensis, L.—Suff.

Fritillary. Fritillaria Meleagris, L.-With. ed. ii. Prior, p. 85.

Frocup. Fritillaria Meleagris, L.—Bucks. (Aylesbury). Probably Frog Cup, from its spotted flowers.

- Frog Bit. Hydrocharis Morsus ranæ, L.—Lyte, and modern bookname. Prior, p. 86.
- Frog-cheese. (1) 'Boleti growing on decayed wood.'—Nhamp. Wr. With. (ed. iv.) assigns the same name to Lycoperdon Bovista, L. In Treas. Bot. it is given as 'a name applied occasionally to the large puff-balls when young.'

(2) Malva sylvestris, L.—Oxf.

- Frog Grass. (1) Salicornia herbacea, L.—Ger., Prior, p. 86. 'The inhabitants of the sea-cousts call it frog-grass.'—Coles, A. in E.
 - (2) Juncus bufonius, L.-Park. Theatr. (Index).
- Frog-seat. 'A toadstool.'—Nhamp. Wr., Sternb., who spells it Frogsates.
- Frog's Foot. Lemna, L.—Grete Herball, Prior, p. 86.
- Frog's Lettuce. Potamogeton densus, L.—With. ed. ii., Prior, p. 86. Samolus Valerandi, L., bears in Algeria the name rh'oz ed djerana, which has a similar meaning.
- Frog stools. 'Toadstools.' Dors. Science Gossip, 1865, 258;
 Nhamp. Nth. Gloss.
- Frogwort. A name assigned by Holdich (Essay on Weeds) to 'several species of Orchis,' including O. mascula, L., and O. Morio, L.
- Frost-blite. Chenopodium album, L.—Prior, p. 86.
- Frothy Poppy. Silene inflata, L.—Ger. 'That kind of frothy spattle, or spume, which we call Cuckow spittle, more aboundeth in the bosoms of the leaves of these plants, then in any other one plant that is knowne; for which cause Pena calleth it Papaver spumeum, that is frothy or spatling Poppy.'—Ger.
- Frughans. Vaccinium Myrtillus, L.—Ireland (Antrim and Down).
 The old Irish name. Threlkeld says: 'The poor women gather them in autumn and cry them about the streets of Dublin by the name of Fraghan.'
- Fuit, or Fuits. Sempervivum tectorum, L.—E. Bord. Bot. E. Bord.;
 Fife; Roxb. (Kelso), Science Gossip, 1876, p. 39.
- Full. Sempervivum tectorum, L.—Nhumb. 'In the North it is called Full,'—Bullein.
- Fuller's Grass. Saponaria officinalis, L.—Grete Herball.
- Fuller's Herb. Saponaria officinalis, L.—With. ed. vii., Prior, p. 86. See Soapwort.
- Fuller's Teasel. Dipsacus fullonum, L. Lyte. Culpeper has Fuller's Thistle. Prior, p. 86.
- Fume of the Earth. Fumaria officinalis, L.—Grete Herball. See Fumitory.
- Fumiterre (Fr. fumeterre). Fumaria officinalis, L.—Lyte. Shakespeare (K. Lear, Act iv. sc. 4) has Fumiter. Hal. and Wr. spell it Fumetere.

Fumitory. Fumaria officinalis, L.—E. Bord. Bot. E. Bord.; N. Yks. All the old authors suppose the name to be given 'from the belief that it was produced without seed from vapours rising from the earth' (Prior, p. 86); but it is rather curious that the root when fresh pulled up gives off a strong gaseous smell, remarkably like the fumes of nitric acid, hence probably the belief in its gaseous origin. Coles (A. in E.) says it was so named 'because being of a whitish blew colour, as smoak is, it appeareth to those that behold it at a distance as if the ground were all of a smoak.'

Fumitory, Climbing. Corydalis claviculata, DC .- R. Cat.

Fumusterre. Fumaria officinalis, L.—Grete Herball. See Fumitory.

Fumy-ball. 'A puff-ball? Hall's Satires, p. 99.'-Hal. Wr.

Funge. '(A.N.) A mushroom.'—Wr. Funges. 'Mushrooms' (A.N.).—Hal.

Fur Apple. See Fir Apple.

Furbelows. Laminaria bulbosa, Lamour.—'This is the largest British species of the Laminarieæ, its frond in some instances forming, when spread out on the ground, a circle twelve feet in diameter. Its common name is Furbelows.'—Phycologia Britannica, iii. Tennyson (Sea Dreams) has—

'While you were running down the sands, and made The dimpled flounce of the sea-furbelow flap, Good man, to please the child.'

Mrs. Gatty thinks L. saccharina is the species here intended: see N. & Q. 4, ii. 516.

Furze. Ulex europæus, L.—Ger.; E. Bord. Bot. E. Bord.; Dev.; Kent; Norf. Sometimes spelt Furres, and more rarely Furre, as if the usual form of the word were plural: thus in Turn. Lib. 'aliqui a whyn alii a furre nominant.' Prior, p. 87. Lyte includes Genista anglica, L., under this name.

Furze, French. Ulex europœus, L.-With. ed. iv.

Furze, Great. Ulex europœus, L.-Lyte.

Furze, Ground. Ononis arvensis, L.-Lyte, Coles, A. in E.

Furze, Needle. Genista anglica, L.-Pratt, Prior, p. 87.

Furze, Tam. Ulex nanus, Forster.—Cornw. 'Tam = dwarf.'

Furze-ball. Lycoperdon, L., more especially L. Bovista, L.— Deering (Cat. Stirp.).

Furzen. Ulex europœus, L.-Dors. Tusser, Hal. Wr.

Furzen Bushes. Ulex europœus, L.-Ger.

Fuss-balls. Lycoperdon, L.—Ger.; E. Bord. Bot. E. Bord.; Var. dial. Hal. Wr. (Fusball); Prior, p. 87.

""Wych wilbe black and light withall, Much like the substance of a fusball." Ashmole's Theat. Chem. Brit. 1652, p. 281.'—Hal.

Fuzz, or Fuzzen. Ulex europaus, L. — Var. dial. Hal. (Fuz);
Dors.; Herts.; Nhamp. Nth. Gloss.; Surr.; Wore.

Fuzz-ball. Lycoperdon Bovista, L.—Ches.; Cumb. E. D. S. Gloss. C. 8 (Fuz-bo'); Derb., Reliquary, v. 159; Nhamp. Nth. Gloss.: Sal. (Hartshorne); Suff. (Moor); Yks.; North, Grose. The word was occasionally employed metaphorically, as by Dryden (Troilus and Cresside): 'Why, you empty fuzz-balls, your heads are full of nothing else but proclamations.'

Fuzzy-ball. Lycoperdon Bovista, L.—Sal. (Wellington, Newport).

Fyams. 'Seaweed, Laminaria.'—Ireland (Antrim and Down).

Fygere. 'A fig tree.' A.N.-Hal. Wr.

Fymtere. Hal. A spelling of Fumitory, which see.

Fynkylsede. 'Feniculum.' Nominale MS., Hal. (sub Finkel).
Fæniculum vulgare, Gærtn.

Fyrrys. 'Furze or gorse.' Prompt. Parv. Hal. Wr. Ulex europœus, L.

Fywelef. 'Same as Fiveleaf, which see.'—Hal.

Fyyre. 'The star-thistle. Prompt. Parv.' Hal. Wr., but from the synonyms given in Prompt. Parv. there is no doubt that the furze (Ulex curopœus, L.) is intended.

Gadgevraw, or Gadjerwraws. Chrysanthemum Leucanthemum, L.—Cornw.

Gadrise. (1) Cornus sanguinea, L.-Turn. Names.

(2) Euonymus europœus, L.—Prior, p. 88.

(3) Viburnum Opulus, L.—Prior, p. 88.
Gairss, Ae-pointed. See Ae-pointed Gairss.

Gait-berde. 'Goat's beard.'-Wr. Tragopogon pratensis, L.

Gaitberry. The fruit of Rubus fruticosus, L.—Scotl. (Teviotdale), Jamieson.

Gaiter-, Gaitre-, or Gater-tree. See Prior, p. 88, sub v. Gatter.

(1) Cornus sanguinea, L.—Deering (Cat. Stirp.). 'In the North countrey they call it Gaten tree, or Gater tree; the berries whereof seem to be those which Chaucre calleth Gater beries.' Ger. 1283.

(2) Euonymus europæus, L. Prior, p. 88.

(3) Rubus fruticosus, L.—Scotl. (Teviotdale), Jamieson.

Gaitre-berries. 'Berries of the dogwood tree [Cornus sanguinea, L.] Chaucer.'—Hal. Wr. See Gaiter-tree (1).

Galangal. Cyperus longus, L. — Lyte. In Ger. Galingale, or Gallingal. Prior, p. 87.

20

Gale. Myrica Gale, L.—Cumb. Hal. Wr., E. D. S. Gloss. C. 8; E. Bord. Bot. E. Bord.; N. Lanc.; N.-W. Linc. E. D. S. Gloss. C. 6; Yks. Prior, p. 87. Hal. gives as an adj., 'Galey, swampy, marshy; Devon;' which no doubt took its origin from the prevalence of the plant in such situations. There is a place near Whitchurch, Salop, called Gale-moor, from the prevalence of the plant there. Blackstone (Specimen Botanicum). A kind of beer, called gale beer, is brewed from the plant at Ampleforth, Yorks.; see N. & Q., 3rd Ser., iv. 311.

Gale, Scotch. Myrica Gale, L .- Scotl. Jamieson.

Gale, Sweet. Myrica Gale, L.—Yks. The general book-name, from its pleasant aromatic odour. Prior, p. 228.

Gales. Myrica Gale, L .- Aberdeensh.

Galingale. 'Sweet Cyperus.'-Hal. Wr. Cyperus longus, L.

Gall. Myrica Gale, L.—Scott. Jamieson. Also Gall-bushes. "In some parts of Dumfries-shire this plant is reckoned by the shepherds to be the gall of Scripture."—Transactions of Berwicksh. Naturalists' Club, 1842, p. 13.

Gallant. An old name for one or more of the garden species of Anemone, given in Ger. Index. He describes one as 'a most gallant flower, verie double.' Ger. 302. Skinner has 'Gallant, Anemone, sic dicta ob eximiam florum pulchritudinem.'

Galligaskins. A variety of the Cowslip (Primula veris, L.) or Polyanthus, having the calyx enlarged and much cut. 'There is another kinde, whose flowers are folded or crumpled at the edges, and the huskes of the flowers bigger than any of the former, more swelling out in the middle, as it were ribbes, and crumpled on the sides of the huskes, which doe somewhat resemble mens hose that they did weare, and tooke the name of Gallegaskins from thence.' Park. Parad. p. 245 and p. 243, fig. 9, where it is called Gaskins.

Gallion (from the Lat. Golium). Galium verum, L. - Lyte.

Galloc. 'The herb Comfrey.'—Hal. Wr. In Cockayne, i. 163, this name is spelt Yalluc. Symphytum officinale, L.

Gall-of-the-Earth. Erythrea Centaurium, L .- See Earth-gall.

Gallon. Petasites vulgaris, Desf. - Ireland (Belfast, Antrim).

Gallow-Grass. Cannabis sativa, L.—Lyte; Suff.: Prior, p. 87.
'Quia sc. ad funes texendos, quibus fures suspenduntur, utilis est.'
Skinner.

Gallwort. Linaria vulgaris, Mill.—Suss. Coles, A. in E., p. 313.
Mascal (Government of Cattel) speaks of Galwort herb, 'which is bitter,' and used 'against the flowing of the gall in cattell,' which may be this plant, or is perhaps Erythrea Centaurium, L.

Gandergosses. 'The herb Ragwort.'—Hal. Wr. Perhaps a misprint for Gandergosses. Orchis mascula, L., is no doubt the plant intended. See Ragwort.

Gander-gosses. Orchis mascula, L.—Ger. Appx. Skinner's explanation is too good to be omitted. 'Nescio an à nostro Gander et Goss, Erica, à nescio qua ericae similitudine, et quia anseres fort. ejus esu delectantur.'

Gandigosling. Orchis mascula, L.—Wilts (Devizes), Phyt. vi. 67,

Gang Flower. Polygala vulgaris, L.—Ger. Northern Counties, Pratt. The name seems to have been invented by Ger. He says: 'Milkewoort is called Ambarvalis flos: so called bicause it doth specially flourishe in the Crosse or Gangweeke, or Rogation weeke; of which flowers, the maidens which use in the countries to walke the procession, do make themselves garlands, and nosegaies: in English we may cal it . . . Gang flower.' p. 450. Prior, p. 87.

Garclive. Agrimonia Eupatoria, L.—Hal., Cockayne, i. 131. Wr. has Garglive—a misprint.

Garden Balsam. Melilotus cærulea, L.—'The gardiners and herbe women in Cheapside commonly call it and know it by the name of Balsam, or Garden Balsam.' Ger. Emac. 1195.

Garden Cress. Lepidium sativum, L.—Prior, p. 57.

Garden Cypress. See Cypress, Garden.

Garden Gate. (1) Viola tricolor, L.—One of the many peculiar names of the pansy; most probably a contraction of one of the longer names, such as 'Kiss-behind-the-Garden-Gate;' in the same way as Buttery-Entry (which see) is contracted from a longer name. S. Bucks., Camb., N. Ess., Norf., Suff., Worc.

(2) Geranium Robertianum, L.—S. Bucks.

Garden Nightshade. Solanum nigrum, L.-Ger.

Garden Plague. Egopodium Podagraria, L.—Ireland (Belfast). This is essentially a garden weed which is extremely difficult to eradicate.

Garden Speedwell. Veronica agrestis, L.—From its very frequent growth in cultivated ground. N. Yks.

Gardener's Delight, Gardener's Eye. Lychnis coronaria, L.—Ger.

Gardeners' Garters. The striped garden variety of Phalaris arundinacea, L.-E. Bord. Bot. E. Bord.; Staff.; Forf.

Gardrobe. Osyris alba, L.— The people of Granade, Montpelier, and the kingdome of Valentia, do use it in their presses and wardrobes, whereupon they call it guardalobo. Ger. 1110.

Gargut root. The root of Helleborus fætidus, L.—Norf. Hal. Wr.; E. Norf. E. D. S. Gloss. B. 3; where gargut is said to be 'a disease incident to calves,' in the treatment of which this root is doubtless employed.

Garlete. 'Garlic. Pegge.' Hal. Allium sativum, L.

Garlick. (1) Allium sativum, L.-Prior, p. 88.

(2) Allium ursinum, L .- Ches.

Garlick, Bear's. See Bear's Garlick.

Garlick, Cow. Allium vineale, L.—'Being at Mr. Raymond's, he assured me that cow garlick was a great whore in corn.' Lisle's Observations on Husbandry (1757), p. 467. This is probably a misprint for Crow-garlick, but it occurs again in the margin.

Garlick, Crow See Crow-garlic.

Garlick, Hedge (from its usual place of growth and garlic-like smell).
Alliaria officinalis, Andrzj.—Cumb. (Keswick).

Garlick, Hogs'. Allium ursinum, L.-Cyclopædia of Agriculture.

Garlick, Rush. Allium Schonoprasum, L.-Lyte.

Garlick, Wild. (1) Allium vineale, L .- Lyte.

(2) Allium ursinum, L.-W. Ches., Dev. (Teignmouth).

Garlick Germander. Teucrium Scordium, L.-Ger.

Garlick Sage. Teucrium Scorodonia, L.-Ger.

Garlick-wort. Alliaria officinalis, Andrzj .- Prior, p. 88.

Garlock. Sinapis arvensis, L.-Pratt.

Garnesie Violets. Matthiola incana, Br.-Lyte.

Garnet-berry. The fruit of Ribes rubrum, L.—Baxter. 'From its rich red colour and transparency.' Prior, p. 88.

Garss, Blawing. See Blawing Garss.

Garten Berries. Rubus fruticosus, L.—Scotl. Jamieson (Teviotdale, Lady Garten Berries). Jamieson gives 'Gartane, a garter,' and 'To gartane, to bind with a garter.' The above names may therefore mean the berries of the binding shrub, blackberry twigs naturally binding other shrubs together, and being indeed sometimes expressly used for that purpose. This suggestion is borne out by the Roxb. name, Lady's Garters, given in Bot. E. Bord.

Garth Cress (i. e. Garden Cress). Lepidium sativum, L.— 'Take a peny-weghte of garthe cresse sede.' MS. Linc. Med. f. 292. Hal.

Garwe, or Gorow (i. e. Yarrow). Achillea Millefolium, L.—Old English Med. MS., Archæologia, xxx. 407.

Gascoignes. 'Small black cherries.' Kent, Pegge, E. D. S. Gloss. C. 3. See Gaskins (1).

Gaskins. (1) Prunus Avium, L.—Kent, Suss.: 'A kind of cherry largely grown in the neighbourhood of Rye,' Parish.

(2) Ribes Grossularia, L.—'A name commonly given to a rough green gooseberry, originally brought from Gascony.' Scotl. Jamieson.

(3) Primula veris, L.—See Galligaskins.

Gaten-tree, or Gater-tree. See Gaiter-tree.

Gatten Tree. Cornus sanguinea, L.—Lyte. Prior (p. 88) includes Euonymus europœus, L., and Viburnum Opulus, L., under the name Gatten. Gatter Bush. (1) Cornus sanguinea, L .- E. Anglia, Forby.

(2) Viburnum Opulus, L .- E. Anglia, Forby. Hal. Wr. Prior, p. 88.

Gatteridge, or Gatteridge Tree. Prior, p. 88. (1) Euonymus europæus, L. — With. ed. ii.; East and South, Grose; the fruit Gatteridge Berries, South and East, Ray, E. D. S. Gloss. B. 16.

(2) Cornus sanguinea, L.-E. Anglia (Gattridge), Forby; South

and East, Ray, E. D. S. Gloss, B. 16; Suff.

(3) Viburnum Opulus, L.-E. Anglia (Gattridge), Forby, Hal.

Gaul. Myrica Gale, L.—Ger.; Cumb. (Gawel), E. D. S. Gloss. C. 8; Scotl. Jamieson. 'This gaule groweth plentifully in sundry places of England, as in the Isle of Elie, and in the Fennie countries thereabouts, whereof there is such store in that country, that they make fagots of it and sheaves, which they cal Gaule sheaves, to burne and heate their ovens.' Ger. 1228.

Gaun (Upper Lanarksh.), or Gaund (Dumfries). Petasites vulgaris, Desf.—Jamieson.

Gawel. See Gaul.

Gayter-tree. See Gaiter-tree (2).

Gazels, or Gazles. (1) The fruit of Ribes nigrum, L.—Kent, Hal. Wr.; E. Suss. Holl.; Suss. Parish, who says the name is also applied to 'all kinds of berries.' Prior, p. 88.

(2) Ribes rubrum, L.-Kent.

(3) 'Wild plums.'-Kent, Hal. Wr.

Holl., commenting on this name, says: 'May this be from gazelle, the antelope, whose eyes are so black and beautiful?' (!)

Gean Tree (the fruit Geans). Prunus Avium, L.—'The wild cherry, var. dial.' Hal. E. Bord. Bot. E. Bord.; Scotl. Jamieson. A common north-country name. 'The famous learned man Robertus Stephanus in his Frenche Dictionarie, doth turne this Frenche word Guisnes into Latine, as foloweth (Aquitanica cerasa), which soundeth in Englishe, Guyan Cherries.' Lyte, p. 724. Prior, p. 89.

Geckdor. Galium Aparine, L.-Ger. Appx. Hal. Wr.

Geen. 'A kind of cherry.'-Suss. Parish. See Gean and Gaskins.

Geese and Goslings. 'The blossoms of the Salix, [probably various species] so denominated from the fancied resemblance to a young gosling newly hatched.'—Nhamp. Nth. Gloss.

Geese-grass. (1) Bromus mollis, L.-Moray, Fl. M.

(2) Galium Aparine, L.—Yks. (Whitby, Geease-Gess), E. D. S. Gloss. C. 2.

Gelders Rose. The cultivated form of Viburnum Opulus, L.—'It is called in Dutch Gheldersche Roose: in English Gelders Rose.' Ger. 1237. See Guelder Rose.

Gell. Nepeta Glechoma, Benth.—Treas. Bot. See Gill, for which it may be a misprint.

Gelofer and Gelowe-floure. See Gilliflower.

Genest. Sarothamnus scoparius, Wimm.—Hal. Wr.

Gennet. Bunium flexuosum, With.—Yks. (Cleveland).

Gentian. (1) The general name for the species of Gentiana, L.—Prior, p. 89.

(2) Erythræa Centaurium, L.—Suss.; Scotl., on the shores of the Moray Firth, where an infusion is drunk as a tonic.

Gentian, Felwort. See Felwort.

Gentian, Soapwort. Saponaria officinalis, L.-Lyte.

Gentle Dock. See Dock, Gentle.

Gentle Thistle. A name invented by Dr. J. Hill (Herb. Brit., 1769), and applied by him to Carduus pratensis, L., and Saussurea alpina, L., from their thistle-like inflorescence and smooth foliage.

Gentleman's Buttons. The flowers of Scabiosa succisa, L.—Sal.

George's (St.) Mushroom. Agaricus gambosus, Fr.— Another sort is round, somewhat soft and whitish, having a slit on the edges most usually, and are called St. George's Mushromes, because they grow up chiefly about that time [April 24th]. Park. Theatr. 1317.

Geraflour. Cheiranthus Cheiri, L.—Hal. Wr.; (pl. Geraflouris), Scotl. Jamieson.

Geranium, Bassinet. See Bassinet (3).

Geranium, Wild. Geranium Robertianum, L., and G. pratense, L. E. Bord. Bot. E. Bord. The former is also so called in Dumfriessh.

German Camomile. See Camomile, German.

German Knotgrass. Scleranthus annuus, L.-With, ed. ii.

German Lilac. 'Valerian.'—N.-W. Linc. E. D. S. Gloss. C. 6. Probably Centranthus ruber, DO.

German Madwort. Asperugo procumbens, L.—Prior, p. 89.

Germander. (1) Teucrium Chamædrys, L.—Turn. Lib. Prior, p. 89.

(2) Veronica agrestis, L.—With. ed. iv. The names are here printed 'Germander. Chickweed;' but this is probably a misprint for 'Germander Chickweed,' as given in ed. vii.

Germander, Garlick. Teucrium Scordium, L.-Ger.

Germander, Wall. Teucrium Chamædrys, L.-English Flora.

Germander, Water. Teucrium Scordium, L.—Ger. Prior, p. 89.

Germander, Wild. Veronica Chamædrys, L. — Hudson, Flora.
Anglica.

Germander, Wood. Teucrium Scorodonia, L. — English Flora. Prior, p. 89.

Germander Chickweed. Veronica agrestis, L.—With. ed. vii. Prior, p. 90.

- Germander Speedwell. A name usually applied to Veronica Chamædrys, L., but assigned by Hudson (Flora Anglica) to V. agrestis, L.
- Gerse (Grass), Whacker, or Whackering. Briza media, L.—Hal.;
 Fks. Hallamsh. Gloss.
- Geslins, or Geslings. The blossoms of various species of Salix, especially Salix Caprea, L.—Ches.; Derb. Reliquary, vi. 159; Yks. (Whitby), E. D. S. Gloss. C. 2; North, Wr., and Hal., who says: 'The early blossoms of the willow, which some have believed fell into the water and became goslings.' See Goslings.
- Gethsemane. Orchis mascula, L.—Ches. 'One species of orchis, which in Cheshire is called Gethsemane, is said to have been growing at the foot of the cross, and to have received some drops of blood on its leaves: hence the dark stains by which they have ever since been marked.' Quarterly Review, July, 1863, p. 231. In English Folklore, p. 35, the same name is said to be given in the same county to Arum maculatum, L.; but this is probably an error.
- Gewgog. 'A gooseberry.'-Suff. Moor, Hal. Wr.
- Gibs. 'The blossom of the willow.'—N.-W. Linc., where the same name is applied to goslings. E. D. S. Gloss. C. 6.
- Giddy Gander. Orchis mascula, L., and O. Morio, L.—Dors. Dors. Gloss.; Hal. Wr.
- Gilawfer. See Gilliflower (3).
- Gil-cup, or Gilty-Cup. (1) Ranunculus acris, L., R. hulbosus, L., R. repens, L.—Dev. Hal. and Wr., who spell the name Guilty-cup; Dors. Dors. Gloss.; Som. (Gilten-cup).
 - (2) Caltha palustris, L.—Dors., Som.
- Gilder Rose. A misspelling of Guelder-rose (which see) in Holme's Acad. of Armory, ii. 103,
- Gill. Nepeta Glechoma, Benth. Glou., Leic., Warw., Worc. Prior, p. 90.
- Gill-ale. 'The herb ale-hoof. Dev.' Hal. Wr. Nepeta Glechoma, Benth. It may be, however, that it is rather a beverage than a plant to which the name gill-ale is applied; it certainly is so in the following passage from Mart. Mill.: 'The leaves were formerly thrown into the vat with ale to clarify it, and to give it a flavour: this was called gill-ale; ground ivy being named Gill, or Gill-creep-by-ground, in some places.'
- Gill go by Ground. Nepeta Glechoma, Benth.—Hants. R. Turner's Botanologia. The name is of frequent occurrence in slightly varying forms; e.g.:—Gill Creep by the Ground. Ger.; Som. Hal. Wr. Gill run bith Ground. Som. Gill go by the Ground. Linc. Brogd. Gill run by th' Ground. N.-W. Linc. E. D. S. Gloss. C. 6. Coles (A. in E.) has 'Gillrumbith-Ground, that is, Gill-run-by-the-Ground.' Prior, p. 90.
- Gill Gowan. Chrysanthemum segetum, L.—N. of Ireland. The same as Gule Gowan, which see.

Gilliflower. 'Formerly spelt gyllofer and gilofre, with the o long; from Fr. giroflée; It. garofalo; in Douglas's Virgil, gereflouris; words formed from the Lat. garoffolum, gariofilum, or, as in Albert Magn. (l. vi. c. 22), gariofilus, corrupted from L. caryophyllum, a clove, Gr. καρνοφυλλον, and referring to the spicy odour of the flower, which seems to have been used in flavouring wines to replace the more costly clove of India. The name was originally given in Italy to plants of the Pink tribe, especially the carnation, but has in England been transferred of late years to several cruciferous plants. That of Chaucer and Spenser and Shakespeare was, as in Italy, Dianthus Caryophyllus, L.; that of later writers and gardeners Matthiola and Cheiranthus, L.'—Prior, p. 90. In the older writers, D. Caryophyllus was, as Dr. Prior has shown, the gilliflower par excellence; the name was, indeed, shared by many other plants, but always with a distinctive preface. Some later authors, however, as Martyn in his edition of the Gardener's Dictionary, seem incorrectly to consider Matthiola incana as the true gilliflower. It would seem that it was more especially the smaller varieties of D. Caryophyllus to which the name was originally assigned: Parkinson (Parad. p. 306) says: 'I account those that are called Carnations to be the greatest both for leafe and flower, and Gilloflowers for the most part to bee lesser in both.' Shakspeare also distinguishes between the two:

'The fairest flowers of the season, Are our carnations and streaked gilliflowers.' Winter's Tale, Act iv. sc. 3.

Parkinson says (p. 314) that the name 'is taken from cloves, in that the sent of the ordinary red gilloflower especially doth resemble them.' The name gilliflower is spelt in a great variety of ways: 'Chancer writes it Gylofre; Turner Gelover and Gelyflowre [and Gelofer]; Gerard and Parkinson Gilloflower.'—Mart. Mill. Hal. quotes the spelling Gelowe-flower from Palsgrave; and Gillofer is another common old spelling.

(1) Dianthus Caryophyllus, L.—See above.

(2) Cheiranthus Cheiri, L.—This is the plant nowadays usually so called. Linc. Brogd., E. D. S. Gloss, C. 6; Notts., Warw., Worc. In an abbreviated form (Gilliver) the name is similarly applied in Ches., Lanc., Leic., Nhamp. (Nth. Gloss.), Notts., and Sal.; and, still further shortened to Gilly, in Bucks. and Oxf.

(3) Matthiola incana, Br.—Glou., Sal. (Gillofer), Som. (Gilawfer).

Gilliflower, Castle. Matthiola incana, Br.-Lyte.

Gilliflower, Clove. See Clove Gilliflower.

Gilliflower, Cuckoo. Lychnis Flos-cuculi, L.—Lyte. Prior, p. 50. From its resemblance to a gilliflower and its flowering in spring.

Gilliflower, Dame's. Hesperis matronalis, L.—Lyte. See Dame's Violet, and Prior, p. 62.

Gilliflower, Feathered. See Feathered Gillofers.

Gilliflower, Marsh (or by error March). Lychnis Flos-cuculi, L.— Lyte. From its growth in wet land. Prior, p. 91. Gilliflower, Mock. Saponaria officinalis, L.-Lyte.

Gilliflower, Queen's. Hesperis matronalis, L.—Park. Parad. Prior, p. 91.

Gilliflower, Rogues. Hesperis matronalis, L.—Lyte. Prior, p. 91. Possibly rouges (red) gillofers is meant. It is still called in Ches. Red Rocket, although the flowers are only lilac.

Gilliflower, Sea. Armeria maritima, L.-With. ed. vii.

Gilliflower, Single. Dianthus plumarius, L.-Lyte.

Gilliflower, Stock. Matthiola incana, Br.— 'The learned Dr. Turner, in his History of Plants of 1568, calls it Gelouer, and to which he adds the word Stock, as we would say, gelouers that grow on a stem or stock, to distinguish them from the Clove Gelouers.' Phillips, Flora Historica, ii. 25. Although thus printed by Phillips, Gelover would better represent Turner's name, u and v being used interchangeably in books of his period. N.-W. Linc. E. D. S. Gloss. C. 6. The plant is now almost universally known by the prefix Stock alone, though it is occasionally (Glou.) called Gilliflower.

Gilliflower, Turkey. Tagetes erecta, L.-Ger. p. 609.

Gilliflower, Wall. Cheiranthus Cheiri, L.—Ger. Turn. spells it ...Wall Gelover. Prior, p. 91.

Gilliflower, Water. Hottonia palustris, L.-Lyte, Prior, p. 91.

Gilliflower, Whitsun. The double-flowered variety of Hesperis matronalis, L.—Som. (Whitsun Gilawfers). This is probably the plant intended by Coles (A. of S., p. 32); 'May brings roses, pinks, Whitsun gilliflowers.'

Gilliflower, Winter. (1) Cheiranthus Cheiri, L.—Ches. Ger. 'They flower... especially in winter, whereupon the people in Cheshire do call them Winter Gilloflowers.' Ger. p. 371.

(2) Hesperis matronalis, L.-Ger. Prior, p. 91.

Gilliflower, Yellow (Lyte), or Yellow Stock (Ger.). Cheiranthus Cheiri, L.

Gilliflower-grass. 'In Aubrey's Wilts, p. 49.'—Prior, p. 91. The spelling in Aubrey is July-flower-grasse, the passage running thus: 'A blew grasse they call July-flower-grasse, which cutts the sheepes mouthes;' but the above spelling, given by Dr. Prior, is more correct. It is the same as Carnation Grass (1), which see. The name is given in Park. Theatr. (Index), and the plants are figured and described under the name Gramen foliis caryophylleis. See also Grass, Pink.

Gilliver. See Gilliflower (2).

Gillofer. See Gilliflower.

Gill run by the street. Saponaria officinalis, L.—'The countrey people in Kent and Sussex call it Gill run by the street.' Park. Theatr. 642.

Gilly. See Gilliflower (2).

Gillyflower. See Gilliflower.

Giltycup. See Gilcup.

Ginger. From its extreme pungency. Sedum acre, L .- Suff.

Ginger-plant. Tanacetum vulgare, L .- N. Herts.

Gipsy Flower. (1) Cynoglossum officinale, L.—Glou. From the dark hue of its flowers.

(2) Scabiosa arvensis, L.—Markham's Farewell to Husbandry, Book ii., p. 43 (1638).

Gipsy-herb. Lycopus europœus, L.—Threlkeld, who speaks of its use by 'those stroling cheats called gipsies.' See Gipsy-wort.

Gipsy Onions. Allium ursinum, L .- South, Hal.; Wight, Fl. Vect.

Gipsy, or Gipsies', Rose. (1) Scabiosa arvensis, L.—Camb.; N. Ess.; Norf.; Wight, Fl. Vect.; Yks. (Leeds).

(2) Scabiosa atropurpurea, L. (of gardens). - Wight, Fl. Vect.

'The corn rose. Var. dial.' Hal. This may be Papaver Rhaas, L., the plant usually known as Corn Rose, but (1) is most likely intended. Egyptian Rose (which see) is another form of the same name.

Gipsy-wort. The modern book-name for Lycopus europeus, L.—With. ed. vii. Ger. (p. 566) says: 'Some also thinke good to call it Herba Ægptia [sic], bicause they that counterfet themselves Egyptians (such as many times wander like vagabonds from citie to citie in Germanie) do use with this herbe to give themselves a swart colour, such as the Egyptians and the people of Afrike are of.' Lyte has a similar explanation. Prior, p. 91.

Girdle, Sea. Laminaria digitata, Lam.—Scotl. Jamieson. Lyte (p. 413) figures a plant under this name which seems to be Posidonia Caulini, Koen.

Girls' Mercury. The male plant of Mercurialis annua, L., erroneously believed by the older writers to be the female, the name being applied to it from a belief similar to that referred to under Boy's Mercury, which see. Lyte, p. 78.

Girs, Ripple. Plantago major, L.—Scotl. Jamieson. See Grass, Ripple.

Girs, Stanch, or Stench. Achillea Millefolium, L.—Scotl. Jamieson. From the styptic properties of the plant, which are referred to in several of its other names, such as Nosebleed.

Girt Ox Eye. Chrysanthemum Leucanthemum, L.—Cumb. (Winderwath).

Gis-an'-gullies (i. e. geese-and-goslings). The catkins of Salix Caprea, L.—Sal.

Gith. Nigella sativa, L. Ger., &c., now often applied, as in Hal. and Wr., to Lychnis Githago, Lam. See Ger., pp. 926, 927. Prior, p. 91.

Gix. 'The kex of hemlock.'-Wilts. Hal. Wr. See Kex.

Gladden; spelt also Gladdon, Gladin, Glader, and Gladwyn. (1)

Iris fatidissima, L.—Ger. Hal. and Wr. have 'Gladine, The herb
spurgewort. It is mentioned in MS. Med. Linc., ff. 286, 290; 'the
same plant is intended. Prior, p. 81.

(2) In Turn. Names Iris Pseudacorus, L., is distinctly indicated: 'The yellow flour-de-luce which some call gladen.' Also in Wr.

(3) 'The herb catstail. Norf.'—Hal. Wr. Typha latifolia, L., and T. angustifolia, L.—E. Norf. E. D. S. Gloss, B. 3.

Gladdon, Stinking. Iris fætidissima, L.-Ger.

Glading-root. Iris fætidissima, L.—Ireland (Tyrone).

Gladiole, Water. (1) Butomus umbellatus, L.—Ger. Prior, p. 91. (2) Lobelia Dortmanna, L.—With. ed. ii.

Gladwyn. See Gladden.

Gladwyn, or Gladyn, Stinking. Iris fætidissima, L.—Lyte. In Ger. Stinking Gladdon.

Glasswort. Salicornia herbacea, L.—In reference to its use in glass-making: see Ger. 429. Prior, p. 91. Also called Jointed Glasswort, its stems being 'full of joynts or knots.' Park. Theatr. 429. Turner (Herb.) says that it had no English name at that period, and suggests that it should be called Glassweed, 'because the ashes of it serve to make glass with.'

Glasswort, Prickly. Salsola Kali, L.—From its prickly nature, and because it was used for the same purpose as Salicornia. See Glasswort. Prior, p. 91.

Glastonbury. Cratægus Pyracantha, L.—Ches. Mistaken for the Glastonbury thorn.

Glastonbury Thorn. An early-flowering variety of Cratagus Oxyacantha, L., popularly supposed to have sprung up at Glastonbury from the staff of Joseph of Arimathea, and to produce its blossoms on Christmas-day. It is the Cratagus Oxyacantha pracox of nurserymen's catalogues. There is an interesting note on it in Aubrey's Nat. Hist. of Wilts (edited by Britton), p. 57. Prior, p. 91.

Glens. Narcissus Pseudo-narcissus, L.—Ayrsh. (Kilmarnock).

Gleyglof. 'A kind of lily.' Hal. Wr. From the description in Archæologia, xxx. 379, this would seem to be Lilium candidum, L.

Glidewort. A name given in Park. Theatr. (p. 588) to various labiate plants, chiefly species of Sideritis. 'The Germans [call it] Glidkraut, the Dutch Glidcruijt, and we in English after the Dutch name Glidewort.' In Treas. Bot. it is applied to Galeopsis Tetrahit, L.

Globe Flower. Trollius europæus, L. — With. ed. ii. N. Yks. Prior, p. 91.

Globe-gee. 'A flower, supposed to be a kind of daisy. Newe Metamorphosis, MS., temp. Jac. I.' Wr. We do not know what is meant.

Gloden. 'The sunflower. Linc.'-Hal. Wr. Helianthus annuus, L.

Glond, or Glonde. (1) 'Glond is Cow Basill.' Ger. Appx. Hal. Wr. See Cow-basil.

(2) Subularia aquatica, L.—Dr. J. Hill (Herb. Brit. 1769).

Gnapperts. Lathyrus macrorrhizus, Wimm.—Aberd.; Moray, Fl. M. Mr. Piper writes: 'This is known all over the north by this name. The tubers are much sought after by children, who steep them in water over-night, which water they drink in the morning with great gusto, and then devour the tubers.'

Gnashacks, or Gnashicks. Arctostaphylos Uva-ursi, Spr.—Banff.
Phyt. vi. 444, N. s.; Moray, Fl. M.

Goat's Beard. (1) Tragopogon pratensis, L.—Lyte. Prior, p. 92.
(2) Spiræa Ulmaria, L.—Lyte. A translation of the old Latin name Barba Capri; French, barbe de chèvre. Ger. 886.

(3) 'The goat's beard, of which there are the reddish one and the spongy one and the pepper tasted one.' Holme's Acad. of Armory, ii. 55. This is a fungus, no doubt the Fungus ramosus Barba Caprini dictus figured in Park. Theatr. 1318. It seems to be a species of Clavaria.

Goat's Cullions. Orchis hircina, Scop.—Lyte. A mere translation of the Latin testiculus hirci: Lyte gives similar French and German names.

Goats' Leaves. Lonicera Periclymenum, L.—Grete Herball. A translation of Caprifolium, an old name for the honeysuckle. Cfr. Caprifole, and the French chèvre-feuille.

Goats' Rue. Galega officinalis, L .- Lyte.

Goat-stones. Orchis mascula, L.-Holme's Acad. of Armory, ii. 56.

Goat-tree. Lonicera Periclymenum, L.—An adaptation of its old Latin name Caprifolium. See Archæologia, xxxii. 183.

Goat-weed. Ægopodium Podagraria, L.—Perhaps originated as a misprint for Goutweed. Prior, p. 92.

Goat Willow. A common (translated) book-name for Salix Caprea, L.—Loudon, Arboretum; Prior, p. 250.

God A'mighty's Bread and Cheese. Oxalis Acetosella, L.—Som. Pulman.

Godeseie. See God's Eye.

Godfathers and Godmothers. Viola tricolor, L .- Durh. (Weardale).

God's Eye. (1) Veronica Chamædrys, L.—Dev.; N.-W. Linc. E. D. S. Gloss, C. 6, where Mr. Peacock tells us the name is by mistake assigned to V. officinalis. 'If any one plucks it, his eyes will be eaten.'—Id.

(2) 'Godeseie. The herb clary. The Latin name is gallitritum in MS. Sloane, 5, f. 5.'—Hal. Wr. Probably Salvia Sclarea, L.

God's Grace. Luzula campestris, L.—Ches. (Knutsford).

God's Meat. The young leaves of Cratagus Oxyacantha, L .- Yks.

Goggles. Fruit of Ribes Grossularia, L .- N. Linc.

Goggles, Water. Caltha palustris, L.—Oxf.

Gold, perhaps more frequently used in the plural form, Golds.

(1) Calendula officinalis, L.—'We call them in English generally eyther Golds or Marigolds.' Park. Parad. 298. This is probably the plant referred to by Chaucer in the Knightes Tale:

That weved of yellow golds a garland;'

and in the quotation given by Hal., sub. v. :

"That she spronge up out of the molde Into a floure was named golde."

Gower, ed. 1554, f. 120.

It is also the golde described at length in the Old English Medical MS. printed in Archæologia, xxx. (pp. 367-369); and is so called in

Prompt. Parv.

Prompt. Parv.

(2) Chrysanthemum segetum, L.—Hal. Wr. South and East, Ray
(E. D. S. Gloss. B. 16); Midlands (E. D. S. Gloss. B. 5); Nhamp.,
Nth. Gloss. This, from the plants associated with it, is clearly the
plant intended by Drayton (Polyolbion, xv. 946). 'The crimson
darnel-flower, the blue-bottle, and gold.' It is the gold of Langham's
Garden of Health: 'Goulds, or wilde Marigoulds growing in corne.'
(3) Myrica Gale, L.—Som. Hol. Hal. Wr.
(4) 'The plant turnsol.' Hal. Wr. The sunflower (Helianthus

- annuus, L.) is probably intended: the name is assigned to this in Prompt. Parv.
- Gold, White. Chrysanthemum Leucanthemum, L. Ger. Appx. S. Cumb. (spelt White Gould).
- Gold, Yellow. Chrysanthemum segetum, L.-S. Cumb. (Yellow Gould).
- Gold-balls. (1) Ranunculus repens, L.—Pratt. The name was probably applied to the double-flowered variety which is sometimes seen in gardens.
- Gold-bloom. Calendula officinalis, L .- Wr. 'In base Almaigne Gout bloemen.' Lyte.
- Gold Chain. (1) Sedum acre, L .- Pratt.
 - (2) (Golden Chain) Cytisus Laburnum, L.—Pulman; Dors., Sal., Som., West. Hal. Wr. Prior, p. 92.
- Gold Crap (in Som. Goldy-crap). 'The herb crowfoot.' Hal. Wr. Ranunculus acris, L., R. bulbosus, L., and R. repens, L.
- Gold Cup. Same as preceding. Lyte; Hants, Som., Suss. Holl., Parish ('the meadow ranunculus'). 'The herb crowfoot.' Hal.; South and West. Wr. The double garden form of R. acris, L., is called Double Goldcups by Lyte.

Gold Dust. (1) Sedum acre, L .- Suff.

- (2) A popular name for Alyssum saxatile, L.—Treas, Bot. In both cases from the profusion of small yellow flowers.
- Goldflower. 'Golden Cudweed; the Aurelia, according to Florio, p. 166.' Hal. Wr. In Mart. Mill. this is identified with Helichrysum Stoechas, DC.

Gold Heath. Sphagnum, L.—Hants (New Forest).

Gold Knops. Ranunculus acris, L., R. bulbosus, L., and R. repens, L.
—Glou; Lyte. In Ger. Emac. Gold knobs. Hal, and Wr. have
Gold Knap. Prior, p. 92.

Gold-neps. 'A kind of small red and yellow early ripe pear.'—

Ches. Hal.

Gold of Pleasure. Camelina sativa, Cr.—Ger. See Prior, p. 92; but the passage there cited from Gerard is not given by him in explanation of the name.

Golden Ball. (1) Trollius europæus, L.—Ches., Lanc., Stuff. (2) Viburnum Opulus, L. (the garden variety).—Som.

Golden-blossom, Potentilla reptans, L.—Dev.

Golden Chain. See Geld Chain (2).

Golden Corn Flower. Chrysanthemum segetum, L.—Ger.

Golden Crosswort. See Crosswort.

Golden Cup. Ranunculus acris, L., R. bulbosus, L., R. Ficaria, L., and R. repens, L. Dev.

Golden Drops. (1) Cytisus Laburnum, L.—N. Linc. (Bottesford). (2) A variety of yellow plum.—Som.

Golden Guineas. Ranunculus Ficaria, L.—Nhamp. Nth. Gloss. Wr.

Golden Herb. 'The plant orach, North.' Hal. Wr.

Golden Locks. Polypodium vulgare, L.—Heref. 'I have seen elderly women collecting it in Herefordshire as a specific against [hooping-cough]: it is gathered in October and November, the barren fronds being rejected. It is called by these gatherers Golden Locks, and Golden Maidenhair.' Newman, British Ferns, p. 112.

Golden Loosestrife. Lysimachia vulgaris, L.—Lyte.

Golden Lungwort. A book name for Hieracium murorum, L.—R. Syn. One of its old Latin names was Pulmonaria.

Golden Maiden-hair. (1) Polytrichum commune, L.—Lyte.
(2) Polypodium vulgare, L.—Kent, Pratt; Heref. Newman, Brit.
Ferns. See Golden Locks.

Golden Moss. (1) Sedum acre, L.—N. Yks.; Oxf.; Warw.
(2) A name apparently invented by Gerard for Polytrichum commune, L.

Golden Muguet. Galium Cruciata, Scop.-Lyte.

Golden Osier. (1) Myrica Gale, L.—Wight, Fl. Vect.

(2) Salix vitellina, L.—Loudon, Arboretum,

Golden Polypody. Polypodium vulgare, L.—Kent. Pratt.

Golden Rod. (1) Solidago Virgaurea, L.—Turn. S.-W. Cumb.; Yks. Prior, p. 93. The name is also generally applied in gardens to several commonly cultivated North American species of Solidago.

(2) Verbascum Thapsus, L.—Fifesh.

Golden Samphire. Inula crithmoides, L.—With. ed. ii.; Middx. (London). 'It is occasionally gathered and brought to Covent Garden Market, under the name of Golden Samphire, and is used for the same purposes as the common Samphire (Crithmum maritimum), but it has none of the aromatic taste of that plant.' Baxter. Prior, p. 93.

Golden Saxifrage. The general book-name for Chrysosplenium, L.—Lyte. Prior, p. 93.

Golden Shower. Cytisus Laburnum, L.—Sal. (Pulverbatch).

Golden, or Gold Withy. Myrica Gale, L.—Hants., South, Hal. Wr. Wight, Phyt. iii. 847.

Goldens, Lockyer. Trollius europæus, L.—N. Yks. See Gowan, Lockin.

Goldilocks. See Goldylocks.

Golding, or Goldings. (1) Chrysanthemum segetum, L.—Linc., Brogd.; Nhamp. Nth. Gloss.

(2) A marigold, Ches.'—Hal. Wr. Prior, p. 93. This probably refers to the garden marigold, Calendula officinalis.

Goldins, Camomile. See Camomile Goldins.

Goldins, Daisy. See Daisy Goldins.

Goldins, Marigold. Chrysanthemum segetum, L .- Ireland (Belfast).

Golds. See Gold (1 and 2).

Gold-weed. Ranunculus arvensis, L.-Hants.

Goldy. Geum urbanum, L.—Pratt, who gives it as a 'country name.'

Goldy-crap. See Gold-crap.

Goldy-Knob. Ranunculus acris, L., R. bulbosus, L., R. Ficaria, L., and R. repens, L.—Oxf.

Goldylocks, or Goldilocks. (1) Polytrichum commune, L.-Lyte.

(2) Ranunculus auricomus, L., a translation of the specific name. How, Phytologia Britannica (1650).—Glou.; Edinburghsh.

(3) Trollius europœus, L.—Westm. (Goudy-locks). Hodgson's Hist. of Northumberland, part ii. vol. 2.

(4) A modern (translated) book-name for Chrysocoma Linosyris, Sm.

Goldylocks, Tunbridge. A book-name for Hymenophyllum tunbridgense, Sm.—With. ed. ii.

Gole. Myrica Gale, L.—'In this parish [Windlesham, Surrey], at Light-Water-Moor, grows great store of a Plant call'd by the Inhabitants Gole, but the true Name is Gale.' Aubrey, Nat. Hist. and Antiq. of Surrey, iii. 212 (1718).

Goles. Chrysanthemum segetum, L.—Scotl. (Mearnsh.), Jamieson.

Golfobs. Fruit of Ribes Grossularia, L.—Derb. Reliquary, vi. 160.

Golland. (1) Various species of Ranunculus. 'Ejus flos vocatur a golland,'—Turn, Lib. Hal. Wr., Nhumb.

(2) Chrysanthemum segetum, L .- Yks., Clevel, Gloss., Hal. Wr.

Golland, Lucken. Caltha palustris, L.—Turn. Herb. Probably a Nhumb, name, and less appropriate when thus applied than when associated, as is more usual, with Trollius europæus, L. See Gowan, Lockin.

Golland, Water. Caltha palustris, L.-E. Bord. Bot. E. Bord.

Gollin. Caltha palustris, L.-Lanc. Cfr. Golland.

Goode. Chrysanthemum Leucanthemum, L.-N. Lanc.

Good Henry. Chenopodium Bonus-Henricus, L.—A translation of the German name.—Lyte. 'Germanis Schmerbel vocatur et Guter Heinrich, id est Bonus Henricus, à singulari quadam utili facultate: veluti et perniciosam quamdam Malum Henricum appellant.' Dodoens Stirp. Hist., p. 65. A description of the Malus Henricus follows, quoted from Gesner: this seems to have been Lathræa Squamaria, L.—The origin of the name has not been ascertained: Science-Gossip for 1870 (pp. 211, 214, 234, 238) and Grimm's Deutsche Mythologie, pp. 1163, 1164, may be referred to for suggestions regarding it. Prior, p. 93.

Good-King-Harry. Chenopodium Bonus-Henricus, L.—Hal. Wr. Camb. Ger. In N. Yks., Good King Henry.

Good Neighbourhood. Centranthus ruber, DC.—Glou.; Oxf.; Wilts (Devizes).

Goody's Eye (a corruption of God's Eye). Salvia Sclarea, L.—

Gookoo-buttons (i. e. Cuckoo-buttons). Cardamine pratensis, L.—

Gookoo-flower (i. e. Cuckoo-flower). Cardamine pratensis, L.— Dors., Dors. Gloss.; Som.; Pulman.

Gool, or Goold. Chrysanthenum segetum, L.—Scotl. Jamieson. The term gool-riding was applied to the custom of riding through a parish to observe the growth of this plant, and to fine the negligent farmer who allowed it to increase upon his land. Id. Prior, p. 93.

Goose and Goslings. The catkins of willows, especially of Salix Caprea, L.—Linc. Brogd.; Sal. (Gis-an'-gullies). Prior (p. 93) assigns the name to Orchis Morio, L., and Habenaria bifolia, Br., but we have not found it so applied, and in the case of the latter think some error is probable.

Gooseberry. The general name for Ribes Grossularia, L., and its fruit. Lyte. Ches.; Cumb. (Geuss-berries); E. Bord. Bot. E. Bord. N. Yks. In Virginia the berries of Vaccinium stamineum are so-called, according to a note on a specimen from Clayton in the British Museum Herbarium. Prior, p. 94.

Gooseberry, Black. Ribes nigrum, L.-Lyte.

Gooseberry, Red. Ribes rubrum, L.-Lyte,

Gooseberry Fool. "Pulmonaria officinalis, L.-Wilkinson.

Gooseberry Pie. Epilobium hirsutum, L., from the smell of the leaves, See Apple-pie and Codlins-and-Cream.—Suff. In Suss. Gooseberry Pudding.

Goosebill. (1) Galium Aparine, L.—Ger. Appx. Hal. Wr. 'From the sharp serrated leaves being like the rough-edged mandibles of a goose,' Prior, p. 92.

(2) In the Grete Herball, Stellaria Holostea, L., seems to be meant. 'Goos-byll or stytch-wort is an herbe common ynough. The rote of

it is lyke a goosbill.'

Goosechite. Agrimonia Eupatoria, L.-Ger. Hal. Wr.

Goose Corn. See Corn, Goose.

Goose Flops. Digitalis purpurea, L.-N. Dev.

Goose-foot.—Lyte (p. 548) figures and describes Chenopodium rubrum, L., under this name, and gives its Latin name as pes anserinus, with the equivalents 'in high Douche gensz fusz; in Frenche, pied d'oyson; in base Almaigne, Gansen voet.' It is now used as a general term for all the species of Chenopodium. Prior, p. 94.

Goose-gob. See Goose-gog.

Goose-gog. The ripe fruit of Ribes Grossularia, L.—Ches.; Derb. (Goosegobs), Reliquary, vi. 160; E. Anglia, Forby; Hants. Holl; Lanc. (Goose-gob); Linc.; Middx.; Nhamp. (Goozgogs), Nth. Gloss.; Som.; Suff. (Guze-gog) Moor; Yks. (Whitby), E. D. S. Gloss. C. 2; var. dial. Hal. Wr.; Pulman (Gooze-gog).

Goose-grass. (1) Galium Aparine, L.—Lyte. North, Hal. Wr.; Ches.; Cumb. E. D. S. Gloss, C. 8 (Gedss-grass); Dev. (Teignmouth); Glou.; Norf.; Pulman. Occasionally used as food for geese, 'the herb chopped small is given to goslings in this island' [I. of Wight]. Fl. Vect. With. (ed. ii.) i. 157, says that young geese are very fond of it.

(2) Potentilla anserina, L.—Ger. Appx. Dumfriessh.; E. Bord. Bot. E. Bord.; Glou.; Hunt. N. & Q., 3rd S. x. 268; Linc. Brogd.; E. D. S. Gloss, C. 6; North. Ray, E. D. S. Gloss, B. 15; Yks. Prior, p. 94. This is the Gosgres of the old English Medical MS. given in Archæologia, xxx. (p. 408).

(3) Bromus mollis, L.—E. Bord. Bot. E. Bord.; Fifesh. (Goosegirs) Jamieson; Moray (Guse-grass), Fl. M.; Cumb., E. D. S. Gloss.

(4) Carex hirta, L.-Som.

Goose-grass, Great. A book name for Asperugo procumbens, L.—Ger. A mere translation of its old Latin name, Aparine major.

Goose-grass, Yellow. Galium verum, L.-Rural Cyclopædia.

Goose-grease. A misprint for Goose-grass in Mascal's Government of Cattell, p. 15; also (fide Prior) in Ray; also in Bayley's Dict. (1724): 'Hariff goosegrease.'

Goose-heiriffe. Galium Aparine, L.—Coles (A. in E.). Prior, p. 94. See Harif. Goose-nest. Neottia Nidus-avis, L.—Lyte. From the intricately crossed roots. See Bird's-nest (3).

Gooseshare (Lyte), Gooseshareth, Gooshareth, Goshareth (Turn. Herb., Hal.), Galium Aparine, L.—Corruptions of Goose-heiriffe (which see). Prior, p. 94.

Goose Tansy. Potentilla anserina, L.—Cumb., E. D. S. Gloss, C. 8; Linc. E. D. S. Gloss, B. 3; Midland Counties, E. D. S. Gloss, B. 5; E. Norf. E. D. S. Gloss, B. 3; Nhamp. Nth. Gloss.; Northern Counties, Hal., Grose, Ray (E. D. S. Gloss, B. 15); Cumb. (Winderwath).

Goose Tongue. (1) Galium Aparine, L.—Holdich. Ches.
(2) Achillea Ptarmica, L.—Deering (Cat. Stirp.), Nhamp. Nth. Gloss.;
Warw., Sal., Yks. (Craven). Hal. Wr. Prior, p. 95.

Goose Withy. Salix Caprea, L .- Lyte.

Goosie-gander, or Goosey-gander. Orchis mascula, L.—Dors.;

Goosy Goslins. Catkins of Salix. Pulman.

Gorse. Ulex europœus, L.—Ger.; Hal. Wr. Ches.; Heref., E. D. S. Gloss, B. 12; Linc., E. D. S. Gloss, C. 6; Midland Counties, E. D. S. B. 5, where we find also 'gorsty, abounding with furze;' Nhamp.; North, Grose; Worc. In With. ed. ii. and by Pulman it is spelt Gorze. Prior, p. 35.

Gorse, Hen. (1) Ononis arvensis, L.—North, Hal.

(2) Bartsia Odontites, L.—Ches.

Gorst. (1) Ulex europœus, L.—Hal. Wr. Ches., Sal.

(2) Juniperus communis, L.—Hal. Wr.

Gory Dew. Palmella cruenta, Ag.—Prior, p. 95.

Gorze. See Gorse.

Gosling Grass. Galium Aparine, L.—Wr. Nhamp. Nth. Gloss. Oxf. 'Given as food to young goslings; hence the name.' Nth. Gloss. Cfr. Goose-grass.

Goslings, or Goslins. From the yellow colour and fluffy texture of the catkins, and from their appearing about the time that goslings are hatched. Various species of Salix, L.—Camb.; Ches.; Cumb.; N. Ess.; Nhamp. Nth. Gloss.; Norf.; Sal.; Suff. Holl.; Suss. Pulman. Hal. says, 'The blossoms of the willow, which children sometimes play with by putting them into the fire and seeing how they burn, repeating verses at the same time.'—Wr.

Gosling Scrotch. Galium Aparine, L.—Camb.; N. Ess.; Norf.

Gosling Weed. Galium Aparine, L.—Hal. Wr. Martyn (Flora Rustica).

Gosmore. Hypochæris radicata, L.—Dr. J. Hill (Herb. Brit. 1769).

Goss. (1) Ulex europœus, L.—Culpeper, Hal. Wr. Kent, Grose;
(I. of Thanet), E. D. S. Gloss, B. 11; Leic. (Belgrave); N.-W. Linc. E.

D. S. Gloss. C. 6; Midland Counties, E. D. S. Gloss. B. 5; Nhamp. Nth. Gloss.; Sal. 'There is a place at Messingham (Linc.) called the Gossacres.' E. D. S. Gloss. C. 6. Sternb. gives gossuk as a Nhamp. word for 'a billhook for cutting goss or furze.' The linnet is known in the same county as goss linnet, from 'its habit of building its nest in a gorse or furze-bush;' and 'a fox-cover is often called a goss-cover.' Nth. Gloss. The name may have been applied in Shakespeare's time to some other prickly shrub: he speaks of—

'Toothed briars, sharp furzes, prickly goss and thorns.' Tempest, Act iv. sc. 1.

(2) Phragmites communis, Trin.—Cornw. N. & Q., I. x. 480.

Gost. Ulex europœus, L.—Heref. E. D. S. Gloss. B. 12; Sal. (Shrewsbury).

Go-to-bed-at-noon. Tragopogon pratense, L.—Lyte, Hal. E. Anglia, Forby; Midland Counties, Cornhill Mag. July, 1865; Warw. Pulman. 'It shutteth it selfe at twelve of the clocke, and sheweth not his face open untill the next daies sunne do make it flower anew, wherefore it was called Go to bed at noon.' Ger. 595 (in description of T. porrifolius, L.).

Goud. 'The plant woad.' Wr. Isatis tinctoria, L., or possibly Reseda Luteola, L.

Goudy-locks. See Goldylocks (3).

Goulans. See Gowlans.

Gould, White. See Gold, White.

Goule. Myrica Gale, L .- With. ed. ii.

Gouls. Chrysanthemum segetum, L. — Midland Counties (Rural Cyclopædia).

Gourlins. The tubers of Bunium flexuosum, With.—Scotl. Jamieson.

Gout Ivy. Ajuga Chamæpitys, L.—'In Lat. Iva arthritica.' Prior, p. 95. But we do not find the English name elsewhere.

Goutweed. *Agopodium Podagraria*, L.—With. ed. ii. 'Herb Gerard with his rootes stamped, and laid upon members that are troubled or vexed with the gout, swageth the paine, and taketh away the swelling and inflammation thereof, which occasioned the Germaines to give it the name *Podagraria*, bicause of his vertues in curing the gout,' Ger. 849. One of its French names is herbe aux goutteux.

Gout-wort. Ægopodium Podagraria, L.—Ger., Park. Theatr. From the old Lat. name Podagraria.

Gow. 'Wild myrtle. Florio, p. 4.' Hal. Wr. Myrica Gale, L.—See Gold.

Gowan. 'The terms goulon, goulion, goulans, gulans, gowlons, gollande, guild, gild, gules, and gowan, as applied to plants, are obviously related, and appear to derive their origin from the Anglo-Saxon gold, or if we wish to consult a more remote parentage, from the Suio-Gothie gul, gol, yellow.' Transactions of Berwicksh. Naturalist's

Club for 1842, p. 12, where will be found an admirable paper by Mr. James Hardy, entitled 'Buttercups and Daisies,' in which the different plants known as gowan or by some allied name are fully enumerated. The name gowan, although no doubt originally applied to yellow flowers, is now more generally transferred to the daisy. Dr. Prior (p. 95) says, it 'appears in different parts of Scotland to be applied to the dandelion, the hawkweeds, common marigold, the globe flower, and indeed almost any that is yellow;' and in Aberdeenshire all the yellow-flowered Compositæ are so called.

(1) Bellis perennis, L.—E. Bord. Bot. E. Bord.; Moray; Inverness. Usually intended by modern writers when the word gowan is used without prefix. 'A gowan-gabbit day' is a Scotch expression for a

sunshiny day when the gowans have disclosed themselves.

(2) Caltha palustris, L.-W. Cumb.

See also Gold, Golland, Gowlan, Guild, Gule.

Gowan, Benner. See Benner Gowan.

Gowan, Dog. See Dog Gowan.

Gowan, Ewe. See Ewe-gowan.

Gowan, Gill. See Gill Gowan.

Gowan, Gule. Chrysanthemum segetum, L. — Rural Cyclopædia. A pleonasm, meaning golden daisy, or rather gold golden, the fact of the name gowan not being originally appropriated to the daisy being forgotten.

Gowan, Horse. (1) Matricaria Chamomilla, L., M. inodora, L., and Anthemis arvensis, L.—E. Bord. Bot. E. Bord.; Banffsh. Phyt. vi. 433, N. S.; Berwicksh. Trans. Berwicksh. Nat. Club, 1842, p. 16; Dumfriessh.

(2) Chrysanthemum Leucanthemum, L.—Banff.; Berwicksh. Trans. Berwicksh. Nat. Club, 1842, p. 16; Aberdeensh. Statistical Acct. of

Scotland (1845), xii. 956; Edinb.; Moray.; Perth.; Stirl.

(3) Leontodon Taraxacum, L. — Scott. Jamieson, who includes 'Hypochæris and Crepis' under the name.

Gowan, Lapper (Roxburghsh.), or Lopper (Clydesdale, Jamieson).

Trollius europæus, L.—See Gowan, Lockin, of which it appears to be a corrupt form.

Gowan, Large White. Chrysanthemum Leucanthemum, L.—Scott. Jamieson.

Gowan, Lockin or Luckin. Trollius europæus, L.—Cumb. E. D. S. Gloss, C. 8; also Lockenty Gowan, and Lockity Gowan, E. D. S. Gloss, C. 8; and in S.-W. Cumb. Locken-ma Gowan; Westm. Hodgson's Hist. of Northumberland, part ii. vol. 2; Edinb. This means the locked or closed gowan, on account of its incurved flowers.

Gowan, May. Bellis perennis, L.—Berw. Forf. 'Ye'll get round again, if ye had your fit (foot) on the May gowan' is a Berwickshire saying. Trans. Berwicksh. Nat. Club, 1842, p. 19.

Gowan, Meadow. Caltha palustris, L .- Ayrsh.

Gowan, Milk. Leontodon Taraxacum, L.-Forf. Jamieson.

Gowan, Open. Caltha palustris, L.—Cumb. E. D. S. Gloss. C. 8, from its spreading flowers as distinguished from the closed flowers of the Lockin Gowan (which see).

Gowan, Sheep's. Trifolium repens, L .- E. Bord. Bot. E. Bord.

Gowan, Tushylucky. Tussilago Farfara, L.-Dumfr.

Gowan, Water. Caltha palustris, L.-Cumb. E. D. S. Gloss. C. 8.

Gowan, Witch. (1) Leontodon Taraxacum, L.—Scotl., Dumfr.
Jamieson says, 'Witch-gowan flowers are large yellow gowans, with
a stalk filled with pernicious sap resembling milk, and called by the
peasantry witches'-milk:' no doubt the above is intended.

(2) Trollius europæus, L.—Prior, p. 95.

Gowan, Yellow. (1) Ranunculus acris, L., R. bulbosus, L., and R. repens, L.—Berwicksh. Trans. Berwicksh. Nat. Club, 1842, p. 14. Forfarsh. Jamieson.

(2) Caltha palustris, L.—S.-W. Cumb.; E. Bord. Bot. E. Bord.; Scotl. Jamieson. 'On burn banks the yellow Gowan grows.' Allan Ramsay.

(3) Chrysanthemum segetum, L.—Scotl. Jamieson.

(4) Leontodon Taraxacum, L .- Scotl. English Botany (ed. 3), i. 53.

Gowk-bear (i. e. Cuckoo-barley). Polytrichum commune, L. —
Ayrsh, Jamieson.

Gowk (or Gowks) Meat. (1) Orchis mascula, L., and O. Morio, L.— Turn.

(2) Oxalis Acetosella, L.—E. Bord, Bot. E. Bord.; Scotl. Jamieson. The Swedish (Gothland) name is giokmat; the French, pain de coucou. Prior, p. 96.

Gowk's Clover. See Clover.

Gowk-shoe. Viola sylvatica, Fries.—Scotl. (Edinburgh).

Gowk's-hose. (1) Campanula latifolia, L .- Scotl. Jamieson.

(2) Scilla nutans, Sm.—Dumbartonshire, Jamieson.

Gowk's meat. See Gowk-meat.

Gowk's Sixpence. Rhinanthus Crista-galli, L.—E. Bord. Bot. E. Bord.; also Gowk's Siller, and in Lanarksh. Gowk's Shillins. Jamieson. 'From the shape of the capsules the plant is called Gowk's-sixpences; and as the capsules rattle when in seed, it is also called Gowk's siller, being, like the fool, unable to conceal its wealth.' Bot. E. Bord. 156.

Gowlan, or Goulan (perhaps more frequent in the plural form), in reference to the golden colour.

(1) Ranunculus acris, L., R. bulbosus, L., and R. repens, L.—E. Yks. E. D. S. Gloss, B. 2.

(2) Chrysanthemum segetum, L.—Northern Counties, Ray, E. D. S. Gloss, B. 15; Grose.; Yks. (Gouland, Clevel, Gl.).

(3) Trollius europæus, L .- With, ed. vii.

- (4) Bellis perennis, L.-Derb. Trans. Berwicksh. Nat. Club, 1842, p. 17. Prior, p. 93.
 - (5) Calendula officinalis, L .- Nhumb. op. cit. p. 13.
- Trollius europœus, L.-With. ed. vii. See Gowlan, Locker. Gowan, Lockin.
- Gowlan, Mary. (1) Calendula officinalis, L.—Nhumb. (Newcastle). Trans. Berwicksh. Nat. Club, 1842, p. 33,
 - (2) Bellis perennis, L.—Nhumb. (Wooler), op. cit. p. 18.
- Gowlan, Water. Caltha palustris, L.—Yks. (Tadcaster).
- Gowlan, White. Chrysanthemum Leucanthemum, L., Anthemis arvensis, L., and Matricaria inodora, L.-Nhumb. Trans. Berwicksh. Nat. Club, 1842, p. 16.
- Gowlan, Yellow. Ranunculus acris, L., R. bulbosus, L., and R. repens, L. - N. Nhumb. Trans. Berwicksh. Nat. Club, 1842, p. 14.
- Gowland. Chrysanthemum segetum, L.—Yks. Clevel. Gloss., E. D. S. Gloss. C. 2; 'marigold,' E. D. S. Gloss. C. 5. 'As yellow as a gowland' is a proverbial Yks, expression. E. D. S. Gloss. C. 2.
- Gowlins. Bunium flexuosum, With.—Inverness. Scottish Naturalist, April, 1871.
- Goyle. Myrica Gale, L.—Cornw.
- Gozill. (1) Ribes rubrum, L.-Kent, Pratt.
 - (2) Ribes Grossularia, L.—(Gozell) Treas. Bot.
 - (3) The white currant is so-called 'in some parts of Kent.' Coles, A. in E., who spells it Gozell.
- Grab. Pyrus Malus, L.-Pulman; Cornw. (Truro); Dors. Dors. Gloss.; Som.
- Grabstock. Pyrus Malus, L.—Dors., Som. 'A young crab-tree, or the cutting of one.' Hal. Wr. In Nhamp, it is called a Grab-stick. Nth. Gloss.
- Grace of God. (1) Various species of Hypericum, especially H. perforatum, L.-Ger. Index.
 - (2) Geranium pratense, L. In Gerard's 'Catalogus,' ed. 2, we have this English form of the more commonly employed Gratia Dei (which see).
 - (3) 'The plant hartshorn. See Topsell's Foure-footed Beasts, p. 126.' Hal. Wr., but we find no such name on the page quoted.
- Gracy Day. Narcissus Pseudo-narcissus, L.—Dev. Hal. Wr.
- ramfer-Greygles. (1) Orchis mascula, L.; (2) Scilla nutans, Sm.; (3) Lychnis diurna, L. Dors.; (2) being sometimes distinguished as Blue G., and (3) as Red G. N. & Q., 4th S. iv. 345. See Greygles, Gramfer = grandfather (West, Pulman), though this Gramfer-Greygles. does not tend to explain the name.
- Grandmother's Nightcap. (1) Convolvulus sepium, L.—Suss.
 (2) Aconitum Napellus, L.—Ches.; Norf. (Norwich).

 - (3) Lychnis vespertina, Sibth. Suss.

Granny's Nightcap. (1) Aconitum Napellus, L.—Glou. (2) Anemone nemorosa, L.—Warw. Phyt. vi. 416, N.s.

Granny-Threads. 'The runners of the creeping crowfoot. Craven.'
Hal. Ranunculus repens, L.

Grape, Fen. See Fen Grapes.

Grape, Hedge. Fruit of Bryonia dioica, L .- Worc.

Grape, Sea. Salicornia herbacea, L.—Lyte, Gerard, and Parkinson, give the name to some species of Ephedra, the last-named author including Salsola Kali, L., in the same chapter under the name of Bastard Sea Grape.

Grape Flower. Muscari botryoides, Mill.—Ger. 'The flowers grow at the top, thrust or packt togither like a bunch of grapes.' Ger. 104. Prior, p. 96.

Grape Hyacinth. A garden name for Muscari botryoides, Mill.— Prior, p. 96.

Grapewort. (1) Actwa spicata, L.—Lyte. 'The fruit [is] round, somewhat long, and blacke when it is ripe, having upon the one side a streaked furrow or hollownesse, growing neere togither, as do the clusters of grapes.' Ger. 829.

(2) Bryonia dioica, L.—Lyte's MS. in Dodoens. (Bibl. Mus. Br. 442,

Grass. A general name for plants of the order Gramineæ. It is also frequently applied popularly and by the older writers simply in the sense of herb. Prior, p. 96.

Grass, Adder's. See Adder's Grass.

Grass, Air. See Air-grass.

Grass, Ant-hill. See Anthill-grass.

Grass, Arrow. See Arrow-grass.

Grass, Ballock. See Ballock Grass.

Grass, Bent. See Bent Grass.

Grass, Bird. See Bird Grass.

Grass, Black. See Black Grass.

Grass, Black-head. Luzula campestris, Willd .- W. Ches.

Grass, Black Squitch. See Black Squitch Grass.

Grass, Blubber. See Blubber Grass,

Grass, Blue. See Blue Grass. In Renfrewsh. (Mearns) the name is given especially to Carex panicea, L.—Statistical Acct. of Scotland (1845), vii. 518.

Grass, Blue Moor. See Blue Moor Grass,

Grass, Bob. See Bob Grass.

Grass, Bowelhive. See Bowelhive Grass.

Grass, Brome. See Brome Grass.

Grass, Buck. See Buck Grass.

Grass, Bull. See Bull Grass.

Grass, Bush. Calamagrostis Epigejos, Roth.—Baxter.

Grass, Button. See Button Grass.

Grass, Canary. See Canary Grass.

Grass, Caponstail. See Caponstail Grass.

Grass, Carnation. See Carnation Grass.

Grass, Carpenter. See Carpenter Grass.

Grass, Catstail. See Catstail Grass.

Grass, Causeway. See Causeway Grass.

Grass, Cheesecake. See Cheesecake (2).

Grass, Claver. See Claver Grass.

Grass, Clever. See Clever.

Grass, Clover. See Clover Grass,

Grass, Club. See Club Grass.

Grass, Cock. See Cock Grass; and add

(3) Plantago lanceolata, L.—'I doubt whether the narrow-leaved plantain, or cockgrass, or ribwort, is so valuable as has been commonly imagined.' General View of Agriculture of Shropshire, by Archdeacon Plymley (1803), p. 209.

Grass, Cock's comb. Cynosurus echinatus, L.—Prior, p. 50.

Grass, Cocksfoot. See Cocksfoot Grass.

Grass, Cooch. See Cooch Grass.

Grass, Cord. See Cord Grass.

Grass, Corn. Apera Spica-venti, Beauv.—'Gramen segetale, either of the likenes it hath with corne, or that it groweth among corne.' Ger. 5. Doubtless for the latter reason.

Grass, Cotton. See Cotton Grass.

Grass, Couch. See Couch.

Grass, Cough. Triticum repens, L.—Ireland. We print the name as sent us by an Irish correspondent; it probably only represents a guttural pronunciation of Couch.

Grass, Cow. See Cow grass.

ass, Crab. · See Crab Grass.

tes, Cuckoo. See Cuckoo Grass.

see, Cut. See Cut Grass.

188, Dadder. See Dadder-grass.

Grass, Dart. See Dart Grass.

Grass, Deer's-Foot. See Deer's Foot Grass.

Grass, Dew. See Dew Grass. The plant figured in Park. Theatr. 1178, is not Dactylis, but some foreign grass, probably a Panicum or Andropogon. Its German name was Himmels deau and Hymmels dau. See Lobel, Stirp. Adversaria Nova, p. 4.

Grass, Didder. Briza media, L.-Lanc. E. D. S. Lanc. Gloss.

Grass, Dithering. See Dithering Grass.

Grass, Dodder, or Doddering. See Dodder Grass and Doddering Grass.

Grass, Doddle. See Doddle Grass.

Grass, Dog. See Dog Grass.

Grass, Dog's. See Dog's Grass.

Grass, Dog's-tail. See Dog's-tail Grass.

Grass, Dog's-tooth. See Dog's-tooth Grass.

Grass, Dothering. See Dothering Dicks.

Grass, Dover. Festuca elatior, L.-English Flora (ed. 2), i. 149.

Grass, Dudder. See Dudder Grass.

Grass, Duffel, See Duffel Grass.

Grass, Earning. See Earning Grass.

Grass, Eccle. Pinguicula vulgaris, L .- Orkneys, Jamieson.

Grass, Elbowit. See Elbowit Grass.

Grass, Ever. Lolium perenne, L.—Dors. Dors. Gloss. Pulman. See Eaver.

Grass, Fair. See Fair Grass.

Grass, Faitour's. See Faitour's Grass.

Grass, Feather. See Feather Grass.

Grass, Feather-top. See Feather-top Grass.

Grass, Fellin. See Fellin Grass (1).

Grass, Fellon. See Fellon Grass.

Grass, Fescue. A general book-name for the genus Festuca; F. ovina, etc. Prior, p. 78.

Grass, Fiddle. See Fiddle Grass.

Grass, Fiorin. See Fiorin Grass.

Grass, Fire. See Fire Grass.

Grass, Five-finger. See Five-finger Grass.

Grass, Five-leaved. See Five-leaved Grass.

Grass, Flea. See Flea Grass.

Grass, Float. See Flote Grass.

Grass, Fold Meadow. See Fowl Grass.

Grass, Four-leaved. See Four-leaved Grass.

Grass, Fowl. See Fowl-grass.

Grass, Fowl Meadow. See Fowl Grass.

Grass, Fox. See Fox Grass.

Grass, Fox-tail. See Fox-tail Grass.

Grass, French. See French Grass.

Grass, French Sparrow. See French Sparrow Grass.

Grass, Frog. See Frog Grass.

Grass, Fullers'. See Fullers' Grass.

Grass, Gallow. See Gallow Grass.

Grass, Geese. See Geese-grass.

Grass, Gilliflower. See Gilliflower Grass.

Grass, Goose. See Goose Grass.

Grass, Gosling. See Gosling Grass.

Grass, Grip. See Grip-grass.

Grass, Gull. See Gull-grass.

Grass, Hair. See Hair-grass. Prior, p. 96.

Grass, Hard. See Hard-grass.

Grass, Hare's-tail. See Hare's-tail Grass.

Grass, Hassock. See Hassock-grass.

Grass, Haver, or Havver. See Haver Grass.

Grass, Hedgehog. See Hedgehog Grass.

Grass, Hen Penny. See Hen Penny.

Grass, Hog. Senebiera Coronopus, Poir. - Warw.

Grass, Holy. See Holy Grass.

Grass, Honeysuckle. See Honeysuckle Grass.

Grass, Hooded. See Hooded Grass.

Grass, Horse-well. See Horse-well-grass.

Grass, Hose. See Hose Grass.

Grass, Hundredleaved. See Hundred-leaved Grass.

Grass, Hunger. See Hunger Grass.

Grass, Indian. See Indian Grass.

Grass, Irby Dale. See Irby Dale Grass.

Grass, Iron. Polygonum aviculare, L.—Herts.

Grass, Italian Rye. - Lolium italicum, A. Br.

Grass, Jockey. See Jockey-Grass.

Grass, Joint. See Joint Grass.

Grass, July-flower. See Gilliflower-grass.

Grass, Knot. See Knotgrass.

Grass, Lady. See Lady Grass.

Grass, Lamb's. See Lamb's Grass.

Grass, Lily. Arum maculatum, L .- Suss. (Shoreham).

Grass, Lob, or Lop. See Lob-grass.

Grass, Lousy. See Lousy Grass.

Grass, Lyme. See Lyme Grass.

Grass, Maidenhair. See Maidenhair-grass.

Grass, Manna. See Manna-grass.

Grass, Marl. See Marl-grass.

Grass, Mat. See Mat-grass.

Grass, May. See May Grass.

Grass, Meadow. See Meadow-grass.

Grass, Meadow Soft. See Meadow Soft grass.

Grass, Melick. See Melick-grass.

Grass, Merlin's. See Merlin's Grass.

Grass, Midge. See Midge-grass.

Grass, Millet. See Millet-grass.

Grass, Monkey's. See Monkey's Grass.

Grass, Moor. See Moor-grass.

Grass, Mouse. Aira caryophyllea, L.-Moray, Fl. M.

Grass, Mousetail. See Mousetail-grass.

Grass, Murrain. See Murrain-grass.

Grass, Myrtle. See Myrtle-grass.

Grass, Natural. See Natural Grass.

Grass, Nit. See Nit-grass.

Grass, Oat. See Oat-grass.

Grass, Onion. See Onion-grass.

Grass, Orchard. See Orchard-grass.

Grass, Orcheston. See Orcheston-grass.

Grass, Painted. The garden striped variety of Phalaris arundinacca, L. Park. Parad. 458. One of its old Latin names was Gramen pictum.

Grass, Palm. Poa aquatica, L.-Nhamp. Nth. Gloss.

Grass, Pearl. (1) 'Creeping wheat-grass,' Scotl., Jamieson, who spells it Pirl-grass. Although Triticum repens, L., might be supposed to be intended, we think it more likely that Avena elatior, L., was meant. Mr. S. A. Stewart writes to us regarding the latter plant: 'It is known in Co. Antrim as Pearl; the knobs at the base of the stem are the pearls. I have been informed that these 'pearls' are of great value as a cure for inflamed eyes, whether of man or of cattle. A handful of the knobs is crushed in a small quantity of water, and the water is then applied to the eye as a wash. A respectable and highly intelligent farmer tells me that he never knew this remedy to fail; he laments that the rising generation pays so little attention to these old cures.' See Pearlwort.

(2) Briza maxima, L.—Park. Theatr. Pratt assigns the name to

B. media, L., but probably in error. Prior, p. 177.

Grass, Peeseweep. Luzula campestris, Willd.—E. Bord. Bot. E. Bord. Peeseweep is a north country name for the lapwing.

Grass, Penny. (1) Rhinanthus Crista-galli, L. - Ger. Ches-

Nhamp. Sternb.; Ireland, Pratt. Prior, p. 177.

(2) In Fitzherbert's Boke of Husbandry, Hydrocotyle vulgaris, L., which he says, 'groweth in maryshe grounde and hathe a leafe as brode as a penny of two pens.'

Grass, Pepper. Pilularia globulifera, L.—With. ed. iv. 'Fructi-fications globular, like peppercorns:' id. vol. iii. 743. Prior, p. 178.

Grass, Pig. Polygonum aviculare, L.—Sal. (Wellington), N. and E. Yks. See Grass, Swine's.

Grass, Pigeon's. Verbena officinalis, L.—See Columbine (2).
R. Turner (Botanologia) says, 'it is supposed pigeons eat thereof to clear their sight.' Prior, p. 179.

Grass, Pink. Carex pracox, L., C. glauca, L., and allied species.— Ches. See Gilliflower grass.

Grass, Pirl. See Grass, Pearl (2).

Grass, Pluff. Holcus lanatus, L.-Moray, Fl. M.

Grass, Prim. Apparently Anthoxanthum odoratum, L.— 'The earliest spring-grass, in England, is what our fore-fathers called prim-grass (Gramen vernum, Raii et Merrettii in Pinocath. Thus they said primrose, instead of vernal rose). This is one of the most valuable grasses, on account of its good taste and early appearance: It is no where cultivated at present; nay, the very name of it is forgotten.' Harte's Essays in Husbandry, Essay ii. 138.

Grass, Pudding. Mentha Pulegium, L.—'Because it is used in Hogs-puddings.' R. Turner's Botanologia, p. 247. Coles (A. of S.) says, 'Penniroyall chopped and put into a bag-pudding giveth it a savoury relish; 'and Lawson (Country Housewife's Garden (1637), p. 93) says it is 'good for Haggas pudding.' Prior, p. 189.

Grass, Purple. (1) A cultivated variety of Trifolium repens, L., with dark brown or purplish foliage, which is still met with in gardens. 'The purple grasse spreadeth on the ground, the leaves are

in some three in others foure or five on a stalke, of a sad greene colour, with a shadow of darke purple cast over them, the flowers are white; I never saw this but in gardens where women keepe it with confidence to be good for the Purples in children or others.' Park. Theatr. 1112.

- (2) Medicago maculata, L.—Deering (Cat. Stirp).
- (3) Lythrum Salicaria, L.—Pratt.
- Grass, Quaker. (Nhamp. Nth. Gloss.), or Quaking (W. Ches.; E. Bord. Bot. E. Bord.; Suff.). Briza media, L.—Prior, p. 191.
- Grass, Quick. Triticum repens, L.—Hudson (Flora Anglica). In Warw. Quicken Grass. From A.S. cwic, alive, in allusion to the great vitality of its creeping underground stems.
- Grass, Quitch. Triticum repens, L.—Ger. Prior, p. 192. See preceding.
- Grass, Rabbit. Agrostis setacea, Curt. Wight. Fl. Vect.
- Grass, Rattle. (1) Rhinanthus Crista-galli, L.-Ireland, Pratt.
 - (2) Pedicularis palustris, L.-Ger., who gives also Red Rattle Grass. In both these species the dry somewhat inflated calices rattle audibly when shaken.
 - (3) Briza media, L .- Wight. Fl. Vect.
- Grass, Ray. A general agricultural name for Lolium perenne, L., from the French ivraic. Ger. (Index) calls it Red Raic. Prior, p. 194.
- Grass, Reed. A name given by Lyte to Sparganium ramosum, L.
- Grass, Reed Canary. See Canary Grass.
- Grass, Rib. Plantago lanceolata, L.— Because every leafe hath five strings somewhat like ribs.' Coles, A. of S. 'In many places.' Turn. Herb. Ches.; Hants.; Suss. Holl.; Yks. (Tadcaster); E. Bord. Bot. E. Bord. Berw.; Moray. Prior, p. 195.
- Grass, Ribbon. A common name for the striped garden variety of *Phalaris arundinacea*, L.—Ches.; Notts.; E. Bord. Bot. E. Bord. Prior, p. 195.
- Grass, Ripple (Ireland, Belfast), or Ripplin (Lanarksh. Jamieson).

 Plantago lanceolata, L.—Jamieson has also 'Ripple-girse, a broad-leaved herb which labourers put on cuts; Galloway.' This is no doubt Plantago major, L.
- Grass, Rope. Melica nutans, L.—Gleanings from Books on Agriculture (1801), p. 78.
- Grass, Rot. (1) Holcus Manatus, L., and H. mollis, L.—Merse District, Bot. E. Bord.
 - (2) Pinguicula vulgaris, L.—Prior, p. 198. E. Bord. Bot. E. Bord. From a supposition that it causes 'rot' in sheep, because it grows in wet land where sheep are subject to the disease.
 - (3) Hydrocotyle vulgaris, L.—For the same reason. Cumb. E. D. S. Gloss, C. 8.

Grass, Rough. Dactylis glomerata, L.-R. Cat.

Grass, Rye. (1) Lolium perenne, L.—A general name in agriculture, corrupted from Ray-grass (which see). Ches.; E. Yks.; E. Bord. Bot. E. Bord. Prior, p. 195.

(2) Hordeum murinum, L.—Apparently invented for this plant by Johnson (Ger. Emac. 73). The eare is very like that of rie and the corne both in colour and shape absolutely resembles it, so that it cannot be fitlier named than by calling it wilde rie, or rie grass.' Prior (p. 95), following Ray, assigns the name to H. pratense, L.

Grass, St. John's. See John's (St.) Grass.

Grass, Scorpion. Lyte assigns the name to Scorpiurus sulcatus, L., with which various species of Myosotis are associated: the latter are generally so called in modern books. Prior, p. 206.

Grass, Scottish Scurvy. Convolvulus Soldanella, L.—Ger. 'Because they use it instead of' the true Scurvy-grass, Cochlearia officinalis, L.

Grass, Scratch. Galium Aparine, L.—Herts.

Grass, Scrooby, or Scruby. Cochlearia officinalis, L.-With. ed. ii. North, Grose; Scotl. Jamieson. See Grass, Scurvy (1).

Grass, Scrub (Cumb. E. D. S. Gloss, C. 8), or Scrubby. Equisetum hyemale, L.—E. Bord. Bot. E. Bord. 'A name given to it from having been used to scour or clean wooden dishes.' Id. In Cumb. the name is given to all the species of Equisetum. See Grass, Shave.

Grass, Scurvy. (1) Cochlearia officinalis, L.—Ger. E. Bord. Bot. E. Bord. Prior, p. 207.

(2) Convolvulus Soldanella, L. - Wight. Fl. Vect.

(3) Galium Aparine, L .- W. Ches.

(4) Stellaria Holostea, L.-Worc.

Grass, Scutch. Triticum repens, L.—Ches. A dialectic form of Quitch Grass. See Grass, Quick.

Grass, Sea. (1) Armeria maritima, L.—Lyte. From its grassy foliage and usual place of growth.

(2) Salicornia herbacea, L.—With. ed. ii.

(3) Ruppia maritima, L.—Hudson, Flora Anglica. Prior, p. 208.

Grass, Sea Hard. Lepturus incurvatus, Trin. Prior, p. 208.

Grass, Setter. Helleborus fætidus, L.—Ger. Yks. Hal. From its use in settering or putting in a seton. See Setterwort.

Grass, Shaking. Briza media, L.—Sal.

Grass, Shave. The various species of Equisetum, L.-Lyte. Ger. restricts the name to E. hyemale, L., to which it specially applies: he says that 'fletchers and combe makers doe rubbe and polish their worke' with it (p. 946), and that women 'scowre their pewter and wooden things of the kitchen therewith' (p. 948). Prior, p. 212.

Grass, Shear. From the description given in Turner (Herbal, i. 112) it seems likely that Cladium Mariscus, L., is intended. He says: 'The edges of thys herbe are so sharpe that they will cut a mannis hande and have a certayne roughnes which maketh them to cut the soner: of the which propertye the Northen men call it Sheregres. It hath a longe stalke and thre square and in the top of that is a sort of litle knoppes in stede of sedes and floures much like unto oure gardine gallingal. The people of the Fenne countreys use it in for fother and do heate ovens with it.' He describes it under the name of 'Carex . . . which we call in Englishe Segge or Shergres;' and Dr. Prior (p. 212) considers some Carex intended. But in the Fens the Cladium is still called Sedge; and it was 'once largely used for lighting fires at Cambridge, and is so now to some extent.' (The Fenland, Past and Present, p. 306.) In Turn. Names we read 'it is called in Northumberland Shearegrasse because it cutteth mennes handes that touche it.' In Ger. Emac. 7, is a figure (corrected from the original work) of a true grass which is described as having similar cutting properties, and of this Gerard says, 'In Lincolneshire it is called Sheeregrasse or Henne.' We cannot identify this with certainty; but it does not seem to be the same as Turner's plant. The name was probably applied indiscriminately to any sharp-edged grass or sedge which would cut the mouths of animals feeding on it or the hands of men gathering it. Hal. has 'Shere-grass, a kind of sedge,' and explains 'shere' as 'to cut.'

Grass, Sheep-killing Penny. From a supposition that it causes 'liver rot' in sheep. Hydrocotyle vulgaris, L.—Lyte. See Flowk-wort.

Grass, Shelly. Triticum repens, L.—Prior, p. 212.

Grass, Shilling. From its round leaves. Hydrocotyle vulgaris, L.— Ayrsh.

Grass, Shivering. Briza media, L.-Warw.

Grass, Shore. Littorella lacustris, L.-Prior, p. 213.

Grass, Silver. The variegated form of Phalaris arundinacea, L.— Nhamp. Nth. Gloss.

Grass, Skally. Triticum repens, L.—Ireland. Called 'by the vulgar skally-grass.' Threlkeld. Prior, p. 212.

Grass, Snake. (1) Myosotis palustris, L.—Yhs. See Grass, Scorpion. (2) Stellaria Holostea, L.—Hants. See Agworm-flower.

Grass, Snap. Scilla nutans, Sm.—Kent. Probably in allusion to the brittle flower-stalks.

Grass, Sour. (1) Rumex Acetosa, L.—From its acid taste. Norf.; Yks. (Tadcaster).

(2) 'A species of Carex.' Ayrsh. Jamieson. From being plentifully found in what is called 'sour-land.' Herbage which is unpalatable to cattle is called 'sour,' quite irrespective of any acidity.

Grass, Sow. Senebiera Coronopus, Poir .- N. Yks.

Grass, Sparrow. Asparagus officinalis, L.—Camden (Britannia), and still a common pronunciation of Asparagus. Prior, p. 217.

Grass, Spart. Spartina stricta, Sm.-Prior, p. 218. See Spart.

Grass, Spear. (1) Various species of Agrostis .- Suff.

(2) Triticum repens, L.—Suff. Hal.

- (3) Alopecurus agrestis, L.—Holdich, Essay on Weeding. Mr. Ellacombe (Plant-lore of Shakespeare, p. 218) has an interesting note on the passage 'to tickle our noses with speargrass to make them bleed' (1st Henry IV. Act ii. sc. 4), which may be consulted: he considers (2) to be here meant. In the passage he quotes from Lupton's Notable Things, Speargrass may be Ranunculus Flammula, L. Dr. Prior (p. 218) suggests Phragmites communis, Trin.
- Grass, Spire. 'A tall species of sedge.' Nhamp. Sternb. A species of Carex. See Spire.
- Grass, Spring. Anthoxanthum odoratum, L.—With. ed. ii. See Grass, Prim. Prior, p. 220,
- Grass, Spurt. (1) Scirpus maritimus, L.—Kent, Holdich, Essay on Weeds; Isle of Thanet, With. ed. vii. Prior (p. 221) includes also S. lacustris, L., under the name.
- Grass, Squirrel-tail. (1) Hordeum murinum, L.—Kent (Thanet). 'We have been informed, on the most respectable authority, that in the Isle of Thanet this grass is well known to the innkeepers, who call it Squirrel-tail grass; and find, that if horses feed on it for some time, the beards or awns of the spikes stick into their gums, and make them so sore, that they are in danger of being starved. The gentleman, who related to me this fact, informed me, that on the road he had a bill put into his hand, signifying, that at such an inn travellers might depend on having good hay for their cattle, without any mixture of Squirrel-tail-grass.' Curtis, Flora Londinensis. A note in With. ed. vii. states however that H. maritimum, L., is 'the true Squirrel-tail grass of the Isle of Thanet,' the awns of this being more rigid and more strongly barbed than in H. murinum. The name is probably common to both; in gardens another species, H. jubatum, is so called. In the Isle of Wight the name is given to H. pratense, L. (Phyt. iv. 10, o. s.); the form of the spike having evidently suggested it. Prior, p. 222.
- Grass, Squitch. (1) Triticum repens, L.—With. ed. ii. Warw.; Ireland. Prior, p. 222.
 - (2) Agrostis stolonifera, L.—Prior, p. 222. See Grass, Quick.
- Grass, Stander. Orchis mascula, L., and allied plants. Lyte. Prior, p. 222.
- Grass, Star. (1) A book-name for the genus Callitriche, L.—With, ed. ii. Prior, p. 222.
 - (2) Stellaria Holostea, L.—Yks. (Sheffield).
 - (3) Scirpus maritimus, L.—Aberdeensh. (Logie Buchan) Statistical Acct. of Scotland, xii. 804.
 - (4) Carex panicea, L.—Renfrewsh. (Mearns), Statistical Account of Scotland, vii. 518.
- Grass, Steep. Pinguicula vulgaris, L.—Ireland (Belfast), Flora Belfastiensis; from its property of curdling milk. In Lanc. and Ches. the rennet with which cheese is made is called steep, because a portion

of rennet is steeped, i.e. soaked in warm water before being used; and about Belfast milk when curdled by rennet is said to be steeped, curds and whey being known as steeped milk.

Grass, Sticky. (1) Galium Mollugo, L.-S.-W. Cumb.

- (2) Dactylis glomerata, L.—E. Bord. 'As the leaf feels rough, and does not draw smoothly across the back of their little hands, children call the grass sticky-grass; and they use it to bleed each other in the tongue.' Bot. E. Bord.
- Grass, Suffolk. Poa annua, L.—From its abundance in that county: Stillingfleet (Obs. on Grasses) says, 'It is called in some parts the Suffolk grass. I have seen whole fields of it in High Suffolk without any mixture of other grasses I have seen a whole park in Suffolk covered with this grass.'
- Grass, Swaggering. Briza media, L.-Lanc.
- Grass, Sweet. (1) Asperula odorata, L.—E. Bord. Bot. E. Bord. (2) A book-name for the genus Glyceria.—English Flora.
- Grass, Sweet Vernal. Anthoxanthum odoratum, L.—E. Bord. Bot. E. Bord.; the general name for the species.
- Grass, Swine's. (1) Polygonum aviculare, L.—Turn. Names: in Turn. Lib., Swynegyrs. E. Bord. Bot. E. Bord. Coles (A. in E.) says, 'Swine delight to feed thereon.' 'It is given unto swine with good successe, when they are sicke, and will not eate their meate, whereupon the countrie people do call it Swines grasse and Swines skir.' Ger. 452. Prior, p. 229.

(2) Senecio Jacobaea, L.—' Raggewort (Jacobaea) vulgò Swine-grasse growes too plentifully in good ground from Notts to the Bishopricke

of Durham.' Aubrey's MS. (Royal Soc.), p. 12.

Grass, Sword. Phalaris arundinacea, L.—Ches.; Cumb. (Keswick).
This may be the sword-grass of Tennyson's May Queen:

'The oat-grass and the sword-grass, and the bulrush in the pool;' or, perhaps, Poa aquatica, L., which has very sharp-edged leaves, is there intended.

- Grass, Thickening. Pinguicula vulgaris, L.—Ayrsh. From its property of curdling milk.
- Grass, Thirlestane. 'Saxifrage.' Jamieson. Probably Saxifraga granulata, L.—'The Sw. name corresponds; sten-braecka.' Jamieson.
- Grass, Three-leaved. A book-equivalent for Trifolium.—Ger.
- Grass, Timothy. The general book-name for Phleum pratense, L.—
 Ches.; E. Bord. Bot. E. Bord.; E. Yks. 'Was much recommended
 about thirty years ago, under the name of Timothy grass: and Mr.
 Wych is said to have brought it from Virginia in 1763. It received
 this quaint appellation from Mr. Timothy Hanson, who is said first
 to have brought the seeds of it from New York to Carolina.' Mart.
 Mill. (1807). Prior, p. 235.
- Grass, Toad. Juncus bufonius, L.—'The Flemmings generally call [it] Padde grasse, that is, Tode grasse.' Park. Theatr. 1190. 'Quia provenit in locis ubi bufones stabulantur.' R. Cat.

- Grass, Tongue. (1) Stellaria media, L.—Ireland. 'Among garden cresses called by the yulgar name of Tongue-grass.' Threlkeld. (2) Lepidium sativum, L.—Ireland. 'Sold by the silly name of Tongue-grass.' Threlkeld.
- Grass, Totter (Wight, Fl. Vect.; Nhamp. Nth. Gloss.; Notts.; Rutl.; Suss.), or Tottering (Camb.; Yks.). Briza media, L.
- Grass, Traleen. Cynosurus cristatus, L.—Ireland. Statistical Acct. of Scotland (1845), xiv. 467.
- Briza media, L.—Suff.; Yks. (Tadcaster); Grass, Trembling. E. Bord, Bot, E. Bord.
- Grass, Triple. The species of Trifolium.—Bullein, Book of Simples, fol. 32. The 'triple grass' of Moore's Melodies ('The Shamrock') is probably of the same genus. See Shamrock.
- Grass, Turkey. Galium Aparine, L.—Probably from a reason similar to that given under Goose-grass (1). 'A Year with the Wild Flowers,' by Edith Waddy, p. 62 (1874).
- Grass, Tussock. Aira cæspitosa, L.—Pratt. 'Growing in tusta, it occasions irregularities, tussocks, or hassocks, as they are vulgarly called, in meadows.' Mart. Mill. Prior, p. 240.
- Grass, Twitch. (1) Triticum repens, L.—Cumb. E. D. S. Gloss, C. 8; E. Anglia, Forby; Norf. Holl.; Nhamp. (2) Alopecurus agrestis, L.—S.-W. Cumb.
- Grass, Twopenny. Lysimachia Nummularia, L.—Turn. Names, Prior, p. 241.
- **Grass. V**elvet. Holcus lanatus, L.—Treas. Bot.
- Grass, Vernal. The common book-name for Anthoxanthum odoratum, L.—Prior, p. 242.
- Grass, Vetch. A book-name for Lathyrus Nissolia, L.—'A vetch with grassy leaves.' Prior, p. 97.
- Grass, Viper's. (1) An old name for Scorzonera hispanica, L., apparently invented by Gorard. It is a translation of its Latin name Viperaria, which in its turn came from the Spanish Scorzonera; it was 'so called bicause it is accounted to be of force and efficacie against the poisons of vipers and serpents, for vipera, a viper, is called in Spanish scurzo.' Gor. 599.
 (2) Echium vulgare, L.—Wight, Fl. Vect. See Bugloss, Viper's.
- Grass, Waggering. Briza media, L.—N. Yks.
- Grass, Wall Penny. Cotyledon Umbilicus, L. A name invented by Turner.
- Grass, Wart. Euphorbia Helioscopia, L.—Cumb. E. D. S. Gloss. C. 8. From the use of its milky juice as a cure for warts. See Wartweed.
- rass, Water. (1) Nasturtium officinale, R. Br.—Ireland, Threlkeld, who says, 'It is called about the street by the abusive name of Water-grass;' Belfast, Flora Belfastiensis.
 (2) Various species of Equisetum.—Warw. Grass, Water.

Grass, Way. 'Knot Grass,' Hal. Polygonum aviculare, L.

Grass, Well. Nasturtium officinale, L.-Scotl. Jamieson.

Grass, White-topped (wheyte top't). Holcus mollis, L., and H. lanatus, L.—Cumb. E. D. S. Gloss, C. 8.

Grass, Whitlow. (1) The common book-name for Draba verna, L. —Ger.

(2) Saxifraga tridactylites, L.—This is included by Gerard in the same chapter and under the same name as the preceding; and he says of each that 'it hath been taken to heale the disease of the nailes called a Whitlowe, whereof it tooke his name.' Prior, p. 249.

(3) Euphorbia Helioscopia, L.-Linc. Probably from its local use

in the same manner as the foregoing.

Grass, Whuttle. Melilotus officinalis, L .- Roxb. Jamieson.

Grass, Wicken. Triticum repens, L.-Yks. Cleveland Gloss.

Grass, Willow. The land form of Polygonum amphibium, L., which frequently forms a considerable part of the herbage of low, wet meadows in the north: the leaves resemble those of the willow in shape.—E. Yks. See Ground Willow and Willow Weed.

Grass, Windlestraw. Cynosurus cristatus, L.—Scotl. Mart. Mill. See Windlestraw.

Grass, Wire. Polygonum aviculare, L .- Glou.

Grass, Wood. Luzula sylvatica, Bich.—E. Bord. Bot. E. Bord. Prior, p. 253,

Grass, Worm. Sedum album, L.—Lyte. A translation of Lobel's name for it, Vermicularis (Adversaria, 162), which he gave, as Parkinson says (Theatr. 735), 'of the likenesse of the leaves unto wormes,' and not, as Prior thinks (p. 255), 'from its vermifuge qualities.'

Grass, Yellow. Narthecium ossifragum, L.-S. Scott.

Grass Nettle, Wild. Stachys sylvatica, L.-Nhamp. Nth. Gloss.

Grass of Parnassus. Parnassia palustris, L.—Lyte and subsequent writers. Prior, p. 97.

Grass Poly. A book-name for Lythrum Hyssopifolia, L.—'Cordus first mentioned it, and that by the Dutch name of Grasse Poley, which name we may also very fitly retaine in English.' Ger. Emac. 581. It is adopted in With. ed. ii. as an English generic equivalent for Lythrum; and Pratt erroneously assigns the name to L. Salicaria, L. Prior, p. 97.

Grass Weed. Zostera marina, L.-Wight, Fl. Vect.

Grass Wrack. Zostera marina, L.—A seaweed or 'wrack' with grass-like leaves. With ed. ii. Prior, p. 97.

Gratia Dei. This seems to have been in common use as an 'English name,' and appears in the Index of 'English Names' appended to Ger. A similar instance of a Latin name popularly used will be found under Calamus aromaticus, which see.

- (1) Gratiola officinalis, L.—'In English Gratia Dei.' Ger. 467.
- (2) Geranium pratense, L.—Lyte. [It] 'is called Gratia Dei: in English also Gratia Dei; in high Douche Gottes gnad, that is to say, the Grace of God: in base Almaigne Godts ghenade.' Lyte, 48.
- (3) A third plant, allied to the Daffodil and Garlic, is referred to under this name in the old English Medical MS. printed in Archæologia, xxx. (p. 382):

'Sume seyn yer arn lekys fywe, But ye beste yat is on lywe Garlec ye ton, lec ye toyer, Squirle is ye grete broyer. Gracia Dei ye growyth in mede Affodylle ye fyfte schrede.'

Grayheads. 'Heads of gray-coloured oats, growing among others that are not,'—Scotl. Jamieson.

Graymile. Lithospermum officinale, L.—Turn. (Herb. ii. 40) gives this as a corrected form of Gromwell, or, as he spells it, Grummell. 'Lithospermon is called of the commen herbaries and apothecaries milium solis, in Duch steinsamen, in Frenche gremil, and it should be called in English graymile, and not as it is now called grummell. It is called milium of the herbaries, and in Frenche mil, and also in Englishe, because in forme and fashon it is like the yelow sede which is called in Latin milium, and it is called gray mil of the blowish gray color that it hath, to put a difference between it and the other mile or millet.' Prior (p. 98) favours a different explanation.

Grayves. Various species of Lemna.—Lyte, Prior, p. 98.

Great Aspen. Populus alba, L.—Loudon, Arboretum.

Great Bell-flower. See Bell-flower, Great.

Great Bindweed. Convolvulus sepium, L.—W. Ches.

Great Bines. Convolvulus sepium, L.—Cyclopædia of Agriculture.

Great Bur. Arctium Lappa, L.—Lyte.

Great Celandine. Chelidonium majus, L.—Lyte.

Great Centaury. See Centaury, Great.

Great Chervil. Myrrhis odorata, L.—Coles, A. of S., 168.

Great Cowslip. See Cowslip, Great.

Great Daisy. See Daisy, Great.

Great Dragon. Arum maculatum, L.—Suss.

Great Figwort. See Figwort.

Great Furze. Ulex europœus, L.—Lyte.

Great Goose-grass. See Goose-grass.

** Horse Knobs. Centaurea Scabiosa, L.—Yks.

Pilewort. Scrophularia nodosa, L.—Coles, A. in E.

ntain. Plantago major, L.—South, Turn. Herb.

Great Sanicle. Alchemilla vulgaris, L.-Lyte. Sanicula major was one of its early names, probably from some superficial resemblance to the true Sanicle. See Sanicle. Lyte says 'it is much like sanicle in facultie, and serveth for all diseases whereunto sanicle is good.' Suss. Field, May 1, 1875, but on somewhat insufficient authority.

Great Waybrede. Plantago major, L.-North, Turn. Herb. See Waybread.

Great Wild Climber. See Climber.

Greeds. Lemna minor, L.-With. ed. ii. Prior (p. 97) applies the name to the species of Potamogeton.

Greek Nettle. Urtica pilulifera, L.-Lyte.

Greek Valerian. A common book-name for Polemonium coruleum, I. — 'Is called of the Herboristes of our time Phu Grecum and Valeriana Græca, that is to say, Greekish, or Greke Valerian.' Lyte, who proceeds to show, accurately enough, that 'this is no Valerian, but some other strange herbe.' Prior, p. 98.

Green Arrow. See Arrow, Green.

Green Broom. See Broom, Green.

Green Endive. Lactuca virosa, L.-Turn. Herb.

Green Hellebore. A translated book-name for Helleborus viridis, L. -Mart. Mill.

Green Laver. See Laver.

Green Man. See Man Orchis.

Green Mood. Various Conferva. - E. Bord. Bot. E. Bord.

Green Mustard. Lepidium latifolium, L.—Ger. Appx. Hal. Wr.

Green Pops, or Poppies. Digitalis purpurea, L.-Cornw. See Dock, Pop.

Green-sauce. Rumex Acetosa, L.—Ches. (including Rumex Acetosella, L.); E. Cornw.; Glou.; Leic. E. D. S. Gloss. B. 3; Linc. Brogd., E. D. S. Gloss. C. 6; Midland Counties, E. D. S. Gloss. B. 5; Notts.; Warw.; Yks. (Wakefield). Prior, p. 98. Mr. Peacock, in E. D. S. Gloss. C. 6, quotes the following passage showing that the name is an old one, though we have not met with it in old books: 'We had allso a boy about 9 yeares of age, as he was getting of greene sause (without Swillington tower) was dangerously shott in the belly.' Drake's Siege of Pontefract Castle (1645), Surtees Soc. ed. p. 37.

Green Sloke. Ulva Lactuca, L .- Scotl. Jamieson.

Green Sorrel. Rumex Acctosa, L.-Bucks.

Green Weed, or Greening Weed. (1) Genista tinctoria, L.—E. Anglia, Forby; Hal. Wr. Ger. calls it Dier's Greening Weede.

(2) Reseda Lutcola, L.—Culpeper. Prior, p. 98.

- Green Wood. Genista tinctoria, L.—With. ed. ii. Perhaps originally a misprint for Greenweed.
- Greens. (1) Lemna minor, L.-Grete Herball. Prior, p. 98.
 - (2) Crategus Oxyacantha, L., var. præcox (the 'Glastonbury Thorn'), which in Parkinson's time grew 'neare unto Nantwiche in Cheshire by a place called White Greene, which tooke the name as it was thought from the white bushes of thornes which there they call Greenes.' Park. Theatr. 1025.
- Gregories. 'A species of Narcissus, West.' Hal. Wr.
- Grey-beards. 'The seeds of the wild vine.' Hal. Wr. No doubt Clematis Vitalba, L.
- Greygle. (1) Scilla nutans, Sm.—Dors. 'A.S. græg, grey. Grægl, or greygle, means what is grey (greyish) blue.' Dors. Gloss. Hal. and Wr. spell it Greygole.
 - (2) Orchis mascula, L.—Dors.
- Grey Saugh. Salix cinerea, L.-E. Bord. Bot. E. Bord.
- Gribble. 'Diminutive of grab. A young crab-tree [Pyrus Malus, L.] or blackthorn [Prunus spinosa, L.]; or a knotty walking-stick made of it.' Dors. Dors. Gloss. In Hal. it is explained as 'a shoot from a tree; a short cutting from one. West.' In Som. it is applied to Pyrus Malus, L., both the tree and the fruit.
- Grig. (1) Calluna vulgaris, Salisb.—Ches.; Cornw.; Norf. Cockayne, iii. 32; Sal.; Ray, E. D. S. Gloss. B. 15. 'Sometimes Griglan.' Hal. By Act of Parliament 4 and 5 William and Mary, cap. 23, to burn on any common or waste between Candlemas and Midsummer any grigg, heath, &c., is punishable with whipping and imprisonment.
 - (2) Erica Tetralix, L.—Ches.
- Griglans. The stems of Calluna vulgaris, Salisb.—Cornw. (Truro).
- Grim the Collier. Hieracium aurantiacum, L.—Park. Parad. Hal. Wr. Glou., Sal., Som., Suss. 'The name of a humorous comedy popular in Q. Elizabeth's reign, "Grimm the Collier of Croydon," given to the plant from its black smutty involucre.' Prior, p. 98. Parkinson (Parad. p. 300) says 'the name of Grim the Collier, whereby it is called of many, is both idle and foolish.'
- Grinning Swallow. Senecio vulgaris, L.—Scotl. A curious corruption of Groundsel, or rather of the A.S. grundswelge, which has become in Scotland grundieswally, grundieswallow, and finally grinning swallow.
- Grinsel. Senecio vulgaris, L.-Ches.
- Grip-grass. Galium Aparine, L.— 'Because the prickles of its leaves, and the bristles of its fruit, make it catch at everything.' E. Bord. Bot. E. Bord. Prior, p. 98.
- Grizzle. Fruit of Ribes Grossularia, L.—Dumfries, Jamieson.
- Gromwell. The usual spelling in modern books of the English name for Lithospermum officinale, L.—Lyte has Gremil and Gromall,

Hal, and Wr. have Gromaly and Gromyl. See Graymile. Prior, p. 98.

Groose-berries (Grouse-berries). Empetrum nigrum, L. - Cumb. (Winderwath).

Grosers, or Grozers. Fruit of Ribes Grossularia, L.-North, Hal. Wr.; Nhumb.; Fifesh. Jamieson. Different spellings are Grosard (Inverness), Grosert (Scotl. Jamieson), Grosier (North, Grose), Grossers (N.-E. Cumb. E. D. S. Gloss, C. 8). See also Groset. Turn. (Names) has 'A gooseberry bush, a groser bush.'

Groset, or Grozet. Ribes Grossularia, L.—E. Bord. Bot. E. Bord.; Scotl., Lanarksh., Roxb. Jamieson. Hal. has 'Grozet-eyes, goggleeyes. South.'

Grost. 'The star thistle. It is wrongly explained in Arch. xxx. 408.' Hal. Wr. We do not find this name at the reference given, but instead Grostys, which is queried 'gooseberries.']

Ground Ash. (1 and 2) See Ash, Ground.

(3) In Linc, a young ash-plant is so called. E. D. S. Gloss, C. 6. Pulman. Hal, and Wr. also give this name for an ash sapling.

Groundavey, i. e. Ground Ivy. Nepeta Glechoma, Benth.-E. Bord. Bot. E. Bord. (Grund-Davy); Scotl. Jamieson (Grundavie); Moray (Elgin).

Ground Box. See Box, Dwarf, or Ground.

Ground Elder. See Elder, Ground.

Ground Enell. Scandix Pecten, L.-Ger. Appx. Hal. and Wr. print the name incorrectly Ground-evil.

Ground Fern. Nephrodium Thelypteris, Desv.-Wight, Fl. Vect.

Ground Furze. Ononis arvensis, L.-Lyte, Coles, A. in E.

Ground-hele. Veronica officinalis, L.—Lyte, who gives its German name as Grund-heyl. Hal. has 'Ground-hale, the herb gromwell;' but probably the same name is intended, though wrongly identified. Prior, p. 98.

Ground Honeysuckle. Lotus corniculatus, L.-Ches.

Ground Ivy. (1) Nepeta Glechoma, Benth.—Lyte, Wr. S. Bucks.; Ches. (Ground Ivvens); S.-W. Cumb.; Oxf.; Yks.; E. Bord. Bot. E. Bord. French, lierre terrestre; Lat. hedera terrestris. 'Ground ivis frequently, although Lobel judgeth the Hedera helix, or barren ivie, more properly to deserve that name.' Park. Theatr. 677.

(2) Hedera Helix, L., the barren trailing form which grows on

hedge banks. Ger.

(3) Convolvatus sepium, L.—Dev.
(4) Ajuga Chamæpitys, L.—'Ground Ivie, after the Latine word Iva' (Park. Theatr. 284), which was the old name for this plant.
(5) Vinca minor, L., according to the old English Medical MS. in

Archæologia, xxx. (p. 376).

On ye grownde he rënyth & growe As doth ye erbe y' hyth tuhowe,

Ye lef is thicke schinede & styf As is ye grene jwy [ivy] leef, Vuche brod & nerhand rownde Men call it ye juy [ivy] of grownde. Anoyer erbe is callyd soo, Y' we cally tu hoo.'

'Tū howe,' or 'tū hoo' = tunhoof (Nepeta Glechoma, Benth.).

Ground Needle. Erodium moschatum, Willd.—Ger. Appx. Hal. Wr.

Ground Nut. Bunium flexuosum, With. — Mart. Mill. Herts. Prior, p. 98.

Ground Pine. Ajuga Chamæpitys, L.—Ger. A name invented by Turner. Prior, p. 99.

Ground Willow. Polygonum amphibium, L, the form which grows on land. Ches. See Grass, Willow.

Groundsel. The general name for Senecio vulgaris, L. — Turn. Names. Sal.; E. Bord. Bot. E. Bord.; Pulman (Grounsel). Various spellings of the name exist: Turn. (Herb.) has Groundiswil, Hal. gives Groundiswelie and Grondeswyle, Ger. (Appx.) has Groundswell and Groundwill (S.-W. Cumb.). Other forms will be found under Grinsel, Grinning Swallow, Grundieswallow, Grundsel, and Grunnishule. Prior, p. 99.

Groves. Lemna minor, L.—Som.

Grozel, or Grozzle. Ribes Grossularia, L. — Dumfriessh., Roxb. Jamieson.

Grozens. 'The weed duck's-meat. West.' Hal. Wr. Som. Holl. Lemna minor, L.

Grozer. See Grosers.

Grozet. See Groset.

Grummell. See Graymile.

Grunsel. 'The dandelion. Dev.' Hal. Wr. Leontodon Taraxacum, L.

Grundavie. See Groundavy.

Grundieswallow, Grundiswallow, or Grundiswally. Senecio vulgaris, L.—E. Bord. Bot. E. Bord.; Scotl. Jamieson; Moray.; Clack-mannanah

**mdsel, Grunsel, or Grunsil. Senecio vulgaris, L.—S. Bucks.; mb.; Derb. Reliquary, vi. 860; Linc. Brogd., E. D. S. Gloss. C. 6; v. (Wakefield).

tilswaith. Senecio Jacobæa, L.—Mid-Cumb. E. D. S. Gloss.

unishule, or Grunistule. Senecio vulgaris, L. — Clydesdale,

Grunnut. Bunium flexuosum, With. A corruption of Ground-nut. Prior, p. 98.

Gryffe. 'The herb dragonwort.' Hal. Wr.

Guanner Weed. 'A weed which grows in ditches, and whose seeds are absurdly believed to have been imported with guano,' N.-W. Linc. E. D. S. Gloss. C. 6. Perhaps Anacharis Alsinastrum, Bab.

Guckoos (i. e. Cuckoos). Scilla nutans, Sm.—Cornw.

Guelder Rose. Viburnum Opulus, L.—See Gelders Rose. Prior, p. 99.

Guernsey Violets. See Garnesie Violets.

Guild. (1) Chrysanthemum segetum, L.—N. Scotl., Jamieson, who also spells it Guilde.

(2) Berberis vulgaris, L., called also the Guild tree. Selkirkshire, Jamieson. 'The reason assigned for the designation is that its inner bark is yellow, from Dan. guild, flavus.' Id.

Guile. Chrysanthemum segetum, L.-Moray. Fl. M.

Guilty-cup. See Gilcup.

Guind. 'A wild cherry. Prunus Avium, L.-Scotl. Jamieson.

Guinea-hen Flower. Fritillaria Meleagris, L.—From the chequered markings of the flower like the spots on the bird. Cumb. E. D. S. Gloss, C. 8. Prior, p. 99. Gerard calls it Guinie-hen Flower: One square is of a greenish yellow color, the other purple, keeping the same order as wel on the backside of the flower as on the inside, although they are blackish in one square, and of a violet colour in another: in so much that every leafe [of the flower] seemeth to be the feather of a Ginnie hen, whereof it tooke his name.' Ger. 122. Dodoens calls it Flos Meleagris.

Gule, or Gules. Chrysanthemum segetum, L.—Scotl. Jamieson. Hal. has the form Guwlz,

Gule Gowan, See Gowan, Gule.

Gull, or Gulls. (1) Chrysanthemum segetum, L.—Cumb. E. D. S. Gloss. C. S. Suss. Parish, Worc. A form of the word gold.
(2) 'The bloom of the willow.' Hal. Wr. Probably Salix caprea, L., more especially. Gull is also Suss. and Heref. for a gosling; hence the name. See Gosling.

Gull, White. Chrysanthemum Leucanthemum, L.—S. Cumb. E. D. S. Gloss, C. 8.

Gull, Yellow. Chrysanthemum segetum, L.—Cumb. E. D. S. Gloss.

Gull-grass. Galium Aparine, L .- Glou. Heref. This simply means Goose-grass. See Gull (2).

Gulty cup. Ranunculus acris, L., R. bulbosus, L., and R. repens, L .-Dev.; Pulman (R. bulbosus, L.).

Gutweed. Sonchus arvensis, L.—Ess. From its long creeping roots.

Guwcorn. 'Spurge. MS. Harl. 978.' Hal. We do not identify this.

Guze-gog. See Goose-gog.

Gye. (1) Ranunculus arvensis, L.—E. Anglia. Forby; Ess.; Norf. Hol.; Suff.

(2) Different species of Galium, G. Aparine, L., being no doubt the chief. Norf. Holl. It is also applied to various cornfield weeds. E. Anglia, Forby. Hal.

Hāa. Fruit of Cratægus Oxyacantha, L.—S.-W. Cumb. E. D. S. Gloss, C. 8.

Hāāves. The fruit of Crategus Oxyacantha, L.—'Used as a superlative term when speaking of numbers:—'Th' vish be za thick as hāaves."' Pulman.

Hack-berry. The fruit of Prunus Padus, L.—E. Bord., Cumb., Westm. Bot. E. Bord.; Scotl. Jamieson. See Heg-berry. Prior, p. 107. In N. America the name is applied to Celtis occidentalis, L.

Hackwood. Prunus Padus, L.—E. Bord., Cumb., Westm. Bot. E. Bord.

Hadder. Calluna vulgaris, Salisb., Erica Tetralix, L., Erica cinerea,
L.—North ('heath or ling'), Ray, E. D. S. Gloss. B. 15, Grose, Hal.
Wr.; Scotl. (spelt also Haddyr), Jamieson; South and East, Ray; in Cumb. Hedder, E. D. S. Gloss. C. 8.

Hæmony. See Hemony.

Hafer-corn, or Haver-corn. Avena sativa, L.—Pratt. See Haver.

Hagberry. Prunus Padus, L.—Hal. Wr.; Cumb. Bot. E. Bord.;
N. Lanc.; Yks. Cleveland Gloss.; Westm., E. Bord. Bot. E. Bord.;
Scotl. Jamieson; Ayrsh.; Prior, p. 107. See Heg-berry.

Hagga. Fruit of Cratægus Oxyacantha, L.—Berks. Wr.

Haghes. See Hagues.

Hag-rope. Clematis Vitalba, L.—Som.: i. e. hedge-rope, a very graphic name.

Hags. 'Haws or brambles.

"This said, he led me over holts and hags,
Through thorns and bushes scant my legs I drew."
Fairf. Tasso, viii. 41.' Nares.

Perhaps hedges is rather intended. Cf. A.S. haga,

Hag-taper. Verbascum Thapsus, L.—From A.S. hege or haga, a hedge, the usual place of its growth, and taper, the species having been used to form torches (see Torch Mullein); or perhaps because, as Lyte (p. 118) observes, 'the whole top with his pleasant yellow floures sheweth like to a waxe candell or taper cunningly wrought.' Prior, p. 112.

Hagthorn. Cratagus Oxyacantha, L.—Dev. Hal. The Saxon name; see Cockayne, iii. 329.

Hagues, or Haigs. Fruit of Cratagus Oxyacantha, L.—North, Hal., who spells it Haghes; Ches.; Lanc.; Wight (Hagas and Hagals), Cockayne, iii. xxiii.; Yks. (Craven), Hal.

Ha-ho. 'The hedge-parsley [Anthriscus sylvestris, Hoffm.], and perhaps in some places the larger umbelliferous plant, the Hogweed,' Heracleum Sphondylium, L. Ireland (Derry). Cfr. Hech-how.

Hain-berry. Rubus Idaus, L.-Roxb. Jamieson. See Hine-berry.

Hair, Deer, or Deer's. See Deer Hair.

Hair, Druids'. 'Long moss.' Wilts. Hal.

Hair, Fairies'. Cuscuta Epithymum, L .- Jersey.

Hair, Lady's. See Lady's Hair.

Hair, Maiden. See Maidenhair.

Hair, Maid's. Galium verum, L.-Ger.

Hair, Venus's. Adiantum Capillus-Veneris, L .- Lyte.

Hair-beard. Luzula campestris, Willd. — Wr. Nhamp. 'This plant, being one of the harbingers of spring, and generally making its appearance in mild, genial weather, has originated the following prophetic adage:

'When the hair-beard appear The shepherd need not fear.' Nth. Gloss.

Hair-bell. See Bell, Hare.

Haireve. See Harif.

Hair-grass. A general book-name for the species of Aira. It seems to have been invented by Stillingfleet (Obs. on Grasses, 1792), who says that in giving names he chose such 'as are of easy and familiar pronunciation to our common people, and at the same time approach as near as possible to the Latin names in sound where they could not be interpreted. . . . Thus I have called the Aira hair-grass.' Prior, p. 100.

Hairhoof, Scented, or Sweet. Asperula odorata, L.—N. and E. Yks.

Hairhound. Ballota nigra, L .- E. Bord. Bot. E. Bord.

Hairif, Hairough, or Hairup. See Harif.

Hairweed. (1) Cuscuta europæa, L.—Beds. Batchelor's Gen. View of Agriculture of Beds (1808), p. 325.

(2) Galium Aparine, L.—Bulleyn, fol. 50 (spelt Hareweed).

Haish. Fraxinus excelsior, L .- 'Reliq. Antiq. ii. 82.' Hal.

Haithorne. See Haythorn.

Hakernes. 'Acorns. Will, Werw. p. 66.' Hal.

Hale-nut. Corylus Avellana, L .- Cornw. (Truro).

Hales, French. See French Hales.

Hale-weed. Cuscuta europæa, L.—Beds. Batchelor's Gen. View of Agriculture of Beds (1808), p. 325. Cfr. Hellweed.

Halin Blades. See Healing Blades.

Haliwey. 'The balsam tree. See a list of plants in MS. Sloane 5, f. 3. The term was also applied to any remedy against sickness.' Hal. Wr. This may mean Balsamodendron gileadense, or is perhaps a spelling of Aloe; the latter supposition being supported by the fact that in E. D. S. Gloss. C. 6 (N.-W. Linc.) we have 'Allaways, aloes; the drug, not the plant.'

Hallelujah. Oxalis Acetosella, L.—Prior, p. 100. See Alleluia.

Halse. (1) Corylus Avellana, L.—Dev.; Som. Hal. Mr. Elworthy says this is the 'invariable name' in Som.

(2) Ulmus montana, Sm. - W. Som.

Hammersedge. Carex hirta, L.—Treas. Bot.

Hammerwort. Parietaria officinalis, L.—Ger. Appx., Hal. Wr.

Hand Orchis. See Orchis.

Hands, Bloody Man's. Orchis mascula, L.—Kent (Folkestone).

Hands, Dead Men's. See Deadmen's Hands.

Hands, Lucky, or St. John's. See Lucky Hands.

Hangel. 'A reed or rush.' Wr.

Hangers. Laminaria digitata, Lam. — Aberdeensh.; Mearns, Jamieson.

Hap. Fruit of Rosa canina, L.—North Scotl. Jamieson ('pronounced hawp').

Harber, or Harbur. Carpinus Betulus, L.—East, Hal.; Norf.; Suff.

Hard Beam. Carpinus Betulus, L.—Ger. See Hornbeam. Prior, p. 100.

Hard-corn. 'Wheat and rve. North.' Hal. Wr.

Hard Fern. A common modern book-name for Blechnum boreale, Sw.—Prior, p. 77.

Hard Grass. (1) Dactylis glomerata, L.—'It is a rough coarse grass, and hence has the names of Rough-grass and Hard-grass.'
Mart. Mill.

(2) Lepturus incurvatus, Trin.—With. ed. ii. Prior, p. 100.

Hard Hay. Hypericum tetrapterum, Fries.—Ger. Prior, p. 100.

Hardhead, or Hardheads. (1) Centaurea nigra, L.—W. Ches.; Charb.; Glou. (C. Scabiosa, L.); North ('Knapwoed'), Hal. Wr.; Sal. urd-yeds); Warw.; Worc. With. ed. ii.; Yks. Cleveland Gloss., E. Bord. Bot. E. Bord.; Prior, p. 100.

eschnie Githago, Lam.—Nhumb.

lantago lanceolata, L.—Yks. (Tadcaster).

(4) Achillea Ptarmica, L.-W. Scotl. Jamieson.

(5) Heracleum Sphondylium, L.—Glou.

Hardhead, Woolly. Scabiosa succisa, L.-Cornw.

Hardhow. Calendula officinalis, L.-Ger. Appx. Hal. Wr.

Hard-iron. (1) Centaurea nigra, L.—Ches.; Lanc.; Staff. With. ed. ii.

(2) Ranunculus arvensis, L.—Leic. (Glenfield); Midland Counties, E. D. S. Gloss. B. 5; North, Hal. Wr. adds, 'Triplex [Atriplex] patula,' but this is a mistake.

Hardock. A word found in old editions of Shakespeare in K. Lear (Act iv. so. 4), and referred by Dr. Prior to Arctium Lappa, L. Wr. See Prior, p. 100. Hal. spells it Hordock.

Hard Rush. Juneus effusus, L.-Lyte.

Hard-thistle. Carduus arvensis, L .- East, Hal. Wr.

Hare, or Hare's, Bell. See Bell, Hare.

Hare-bottle. Centaurea nigra, L.—Markham's Farewell to Husbandry, Bk. ii. p. 43 (1638).

Hareburr. Arctium Lappa, L.—Treas. Bot. Perhaps a misprint for Hurrburr.

Harefoot. Geum urbanum, L.—" Sanamunda avence is an herb that som men callip harefote: he berb a yelowe floure." Gl. Sloane, 5. Cockayne, iii. 330.

Hare Nut. Bunium flexuosum, With.—Yks. Hal. Wr. E. D. S. Gloss. B. 17. 'Hares are fond of the green leaves.' Deering (Cat. Stirp. p. 40).

Hare Parsley. 'In Aubrey's Wilts, probably Anthriscus sylvestris, Hoffm.' Prior, p. 102. This is no doubt the plant intended, as the name, though not localised, is not unfrequently thus applied in books, e.g. 'There is a plant known as hare parsley, of which rabbits are extremely fond.' Young Fancier's Guide, July 4, 1874.

Hareweed. See Hairweed (2).

Harewort. 'In Latin called Aristolochia.' Mascal, Government of Cattel, pp. 220, 228. Probably a misprint for Hartwort. See Heartwort (1).

Hare's Ballocks. See Ballocks.

Hare's Beard. Verbascum Thapsus, L.—Grete Herbal (Hareberde), Ger.

Hare's Colewort. See Colewort, Hare's.

Hare's Ear. A name applied in modern books to Bupleurum rotundifolium, L., but originally given by Gerard to some foreign species of the same genus, in allusion to its 'having in the middle of the leafe some hollownesse resembling the same, which hath caused me to call it Hare's eares.' Ger, 485. Prior, p. 101.

Hare's Eye. Lychnis diurna, Sibth .- Ger. Appx., Hal. Wr.

Hare's Foot. A common book-name for Trifolium arvense, L., given by Lyte, who has similar names in Latin, French, and German. Prior, p. 101. Also called Hare's foot Clover (Prior, p. 49).

Hare's-foot Fern. See Fern, Hare's-foot.

Hare's Lettuce. Sonchus oleraceus, L.-Ger. According to an old belief the hare recruits her strength, or recovers herself from summer madness, by eating this plant. Prior, p. 101.

Hare's Meat. Oxalis Acetosella, L .- Cornw.

Hare's Palace. Sonchus oleraceus, L.—'For yf the hare come under it, he is sure that no best can touche hym.' Grete Herball. One of its old Latin names was palatium leporis. Prior, p. 101. See Hare's

Harestail Grass. A general name for Lagurus ovatus, L.-Prior, p. 102.

Hares-tail Rush. Eriophorum vaginatum, L. - With. ed. ii. Prior, p. 102.

Hare's Thistle. Sonchus oleraceus, L.-Prior, p. 102. See Hare's Lettuce.

Harif, Hariff, or Hariffe. Galium Aparine, L.—W. Ches.; Glou. Grose; N. Country, Ray; North ('catchweed'), Hal. Wr.; Nhamp.; Sal.; Yks. (Whitby), E. D. S. Gloss. C. 2; (Holderness, W.) E. D. S. Gloss. C. 7. Prior, p. 102. Cfr. the French 'heriffe, set, staring, or standing up, like bristles, or the hair of an affrighted creature; horride, rough, rugged.' Cotgrave. The same name occurs differently spelt in other lists and glossaries: e. g. Hairif (Glou. E. D. S. Gloss. B. 4; N.-W. Linc. E. D. S. Gloss. C. 6; Yks. (Holderness), E. D. S. Gloss. C. 7; North, Ray, E. D. S. Gloss. B. 15), Hairough (Midland Counties, E. D. S. Gloss. B. 5; Yks. E. D. S. Gloss. B. 2 and C. 2), Hairup (Yks. (Holderness), E. D. S. Gloss. C. 7), Haireve (Ger. Appx.; Glou. Hal. Wr.), Hayriff (Glou.; Heref.; Radnor; Sal. Hartshorne; Worc.), Harofe (MS. Lincoln, A, i. 17, f. 283, Hal.), Harrup (Yks.), Heiriff (Nhamp. Nth. Gloss.), Heriff (Hants.; Leic.; Notts.; Warw.).

Haritch. Galium Aparine, L.—Prior, p. 102. See Harif.

Harlock. A word occurring in most editions of Shakespeare in K. Lear (Act iv. sc. 4) and in Drayton, but supposed by Dr. Prior (p. 102) to be incorrectly used for Hardock, meaning Arctium Lappa, L. See Hardock. Hal. says 'supposed to mean the charlock, in Drayton and Shakespeare.' Wr.

Harofe. See Harif.

Harping Johnny. Sedum Telephium, L. - Norf. Harping is probably a corruption of Orpine, the English name for the plant.

[Harpweed, 'The Knapweed,' Nemnich. We suspect some error here.

Ononis arvensis, L.-N.-W. Linc. E. D. S. Gloss. C. Harrow-rest. 6, p. 280.

Harrup. See Harif.

Harry, Blind. See Blind Harry.

Harsh-weed. Centaurea Scabiosa, L.-Dr. J. Hill, Herb. Brit., 1769.

Harstrong. Peucedanum officinale, L.—Prior, p. 103. See Horstrang.

Harsy. Fruit of Cratagus Oxyacantha, L .- Ess.

Hart-berries. Vaccinium Myrtillus, L.-Dors. Dors. Gloss.

Hart's Claver, or Clover. See Clover, Hart's.

Hart's Eye. 'Wild Ditany. Topsell.' Hal. Wr. The reference is to Topsell's Hist. of Four-footed Beasts (1658), p. 99, where we read: 'It is reported that when a hart is stung by a serpent, that by eating Elaphoscum (that is, as some call it, Hart's-eye; others Hartthorn, or grace of God; others Wilde Ditany) it presently cureth the wound, and expelleth the poyson.' Elaphoboscum is Pastinaca sativa, L.; Wild Ditany, probably Origanum Dictamnus, L.; both of which were traditionally said to be employed by deer when bitten or wounded. See Ger. 652 and 871.

Hartshorn. (1) Plantago Coronopus, L.-Ger. Prior, p. 103.

(2) Senebiera Coronopus, Poir, -Culpeper.

In both cases from the shape of the leaves, which are branched like a stag's horn. In Surflet's Countrie Farme (p. 223), the latter, or perhaps some third plant, seems intended by this name.

Hartshorn Plantain. Plantago Coronopus, L.-Lyte.

Hart's-thorn. Rhamnus catharticus, L.—'Florio in v. the buckthorn, L. spina cervina of the apothecaries.' Prior, p. 103.

Hart's-tongue. Scolopendrium vulgare, Sym.—Grete Herball, and all subsequent authors, and still the general name for this fern. 'Vulgus cervinum linguam vocat Hertes tonge. Vidi et herbam cum agerem Northumbriæ, quam vulgus appellabat Hyndes tonge, et vulgus contendabat non esse Hertes tonge erat enim minus et rectior. Hic fortasse phillitis est.' Turn. Lib. The name originated in the form of the fronds, 'resembling in shew a long toong, wherof it hath beene and is called in shops Lingua cervina, that is, Hart's toong.' Ger. 976, who adds that some call it Stone Hart's-tongues.

Hartwort. Tordylium officinale, Jacq.—A book-name, apparently transferred from some allied plant to the present. See Park. Parad. 908. With ed. ii. Prior, p. 103. See Heartwort (1).

Harve. Fruit of Cratagus Oxyacantha, L.-N. Ess. Hal. Wr.

Harvest Bells. Gentiana Pneumonanthe, L.-Ger. Prior, p. 103.

Harvest Lice. (1) The fruits of Agrimonia Eupatoria, L.—Hants. (New Forest).

(2) The fruits of Galium Aparine, L.-Hants. (New Forest).

The fruits of both species are covered with small hooks, by which they cling to the clothes. Nemnich, probably by mistake, assigns the name to Bidens.

Hasel. See Hazel.

Haselrys. 'A hazle-bush (A.S.),' Hal. Corylus Avellana, L.

Hasill-tree. Corylus Avellana, L.—Scotl. (Lowlands), E. D. S. Gloss. B. 13.

Haskwort. Campanula Trachelium, L. (Great Haskewurte), and C. glomerata, L. (Lesse Haskewurte).—Lyte, who appears to have adapted the name from the German halscruyt. He says they are 'soveraigne to cure the payne and inflammation of the necke, and inside of the throte.'—p. 172. In Mid-Yks. the throat when parched is said to be hasked. E. D. S. Gloss. C. 5. Prior, p. 103.

Haspen. Populus tremula, L.—Glou. (Cotswolds), Cotswold Gloss.

Hassock, or Hassocks. A name sometimes assigned (as in Withed. vii.) to Aira coepitosa, L., but more accurately regarded as a term indicating the large coarse tufts formed in meadows by this grass and some sedges, such as Carex coepitosa, L., and C. paniculata, L. The word will be found in most glossaries with this general signification: Forby has a good note on it. In Cleveland Gloss, we have Hussocks; Bullpates (which see) has a similar meaning. Pratt calls A. coepitosa Hassock-grass. Hal. Wr. Prior, p. 103.

Hassocks, Bull. See Bull-hassocks.

Hastie Roger. Scrophularia nodosa, L.—Westm. 'In many places in Westmoreland, where the common people call it Hastie Roger.' T. Lawson, in Ray's Letters, 1688.

Hastings. An early variety of pea (Pisum sativum, L.).

'Sow hastings now If land it allow.'

Tusser (October's Abstract), E. D. S., Series D., p. 45.

The name appears to be still occasionally in use. A writer in Science Gossip, Aug., 1878, p. 190, says, 'A day or two since I heard the cry "Green Hastings."... When a boy, fifty years ago, it was the usual cry for green peas.' 'A variety of peas. Suff.' Hal. Wr.

Hastybere. 'A kind of corn, explained by trimensis in Pr. Parv. p. 228.' Hal. 'A kind of barley (A.S. bere) termed hasty from its being early, and coming to maturity in the third month after it is sown.' Prompt. Parv. p. 228, which see.

Hatch-horn. Fruit of Quercus Robur, L.—Lanc.

Hather. Calluna vulgaris, Salisb., Erica Tetralix, L., Erica cinerea, L.—Turner, Lyte, Hal. Wr. Prior, p. 104.

Hauels. Hordeum vulgare, L.—Suff. In Dors. Gloss. 'hoils' and 'ails' are given as meaning 'the beard or awn of barley.'

Haul. Corylus Avellana, L.—Som. Hal. Wr.

Haup. Fruit of Rosa canina, L.—N. Scotl. Jamieson.

Hautbois. A common, but not an old, book-name for Fragaria statior, Ehr.—Mart. Mill,

- Håv. Avena sativa, L.—Dors. Dors. Gloss. Hal. says, 'the spikelet of the oat. Oats when planted are said to be haved. Dev. See Reliq. Antiq. ii. 80.'
- Haver, or Havver. Avena sativa, L.—Hal. Cumb. E. D. S. Gloss. C. 8; N.-W. Linc, E. D. S. Gloss. C. 6; North, Bulleyn, Ray; Yks. (East), E. D. S. Gloss. B. 2; (Mid), E. D. S. Gloss. C. 5, where is also "Havvermeal, oatmeal." Prior, p. 104.
- Haverdrils. Daffodils (Narcissus Pseudo-narcissus, L.).—Ches.
- Haver- or Havver-Grass. The northern name for 'oat-grass.' Hal. has 'Wild oats, Cotgrave.'
 - (1) Bromus sterilis, L.—It is 'much like to otes in leaves, stemmes, and eares.' Lyte.
 - (2) Avena elatior, L.—Cumb. E. D. S. Gloss, C. 8,
 - (3) Bromus mollis, L.—Cumb. E. D. S. Gloss. C. 8.

Havver, Duck. See Duck Havver.

- Haw, or Haws. (1) A general name for the fruit of Crategus Oxyacantha, L.—Cumb. (Central), E. D. S. Gloss, C. 8; Dors.; E. Bord. Bot. E. Bord.; Glou.; Sal. Hartshorne; Wilts.; Yks.; Forfarsh.
 - (2) Avena sativa, L.—Hants; Norf.; Suff. Dors. Gloss. "The ear of oats. Kent." Hal.
- Haw-buss. Cratagus Oxyacantha, L.-Nithsdale, Jamieson.
- Hawdod. Centaurea Cyanus, L.—'Hawdod hath a blewe floure & a fewe lytle leaves, and hath fyve or syxe braunches floured in the top, and groweth commonly in rye upon leane grounde.' Fitzherbert's Boke of Husbandry, 1586: in the 1598 ed. spelt Hadods. This may be the plant intended in the Diary of John Hobson (Yorkshire Diaries, Surtees Soc., 296): '8th May, 1730. He also told me that in the fields in summer, there grows a flower call'd hawdods, which with a touch will bend down as if they had broken.' We know of no plant having this peculiarity.
- Hawen. 'Hawthorn-berries. Hawethen, the hawthorn.' Hal. Wr. Crategus Oxyacantha, L.
- Hawgaws. Fruit of Cratagus Oxyacantha, L.—Surr., as mentioned in a case of poisoning at Shedley, Oct., 1875. See Brit. Medical Journ., Oct. 16, 1875.
- Hawk-berry. Prunus Padus, L., and P. Avium, L.-Stirlingsh.
- Hawk-bit. A modern book-name, considered by Prior (p. 104) as synonymous with Hawkweed (*Hieracium*), but assigned by Babington to the genus *Apargia*.
- Hawk-nut. Bunium flexuosum, With.—With. ed. ii. Probably this means Hog-nut. Prior, p. 104.
- Hawks-beard. A book-name for the species of Crepis.—With. ed. ii. Prior, p. 104.
- Hawk's-bill Bramble. Rubus fruticosus, L. From its curved spines. E. Anglia, Forby.

Hawk's-feet. 'The plant columbine. See a list in MS. Sloane, 5, f. 4.' Hal. Wr. Aquilegia vulgaris, L.

Hawkweed. Various species of *Hierarium*.—Turn. Herb. S.-W. Cumb. 'I can not gesse why this herbe shoulde have the name of a hawke, seeing other herbes have the same properties that this hath: except it be for this cause that the downe that groweth in the toppe of this herbe after the flowers be gone, be good to be taken of the hawke to make him cast his gorge wyth it.' Turn. Herb. ii. 14. Prior, p. 104.

Haws, Bull. See Bull Haws.

Haws, Butter. Fruit of Cratagus Oxyacantha, L.-Norf.

Haws, Cat. See Cat-haws.

Hawses. Fruit of Cratægus Oxyacantha, L.—Suff. Moor.

Hawthorn (i. e. Hedge-thorn). The general name for Crategus Oxyacantha, L.—Lyte. Hal. has also Hawtheen (Pegge) and Hawethen. Prior, p. 104.

Hawthorn, Cumberland. See Cumberland Hawthorn.

Haw-tree. Cratagus Oryacantha, L.—Hudson (Flora Anglica, 1798). E. Bord. Bot. E. Bord. Hudson calls Pyrus Aria, I., White Haw-tree, and P. torminalis, I., Wild Haw-tree, the two being included by him in the genus Cratagus.

Hay, Burgundy. See Burgundy Hay.

Hay Beech. A variety of Fagus sylvatica, L.—'There are some trees in our woods with a rougher bark, which the woodmen call Hay Beech.' Mart. Mill.

Haycocks, Buttered. Linaria vulgaris, Mill.—Yks.

Hay-gob. Polygonum Convolvulus, L.-Warw. Hal. Wr.

Hayhofe. 'The herb edera terrestris.' Hal. Nepeta Glechoma, Benth. See Ale-hoof.

Haylwourth. 'The plant cidamum.' Hal. This we cannot identify.

Haymaiden. Nepeta Glechoma, Benth.—Dev.; Dors. Dors. Gloss.; Som. Holl.; West, Hal. Hay, from A.S. haga, hedge, the place of its frequent growth; the derivation of the second part of the word is not so clear. See Prior, p. 104.

Hay-maids. Nepeta Glechoma, Benth.—Park. Theatr. Prior, p. 104. See Hay-maiden.

Hayriff. See Harif.

Hay-scent. Nephrodium Oreopteris, Desv.—Cumb.

Hayseeds, White. Holcus lanatus, L.—Yks. Mart. Mill.

Hay Shakers. Briza media, L.—Ches.

Haythorn. Cratagus Oxyacantha, L.—Wr. Ches. Tusser (E. D. S., Series D., p. 76) spells it Haithorne.

Hazel, or Hazel-tree. The Saxon (see Cockayne, iii. 329) and general name for Corylus Avellana, L.; spelt also Hasel.—Lyte (the nuts Hasel-nuts); Cumb. (Hazle-bush); E. Bord. Bot. E. Bord.; N. Yks. In Ches. and N.-W. Linc. (E. D. S. Gloss. C. 6) pronounced Hazzel. In E. D. S. Gloss. C. 5 (Mid-Yks.) we read: "Hazeling, a flogging with a pliable stick or hazel." Whitby Gloss. In our own localities, any kind of a stick may be put to use in hozeling the back of an offending juvenile. Hazel is in common use as an active verb.' In E. D. S. Gloss. C. 6 (N.-W. Linc.) as hazzel, the signification being the same in both cases. Theis (Glossaire du Botanique, p. 134), speaking of Corylus, says, 'Derivé de χορυς, casque, bonnet: coiffure de tête. Son fruit à moitié couvert par son enveloppe, ressemble à une tête couverte d'un bonnet. Ce qui prouve que cette origine n'est pas imaginaire, c'est que les anglo-saxons l'appeloient de même noix coiffée, hœst-nutu: hæsel, coiffure, bonnet; hnutu, noix.' Prior, however (p. 105), favours a different derivation.

Hazel, Witch. (1) Ulmus montana, Sm.—Lyte, who spells it Hassel. 'The leaves are . . . like unto the leaves of the Hasell nut, from whence it became to be called Witch hasell.' Park. Theatr. 1403. In Hants., it is 'commonly called Witch hasell.' Old men affirme, that when long boughes [bows] were in great use, there were very many made of the wood of this tree, for which purpose it is mentioned in the statutes of England by the name of Witch Hasell, as 8 El. 10.' Ger. Emac. 1481. See Elm, Witch. Ches. (pronounced Hazzle).

(2) Carpinus Betulus, L.—Ger., who says it is 'very like to the elme or wich Hazell tree,' and adds that it is called 'in some places Witch hasell.' Ger. 1296. Park. Index. Ess. Ger. Emac. 1481.

(3) Pyrus Aucuparia, L .- Yks. Hallamsh. Gloss.; Hal.

In N. America the name is commonly applied to Hamamelis virginica, L., twigs of which were used as divining-rods, just as those of the hazel were in England. 'The divining rods, formerly used by impostors, who pretended to find precious ores, were made of the twigs of this tree; and in Virginia, I have been informed, the credulous vulgar are still imposed on by persons who pretend to find water by the indication of rods of this tree. Hence the name.' Barton's Compendium Florae Philadelphicæ (1818-24). For a paper on the Divining Rod, see Gard. Chron., Oct. 17 and Nov. 7, 1874.

Hazel Crottles (N. of Ireland), Hazel Rag (N. of Ireland), or Hazel Raw (Scotl. Jamieson). Sticta pulmonaria, Ach.

Hazelwort. Asarum europæum, L.—A name adapted by Lyte from the German Hazelwurtz, because it was supposed to grow 'commonly under the haselles, as Cordus saith.' Lyte, 319. Prior, however (p. 105), prefers to derive the name from the resemblance of the calyx to the involucre of a nut.

Hazzel. See Hazel.

Hazzy Tree. Cratagus Oxyacantha, L.—Bucks. See Azzy-tree.

Headache. (1) Papaver Rhœas, L., and sometimes other species, as P. Argemone, L., and P. dubium, L.—A widely-distributed name, referring, like other names for the same plant (see Blind-eyes and

Ear-aches), to the real or supposed effect produced by it. This effect is usually attributed to its odour; thus Clare (Shepherd's Calendar):

'Corn-poppies that in crimson dwell, Called headuches from their sickly smell;'

and Forby says, 'Any one, by smelling at it for a very short time, may convince himself of the propriety of the name.' In Yks. (Holderness) 'it is popularly supposed to cause headache by its smell,' or 'by the intensity of its scarlet colour, through its dazzling effect on the eyes' (E. D. S. Gloss. C. 7). In the North and in Yks. (With. ed. ii., Grose, Hal., Ray, E. D. S. Gloss. B. 7, 15, C. 7) it is called Headwark, this being a northern form of headache, and 'a very common term in early receipts' (Hal.). The name Headache is in use in Derb. (Yedwark); East, Hal.; Hants.; Linc.; Nhamp. (where it is also called Headacher), Nth. Gloss.; Notts.; Norf.; Rutl.; Suss. Parish; Yks.; and in Ireland (Carlow, Waterford, Wexford, Wicklow), where poppies 'are particularly obnoxious to females, the more so to unmarried young women, who have a horror of touching or of being touched by them.' N. & Q., 3, viii. 319. In N. Linc. there is the following proverb:

'When headuches rattle Pigs will sattle;'

i. e. fall in price (E. D. S. Gloss, C. 6), pigs being usually cheap in July. In N. & Q., 3, viii. 204, it is suggested that the poppy is intended by the 'hediocke' of Lyly's Woman in the Moon:

'Thy head is full of hediokes, Iphicles, So shake them off.' Act v.

Wr. Prior, p. 105.

(2) Stellaria Holostea, L.—Cumb. (Whitehaven).

(3) Cardamine pratensis, L.—Cumb. (Winderwath, Heid-wark).

Headman. Plantago lanceolata, L.—Perthsh. Jamieson.

Headwark. See Headache.

Heal-all. (1) Rhodiola rosea, L.—E. Bord. 'Often to be met with in gardens, where it is sometimes called Heal-all, for the leaves are applied to recent cuts of a slight nature.' Bot. E. Bord. p. 82.

(2) Valeriana officinalis, L.—Oxf.

Heal-bite, or Heal-dog. In Lyte's MS. notes to Dodoen's Hist. des Plantes (Bibl. Brit. Mus. 442, h. 9) the names 'Helebyte or Hele Dogge' are applied to Alyssum calycinum, L., with the note: 'C'est le vray Alysson de Dioscoride: car l'Alisso de Galien et de Pline n'est pas semblable a cestineÿ.' Dodoens (p. 81) says: 'La mesme prise avec autres viandes guerit le rage ou forcenerie causée par morsure de chien enragé.' But in Ger. 380 the name is given to Marrubium Alysson, L., which he says is called 'of some Heale dog; and it hath the name thereof, bicause it is a present remedie for them that are bitten of a mad dog, as Galen writeth.' The confusion between the two plants, and consequently that of the names, arose from the doubt as 'to which was the true Alysson of Dioscorides.

ing Blade, or Healing Leaf (pronounced Halin). (1) Semper-

vivum tectorum, L. — Clackmannansh. In allusion to its use as a cooling application.

(2) Plantago major, L.—Scotl. Jamieson. The leaves placed inside the stocking have the reputation of relieving the foot when sore from walking.

Heart. Vaccinium Myrtillus, L.-Hants (N. Forest).

Heart, Black. See Blackheart.

Heart, Bleeding. See Bleeding Heart.

Heart-clover. See Clover, Heart.

Heart Liver. Medicago maculata, L.—Martyn (Flora Rustica). A corruption of Heart-clover.

Heart of Osmund, The. Osmunda regalis, L.—'The roote is great and thicke, folded, and covered over with many small enterlacing rootes, having in the middle a litle white, the whiche men call the Harte of Osmunde.' Lyte, 402.

Heart of the Earth. Prunella vulgaris, L.—E. Bord. Bot. E. Bord.; Roxburghsh. Because it chiefly occurs on thin poor soils, where the farmers give it the credit of eating away all the substance of the soil.

Hearts. Oxalis Acetosella, L.—E. Bord. 'From the shape of the leaflet.' Bot. E. Bord.

Heartsease. (1) A very general name for Viola tricolor, L. (in gardens).—Lyte; Hants.; Suff.; Yks.; E. Bord. (the wild form, Wild Heartsease), Bot. E. Bord. Sometimes corrupted, as in S. Bucks., into Heartseed. Prior, p. 105.

(2) Cheiranthus Cheiri, L .- Turn. Names; Lyte; Cornw. (with

pale flowers).

Heart-trefoil. Medicago maculata, L.—Ger. Prior, p. 106. See Clover, Heart.

Heartwort. (1) Various species of Aristolochia.—Turn. Names (spelt Hertwort). Because it 'bryngeth furth seede lyke mennes hertes.' Lyte spells it Hartwort.

(2) Melilotus officinalis, L.—'In some places of Essex they call it Hartwort, because as they thinke the seede thereof happening into their bread caused paines in the stomacke and chest, which they usually call the heart burne or paines of the heart.' Park, Theatr. 720.

Heath. (1) The general name for Calluna vulgaris, Salisb., Erica Tetralix, L., and Erica cinerea, L.—Lyte applies it to the two former. Prior, p. 106.

(2) Tamarix gallica, L., appears to have been formerly so called. 'The scholemaisters in Englande have of long time called myrica [Tamarix] heath, or lyng, but so longe have they been deceyved altogether.' Turn, Names.

Heath, Bell. Erica Tetralix, L.-Hants. (New Forest).

Heath, Besom. Erica Tetraliz, L .- R. Syn., but Ray adds 'it is

not used with us for besoms, that ever I saw, nor is fit for such a use.³ Syn. ed. iii. 471.

Heath, Black. Erica cinerea, L.—Hants. (New Forest).

Heath, Black-berried (With. ed. ii.), or Berried (Treas. Bot.). Book-names for Empetrum nigrum, L.

Heath, Broom. Erica Tetralix, L.-R. Cat.

Heath, Cornish. See Cornish Heath.

Heath, Father of. Erica Tetralix, L.—N. Yks.

Heath, French. See French Heath.

Heath, Gold. Sphagnum, L.—Hants. (New Forest).

Heath, Irish. See Irish Heath.

Heath, Long. Calluna vulgaris, Salish.—'There is in this countrie two kinds of Heath, one which beareth his flowers alongst the stemmes, and is called long heath. The other bearing his flowers in tutteys or tuftes at the toppes of the branches, the whiche is called smal heath.' Lyte, p. 677.

Heath, Red. Culluna vulgaris, Salish.—Hants. (New Forest).

Heath, Saint Dabeoc's. A book-name for Dabeocia polifolia, Don., founded, like the Latin generic name, on an old Irish dedication of the plant: 'Erica S. Dabeoci Hibernis D. Lhwyd.' Ray's Hist. Plant. lib. xxx. 98. Ray adds: 'Mulierculæ superstitiosæe surculos ejus secum circumferunt adversus incontinentiam.' Prior, p. 107.

Heath, Sea. A modern book-name for Frankenia lævis, L.—Prior, p. 107.

Heath, Small. (1) Calluna vulgaris, Salisb.—Hants. (New Forest). (2) Erica Tetralix, L.—Lyte, p. 677. See Heath, Long.

Heath Bell. Campanula rotundifolia, L.—With. ed. vii.

Heath Bramble. Rubus cæsius, L.-Lyte.

Heath-Cypress. A book-name for Lycopodium alpinum, L. (Robson's British Flora, 1777); an old name for it was Muscus clavatus foliis cupressi.—Prior, p. 107.

Heath Pea. A book-name for Lathyrus macrorrhizus, Wimm.—With. (ed. vii.) calls it Heath Peasling. Prior, p. 107.

Heather. The general north-country and Scotch name for Heath.

(1) Calluna vulgaris, Salish.—Yks.; E. Bord. Bot. E. Bord.; Moray. (2) Erica Tetralix, L.—S.-W. Cumb.; N. Yks.; Scotl. Jamieson; Ireland (Belfast).

(3) Erica cinerea, L.-W. Ches.; S.-W. Cumb.; N. Yks.; Ireland (Antrim, Down). Prior, p. 106.

sther, Bell. Erica Tetralix, L.—Hants. (New Forest).

ther, Carlin. Erica cinerea, L.—Scotl. Jamieson; Forfarsh.

ther, Cat. See Cat Heather.

ather, Dog. Culluna vulgaris, Salisb .- Aberdeensh.

Heather, He. Calluna vulgaris, Salisb.—E. Bord. 'From its superiority as a fodder, for sheep have an aversion to other heaths, on account, shepherds say, of their bitter taste.' Bot. E. Bord. p. 136.

Heather, Monox. See Monox Heather.

Heather, Ringe. Erica Tetralix, L .- Scotl. Jamieson.

Heather, She. Erica cinerea, L.—'This is the She Heather of the herds, who thus ungallantly indicate their opinion of its inferiority to the ling.' Bot. E. Bord. p. 136. See Heather, He.

Heather, Silver, or Sponge. Polytrichum commune, L.—E. Bord. Bot. E. Bord.

Heather Bell. Erica Tetralix, L.-Scotl. Jamieson.

Heather Whin. Genista anglica, L.—E. Bord. Bot. E. Bord.

Heben. 'Ebony (A.N.). The juice of it was formerly considered poisonous.' Hal. Diospyros Ebenum, L.—This, and not the henbane (Hyoscyamus niger, L.), is almost certainly intended by Shake-speare when he speaks of the

'Juice of cursed hebenon in a vial.'

Hamlet, Act i. sc. 5.

Spenser (Faerie Queen, i. vii. 37) refers to a 'speare of heben-wood.'

He Brimmle, See Brimmle, He.

He Broom. See Broom, He.

Heck-berry. (1) Prunus Padus, L.—Cumb. E. D. S. Gloss, C. 8;
Yks. (West Riding), E. D. S. Gloss, B. 7. Hal. Wr.

(2) 'The wild service.' Mid-Yks. E. D. S. Gloss. C. 5. This would be Pyrus torminalis, L., but it seems probable that the preceding is intended. See Heg-berry.

Heck-how. Conium maculatum, L.—S. Scotl. Mactaggart's Gallovidian Encyclopædia. Jamieson says, 'This seems a fanciful designation from the expression of sorrow produced in consequence of any one having eaten of this plant;' but this derivation is hardly probable.

Hedder. See Hadder.

Hedge Bells. See Bells, Hedge.

Hedge-berry. Prunus Padus, L.—'In Westmerland and Lancashire they call it the Hedge-berry-tree,' Coles, A. in E. Prior, p. 107. See Heg-berry.

Hedge-burs. Galium Aparine, L.—Stirlingsh.

Hedge Fumeterre. Corydalis claviculata, DC .- Lyte.

Hedge Garlick. See Garlick, Hedge.

Hedge Grape. Fruit of Bryonia dioica, L.-Worc.

Hedge-hog. (1) Ranunculus arvensis, L.—From its prickly seeds. Kent; Surr. Journal of Botany, ii. 79; Suss. (2) Scandix Pecten, L.—From its long pointed seeds, resembling spines. Suss. Parish.

Hedgehog-grass. Carex flava, L.—'Called Hedgehog grasse, and in Latine Gramen echinatum, by reason of those prickles which are like unto a hedgehog.' Ger. 16. The allusion is to the fruit—'certain round and pricking knobs, fashioned like an hedgehog.' Ib.

Hedgehog Parsley. A modern book-name for Caucalis daucoides, L.—Prior, p. 107.

Hedge Honewort. Sison Amomum, L .- See Honewort.

Hedge-hound. 'A stinking species of fungus growing in hedges.'
Hal. Wr. Probably Phallus impudicus, L.

Hedge Hyssop. A name applied by Ger. and in books generally to Gratiola officinalis, L., but other plants were also so called. Lyte figures and describes Helianthemum vulgare, Gærtn., under this name, and says, 'Hedge Hysope is called in high Douche Heyden Ysop, Felde Ysop: in base Almaigne Heyden Hysope, bycause it groweth in hedges and wilde places.' Johnson (Ger. Emac. 564) says the name was in his time misapplied to Polygala vulgaris, L.: 'It is vulgarly knowne in Cheapside to the herbe-women by the name of Hedge-Hyssop; for they take it for Gratiola, or Hedge-Hyssop, and sell it to such as are ignorant for the same.' In Park. Theatr. (p. 220) Lythrum Hyssopifolia, L., Scutellaria galericulata, L., and S. minor, L., are included with Gratiola in the chapter on Hedge Hyssop; but he recognises the last-named plant as the true Hedge Hyssop, saying, 'Of the true Gratiola or Hedge Hyssope, I doe know but one kinde as all the best authors doe agree, but yet unto it there are added two or three other hearbes, as neerest thereunto, either in face or qualitie, some reckoning the one and some the other; and I in this place bringing them all as fit to be ranked under this title.' With, ed. iv. calls Lythrum Hyssopifolia, L., Small Hedge Hyssop.

Hedge Lily. Convolvulus sepium, L .- Hants. ; Wight, Fl. Vect.

Hedge-maids. Nepeta Glechoma, Benth.—Prior, p. 107. See Hay-maiden.

Hedge Mushroom. Agaricus arvensis, L.-Ches.

Hedge Mustard. A common book-name for Sisymbrium officinale, L.—With. ed. ii. Prior, p. 107.

Hedge Nettle, or Hedge Dead Nettle. Stachys sylvatica, L.—With. ed. ii. Sal. Prior, p. 107.

Hedge Parsley. Torilis Anthriscus, L.-With. ed. ii. Prior, p. 107.

Hedgepeak. Fruit of Rosa canina, L.—'I judge it is with men as it is with plants: take one that blossoms too soon, 'twill starve a sloe or hedg-peak.' Howard, Man of Newmarket, 1678. Wr. See Nares for another quotation, in which, as in the above, hips are clearly meant, though similar names are popularly bestowed upon sloes. See Hedge Picks and Hedge Speaks.

Picks. Prunus spinosa, L.—Hants.

Hedge Pink. Saponaria officinalis, L.-Hants.

Hedge Speaks. (1) Fruit of Prunus spinosa, L.—Wilts. Household Words, vol. x. p. 174.

(2) Fruit of Rosa canina, L .- Glou. Hal. Wr.

Hedge Taper. Verbascum Thapsus, L.—Lupton's Notable Things, i. 16. Prior, p. 107. See Hag-taper.

Hedge-thorn. Cratagus Oxyacantha, L.—Park. Theatr. Prior, p. 107. See Hawthorn.

Hedge Vine. Clematis Vitalba, L.—A name invented by Turner (Names). Prior, p. 107.

Hedge Violet. Viola sylvatica, Fr.-Dev.

Hedgeweed. Sisymbrium officinale, L.—Dr. J. Hill, Herb. Brit., 1769.

Hedioke. See Headache (1).

Heg-berry. Fruit of Prunus Padus, L.—Ger. Cumb. (Winderwath); Prior, p. 107. A.S. hege, hedge, from its growth in hedges; though children at Langwathly (Cumb.) used to say 'we caw them hegberries because they heg our teeth,' i. e. set the teeth on edge. 'Groweth very plentifully in the north of England, especially at a place called Heggdale, neere unto Rosgill in Westmerland, and in divers other places about Crosbie Ravenswaith, and there called Hegberrie tree.' Ger. 1322. See Hag-berry and Heckberry.

Heg Peg Bushes. Prunus spinosa, L.-Glou.

He Heather. See Heather, He.

He Holly. Ilex Aquifolium, L.—Nhumb. 'In Northumberland we hear of he-holly and she-holly, according as it is with or without prickles.' Henderson's Folk-lore of the Northern Counties (ed. ii.), p. 100.

Heid-wark. See Headache (3).

Heihow. Nepeta Glechoma, Benth.—Ger. Appx. Hal.

Heiriff, or Heiriffe. See Harif.

Helde. 'The wild tansy. Culpeper.' Hal. Wr. This would be Potentilla anserina, L., but we do not find the name in Culpeper.

Helfringwort. 'The plant consolida media. See a list in MS. Sloane, 5, f. 4.' Hal. Wr. This would be Ajuga reptans, L. See Consound.

Hellebore, Bastard. Helleborus viridis, L.-Lyte.

Hellebore, Black. (1) Helleborus niger, L.—Ger. From the old Latin name, and also possibly in allusion to the colour of its roots and seeds. It has 'small huskes full of blacke seedes,' and 'the rootes are manie, with long blacke strings comming from one head.' Ger. 825. 'Prior, p. 108.

(2) Astrantia major, L.—Lyte, who calls it 'the true blacke Hellebor,' and says it 'hath rough blackish leaves.'

Hellebore, Fetid. A mere translation of the Latin Helleborus fatidus, L.—With. ed. vii. Prior, p. 108.

Hellebore, Green. See Green Hellebore.

Hellebore, White. Veratrum album, L.—Lyte.

Hellebore, Winter. Eranthis hyemalis, L.—Prior, p. 108.

Helleborine. A general book-name for the species of Epipactis and Cephalanthera. With. ed. ii. Prior, p. 108.

- Hellweed. (1) Cuscuta Epithymum, L., and C. europæa, L.—Grows 'upon tares more abundantly in some places, where it destroyeth the pulse, or at the least maketh it much worse, and is called of the country people Hell-weede, because they know not how to destroy it.' Park. Theatr. 10. Camb. Loudon's Mag. of Nat. Hist. v. 506; Nhamp. Sternb.; Suss. See Devil's Guts (1).
 - (2) Convolvulus sepium, L.—Nhamp. Nth. Gloss. Wr.
 - (3) Ranunculus arvensis, L.—Yks.

Helm. Ulmus campestris, L., and U. montana, L.—Glou. (Cotswolds), Cots. Gloss.

Helme. Psamma arenaria, Beauv.—'The Dutch [call it] Halm, and we in English Helme.' Park. Theatr. 1200.

Helmet Flower. (1) Aconitum Napellus, L.—Ger. It 'beareth very faire and goodly blew flowers, in shape like an helmet.' Ger. 823.

(2) A book-name for the genus Scutellaria.—Prior, p. 108.

Heltrot. Heracleum Sphondylium, L.—Hants. See Eltrot.

Hemlock, or Hemlocks (in Markham's Farewell to Husbandry, bk. ii. p. 2, Hemblock). When used absolutely, as by Shakespeare (K. Lear, Act v. sc. 4, &c.), this signifies Conium maculatum, L. (Lyte, Turn. Names), but it is frequently applied, as in the E. Bord. district, to several of the large Umbelliferæ. The 'large hemlock' of Sir Walter Scott was probably Angelica sylvestris, L.; his 'small hemlock,' possibly Anthriscus sylvestris, Hoffm., which is called hemlock in Ches. and N. Yks.

'Their oaten pipes blew wondrous shrill, The hemlock small blew clear; And louder notes from hemlock large, And bog-reed, struck the ear.'

Minstrelsy of the Scottish Border, ii. 348 (ed. 1861).

Boys use the stems of Angelica sylvestris to make whistles of in N. Linc. With (ed. ii.) calls Æthusa Cynapium, L., Lesser Hemlock. The name is also spelt Homlocke (Ger.) and Homloke (Bot. E. Bord.); and also Humlock, which see.

Hemlock, Water. (1) Enanthe crocata, L.—Cumb. E. D. S. Gloss. C. 8; Sues.

(3) Enanthe Phellandrium, L.—Ger. 'The leaves shoote foorth of the ioints and branches like unto wilde Homlocks.' Ger. 904.

runda virosa, L.—Prior, p. 108

evil. See Chervil, Hemlock.

Hemlock Dropwort. Enanthe fistulosa, L.—Ger. A translation of its old Latin name, Filipendula cicutæ facie. In With. ed. ii. assigned to E. crocata, L.

Hemony. A plant mentioned by Milton in Comus.

'The leaf was darkish, and had prickles on it, But in another country, as he said, Bore a bright golden flower, but not in this soil: Unknown, and like esteemed, and the dull swain Treads on it daily, with his clouted shoon:

He called it Hemony.

A writer in the Monthly Packet, v. 467 (1863), speaking of Agrimonia Eupatoria, L., says: 'It is, I believe, sold to this day in Bristol market under the name of Hamony;' but this requires confirmation.

Hemp. The general name for Cannabis sativa, L.—Lyte, Prior, p. 108.

Hemp, Barren. See Barren Hemp.

Hemp, Bastard. (1) Galeopsis Tetrahit, L.-Ger.

(2) Eupatorium cannabinum, L .- Culpeper.

Hemp, Carl, or Charle. See Carl Hemp.

Hemp, Churl. See Churl Hemp.

Hemp, Female. See Female Hemp.

Hemp, Male. In old writers the female plants of Cannabis sativa, L. See Carl-hemp.

Hemp, Nettle. Galeopsis Tetrahit, L.-Ger.

Hemp, Thistle. 'A kind of early hemp.' Hal. Cannabis sativa, L.

Hemp, Water. Eupatorium cannabinum, L.-Ger.

Hemp, Wild. Galeopsis Tetrahit, L .- Ger.

Hemp Agrimony. A common book-name for Eupatorium cannabinum, L.—With. ed. ii. Prior, p. 108. The species of Bidens are sometimes called Water Hemp Agrimony in books: With. ed. iv.

Hemp-Nettle. A name for the genus Galeopsis, With. ed. iv., and applied more especially to Galeopsis Tetrahit, L.—Prior (p. 108) says 'more properly Hemp-Dead-Nettle.'

Hempweed. (1) A species of Fucus. 'You shall gather from the bottome of the rockes (where the seydge of the sea continually beareth) a certaine black weed, which they call hemp-weed, having great broad leaves, and growing in great abundance, in thicke tufts, and hanging together like pease-straw.' It is to be used as manure. Markham's Farewell to Husbandry, bk. ii. p. 24 (also mentioned at p. 64).

(2) A book-name for Eupatorium cannabinum, L.-With. ed. ii.

Hems, Female. See Female Hems.

- Hen and Chickens. (1) Nepeta Glechoma, Benth.—S. Bucks.
 - (2) Saxifraga umbrosa, L.—Wilts (Devizes).
 (3) A variety of the garden Polyanthus.—Suss.
 - (4) The proliferous garden variety of Bellis perennis, L.—Wr. Ches.
- In Som., Mr. Elworthy says it is applied to 'the double red daisy.'

 (5) Aquilegia vulgaris, L.—Norf. (Norwich), 'from the resemblance of the spurs to chickens drinking.' Mr. W. G. Piper.
- Hen Apple. Pyrus Aria, L.--Moray, Fl. M.
- Henbane. The common name for *Hyoscyamus niger*, L.—Lyte; Turn. Lib. (Henbane); Archæologia, xxx. 380; E. Bord. Bot. E. Bord.; Prior, p. 108.
- Hen-bell. Hyoscyamus niger, L.—Ger. Appx. 'It is mentioned in MS. Lincoln, A. i. 17, f. 287.' Hal. Wr. Prior, p. 109.
- Hen-bit. (1) Lamium amplexicaule, L.—(Greater Henbit) Ger.
 (2) Veronica hederifolia, L.—(Small Henbit) Ger. Prior, p. 109.
 With. (ed. ii.) gives it as the English equivalent for the genus Ballota.
- Hendon Bent. See Bent, Hendon.
- Hen-drunks. Fruit of Pyrus Aucuparia, L.—Central Cumb. E. D. S. Gloss. C. 8. See Cock-drunks.
- Hen-fat. 'Same as fat-hen' (Chenopodium album, L.), Hal. Wr., of which name it is a mere inversion, and one which we have not elsewhere met with.
- Hen Gorse. See Gorse, Hen.
- Henkam. 'Henbane. Lincoln MS.' Hal. Hyoscyamus niger, L.
- Henne. See Grass, Shear. Skinner has the word; he says 'nescio an ab A.S. heane, pauper; quia sc. oves quæ eo vescantur, occidendo pastores inopes fecit!'
- Hen Pen (var. dial. Hal. Wr.; Cumb. (Hen Pens), E. D. S. Gloss. C. 8), Henpenny (Cumb.; Yks. (Whitby), E. D. S. Gloss. C. 2), or Hennypenny (North, Grose; E. Yks. E. D. S. Gloss. B. 2). Rhinanthus Crista-galli, L.—Apparently a name of double origin, the first portion referring to the crested calyx (cfr. Cock'scomb (2), Hen's Combs, and the Lat. Crista-galli), the latter part to the flat seeds, which in shape and size resemble silver pennics. In E. D. S. Gloss. C. 6 (N.-W. Linc.) Hen-penny is explained as 'a payment made to the lord of the manor for hens. It is probably obsolete.' In Ireland, Hen-penny-grass, Pratt.
- Henry, Good. See Good Henry.
- Hens. (1) Orchis maculata, L.—E. Bord. Bot. E. Bord.

 '2) The leaf-buds of Acer Pseudo-platanus, L.—E. Bord. Bot. E.

 rd. See Cocks-and-hens (2).
 - Bill. Onobrychis sativa, L.—Ger. Index.
 - ***Hanekammekens, that is to say Hennes Commes.' Lyte, sculata, L. (Hen's Kames).—E. Bord. Bot. E. Bord.

Hen's-foot. (1) Caucalis daucoides, L.—'A translation from old Lat. pes pulli.' Ger. Prior, p. 109.

(2) Corydalis claviculata, DC. - Lyte. A translation of Pliny's

name for it, pes gallinaceus.

Hen's Kames. See Hen's Combs.

Henware. Alaria esculenta, Grev.—Scotl. Phycologia Britannica.

Hep. (1) Fruit of Rosa canina, L., and other species.—Ches.; Lanc.; Yks. (Wakefield); Sal. Hartshorne. Hal. and Wr. give 'Hepe, a hip, a fruit of the dog-rose. See Robin Hood, i. 37.' Hip (which see) is another and more common form of the same word.

(2) Fruit of Prunus spinosa, L.—Bailey's Dictionary.

Hep, Cat. See Cat-hep.

Hep Brier (Ches.), Hep-rose (Prior, p. 113), or Hep-tree (Glou.).
Rosa canina, L.

Hep-tree, or Hip-tree. Rosa canina, L.—'Cynosbatos . . . anglis a wylde hep-tre or a brere tre.' Turn. Lib. Lyte, Glou. Jamieson has Hepthorn.

Herb-a-grace. 'Rue. It is jocularly used by Dekker, ap. Hawkins, iii. 195.' Hal. Wr. Ruta graveolens, L.—See Herb of Grace.

Herbal Bennet. Geum urbanum, L .- Glou.

Herb-bane. The species of *Orobanche*.—A name invented by Parkinson, who says (Theatr. 1364), 'because we had no proper English name for [them], and I thought it improper to call them Broome rapes, as that is called which growth from the Broome, I have given them another English one, fitting their property as I take it; yet let every one doe as they thinke meetest.'

Herb Bennet. See Bennet, Herb.

Herb Bifoil. Listera ovata, Br.-Park. Theatr.

Herb Carpenter. See Carpenter, Herb.

Herb Christopher. See Christopher, Herb.

Herbegrass. Ruta graveolens, L.—N.-W. Linc. E. D. S. Gloss. C. 6. See Herb of Grace.

Herb Eve. (1) Plantago Coronopus, L.-Ger.

(2) Ajuga Chamæpitys, L.-Ger. Index.

(3) Senebiera Coronopus, Poir.—Culpeper.

Herb Five-leaf. Potentilla reptans, L.-Turn, Herb,

Herb Fluellyn. Verenica officinalis, L.-Lyte. See Fluellen.

Herb Gerard. Ægopodium Podagraria, L.-Lyte, Prior, p. 111.

Herb Grace. Rula graveolens, L .- Lyte. See Herb of Grace.

Herb Impious. Filago germanica, L.—A translation of the old Latin name Herba impia, which was bestowed on the plant 'bicause the yonger, or those flowers that spring up later, are higher, and overtop those that came first, as many wicked children do unto their parents.' Ger. 519. Prior, p. 111.

Herb Ive. (1) Plantago Coronopus, L.—Lyte, Turn. Names. In Ger. Herb Ivie. Camb. Turn. Names.

(2) Ajuga Chamæpitys, L.-Lyte, Ger. Wr. Hal.

(3) Senebiera Coronopus, Poir.—Culpeper, Herb-ivy. Prior, p. 111.

Herb John. (1) Hypericum perforatum, L.-Grete Herball.

(2) This name is given in N. & Q. 2, vii. 456, in a quotation from Gurnall's Christian Armour, ed. 1679, pt. ii. p. 12: 'Like herb John in the pot, which does neither much good nor hurt.' There is an editorial note which may be consulted, but the plant meant has not been identified. It would hardly be the Hypericum just named.

Herb Margaret. Bellis perennis, L.—'Of some Herba Margarita, or Margarites herbe.' Ger. 512. Prior, p. 111.

Herb of Grace. Ruta graveolens, L.—Park. Theatr. Called 'Hearbe Grace, or Hearbe of Grace, for the many good properties where unto it serveth' (p. 134). We may quote the following from a paper on Rue communicated by one of us to Gard. Chron., Nov. 20, 1875: 'It is usually stated in books of reference that it was so called in allusion to its having been employed as an aspergillum, or holy-water brush, in the ceremony known as the asperges, which usually precedes the Sunday celebration of High Mass; but for this supposition there is no ground, as there is no authentic record that the plant was ever so used. Jeremy Taylor refers to an employment of Rue in exorcisms, which plant, he says, "from thence, as we suppose, came to be called herb of grace;" and this passage seems to have been the fons et origo of all kindred and subsequent explanations. It does not appear to be generally known that this name was in Shakespeare's time or thereabouts applied also to another plant, probably Wormwood [Artemisia Absinthium, L.]; but in a letter of Edward Alleyn, the actor, dated August 1, 1593, he advises his wife, among other remedies against the plague which was then raging, to have in her windows "good store of rue and herbe of grace:" the onjunction clearly indicating that two distinct plants were intended. That both wormwood and rue were regarded as protecting from plague is clear from Tusser's lines:

"What savor is better, if physicke be true, For places infected, than Wormwood and Rue?"

See Prior, p. 111.

Herb of Life. 'In Erasmus's Praise of Folly, some mythical plant that cannot be identified.' Prior, p. 111.

Herb of Repentance. Ruta graveolens, L.—'Is well known at the Old Bailey as the Herb of Repentance.' Phyt. iii. 207, N. s. It was long, and probably is still, the custom to strew the dock of the Central Criminal Court at the Old Bailey with Rue. It arose in 1750, when the contagious disease known as jail-fever raged in Newgate to a great extent, from which time 'up to this day it has been usual to place sweet-swelling herbs in the prisoner's dock to prevent infection,' See F. Lawrence's Life of Fielding (1855), p. 296. It may be remem-

bered that during the trial of the Mannings (1849), the unhappy woman, after one of the speeches of the opposing counsel, gathered up some of the sprigs of Rue which lay before her and threw them at his head.

Herb of Vine. Asperula cynanchica, L.—Grete Herball, cap. ccx.

Herb Paralysy. Primula veris, L.—Grete Herball.

Herb Paris. A general book-name for Paris quadrifolia, L.—Lyte, Prior, p. 111.

Herb Peter. Primula veris, L.—Ger. Appx., Hal. Wr. From its resemblance to a bunch of keys, St. Peter's badge, whence the German Schlüssel-blume. Prior, p. 112.

Herb Robert. 'Ruberta, a rubro colore, an herbe of a red colour.' Bulleyn, fol. 43. Geranium Robertianum, L.—Lyte, Ger. Sal., N. Yks. Prior, p. 112.

Herb Sherard. Sherardia arvensis, L.—A name apparently invented by Macreight (Manual of British Botany), and not used elsewhere.

Herb Squynantyke. Asperula cynanchica, L.—Grete Herball, cxx.

From its employment 'agaynste apostume or swellinge in the throte called Squynancy' (quinsy).

Herb Trefoil. The genus Trifolium .- Park. Theatr. (Index).

Herb Trinity. (1) Viola tricolor, L. — Park. Theatr. (Index).
'Some call it Herba Trinitatis, Flos Trinitatis, and Viola Trinitatis, of the three colours herein.' Park. Theatr. 756. See Bullein, Book of Simples, fol. 39.

(2) Anemone Hepatica, L.—Ger. From its three-pointed leaf. Prior, p. 112.

Herb Truelove. Paris quadrifolia, L.-Park. Theatr.

Herb Twopence. Lysimachia Nummularia, L.—A name apparently invented by Turner (Names), 'because it hath two and two leaves standing together of ech syde of the stalke lyke pence.'

Herb William. Ammi majus, L.-Ger. Prior, p. 112.

Herb Willow. A name given by Turner (Names) to Lysimachia vulgaris, I.—In Ger. various species of Epilobium and Lythrum Salicaria, L., are included under this name.

Heriff. See Harif.

Herehoune. 'The herb horehound.' Hal. Marrubium vulgare, L.

Heron's-bill. Lyte (p. 44) gives this as a general name for the wild species of *Erodium* and *Geranium*: 'There is found in this contrey divers sortes of herbes, whose seedes be long and sharpe like to a hearons beake or byl, the which for the self same cause, are all comprehended under the name and kindes of *Hearonsbill*.' Prior, p. 112.

Herrin'-bone Fern. Blechmum boreale, Sw .- Cumb. (Winderwath).

An appropriate name, referring to the shape of the fertile fronds more especially.

Herteclowre. Teucrium Chamædrys, L.-Ger, Appx. Hal. Wr.

Herts. See Hurts.

Hertwort. Fraxinus excelsior, L.-Ger. Appx.

Heth. Calluna vulgaris, Salisb.-Turn. Herb.

Heyhove. 'The plant edera terrestris. See a list in MS. Sloane 5, f. 5.' Hal. Wr. Nepeta Glechoma, Benth., is the plant intended.

Hezzle. Corylus Avellana, L.—S.-W. Cumb.; Yks. (Holderness), E. D. S. Gloss. C. 7. See Hazel.

Hic-berry. Prunus Padus, L.—Westm. (Langdale). See Hegberry.

Hickis Taper. See Hig Taper.

Highland Micken. See Micken, Highland.

High Taper. Verbascum Thapsus, L.—With. ed. ii. See Hig Taper.

Hig Taper. Verbascum Thapsus, L.—Grete Herball (Hyg-taper). The Saxon name. See Cockayne, iii, 331. Lyte. The derivation is probably the same as that of Hag Taper (which see); though Parkinson (Theatr. 62) says 'the English name Higtaper for Hightaper, the h being left out, used as a taper or torch.' Turner (Herb.) has Hickis Taper and Hyggis Taper. Prior, p. 112.

Hi-how. The same as Ha-ho, which see.

Hilder. Sambucus nigra, L.—Norf. E. D. S. Gloss. B. 3. 'This form occurs in MS. Arundel, 220.' Hal. Wr.

Hilder, Blood. See Blood Hilder.

Hillcups. Ranunculus bulbosus, L.—Dors. A softened pronunciation of Gilcups, which see.

Hillerne. 'The elder tree. Pr. Parv.' Hal. Wr. Sambucus nigra, L.

Hill-trot. Daucus Carota, L .- Hants. (New Forest). See Eltrot.

Hill-wort. (1) Mentha Pulegium, L.—Lyte, Hal. Wr.
(2) Thymus Serpyllum, L.—Ger. Appx. (Hillwort).

Hind-berry. Rubus Idaus, L.—Turn. Names. ('In duche hynd-beren'); North, Grose, Ray (E. D. S. Gloss. B. 15), Hal. Wr.; Nhumb.; Scotl. (Upper Clydesdale), Jamieson. Holloway's explanation of the name is sufficiently amusing: 'Gathered by poor people, and of course by "hinds" among the rest, whence probably their name' (!) See Hineberry.

Hind-heal. This, which is an A.S. name (vide Prior, p. 113), occurs in Ger. Appx.: we have not met with it elsewhere. Here it is entered 'Hyndheele is Ambrosia.' Many plants were called Ambrosia at this period—Chenopodium Botrys, L., and Ambrosia maritima, L. (Ger.

950-1), and also Teucrium Scorodonia, L. (Ger. 536), with which last Dr. Prior associates it.

Hind's-tongue. See Hart's-tongue.

Hineberry. Rubus Idæus, L.—N. Cumb. E. D. S. Gloss. C. 8;
Yks. E. D. S. Gloss. B. 17. In E. D. S. Gloss. C. 8 we find, 'Ianberries (Central Cumb.), excrescences on the under parts of cattle resembling raspberries or hindberries.' See Hindberry.

Hinnysickle (Honeysuckle). Lonicera Periclymenum, L.—E. Bord.

Bot. E. Bord.

Hip. (1) Fruit of Rosa canina, L., and other species.—N.-W. Linc-E. D. S. Gloss. C. 6; Oxf.; Sal.; N. Yks. (rarely); Moray; Priorp. 113. The 10th of October (Old Michaelmas Day) is in Yorkshire called 'hipping day,' probably because hips were formerly collected about that time for use in confections. See Henderson's Folklore of the Northern Counties (ed. ii.), p. 96.

(2) Fruit of Prunus spinosa, -Bailey's Dictionary. See Heps.

Hip, Cat. See Cat-hip.

Hip, Dog. The fruit of Rosa canina, L .- Scotl. Jamieson.

Hip-briar. 'The wild rose. North.' Hal. Wr. Rosa canina, L.—See Hep-briar.

Hippans. The fruit of Rosa canina, L.-Moray, Fl. M.

Hippens, Dog's. The fruit of Rosa canina, L. — Aberdeensh. Jamieson.

Hip-rose (Prior, p. 113), or Hip-tree (Glou.). Rosa canina, L.

Hipwort. Cotyledon Umbilicus, L.—Ger. 'For that it easeth the paines of the hippes.' Coles, A. in E. Prior, p. 114.

Hirse. Panicum miliaceum, L.-Lyte. Prior, p. 114.

Hoar Withy. Pyrus Aria, L.—Hants. (New Forest). From the white under-surface of the leaves.

Hoarwort. 'Filago. Gl. Arundel, 42; MS. Bodley, 536.' Cockayne, iii. 333. Filago germanica, L. In Ger. Appx. and Hal. and Wr. we have Horewort, both forms of the name no doubt referring to the white hoary appearance of the plant.

Hoburn Saugh. Cytisus Laburnum, L .- Scotl. Jamieson.

Hock. Althwa rosea, L., Malva sylvestris, L., and M. rotundifolia, L. Lyte. Hal. and Wr. have 'Hoc, the hollyhock. A.S.' See Prior, p. 114.

Hockerie-topner. Sempervivum tectorum, L.—Scotl. (Annandale), Jamieson: 'probably a cant or gipsy term.'

Hock-holler. The hollyhock, Althea rosea, L .- Som.

Hod the Rake (i. e. Hold the Rake). Ranunculus repens, L.— Cumb. E. D. S. Gloss. C. 8. An expressive name, because in taking up hay in fields where this plant grows the teeth of the rakes are pulled over its creeping and rooting stems with great difficulty.

Hogails. See Hog-arves.

Hog-arves. Fruit of Cratagus Oxyacantha, L.—Surr. E. D. S. Gloss. C. 3; Suss. Parish. The same name occurs in several other forms, the meaning being in all cases the same—i. e. hedge-haws: e. g. Hogils, or Hogiles (Wight, Fl. Vect.), Hoggosses (Suss.), Hoghaghes, or Hog-haws (Hants. Holl.; South, Hal.). Borlase gives Hogan as the Cornish name.

Hog-cherry. Prunus Padus, L.—Scotl. With. ed. vii. Probably a misprint for Hag-cherry.

Hog-gazels. Fruit of Cratagus Oxyacantha, L. — Suss. Parish (sub v. Hogarves). See Gazels.

Hoggosses. See Hog-arves.

Hog Grass. Senebiera Coronopus, Poir. - Warw.

Hog-haws. See Hog-arves.

Hog-nut. Bunium flexuosum, With.—'Hawk-nut, or rather Hognut.' Warner, Pl. Woodfordiensis (1771). Prior, p. 114.

Hogs'-beans. Aster Trifolium, L.—Ess. Ger. 'About Harwich it is called Hogs beanes, for that the swine doe greatly delight to feede thereon; as also for that the knobs about the rootes do somwhat resemble the garden beane.' Ger. 334.

Hog's Fennel. (1) Peucedanum officinale, L.—Ger. Prior, p. 114.
(2) Anthemis Cotula, L.—Markham's Way to Get Wealth (Table of Hard Words); it may be a misprint for Dog's Fennel.

Hog's Garlic. Allium ursinum, L. - Cyclopædia of Agriculture.

Hogweed. (1) Heracleum Sphondylium, L. — With. ed. ii.; S. Bucks., Kent, Norf., Suff., Suss. 'Hogs feed upon it with a great deal of greediness.' Coles, A. in E. Prior, p. 114.

(2) Polygonum aviculure, L.—Pratt. Norf. Hal. Wr., E. D. S. Gloss. B. 3. Martyn (Flora Rustica) says 'hogs eat it with great avidity.'

See Grass, Swine's (1).

(3) Sonchus arvensis, L.—Nhamp. Nth. Gloss. Perhaps S. oleraceus, L., is intended.

(4) Torilis Anthriscus, L.—Glou. (Fairford).

Hoils. Hordeum vulgare, L.—Dors. Dors. Gloss.

Holewort. An old garden name for Corydalis tuberosa, DC.—Lyte.
'The roote... is most commonly long, and growen like a peare, holowe both underneath and within.' Lyte, 315.

Holieverd. Ilex Aquifolium, L.—East, E. D. S. Gloss. B. 20.

Holigold. Calendula officinalis, L.—'Gl. Harl. 3388.' Cockayne, iii. 332.

Holintre. See Hollen.

Hollard. Alnus glutinosa, L.- W. Som.

Hollek. 'A holyhock. Nominale MS.' Hal. Wr. Althea rosea, L.

Hollen, Hollin, or Holyn. Ilex Aquifolium, L.—Ches.; Cumb. E. D. S. Gloss. C. 8; North, Hal. Wr.; Lanc.; N.-W. Linc. E. D. S. Gloss. C. 6; Yks. (Wakefield); E. Yks. E. D. S. Gloss. B. 2; E. Bord. Bot. E. Bord. Jamieson has Holyn and Holene; Hal. gives Hollintre (Reliq. Antiq. i. 82). In E. Yks. it is also known as Prick Hollin. The name enters into a Border proverb: 'A habitual story-teller, our cautious people characterise metaphorically—"He lees never but when the Hollen is green." We find the saying used by William Dunbar, a native of East Lothian, contemporary with Chaucer:

"Willelms Gray, sine gratia,
Myne ane deir cusing, as I wene,
Qui nunquam fabricat mendacia,
But quhen the Holyne growis grene."

But quhen the Holyne growis grene."
Dunbar's Poems, i. p. 139; and ii. p. 321. Bot. E. Bord, p. 143.

See Holly.

Hollihock. Althea rosea, L.-Lyte. See Prior, p. 114.

Hollin, Prick. See Hollen.

Hollond. Ilex Aquifolium, L.—N.-W. Linc. 'The people here [Messingham] invariably call holly Prick Holland, and for that reason the natives called this part of the lordship Holland woods.' E. D. S. Gloss. C. 6.

Hollow-root. Corydalis tuberosa, DC.—Lyte. Ger. includes Adoxa Moschatellina, L., and many species of Corydalis under the name.

Hollow-wort. Corydalis tuberosa, DC .- Treas. Bot. See Holewort.

Holly. The general name for Ilex Aquifolium, L.—Turner (Holy); Lyte; S.-W. Cumb.; East, E. D. S. Gloss, B. 20; Yks. (Cleveland, Northallerton); E. Bord. Bot. E. Bord. In E. D. S. Gloss. C. 2 (Whitby), we find 'Holly-dance, a dance at Holly time or Christmas, when the holly-bough is a decoration.' Theis (Gloss, de Botanique) gives an ingenious derivation for the word: 'Holly, saint, sacré; à cause de sa verdure perpétuelle, regardée comme un don du ciel' (!). Prior, p. 115. See Hollen.

Holly, Box. Ruscus aculeatus, L.-Lyte.

Holly, He. See He Holly.

Holly, Knee. Ruscus aculeatus, L .- South, Hal. Prior, p. 115.

Holly, Sea. Eryngium maritimum, L.-Lyte, Ger. Prior, p. 115.

Holly, She. Ilex Aquifolium, L. (the variety without prickles).—
Nhumb., where the leaves are used in divination. These 'must be plucked, late on a Friday, by persons careful to preserve an unbroken silence from the time they go out to the next morning's dawn. The leaves must be collected in a three-cornered handkerchief, and on being brought home nine of them must be selected, tied with nine knots into the handkerchief, and placed beneath the pillow. Dreams worthy of all credit will attend this rite.' Henderson's Folklore of the Northern Counties (ed. ii.), p. 100.

Holly Fern. A book-name for Aspidium Lonchitis, Sw.—Prior, p. 77.

Holly-oak. Quercus Ilex, L.-Prior, p. 115.

Holm, Holme, or Home. Nex Aquifolium, L.—Turn. Lyte, Hal. Wr. Cornw.; W. Dev. E. D. S. Gloss. B. 6; Hants. (New Forest); S. West, Pulman. 'Some apply the term to the evergreen oak, but this is an error.' Hal. Prior, p. 115.

Holme, Knee. Ruscus aculeatus, L.—Turn. Herb. Suss.; Wight, Phyt. iii, 963, o. s.

Holme, Sea. Eryngium maritimum, L.-Lyte.

Holm-oak. Quercus Ilex, L.-Prior, p. 115.

Holn. Ilex Aquifolium, L.—Dev.

Holrysche. Scirpus lacustris, L.?—'Holrysche or bulrysche. This name seems to be derived from Ang. Sax. hol, cavus, and risc, juncus; but as the Scirpus lacustris, Linn., commonly called bullrush, has not a hollow but a spongy stem, the proper intention of the term is obscure.' Prompt. Parv. p. 244.

Holy Ghost. Archangelica officinalis, Hoffm.—We have not met with this, but Prior has it (p. 115), and assigns it by mistake to Angelica sylvestris, L. Wr. gives 'Holy-Ghostes-Root, the plant Angelica. Nomenclator.' 'In high Dutch...des heilighen Geyst wurtzel, that is, Spiritus sancti radix, or the roote of the holie Ghost.' Ger. 847. An orchid, Peristeria elata, Hook., in cultivation in our stoves, is called Holy Ghost Plant, from the resemblance of a part of its flower to a dove.

Holy Grass. A book-name translated from the Greek τερα χλοη. Hierochloe borealis, R. & S.—With. ed. vii. Prior, p. 116.

Holy Herb. Verbena officinalis, L.—Ger. In Harland and Wilkinson's Lancashire Folklore (p. 76) is a reference to 'a magical MS. in Chetham's Library, Manchester, of the time of Queen Elizabeth, which contains a metrical prayer to be used in gathering the plant, beginning

'All-hele, thou holy herb, vervin.'

Prior, p. 116.

Holy Hoke. Althora rosea, L.-Turn. Names. Prior, p. 114.

Holyrope. (1) Galeopsis Tetrahit, L.—Ger. Appx. Hal. Wr.

(2) Cockayne (iii. 332) assigns the name to Eupatorium cannabinum, L., quoting from MS. Bodl. 536: 'Holiroppe: cannabis agria. hit is lyke hempe & hit growes in watry places.' Prior, p. 116.

Holy Rose, Marsh. A comparatively modern book-name for Andromeda polifolia, L.—With, ed, iv.

Holy-water-sprinkle. A species of Equisetum, perhaps E. maximum, L.—Turn. Lib. (Hallywater stryncle). The reference is to the resemblance of the plant to the aspergillus or holy-water-brush used in the ceremonies of the Catholic Church.

Homewort. The Saxon name for Sempervivum tectorum, I.-'Planted on a roof it was supposed to protect from thunder.' Cockayne, iii. 329.

Homlocke, See Hemlock.

Honesty. (1) A general name for Lunaria biennis, L.—Ger. Appx. Bucks.; Ches.; Ess.; Linc. (Bottesford); Som. Hal. Wr. Prior, p. 116. 'There is a popular superstition that wherever Honesty flourishes, the cultivators of the soil are very honest.' M. Plues (Rambles in Search of Wild Plants, p. 13).

(2) Clematis Vitalba, L.— 'In English, of most country people where it groweth, Honestie.' Park. Theatr. 384. Camb., N. Ess., Glou., Norf., Oxf., Warw.

Honesty, Maidens'. See Maiden's Honesty.

Honesty, Small. Dianthus plumarius, L.-Lyte. Applied to Pinks generally by Ger.

Honewort. Petroselinum segetum, Koch.—From its employment in the treatment of a swelling on the cheek called a hone, for details of which see Ger. Emac. 1018. In some modern books this plant is called Corn Honewort, and Sison Amonum, L., Hedge Honewort, the two having been placed in the same genus (Sison) by some writers, as in Smith's English Flora, but these are mere book-names. Prior (p. 116), following Babington (Manual), erroneously assigns the name to Trinia vulgaris, DC.

Honey-blob. Fruit of Ribes Grossularia, L.—Scotl.

Honey-crach. 'A small plum, very sweet, mentioned by Forby.' Hal. Wr.

Honey-flower. Ophrys apifera, L.—Kent (Folkestone), Gard. Chron. 1878, i. 832.

Honey-stalks. Trifolium repens, L. - Warw. 'Clover flowers, which contain a sweet juice. It is common for cattle to overcharge themselves with clover and die.' Nares. Hal. Wr. So Shakespeare:

> Words more sweet and yet more dangerous Than baits to fish or honeystalks to sheep.' Titus Andronicus, Act iv. sc. 4.

Honey-stick. Clematis Vitalba, L.-Glou., Warw.

Honey-suck. (1) Flowers of Trifolium pratense, L.—Hants. Holl.; Nhamp. Nth. Gloss.; Som. Holl.; West, Hal.

(2) Lonicera Periclymenum, L.—Dors. (Honey-zuck), Dors. Gloss.; Som. ; West, Hal. Wr.

Honeysuckle. A general name for (1) Lonicera Periclymenum, L. —Turn. Names; W. Ches.; S.-W. Cumb.; E. Bord. Bot. E. Bord.; N. and E. Yks.; West, Pulman; Som. Jennings; Perthsh. Scottish Naturalist, April, 1871; Prior, p. 116.

(2) Lotus corniculatus, L.—Ches.

(3) Cornus succica, L.-Yks. (Whitby). 'Its fruit resembles that of the common honeysuckle.' Phyt. i. 104, o. s.

(4) Trifolium pratense, L.—Ger., who includes all the common species. Linc. Skinner; Nhamp. Nth. Gloss.; Oxf.; Warw. E. D. S. Gloss. C. 6; Som. Holl.; Yks. (Northallerton); West, Hal. Wr.; Prior, p. 116. Mr. Elworthy says that in Som. the name is restricted to the flowers of T. pratense; 'the name is not applied to the entire plant.'

(5) Rhinanthus Crista-galli, L.-Hal. Wr.

Honeysuckle, Dwarf. A book-name for Cornus succica, L.-With.

Honeysuckle, Fly. A book-name for Lonicera Xylosteum, L.—With. ed. vii.

Honeysuckle, French. See French Honeysuckle.

Honeysuckle, Ground. Lotus corniculatus, L.-Ches.

Honeysuckle, Red. (1) Hedysarum coronarium, L.—Park. Parad. (2) Trifolium pratense, L.—Culpeper.

Honeysuckle, Trumpet. Lonicera sempervirens, L.

Honeysuckle, Virgin Mary's. Pulmonaria officinalis, L.—Ches. Gard. Chron. 1873, p. 579.

Honeysuckle, White. Trifolium repens, L. — Culpeper, Martyn (Flora Rustica).

Honeysuckle Clover. Trifolium repens, L.—Midland Counties, E. D. S. Gloss, B. 5.

Honeysuckle Grass. We have this name for Trifolium repens, L., but not localised.

Honeysuckle Trefoil. Trifolium pratense, L.-With. ed. ii.

Honey-sweet. Spiraa Ulmaria, L.-Som.

Honey-ware. (1) Alaria esculenta, Grev.—Scotl. Jamieson. (2) Laminaria saccharina, Lam.—Prior, p. 117.

Honey-wort. Galium Cruciata, Scop.—Miss Plues, in Rambles in Search of Wild Flowers, gives this name, which no doubt refers to the strong honey-like scent of its flowers.

Honey-zuck. See Honey-suck (2).

Hooded Grass. Bromus mollis, L.— 'The grass which country people call the hooded grass, or lob grass.' Lisle's Observations in Husbandry (1757), p. 305.

Hooded Water Milfoil. A book-name for Utricularia vulgaris, L. From the hooded flowers and the finely-cut leaves. With ed. ii. Prior, p. 117.

Hooded Willow-herb. Scutellaria galericulata, L.—Ger. 387; given as a translation of its old name, Lysimachia galericulata, Nemnich gives Hoodwort as a name for the genus.

Hoodwort. See preceding.

Hoofs. Tussilago Farfara, L.—In allusion to the shape of the leaves. Glou.

Hook-heal. Prunella vulgaris, L.—Lyte, Prior, p. 117.

Hop. (1) The general name for Humulus Lupulus, L.-Lyte, who calls the female plant Tame Hops and the male Wild Hops. Prior,

(2) Medicago lupulina, L.—Occasionally so called by farmers.
 (3) Bryonia dioica, L.—Glou.

Hop, Bog. Menyanthes trifoliata, L.—' In the north.' Gard. Chron., Nov. 8, 1879, p. 586. In allusion to its well-known bitter properties and place of growth.

Hop, Wild. (1) Bryonia dioica, L.—Pratt. Yks. (Tadcaster).

(2) Polygonum Convolvulus, L.—Ches.

(3) Stachys Betonica, Benth. - Worc.

Hop Clover. A name usually applied in modern books to Trifolium procumbens, L.; but in Lisle's Observations on Husbandry (1757), pp. 281-292, Medicago lupulina, L., seems intended. See Clover, Hop.

Hop Trefoil. (1) A common book-name for Trifolium procumbens, L .- In With. ed. iv. it is extended to T. filiforme, L., and T. suffocatum, L.

(2) Medicago lupulina, L., is the species sold by seedsmen under this

name.

Hopes. Matthiola incana, R. Br. (gardens).—Norf.

Hordock. See Hardock.

Horehound. (1) Marrubium vulgare, L.-Lyte, Prior, p. 117. (2) Ballota nigra, L.-E. Bord. Bot. E. Bord.; Herts.

Horehound, Black. Ballota nigra, L.-Lyte, Prior, p. 23.

Horehound, Marsh. Lycopus europœus, L.-Lyte.

Horehound, Stinking. Ballota nigra, L.-Lyte, Turn. Names.

Horehound, Water. Lycopus europœus, L.-Lyte, Prior, p. 117.

Horehound, White. Marrubium vulgare, L.-Lyte; E. Bord. Bot. E. Bord. ; S.-W. Cumb.

Horestrang, Horestrange, or Horestrong. Peucedanum officinale, L., from the German Harestrong.—Lyte, Prior, p. 103.

Horewort. See Hoarwort.

Horhowne. 'The plant hore-hound. Reliq. Antiq. ii. 9.' Hal. Marrubium vulgare, L.

Horn, Buck's. See Buck's-horn.

Horn, Devil's. Phallus impudicus, L .- Norf.

Horn, Stag, or Stag's. Lycopodium clavatum, L .- W. Cumb., Stirlingsh.

Horn-beam. The general name for Carpinus Betulus, L.—Ger. Ess. Culpeper. The wood 'in time waxeth so hard that the toughnes and hardnes of it may be rather compared unto horne then unto wood, and therefore it was called *Hornebeame* or Hard beame.' Ger. 1295. Prior, p. 118.

Horn Beech. See Beech, Horn.

Hornecks. Bunium flexuosum, With.—Scotl. Jamieson. Probably a corruption of Arnuts.

Horned Clover, See Clover, Horned.

Horned Pondweed. A book-name for Zannichellia palustris, L.—With. ed. ii. Prior, p. 185.

Horned Poppy. The common book-name of Glaucium luteum, L.— Lyte, Prior, p. 118.

Horns, Bogs. See Bogs Horns.

Horns, Rams'. Orchis Morio, L .- Suss.

Hornweed. A book-name for Ceratophyllum,—With. ed. ii.; in ed. vii. Hornwort. Prior, p. 118.

Hornwort. See Hornweed.

Horone. 'The white horehound, Pr. Parv.' Hal. Wr. Marru-bium vulgare, L.

Horse, Fairies. See Fairies' Horse.

Horsebane. Enanthe Phellandrium, L. — With. ed. ii. 'It is generally esteemed a fatal poison to horses, occasioning them to become paralytic,' Id. p. 298. Prior, p. 118.

Horse Bean. A general name for the field variety of Vi- Faba, L.—Prior, p. 118.

Horse Beech, See Beech, Horse.

Horse Blob. Caltha palustris, L.—Leic.; Nhamp. Nth. Gloss.; Wr. See Blob (1).

'The yellow horse-blob's early flower.'

Clare, Village Minstrel, i. 49.

Horse Bramble. Rosa canina, L.—Norf. Grose, E. D. S. Gloss, B. 3.

Horse Buckles. See Buckles, Horse.

Horse Chestnut. See Chestnut, Horse.

Horsechire. Teucrium Chamædrys, L.-Ger. Appx. Hal. Wr.

Horse Cress. Veronica Beccabunga, L. — E. Yks. One of its French names is Cresson du cheval.

Horse Daisy. See Daisy, Horse.

Horselder. See Horshele.

Horse Flower. Melampyrum arvense, L.—Lyte, who gives it as a translation from the Dutch. Prior, p. 119.

Horse-gogs. A variety of Prunus domestica, L.—'Plums of a coarse bitterish kind.' Yks. (Whitby), E. D. S. Gloss. C. 2. 'A large

wild plum, yellow in colour, and very late in ripening.' Mid-Yks. E. D. S. Gloss. C. 5. Hal. Wr. 'A fair-sized but highly astringent blue plum, which grows abundantly in the district, and sometimes even in the hedgerows.' Cleveland Gloss. In E. D. S. Gloss. C. 7 (Holderness), Hoss-gogs.

Horse Gold. Ranunculus bulbosus, L., R. acris, L., R. repens, L., and R. arvensis, L.-Nhamp. Nth. Gloss. Wr.

Horse Gowan, See Gowan, Horse.

Horshele (Grete Herball), Horseheele (Lyte), Horseheale (Ger. and Park. Theatr.), Horselder (Ger. Appx.). Inula Helenium, L.—See Prior, p. 119. Hal, and Wr. have 'Horselder, the herb campanula; it is called horselle in MS. Med. Linc. f. 281, elicampane; and 'Horsehelme, a kind of herb mentioned in MS. Lincoln Med, f. 290.' The latter is also given in Markham's Way to Get Wealth (1638).

Horsehelme. See Horshele.

Horse-hoof. Tussilago Farfara, L.—Ger. E. Bord. Bot. E. Bord. Prior, p. 119.

Horse-hove. Tussilago Farfara, L.—Turn. Herb. Lyte, who gives its French name as Pas de Cheval, and says the leaves are 'like to a horse foote.

Horse Jags. 'Wild Plums.' Yks. Hallamsh. Gloss. A variety of Prunus domestica, L.

Horse-jug. A small red plum, also called Horse Plum.—Ches.

Horse Knobs. Centaurea nigra, L.—North Country, Bailey's Dict.; Yks. (Whitby), E. D. S. Gloss. C. 2; (E.), E. D. S. Gloss. B. 2. C. Scabiosa, L., is sometimes distinguished in Yks. as Great Horse Knobs. Prior, p. 119.

Horse Knops. (1) 'Heads of knapweed.' North, Ray (E. D. S. Gloss. B. 15); 'Knopweed.' Var. dial. Hal. Wr. Centaurea nigra, L .- Cumb. E. D. S. Gloss, C. 8; Nhamp. Nth. Gloss.; N. Yks. Cleveland Gloss.; E. Bord. Bot. E. Bord. (Horse's Knops). In E. D. S. Gloss. C. 7 (Holderness), Hoss Knops.
(2) Centaurea Scabiosa, L.—N. Yks., Cumb. (Winderwath).

Horse Knot. Centaurea nigra, L.—Scotl. Jamieson; North, Henderson's Folklore of the Northern Counties (ed. ii.), p. 99, where a mode of divination practised with it is recorded.

A name applied generally to the wild mints.

(1) Mentha sylvestris, L.-Lyte, Prior, p. 119.

(2) Mentha rotundifolia, L.-Glou.; Wight, Fl. Vect.; E. Yks.

(3) Mentha hirsuta, L .- N. Linc.; Warw.; E. Bord. Bot. E. Bord.

Horse Mushroom. A very general name for Agaricus arvensis, L. Yks. Prior, p. 119.

Horse Parsley. Smyrnium Olusatrum, L.-Prior, p. 119.

Horse Pens. Rhinanthus Crista-galli, L.—Cumb. E. D. S. Gloss. C. 8. Pens probably means pence. See Hen Pen. In Yks. Horse Pennies, Hallamsh. Gloss.

Horse Pipes. Equisetum maximum, L.—Ireland (Belfast), Flora Belfastiensis. In Aberdeensh. E. linosum, Sm., is so called, while in Yks. (Northallerton), E. arvense, L., is known as Horse-piping.

Horse Plum. A small red plum.—Ches. The same as Horse-jug.

Horse Radish. The general name for Armoracia rusticana, Rupp.

—Ger. Prior, p. 119.

Horse-shoe. Hippocrepis comosa, L.—Ger. More commonly known in books as Horse-shoe Vetch. Prior, p. 119.

Horse Sorrel. Rumez Hydrolapathum, L.—Lyte. One of its old names was Hippolapathum.

Horse-tail. Various species of Equisetum.—Turn. Lib. Ger. N. Bucks.; Yks.; E. Bord. Bot. E. Bord. (E. maximum, L.). Prior, p. 119.

Horse Thistle. Lactuca virosa, L.—Ger. Appx. Hal. Wr.

Horse-thristle. Apparently Carduus lanceolatus, L.—S. Scotl. Mactaggart, Scotlish Gallovidian Encyclopædia, p. 104.

Horse Thyme. (1) Calamintha Clinopodium, Benth.—Turn. Names, Prior, p. 119.

(2) Thymus Serpyllum, L.—Nhamp. Nth. Gloss.; Wr.

Horse-tongue. Scolopendrium vulgare, Syn.—Dors. Dors. Gloss. (Hoss-tongue).

Horse Violet. Viola canina, L. (including V. sylvatica, Fr.).—Ess.

Horse-well Grass. Veronica Beccabunga, L.—Scotl. Jamieson. This is equivalent to Horse Water-cress, as Jamieson gives Well-grass and Well-kerse as Scotch names for Nasturtium officinale, Br.

Horse's Breath. Ononis arvensis, L.—Worc.

Horst Beech. See Beech, Horse.

Horts. Vaccinium Myrtillus, L.—Dev.

Hose-doup. Mespilus germanica, L.—Roxburghsh. Jamieson.

Hose Grass, or Hose Gerse. Holcus lanatus, L.—Ayrsh. Jamieson.

Hose-in-hose. A peculiar variety of garden Polyanthus, where the calyx becomes petaloid, giving the appearance of one corolla within another. Glou., E. Suss.

Hoss-daisy. Chrysanthemum Leucanthemum, L.-West, Pulman.

Hoss-gogs. See Horse-gogs.

Hoss Knops. See Horse-knops.

Hoss Tongue. See Horse Tongue.

Hot Planets. 'The blight in corn.' Hal. Wr. Probably some species of parasitic fungus.

Houks. Meum athamanticum, Jacq. — Nhumb. (Thockerington), Hodgson's Hist. of Northumberland, pt. ii. vol. 2, p. 458.

Houndbene. 'The herb hoarhound.' Hal. Marrubium vulgare, L.?

Hound-, or Hound's-Berry. Solanum nigrum, L .- 'Morella medica Nyghtshade oper pety morell oper hound berry.' Gl. Sloane, 5, fol. 38c. To similar effect MS. Bodl. 536, in Morella. 'Morella media Anglice morel or houndberie, in levys lyke to dwale but not so myche, Gl. Sloane, 135.' Cockayne, iii. 333. Ger. Appx. Hal. Wr. Hal. and Wr. also have 'Houndys-berve, the plant morel, by which the same plant is intended.

Houndberry Tree. Cornus sanguinea, L.-Lyte. Hal. and Wr. have also 'Hundes-berien, the herb labrusca,' i, e. Tamus communis, L.

Hound-stone. See Hound's-tongue (1).

Hounds-tongue. (1) Cynoglossum officinale, L.—Turn. Names. N. Yks. 'It is good against the biting of mad doggs.' Coles, A. in E. In Lupton's Notable Things, ii. 29, it is printed Hound-stone. Its peculiarly disagreeable odour suggested to Gerard another name for it; see Ger. p. 659. Prior, p. 120.

(2) Stachys palustris, L.—Moray, Fl. M.

Hound's Tree. Cornus sanguinea, L.-Lyte.

Houndys-berve. See Hound-berry.

House-green. Sempervivum tectorum, L.—Ches., Warw.

Houseleek. (1) Sempervivum tectorum, L.—Turn. Lib. E. Bord. Bot. E. Bord.; N. Yks. Holme (Acad. of Armory, ii. 89) spells the name House-like, a fancied explanation of the name. Lyte has a similar spelling. The spelling Houzlick is given by Moor (Suff.) and in Nth. Gloss. (Nhamp.). Prior, p. 120.

(2) Clare seems to intend Sedum acre, L., or perhaps S. reflexum,

L., under this name:

'Its thatch with houseleek blooms was yellow o'er.' Jockey and Jenny.

And again: 'Close beneath the houseleek's yellow flower.'

Houseleek, Dwarf. Sedum reflexum, L.-Ger.

Houseleek, Little. Sedum acre, L.—Cumb. E. D. S. Gloss. C. 8.

Houseleek, Water. Stratiotes aloides, L.—Ger. 'Hath leaves like those of . . . Sempervivum.' Ger. 677.

Houselike. See Houseleek (1).

Houzlick. See Houseleek (1).

Hove. Nepeta Glechoma, Benth.—Hal. Wr. Prior, p. 120.

Hover. Avena fatua, L.-With, ed. ii.

How-doup. Mespilus germanica, L.—Lothians, Jamieson.

Howes. Fruit of Cratagus Oxyacantha, L.—Suff. Hal. Wr.

Howler. Alnus glutinosa, L.-W. Ches.; Lanc.; N.-W. Linc. E. D. S. Gloss. C. 6; Yks.

Huckle-berry. Prior (p. 121) gives this as a name for Vaccinium Myrtillus, L. It is the common North American name for various species of Gaylussucia and Vaccinium.

Hufcap. 'Couch-grass,' Hal. Wr. Triticum repens, L.—'A plant, or rather weed, found in fields, and with difficulty eradicated.' Som. Jennings.

Huggaback. Vicia Cracca, L.—Central Cumb. E. D. S. Gloss. C. 8.

Huggan. Fruit of Rosa canina, L. - Yks. (Craven), Hal. Wr.

Hulfere. See Hulver.

Hull. Ilex Aquifolium, L .- Var. dial. Hal. Wr.

'To plots not full Ad bremble and hull.'

Tusser (February's Abstract), E. D. S., Series D., p. 86.

Also in the Hundred Good Points:

'Get ivye and hull, woman, deck up thyne house.' Id. p. 225.

Hulver. Ilex Aquifolium, L. (A.S. Hulfere, Chaucer, Hal.).—Wr. Turn. Lib.; Lyte (misprinted Husver); E. Anglia, Forby, Hal.; Norf. E D. S. Gloss. B. 3; Suff. (Hulva), Prompt. Parv. p. 253, note; Prior, p. 120.

Save hulver and thorne thereof flaile for to make.' Tusser (April's Husbandrie), E. D. S., Series D., p. 105.

Hulver, Knee. Ruscus aculeatus, L.-Ger. Prior, p. 128.

Hulver, Sea. Eryngium maritimum, L.-Lyte, Ger. Prior, p. 120.

Hulwort. Teucrium Polium, L .- Ger. Appx. Hal. Wr.

Humack. Rosa canina, L.—Som. Mr. Elworthy writes: 'This is the regular name, as common as that of a daisy.'

Humble-bee. Ophrys apifera, L.—Skinner, who says: 'Sic dicta, credo, vel quia flores aliquomodo Bombylium apem figura referent, vel quia illæ apes eorum esu delectantur.'

Humlock, or Humlocks. (1) Conium maculatum, L.—Cumb. E. D. S. Gloss. C. 8, &c.; Linc. Brogd. E. D. S. Gloss. C. 6; Nhumb.; Norf.; E. Yks. 'the hemlock' (Holderness), E. D. S. Gloss. C. 7; Scotl. Jamieson, who has also Humloik.

'Some horses were of the brume cow framit, And some of the green bay tree; But mine was made of a humlock schaw, And a stout stallion was he.'

Hogg, Witch of Fife.

Hal. and Wr. have also Humeloc.

(2) Anthriscus sylvestris, L.-E. Yks.

(3) Large hollow-stemmed Umbellifera. - E. Counties.

Humlock, Sweet. Myrrhis odorata, L.—Berwicksh. Bot. E. Bord.

Humly. Conium maculatum, L. — Roxburghsh. (Kelso), Science Gossip, 1876, p. 39. Hundes-berien. See Hound-berry.

Hundred-fold. Galium verum, L.—Bot. E. Bord. (Index). See A Hundred-fold.

Hundred-headed Thistle. Eryngium campestre, L .- Lyte.

Hundred-leaved Grass. Achillea Millefolium, L.—E. Bord. Bot. E. Bord.

Hundred-shillings. 'A kind of apple. See Rider's Dictionarie, 1640.' Hal.

Hundred Thistle. Eryngium campestre, L.-Nhamp. Sternb.

Hunger-grass. From its impoverishing effects as a weed. Alopecurus agrestis, L.—See Hunger-weed. Prior, p. 121.

Hunger-weed. In each case from its being an indication of poor land, or from its impoverishing crops amongst which it grows:—

(1) Ranunculus arvensis, L.—With. ed. ii. Glou., Norf. Prior, p. 121.

(2) Alopecurus agrestis, L.—Ches. See Beggar-weed.

Hurd-reve. 'The herb centaury.' Hal. Wr. Probably Erythræa Centaurium, L.

Hurr Burr. Arctium Lappa, L .- With. ed. ii. Sal.

Hurst Beech. See Beech, Horse.

Hurtle-berry (in Ger. p. 1415, Hurtle). Vaccinium Myrtillus, L.—With. ed. ii.; Dev. Hal. Wr. Tusser spells it Hurtillberies (E. D. S., Series D., p. 76). Prior, p. 121.

Hurts. Fruit of Vaccinium Myrtillus, L.—Cornw.; Dev.; Som.; Surr.; Suss. Parish, Holl. (Herts); West, Hal. Wr.

Hurt-sickle. (1) Centaurea Cyanus, L.—Lyte. A translation of the old Latin name: 'Some herbaries call it baptisecula or blaptisecula, because it hurteth sicles, which were ones called of olde writers seculæ,' Turn. Herb. i. 189. Prior, p. 122.

(2) Centaurea nigra, L.-Worc.

Husbeech. Carpinus Betulus, L.—Norf. Holl.; W. Suss. Parish; Hal. Wr. A corruption of Hurst-beech. See Beech, Horse.

Huslock. Sempervivum tectorum, L.—Yks. (Holderness), E. D. S. Gloss. C. 7.

Hyacinth. Scilla nutans, Sm.—Lyte; Dumfriessh.; E. Bord. Bot. E. Bord. (Wild Hyacinth); Prior, p. 121.

Hyacinth, Grape. See Grape Hyacinth.

Hydul-tre. 'The elder tree. Ortus Vocab.' Hal. Sambucus nigra, L.

Hyggis Taper. See Hig Taper.

Hylder. An old spelling of elder (Sambucus nigra, L.).—See Prompt. Parv. p. 137.

Hyrnehard. 'The herb Ballweed.' Hal. Wr. Probably Centaurea nigra, L.

Hyssop. Hyssopus officinalis, L.-Lyte, Prior, p. 121.

Hyssop, Hedge. See Hedge Hyssop.

Hyssop, Stitch. Genista anglica, L.-Hants.

Hyven, or Hyvin. Hedera Helix, L.—Cumb. E. D. S. Gloss. C. 8; Yks. (Swaledale), E. D. S. Gloss. C. 1; E. Yks. E. D. S. Gloss, B. 2.

Iceland Moss. Cetraria islandica, Ach.—'So called,' according to Prior (p. 122), 'from its abundance in Iceland, whence it is imported for medicinal and culinary purposes;' but in Pharmacographia (p. 672) it is stated that 'none is exported from Iceland,' and that it is 'very little employed in Iceland, and only in seasons of scarcity.'

Ice-leaf, Wild. Verbascum Thapsus, L.—Bucks. (Marlow).

Ife. Taxus baccata, L .- Suff. Hal. Wr.

Imbreke. Sempervivum tectorum, L.-Ger. Appx. Hal. Wr.

Incarnation. Dianthus Caryophyllus, L.—Turn, Lib. (Incarnacyon). See Carnation.

Indian Eye. Dianthus plumarius, L.—Tusser (Five Hundred Points), mentioned in a list of 'Herbes, branches, and flowers, for windowes and pots' (E. D. S., Series D.). 'So called from the eye-shaped marking of the corolla' (id. p. 332). Cf. French æillet.

Indian Grass. (1) Molinia coerulea, L.—Sold under this name by tobacconists for cleaning pipes.

(2) Cuscuta Trifolii, Bab.—Gard. Chron., 1843, p. 629.

Indian Moss. A garden name for Saxifraga hypnoides, L.

Indian Pink. (1) A garden name for Dianthus chinensis, L.

(2) Lychnis Flos-cuculi, L.—Glou. (Cheltenham, India Pink).

(3) Dianthus Caryophyllus, L.—Glou. (Indy Pink).

Indian Wheat. Zea Mays, L.—Lyte. The name was occasionally heard in Liverpool twenty or thirty years ago.

Innin, or Innion. An onion.—Glou. (Cotswolds), Cots. Gloss. Hal. has Ingan(Suff.). Jamieson gives Ingowne, and other variations of the word occur.

Inul. Inula Helenium, L.—Prior, p. 122.

Irby-dale Grass. Euphorbia Helioscopia, L.—Linc. Dr. R. M. Bowstead writes that this plant is so called at Irby-dale, near Laceby, Linc., where it is abundant, and used by the poor people as a cure for warts, and 'applied as a poultice to venomed wounds with good effect.'

Iren-harde. 'The herb vervain.' Hal. Wr. There is little doubt that Centaurea nigra, L., is here intended.

Ireos, Wild. Iris fatidissima, L. — Lyte. 'Hath long narrow bladed leaves like to the leaves of Ireos of the floure Deluce.' Lyte, who uses Ireos as a general name for the genus Iris. Of Iris florentina, L., he says: 'In shoppes, Ireos (especially the dried rootes), by the which name it is known of the clothworkers and drapers.' Prior (p. 122) says it is 'the genitive case of iris, used by apothecaries to mean the orrice root, radix being understood.'

Irish Daisy. Leontodon Taraxacum, L .- Yks.

Irish Heath. Dabeocia polifolia, Don.—Baxter. Prior, p. 107.

Irish Moss. The commercial name for Chondrus crispus, Lyngb., which is imported from Ireland.—E. Bord. Bot. E. Bord.; Ches. where it is occasionally used for feeding calves. Prior, p. 122.

Irish Worts. Dabeocia polifolia, Don .- With. ed. iv.

Iron Grass. Polygonum aviculare, L.-Herts.

Iron-heads. Centaurea nigra, L.—Treas. Bot. Prior, p. 122.

Iron-weed. (1) Centaurea nigra, L.—Nhamp. Nth. Gloss.; Wr.
(2) Echium vulgare, L.—Beds. Batchelor's Gen. View of Agriculture of Beds. (1808), p. 321.

Iron-wort. 'A translation of its Lat. name Sideritis, from Gr. σιδηρον, iron, a name formerly applied to several different plants, supposed to heal wounds from iron weapons, but now confined to a genus of Labiatæ, of which we have no British representative. In Jacob's Plant. Faversh. Galeopsis Ladanum, L.' Prior, p. 122.

Isle of Wight Vine. (1) Bryonia dioica, L.—Wight, Bromfield MSS.

(2) Tamus communis, L. - Wight, Bromfield MSS.

Isop. Hyssop. Hyssopus officinalis, L.—Mentioned by Tusser (Five Hundred Points) in a list of 'strowing herbs,' i. e. herbs for strewing. E. D. S., Series D.

Italian Ray Grass, or Rye Grass. A commercial name for Lolium italicum, A. Br.

Italian Rocket. Reseda lutea, L.-Ger.

Itching Berries. Fruit of Rosa canina, L.—Lanc. (about Litherland). Schoolboys put the hairy seeds down one another's backs, causing an irritation which is almost unbearable. In Ches. they are sometimes called Cow-itch, from the similarity of their effects to those of the true Cowage or Cow-itch (Mucuna pruriens, DC.), which name is a corruption of the Hindostani name for the plant.

Ivin. Hedera Helix, L.—Cumb. E. D. S. Gloss. C. 8; Lanc.; N.-W. Linc. E. D. S. Gloss. C. 6; North, Hal. Wr.; Yks. (Craven), Holl.; (Whitby), E. D. S. Gloss, C. 2; Mid-Yks. E. D. S. Gloss, C. 5, Cleveland Gloss. In Ches. Ivvens; in Warw., Worc., and Midlands (N. & Q. 5th S. iv. 488), Ivvy. Ivory. Hedera Helix, L.—Ess.; Rutl. N. & Q. 5th S. iv. 488;
N.-W. Line, E. D. S. Gloss, C. 6.

Ivray. Lolium temulentum, L.-Lyte. Prior, p. 122.

Ivvens, Ground. See Ground Ivy (1).

Ivy. The general name for Hedera Helix, L.—S.-W. Cumb.; E. Bord, Bot, E, Bord. Prior, p. 122.

Ivy, Barren. The small-leaved form of Hedera Helix, L., which grows on hedgebanks. Barren Ivy 'is small and creepeth along upon the grounde, and this kinde bringeth no fruite.' Lyte. Hal. Wr:

Ivy, Black. Hedera Helix, L.—A translation of its old name Hedera nigra, in allusion to the colour of the fruit. Lyte.

Ivy, Creeping. Hedera Helix, L. (the procumbent form).—Ger. Hal. has Erth-ivi.

Ivy, Five-leaved. A common garden name for the Virginian Creeper, Ampelopsis hederacea, Mich.

Ivy, Ground. See Ground Ivy.

Ivy, Small. Hedera Helix, L. (the form which creeps on the ground).—Lyte.

Ivy Bindweed. Polygonum Convolvulus, L.—Lyte. 'The leaves are lyke to Ivie, but smaller and tenderer, much resembling the leaves of the white Bindeweede.' Lyte.

Ivy Chickweed, or Ivy-leaved Chickweed. Veronica hederifolia, L.-With. ed. iv. Prior, p. 123.

Ivywort. A name proposed by Park. (Theatr. p. 682) for Linaria Cymbalaria, L.—'Wee may call it in English eyther Iviewort or the Ivie like leafe as it is in the title' [i. e. Cymbalaria hederacea].

Jacinth. Lat. Hyacinthus, the hyacinth. A common spelling in the old herbals. Prior, p. 123.

Jack. (1) A garden variety of the Polyanthus—one of the forms of the so-called 'hose-in-hose' Polyanthus—having the calyx more or less coloured, and partly assuming the character of the corolla.— London (Covent Garden), Gard. Chron., 1868, p. 438.

(2) Dianthus Caryophyllus, L.—'Jacks is the horticultural slang designation for single carnations, which are grown specially for the trading hawker by thousands, and by the fraternity of which he is a member hawked all over the country, and sold to the unsuspicious as best named varieties.' Gard. Chron., March 16, 1878, p. 340.

Jack, Creeping. Sedum acre, L .- Ches.

Jack-behind-the-garden-gate. Viola tricolor, L .- Suff.

- Jack-by-the-hedge. (1) Alliaria officinalis, Andrzj.—Turn. Herb. (Jack-of-the-hedge); Lyte; Prior, p. 123; W. Ches.; Merionethsh., Phyt. vi. 95, N. s.; Suss.; N. Yks.; N.-W. Linc. E. D. S. Gloss. C. 6 (Jack-in-the-hedge). In Wilts. Jack-run-along-the-hedge.
 - (2) Lychnis diurna, Sibth.—Suss. Parish (Jack-in-the-hedge).

(3) Tragopogon pratensis, L.-E. Suss.

(4) Linaria minor, L.-Berks. (Clewer, Jack-in-the-hedge).

Jack Durnils. The tubers of Bunium flexuosum, With.—Cumb. E. D. S. Gloss. C. 8. Jack Jurnals is another form of the word. In N. Yks. Jack Jennett.

Jack-go-to-bed-at-noon. From the early closing of the flowers.

Ornithogalum umbellatum, L.—Ches.

Jack-in-box, Jack-in-a-box, or Jack-in-the-Box. (1) Arum maculatum, L.—Bucks. (Wycombe).

(2) A hose-in-hose variety of garden primrose (Primula vulgaris, L.).—Norf.

Jack-in-prison. Nigella damascena, L. — N.-W. Linc. E. D. S. Gloss. C. 6; Suss. Parish.

Jack-in-the-bush. (1) Alliaria officinalis, Andrzj.—Glou.; Heref.
(2) Cotyledon Umbilicus, L.—Roxburghsh. Jamieson.

Jack-in-the-green. A variety of Primula vulgaris, L., in which the callyx is transformed into leaves.—Gard. Chron., April 8, 1876, p. 472. Called also Jack-in-green-doublet, Staf.

Jack-in-the-hedge. See Jack-by-the-hedge.

Jack Jennett. See Jack Durnils.

Jack-jump-about. (1) Angelica sylvestris, L.-Wr.

(2) Ægopodium Podagraria, L.-Nhamp. Nth. Gloss.; Warw.

(3) Lotus corniculatus, L.-Nhamp. Nth. Gloss,

Jack Jurnals. See Jack Durnils.

Jack-of-the-Buttery. Sedum acre, L.-Ger. Prior, p. 123.

Jack-of-the-hedge. See Jack-by-the-hedge.

Jack-run-along-the-hedge. See Jack-by-the-hedge.

Jackanapes-on-Horseback. 'The Franticke, Fantasticke, or Foolish Cowslip, in some places is called by country people Jacke an Apes on horse-backe, which is an usuall name with them, given to many other plants, as Daisies, Marigolds, &c., if they be strange or fantasticall, differing in the forme from the ordinary kinde of the single ones.' Park. Parad. 247. The name Jack (1) is probably an abbreviation of this. Coles (A. in E.) gives the name to a variety of the marigold (Calendula officinalis, L.).

Jackets and Petticoats. The 'hose-in-hose' Polyanthus.—Cumb. (Winderwath).

Jackstraws. Plantago lanceolata, L.—Yks. 'We used to call the spikes "Jack straws," and many a good game I have had with them

fighting my fifty against my neighbour's fifty.' Miss Plues (Rambles in Search of Wild Flowers. p. 239).

Jack-weed. Ranunculus arrensis, L.—Oxf.

Jacob's Chariot. Aconitum Napellus, L.—Est. (gardens).

- Jacob's Ladder. (1) A general name for *Polemonium carruleum*, L., given on account of its successive pairs of leaflets. Prior, p. 123. In (2) on account of the alternate leaflets; and in (3) from the long spike of alternate flowers. In the cases of (4) and (5) there must be some different reason.
 - (2) Polygonatum multiflorum, All.—Ger. Berks. (Newbury).
 - (3) A garden species of Gladiolus.—Glou., Suf.
 - (4) Atropa Belladonna, L.—Ayrsh. Jamieson.
 - (5) Chelidonium majus, L.—Sal.

Jacob's Staff. Verbascum Thapeus, L.—Cumb. E. D. S. Gloss. C. 8.

Jacob's Sword. Iris Pseudacorus, L.—Aberdeensh.

Jags, Butter. See Butter Jags.

Jags, Horse. See Horse Jags.

James's Weed, or James's Wort. Senecio Jacobæa, L.—Sal. Lyte calls it St. James's Wort. See Prior, p. 202.

Janet-flower. "Caryophyllata, a janet-flower." Wedderburn's Voc. Supposed to be the Queen's Gilliflower, Hesperis matronalis, L. Jamieson. Perhaps rather Dianthus Caryophyllus, L. Cfr. Jonette.

Jaundice Tree (Cornw.), or Jaundice Berry. Berberis valgaris, L.—From a belief (on the 'doctrine of signatures') in the superstition that the yellow under-bark of the shrub indicated its value as a cure for the yellow disease. 'The bark, taken as a decoction in ale or white wine, is said to be purgative, and to have proved highly efficacious in the cure of jaundice; hence, in some parts of the country, we have heard the plant called the Jaundice Berry.' Hogg's Vegetable Kingdom, p. 34.

Jayweed. Anthemis Cotula, L.—Suss.

Jean Cherry. Prunus Avium, L.—A spelling of Gean Cherry, which see. Pratt.

Jeelico. Angelica sylvestris, L.—A corruption of the Lat. name. E. Bord. Bot. E. Bord.

Jeenepre, or Jenepyre. Juniperus communis, L.—Grete Herball. Jamieson has Jenepere; E. Bord. (Bot. E. Bord.), Jennyper-bush; in Turn. Herb. Jenefer.

Jenny Green-teeth. Lemna minor, L. — Warw. (Birmingham). This is also the name of a well-known Lancashire 'boggart,' who was reported to haunt 'pits and pools,' and from whom it has probably been transferred to the plant. See N. & Q. v. 156, 216, 287, 365, for an account of the 'boggart.'

Jenny-run-ith-ground. Nepeta Glechoma, Benth.—N. Linc. (Flix-borough).

Jeroffleris, Cheiranthus Cheiri, L .- Scotl. Jamieson.

Jersey Livelong. Gnaphalium luteo-album, L .- Prior, p. 123.

Jerusalem Artichoke. The general name for Helianthus tuberosus, L.—Prior, p. 123.

Jerusalem Cowslip. Pulmonaria officinalis, L.—Bucks.; Ches.; Glou.; Oxf. Prior (p. 124) says 'from being like a cowslip, "floribus primulæ veris purpureis," as described by Lobel, and from having been confounded under the name of Phlomis with the Sage of Jerusalem; but we do not find that Pulmonaria was ever known as Phlomis, and the name Jerusalem Sage or Sage of Jerusalem was not given to the genus Phlomis until later (Miller's Gard. Dict.), although P. fruticosa was known in Gerard's time (see his 'Catalogus') as French Sage.

Jerusalem Cross. Lychnis Chalcedonica, L.—Prior, p. 124. See Cross of Jerusalem.

Jerusalem Sage. A garden name for the species of *Phlomis*, L.—Miller's Gard. Dict.

Jerusalem Star. (1) Tragopogon porrifolius, L.—Treas. Bot.
(2) Cerastium tomentosum, L.—Occasionally so called in gardens.

Jessamine, Wild. Anemone nemorosa, L.—Dumfriessh.

Jesse. Jasminum officinale, L.-Prior, p. 123.

Jew's Ear, or Jew's Ears, in allusion to the shape of the fungi so called, and, in the case of (1) Exidia Auricula-Judæ, Fries, to the usual growth of the plant from trunks of the elder, the tree upon which the legend represents Judas as having hanged himself. Prior, p. 124.

Peziza coccinea, L.—Cumb.; Dev.; Suff. Moor; Hal. Wr.
 Peziza cochleata, L.—Yks. Gard. Chron., 1862, p. 621.

(4) Peziza venosa, Pers.—Pharmaceutical Journal, ii. 878, where it is also called Jews' Lugs.

Jew's Myrtle. Ruscus aculeatus, L.—'In some parts of Kent it is called Jew's Myrtle; and it is the popular belief that the crown of thorns which was placed upon the head of our Saviour was composed of its branches.' N. & Q. 2nd S. i. 432. According to Treas, Bot. a three-leaved variety of Myrtus communis, L., is also so called.

Jill. Nepeta Glechoma, Benth.—Worc.

Jilliver. Cheiranthus Cheiri, L.—Yks. (Wakefield); Mid-Yks. E. D. S. Gloss. C. 5. See Gilliver.

Jill-offer. A spelling of Gillofer, which see. - Pulman.

Joan silver pin. The double garden variety of Papaver somniferum, L.—[Of this] 'there bee many variable colours and of great beautie, although of evill smell, whereupon our gentlewomen do call it Jone silver pin.' Ger. 298. 'In some countries with us Jone silver pinne, subauditur faire without and foule within.' Park. Theatr. 367. This seems to have been a proverbial expression. Prior (p. 124), we think in error, refers the name to P. Rhwas, L. Wr. has 'John's (sic) silver pin, a single article of finery.'

Jo-barbe. Sempervivum tectorum, L.—Grete Herball. A contraction of the French joubarb, i. e. barba jovis. See Jubard.

Jockey Grass. Briza media, L .- Yks. (Tadcaster).

Jocky Jurnals. The tubers of Bunium flexuosum, With.—Cumb. E. D. S. Gloss. C. 8. Jop-jurlins is another form of the word.

Johan. 'St. John's Wort. Arch. xxx. 409.' Hal. Various species of Hypericum.

John, Dirty. Chenopodium Vulvaria, L.-W. Ches.

John Apple. See Apple-John.

John Georges. Caltha palustris, L.-Bucks.

John-go-to-bed-at-noon. (1) Tragopogon pratensis, L. - Wilts.

(2) Anagallis arvensis, L. (John-that-goes-to-bed-at-noon). — Nhamp. Wr.

[which] ' boys that mark them shut so soon Call John that goes to bed at noon.' Clare, Shepherd's Calendar.

John's Wood. Various species of Hypericum.-Bucks.

John's (St.) Grass. Various species of Hypericum.—Turn. Herb. (Saint Johan's Grasse), Lyte.

John's (St.) Hands. See Lucky Hands.

John's (St.) Nut. 'Two nuts growing together in one husk, the possession of which is supposed to secure against witchcraft. Dumfr., Perth.' Jamieson.

John's (St.) Wort. (1) A general name for the various species of Hypericum, more especially H. perforatum, L.—Grete Herball, Turn., Ger. Bucks. (Wycombe); W. Ches.; N.-E. Yks. Prior, p. 202.

(2) Chelidonium majus, L.—S. Dev.

Jointed Charlock. See Charlock, Jointed.

Jointed Glasswort. See Glasswort.

Joint Grass. (1) Various species of Equisetum. - Warw.; Wore.;

(2) Galium verum, L.-North, Hal. Wr.

Joint-weed. (1) Various species of Equisetum.—Herts.

(2) Hippuris vulgaris, L.—Herts.

Jonette. 'Apparently marsh marigold. Fr. jaulnette.' Scotl. Jamieson. Caltha palustris, L. Cfr. Janet-flower.

Jonkes. 'Rushes. Maundeville, p. 13.' Hal. From Lat. juncus.

Jonquil. Narcissus Jonquilla, L.—Prior, p. 125.

Jop-jurlins. See Jocky Jurnals.

Joseph and Mary. Pulmonaria officinalis, L.—On account of the red and blue flowers which are produced at the same time, the former

colour being usually associated in early times with males and the latter with females, and notably with the B.V. Mary. See N. & Q. 4th S. x. 105, 154, 235. Hants. (New Forest); Wilts. (Devizes).

Joseph's Flower. Tragopogon pratensis, L.-Lyte. E. Suss. Prior (p. 125) considers the name as referring to the Joseph of Old Testament history, but Mr. J. C. Hare (Fragments of Two Essays in English Philosophy) says it 'seems to owe its origin to the pictures in which the husband of Mary was represented as a long-bearded old man.' Essay i, p. 19.

Jove's Nuts. 'Acorns. Som.' Hal. Fruit of Quercus Robur, L.

Joy. Ranunculus arvensis, L.—Ess. See Gye.

Joynson's Remedy Cheese. Tanacetum vulgare, L.—Bucks.

Jubard. 'The houseleek (A.-N.).' Hal. Wr. Sempervivum tectorum, L.

Judas Tree. Cercis Siliquastrum, L., being, according to one tradition, the tree upon which Judas hanged himself. Prior, p. 125.

July Flower. (1) Matthiola incana, R. Br. (of gardens).

(2) Dianthus Caryophyllus, L.—Coles, A. in E. 'Used by Drayton under the mistaken notion that it gave the meaning of Gilliflower:

"The curious choice clove July-flower."

Prior, p. 125. This error is frequently repeated in modern books, and Coles, speaking of (2), says, 'The chief time of their flourishing is in July, and therefore some will have them to be called July Flowers.' Markham, also (Country House-wife's Garden, p. 91, 1637), says, 'I call them so, because they flower in July.' He says 'the best sort of them are called Queene July-flowers.'

(3) Cheiranthus Cheiri, L.—'July-flowers of the wall, or Wall-July-flowers... or Winter-July-flowers, because growing in the walles, even in Winter, . . . they will seeme dead in Summer, and yet revive in winter.' Markham, as above.

July-flower Grass. See Gilliflower-grass.

Jum. 'The plant darnel. West.' Hal. Wr. Lolium temulentum, L. ?

Jump-about. Ægopodium Podagraria, L.—Coles, A. in E., p. 49. Warw.

Jumping Betty. Impatiens Balsamina, L.—Suss. Parish.

Jump-up-and-kiss-me. The pansy, Viola tricolor, L.—Suss. Parish. A correspondent gives this as a Suss. name for Viola odorata, L., but V. tricolor is no doubt intended.

Juniper, or Juniper Tree. The general name for Juniperus communis, L.—Lyte. E. Bord. Bot. E. Bord.; Aberdeensh. The name is used figuratively: 'Bishop Grouthead offended thereat, wrote Pope Innocent IV. a juniper letter, taxing him with extortion and other vicious practices.' Fuller's Church History, Book iii. (1254). 'A juniper lecture,' meaning a round scolding bout, is still in use among the canting gentry. N. & Q. 1st S. ix. 224. Prior, p. 125.

- Juno's Rose. Lilium candidum, L.—Prior, p. 125.
- Juno's Tears. Verbena officinalis, L.—Ger. Hal. Wr. Prior, p. 126.
- Juph-wort. 'To make a water to heale all manner of wounds, you shall take *Iuph-wort* flowers, leaves and roots, and in March or Aprill when the flowers are at the best, distill it,' &c. Markham's English Housewife, p. 45 (1637). This we cannot identify.
- Jupiter's Beard. (1) Sempervicum tectorum, L.; Lat. barba jovis.

 —Ger. Dev. Hal. Wr. Prior, p. 126.
 - (2) Anthyllis Vulneraria, L.—Rural Cyclopædia, but the name here probably misapplied, another species, A. Barba-Jovis, L., having this name.
- Jupiter's Distaff. 'Yellow Wild Clary.' Coles, A. in E., 47. Probably Phlomis fruticosa, L.
- Jupiter's Eye. Sempervivum tectorum, L.—Ger.
- Jupiter's Staff. Verbascum Thapsus, L.—R. Turner, Botanologia, p. 216 (1664). Prior, p. 126.
- Jurnut. Bunium flexuosum, With.—Northern Counties, Ray, Grose, Hal.; Nhamp. Nth. Gloss.; Prior, p. 126.

Kadle-dock. See Dock, Kadle.

Kadlock. Sinapis arvensis, L.—Nhamp. Nth. Gloss.

Kale, or Kail. (1) See Cale.

(2) Sinapis arvensis, L.—Cumb. E. D. S. Gloss. C. 6 (Kayles).

Kale, Bow. See Bow Kail.

Kale, Corn. Sinapis arvensis, L.—With. ed. ii. 'It is called about the streets of Dublin, before the flowers blow, by the name of Corncail, and used for boiled sallet.' Threlkeld.

Kale, Field. See Field Kale.

- Kale, Pencuir. Polygonum Bistorta, L.—Ayrsh., where it is used in making broth.
- Kale, Sea. Crambe maritima, L.—E. Bord. Bot. E. Bord. The common name for the plant in cultivation. Prior, p. 35.
- Kale, Slake. (1) Porphyra laciniata, Ag.; (2) Ulva Lactuca, L.— Inverness. (Ardensier), New Statistical Acct. of Scotland, xiv. 467.
- Kale, Wild. (1) Sinapis arvensis, L.—Belfast, Flora Belfastiensis. (2) Brassica oleracea, L.—Nhumb. Turn. Herb. (Wild Kele).
- Kandlegostes. See Candlegostes.
 - remyle. Lathyrus macrorrhizus, Wimm.—Scotl. (Highlands). spelling of Carmele or Carmeille given in Wilson's Synopsis of tish Plants (1744).

Karl-hemp. Cannabis sativa, L.—' Later green hemp.' South, Ray, E. D. S. Gloss. B. 16. See Carl-hemp. Hal. has 'late grown hemp,' which is probably a misprint for Ray's 'later green hemp.' Karl-hemp, or Carl-hemp, was the female plant, which remains green longer than the male plant, the latter turning yellow soon after shedding its pollen. With this explanation the description 'later green hemp' becomes intelligible, which 'late grown hemp' scarcely is.

Karlock. See Carlock.

Kars. 'Cresses. Howell, sect. xvi.' Hal. An old spelling of Cress, which see.

Karse, Garden (Ger.), or Town (Lyte). Lepidium sativum, L.

Katharine's (St.) Flower. Nigella damascena, L.—Ger., who gives Divæ Catherinæ flos as one of its Latin names. 'From the persistent styles spreading like the spokes of a wheel, the symbol of St. Katharine, from her having been martyred upon a wheel.' Prior, p. 126.

Kaxes. The dry, hollow stalks of umbelliferous plants. Prior, p. 126. See Keck and Cashes.

Keatlegs. Orchis mascula, L.—Kent, Garden, June 2, 1877, p. 459.
See Skeat-legs.

Keblock. 'The wild turnip. North.' Hal. Wr. This is probably Brassica Rapa, L.

Keck, Kecks, Keks, or Kex. A name given (as by Shakespeare—
'rough thistles, kecksies, burs,' Henry V., Act v. sc. 2) to many of the
larger Umbelliferæ; sometimes confined to their dry, hollow stems, as
in Suff. and Ess. (Moor). Probably first applied only to the hollow
stems, but transferred afterwards to the plants themselves. In Linc.
'anything hollow like a kex' is called kecky, Hal., who also spells
the word Kyx. In Ches. when celery has a tendency to run to seed
it is spoken of as being kecksy. Som.; S. Warw, E. D. S. Gloss, C. 3.
Prior, p. 126. See also Kaxes, Keckers, Kelk, Kellock (4), Kesh,
Kesk, Kewsies, and Kix for other forms of the word.

(1) Anthriscus sylvestris, Hoffm.—Prior. N. Bucks.; Dors. Dors. Gloss. (dried stalks); Nhamp. Nth. Gloss.; Som.; Suss. Parish; Yks. (Wakefield); Warw.; Pulman (who also gives Keckson).

(2) Heracleum Sphondylium, L.-Prior. Ches. (or Kecksy, pl.

Kecksies); Som.; Suss. Parish; Yks.

- (3) Conium maculatum, L.—Ger.; Bullein, Book of Simples, fol. 31; With. ed. ii. Dors. Dors. Gloss. (dried stalks); Ess. (Kecksies), Pratt, Poisonous Plants; Hants. (Kexy), Holl.; Kent; Linc. E. D. S. Gloss. C. 6 (also given as Kix); Nhamp. Nth. Gloss.; Som.; Yks. (Craven), Holl.; Mid-Yks. E. D. S. Gloss. C. 5; Pulman (who also gives Keckson).
- (4) Angelica sylvestris, L.—Ches.; Som.; Suss. 'In Sussex they call the wilde kinde [of Angelica] Kex, and the weavers winde their yarne on the dead stalkes.' Park. Theatr. 941.
- Keck, Broad-leaved. Heracleum Sphondylium, L.—Country Life, 1868, p. 25.
- Keck, Trumpet. The hollow stems of Angelica sylvestris, L., or some allied plant, which are made by boys into trumpets.

'Trumpet-kecks are passed unheeded by,
Whose hollow stalks inspired such eager joy.'
Clare (The Last of Autumn).

Keckers. A general Som. equivalent for Keck, which see.

Kecklock. 'Wild mustard, Leic.' Hal. Wr. Sinapis arvensis, L.

Kecksies. See Keck (2) (3).

Kecksies, Winter. Prunus spinosa, L.—Wight, Fl. Vect. Hal. has 'Kix, a bullace or wild plum. South.'

Keckson. See Keck (1) and (3).

Kecksy. See Keck (2).

Keddle Dock. Senecio Jacobæa, L. — Lanc. (Middleton). See Manchester Guardian, Feb. 26, 1877.

Kedgup Mushroom. Agaricus campestris, L.—Deering (Cat. Stirp.).

- Kedlock. A name which under various forms is applied primarily to those cruciferous plants which rank under the general name of Charlock, with which name it does not appear to have much connection. In a secondary sense it applies to several of the Umbelliferox, plants in every respect totally different from the Charlocks. Kedlock and Ketlock may be connected with Kadle-dock and Ketle-dock, names occasionally given to Anthriscus sylvestris, Hoffm. (see Dock, Kadle and Dock, Kettle (2); and the form Kellock, abbreviated into Kelk, may connect the name with Keck and Kex).
 - (1) Sinapis arvensis, L.—Ger. 'Kedlokes and other weeds.' Fitzherbert's Husbandry (spelt Kellocks in the 1598 ed.). Derb. (Pegge), E. D. S. Gloss. C. 3; Glou.; Leic. Sternb.; Nhamp. Nth. Gloss.; Sal. Hal. Wr.; Yks. (Whitby), E. D. S. Gloss. C. 2; Prior, p. 126.
 - (2) Sinapis alba, I., and S. nigra, L.-Glou.
 - (3) Raphanus Raphanistrum, L. Glou.; Staff. Pitt's Essay on Weeding.
 - (4) Anthriscus sylvestris, Hoffm.—Derb. See Manchester Guardian, Mar. 21, 1878.
- Keer. Pyrus Aucuparia, L.—Cornw.; Dev. Hal. Wr. This, like Caers and Care, is the old Cornish caer, a berry, which still remains in use.
- Keeslip. (1) 'A Scotch name for Galium verum,' L.—Treas. Bot. The same name is applied in Scotland to rennet (Jamieson), and hence no doubt is extended to the plant, from the similar properties possessed by it. See Cheese-rennet.
 - (2) 'This name is given to an herb which grows in gardens, nearly resembling southernwood.' Lothians, Jamieson. This we do not identify.
- Kegge. Pastinaca sativa, L.—Also any large succulent plant. Cornw.

Kele, Wild. See Kale, Wild.

Keliage. Polygonum Hydropiper, L.—Hal. Wr. A corruption of Culrage, which see.

Kelk, or Kelks. (1) Anthriscus sylvestris, Hoffm.—Yks. (Northallerton).

(2) Conium maculatum, L.-Mid-Yks. E. D. S. Gloss. C. 5.

Kelk, Broad. See Broad-kelk.

Kelk-Kecksy. 'A large meadow plant.'—Yks. (Swaledale), E. D. S. Gloss. C. 1. Probably Heracleum Sphondylium, L., or Angelica sylvestris. L.

Kellock, or Kellocks. (1) Sinapis arvensis, L.—Glou., Yks. See Kedlock (1).

(2) Sinapis alba, L., and S. nigra, L.-Glou.

(3) Raphanus Raphanistrum, L.—Glou.

(4) Anthriscus sylvestris, Hoffm.-Linc.

Kelp-Ware. The ware or seaweed from which kelp is made; Fucus vesiculosus, L., and F. nodosus, L.—Scotl. Rural Cyclopædia. Prior, p. 126.

Kelpwort. Salsola Kali, L.-With. ed. ii.

Kelpwrack. Fucus nodosus, L.—'It is said in the Hebrides to be preferable to all other Fuci in the manufacturing of kelp, and passes there under the name of kelp-wrack.' Engl. Flora, v. 268.

Kemps. (1) Plantago lanceolata, L.—Kemp is an old English name for a warrior, derived from Da, Kæmpe. The word occurs in King Estmere, circa 1450:

'They had not ridden scant a myle,
A myle forthe of the towne,
But in did come the Kyng of Spayne,
With Kempès many one.'—Percy's Reliques.

The name is applied to the plant on account of a children's game, which is in Scotland called kemps. 'It is customary with children to challenge each other to try the "kemps." A kemp consists of the stalk and the head or spike. Of these an equal number is skilfully selected by the opposed parties; then one is held out to be struck at with one from the opponent's parcel, which is thrown aside if decapitated, but if not, is used to give a stroke in return. Thus, with alternate strokes given and received, the boys proceed until all the kemps but one are beheaded, and he who has the entire kemp in possession considers himself the victor.' Bot. E. Bord., p. 170. See Cocks. E. Bord. Bot. E. Bord.; Berwicksh., Ettrick Forest, Lothians, Teviotdale, Jamieson. Prior, p. 126.

(2) Plantago major, L.—E. Bord. (occasionally), Bot. E. Bord. In Treas. Bot. the name is assigned to P. media, L., which is called Kampar in Sweden.

Kemps, Sea. Plantago maritima, L .- E. Bord. Bot. E. Bord.

Kempseed. Plantago lanceolata, L. — Ettrick Forest, Forfarsh. Jamieson.

Kenkerig. 'The Welsh name for a variety of Parmelia saxatilis, called omphalodes, which is much gathered for dyeing amongst the mountains.' Treas. Bot.

Kenning Herb. 'Crowfoot.'—Cornw. Polwhele. 'An ulcer of the corner of the eye is here called a kenning.' T. Q. Couch. The name is therefore derived from its use as an application in that disease, but there is probably some error to be suspected in the identification with Crowfoot, for Mr. Couch further observes that the Celandine (Chelidonium majus) is used in Cornw. for sore eyes. Polwhele, who was no naturalist, has in all probability confounded the latter plant with the lesser Celandine (Ranunculus Ficaria, L.), which is called Crowfoot; and the name kenning-herb should more correctly be referred to Chelidonium. The ancient belief that swallows use the Chelidonium to restore sight to their young ones would point to that plant as a remedy in eye diseases rather than to any of the Crowfoots (Ranunculus), the properties of which are acrid and irritant.

Kentish Balsam. Mercurialis perennis, L. — Kent. 'From the similarity of the leaf to that of the garden Balsam.' Pratt.

Kerlock. (1) Sinapis arvensis, L.—Glou. Hal. has Kerlok. In Bucks. and Oxf., Kerlick; Nhamp. Kerlack (Sternb.).

(2) Sinapis alba, L., and (3) S. nigra, L.-Glou.

(4) Brassica Rapa, L.—Suss. Parish.

Kernelwort. Scrophularia nodosa, L.—Ger. 'The roote is whitish, beset with little knobs and bunches, as it were knots and kernels' (Ger. 579); and it was therefore considered 'good against the hard kernels' (p. 580), or scrofulous glands in the neck. Prior, p. 127.

Kerse. 'A water-cress. (A.S.)

"Men witen welle whiche hath the werse, And so to me nis worth a kerse." Gower, MS. Soc. Antiq. 134, f. 68, Hal. Wr.

'Kerse is used in the above quotation to express a thing of small value, and is probably the origin of the modern saying that a man 'is not worth a curse.' A cress of any kind is probably intended.

Kerse, Water. Nasturtium officinale, Br.—Lyte (Water Kars). E. Bord. Bot. E. Bord. Jamieson calls it Well Kerse; and Hal. has Kersouns, watercresses. North.

Kesh, pl. Keshes. (1) Heracleum Sphondylium, L., and large hollow-stemmed Umbelliferæ generally.—S.-W. Cumb.; 'the hollow stem of an umbelliferous plant,' Yks. (West Riding), E. D. S. Gloss, B. 7, 'A kex or hollow stem. North.' Hal.

(2) Ægopodium Podagraria, L.—Cumb. E. D. S. Gloss. C. 8.

Kesh, Dry. Heracleum Sphondylium, L.—Cumb. E. D. S. Gloss. C. S.

Kesh, Water. Angelica sylvestris, L.—Cumb. E. D. S. Gloss. C. 8.

Kesk, or Kesks. (1) Heracleum Sphondylium, L., and large hollow-stemmed Umbelliferæ generally.—Cumb. E. D. S. Gloss. C. 8.

(2) Anthriscus sylvestris, Hoffm.—Cumb.

(3) Angelica sylvestris, L.—Cumb. E. D. S. Gloss, C. 8.

Keslings. 'White bullace. Dev.' Hal. Wr. Prunus insititia, L.

Kestin. 'A kind of plum. Dev.' Hal. Wr. Cfr. Custin.

Ket, or Kett. Triticum repens, L .- S. Scotl. Jamieson.

Ketlock. (1) Sinapis arvensis, L.—Glou.; N. Lanc.; N.-W. Linc.
E. D. S. Gloss, C. 6 (also Ketlack); Yks. (Holderness), E. D. S. Gloss, C. 7; Cleveland Gloss. Prior, p. 126. See Kedlock.

Sinapis alba, L., and S. nigra, L.—Glou.
 Raphanus Raphanistrum, L.—Glou., E. Yks.

Kettle Case. Orchis mascula, L.—South, Hal. Wr. ('the purple orchis'); Wight, Fl. Vect.

Kettle Dock. See Dock, Kettle. And add:

(4) Rumex obtusifolius, L.—N. Lanc. Manchester Guardian, Mar. 21, 1877.

Ketty-keys. The fruits of (1) Fraxinus excelsior, L., and (2) Acer campestre, L.—Yks. (Holderness), E. D. S. Gloss. C. 7. See Kitty Keys and Kite Keys.

Kewsies. (1) Anthriscus sylvestris, Hoffm.-Linc.

(2) Heracleum Sphondylium, L.-Linc.

(3) Angelica sylvestris, L.-N. Linc. (Kewse).

Kex. See Keck.

Keyry. Cheiranthus Cheiri, L.— Commonly called of apothecaries Keyry.' Surflet's Countrie Farme, 302.

Keys. From their resemblance to a bunch of keys.

(1) Fruit of Fraxinus excelsior, L.—'Lingua avis is the sede of asshe trees that hath leves in maner of burdes tonges, and some call them keyes.' Grete Herball. Coles (A. in E.) speaks of them as 'a bunch of seeds commonly called keys.' N.-W. Linc. E. D. S. Gloss. C. 6; Nhamp. Nth. Gloss.; Sal. Hartshorne; Suff. Moor; Wilts. E. D. S. Gloss. B. 19; North, Ray, E. D. S. Gloss. B. 15; Scotl. (Key), Jamieson; Var. dial. Hal. Wr. See Ash Keys.

(2) Fruit of Acer campestre, L.-Evelyn (Sylva); Dors. Dors. Gloss.

(3) Fruit of Acer Pseudo-platanus, L.—Dors. Dors. Gloss.; Wilts. E. D. S. Gloss. B. 19.

Keys, Ash. See Ash-keys.

Keys, Cat's. Fruit of Fraxinus excelsior, L.—Yks. (Teesdale), Sternb.

Keys, Eisch. See Eisch Keys.

Keys, Kite, or Kitty. See Kite Keys.

Keys, Lady. Primula veris, L .- Kent (Folkestone).

[Kick. 'The herb Palma Christi.' Hal. Ricinus communis, L.— For a note on this, which should be spelt kik, and has no claim to be considered an English name, see Ger. p. 400.] Kidney Vetch. A common book-name for Anthyllis Vulneraria, L.—With, ed. ii. Prior, p. 127.

Kidney-wort. (1) Cotyledon Umbilicus, L. — Ger. Emac. 'It helpeth the kidneys.' Coles, A. in E., p. 371. Prior, p. 127.

(2) Saxifraga stellaris, L.-With. ed. iv. A mere book-name.

Kilk. Sinapis arvensis, L.—Kent, Pegge, E. D. S. Gloss. C. 3; Surr. E. D. S. Gloss. C. 3; Suss. Parish, Hal.

Killas. Bunium flexuosum, With.—Cornw. (Truro).

Kill-bastard. Juniperus Sabina, L.—Yks. The plant is a powerful emmenagogue.

Kill-herb. A name invented by Parkinson (Theatr. 1362) for Orobanche, See Herb-bane,

Killimore. 'An earthnut. Cornw.' Hal. Bunium flexuosum, With,

Killridge. Polygonum Hydropiper, L.—Hal. Wr. A corruption of Culrage, which see.

King-Charles-in-the-Oak. A garden variety of Primula vulgaris, L., in which the calyx is enlarged into a ring of parti-coloured leaves.—Ches.; Glou.

King-cob, King-cobs, or King's-cob. (1) Ranunculus bulbosus, L., R. acris, L., and R. repens, L.—Ger. (spelt King Kob). Camb.; Norf.; Suff. Prior, p. 127.

(2) Caltha palustris, L.—Berks., Herts.

King-crown. See King's Crown (2).

King-cup, or King-cups. (1) The three common species of Butter-cup, Ranunculus acris, L., R. bulbosus, L., and R. repens, L.; sometimes varied to King-cobs, which see.—Turn, Lib. Hal. Bucks.; Camb.; Ches.; S.-W. Cumb.; Ess.; Nhamp. Nth. Gloss.; Norf.; Som.; Suss. Prior, p. 127.

(2) Ranunculus Ficaria, L.—Dev. (Teignmouth).

(3) Caltha palustris, L.—Camb.; Dors.; E. Bord. Bot. E. Bord.; Ess.; Norf.; Nhamp. Nth. Gloss.; Wr. Lothians, Jamieson?

Kingeux. 'The herb crowfoot.' Hal. Wr. See preceding.

King Fern. Osmunda regalis, L.-N.-W. Ches.

King-finger, King-fingers, King's-finger, or King's-fingers. (1) Orchis mascula, L.—S. Bucks., Leic. (Belgrave), Warw.

(2) Orchis Morio, L.—Bucks.; Nhamp. Nth. Gloss. (where the name is 'sometimes extended to all orchideous plants,' Wr.); Warw. (Birmingham).

(3) Lotus corniculatus, L.—N. Bucks.

King-fisher. Orchis Morio, L.—Warw. (Birmingham). Probably a corruption of King-finger.

· Clover. See Clover, King's.

King's Consound. Delphinium Consolida, L.-Lyte.

King's Crown. (1) Melilotus officinalis, L.—Ger. Appx. See Clover, King's.

(2) Viburnum Opulus, L. (King-crown).—Glou. (Cotswolds). So called because the 'King of the May' was crowned with it. Cotswold Gloss.

King's (The) Elwand. Digitalis purpurea, L.—Berwicksh. (Greenlaw), Bot. E. Bord.

King's (The) Hood. Geranium sylvaticum, L.—E. Bord. Bot. E. Bord.

King's Knob. Ranunculus acris, L., and R. bulbosus, L.—Prior, p. 127.

King's Spear. An old name for Asphodelus lutens, L.-Ger.

Kings-and-Queens. Arum maculatum, L.-Durh.

Kinkle. Sinapis arvensis, L.—Kent, Pegge, E. D. S. Gloss. C. 3.

Kipper Nut. (1) Bunium flexuosum, With.—Ger., Cotgrave, Hal. Wr.

(2) Lathyrus macrorrhizus, Wimm.—Prior, p. 127, where the name is erroneously assigned to Vicia Orobus, DC.

Kirn-staff, Deil's. See Deil's Kirn-staff.

Kisk. Stems of several of the Umbelliferæ.—Ess. Moor; Suff. Hal. See Keck.

Kisses. See Kiss-me.

Kiss-me. Viola tricolor, L. (the wild form).—N.-W. Linc. E. D. S. Gloss. C. 6; Suss. Parish. This is probably a contraction of the longer name, applied usually to the garden form, of which the following are variants:—Kiss-at-the-garden-gate (With ed. ii.), Kiss-me-at- (or in Norf., Suff., and Worc. behind-) the-garden-gate (Hal. Wr.; Nhamp. Nth. Gloss.; East, Forby), Kiss-me-ere-I-rise (Ger. Appx., Hal.); and which is still further shortened to Kisses in E. Anglia (E. D. S. Gloss. B. 20). Other plants have somewhat similar names (see below); but the Hearts-ease has the pre-eminence in the matter of varied and for the most part unintelligible synonymy. Garden Gate (which see) is another contraction of the longer name. See Prior, p. 174.

Kiss-me-Dick. Euphorbia Cyparissias, L.—Ches.

Kiss-me-quick-and-go. Artemisia Abrotanum, L .- Dev.

Kiss-me-twice-before-I-rise. Nigella damascena, L.—Coles, A. in E., Prior, p. 127.

Kite-keys. (1) Seeds of Fraxinus excelsior, L.—Lyte (Kyte Kayes), Ger. (Kitekeies). Coles (A. in E.) spells it Kitkeyes. Hal. quotes Kit Keys from 'Bullokar, 1656.' Berks. (Kit Keys); Yks. (Kitty Keys or Ketty Keys), E. D. S. Gloss, C. 7.

(2) Seeds of Acer campestris, L. (Kitty Keys).—Yks. E. D. S. Gloss, C. 7.

Kite-kin. The flowers of various species of Salix.—Lyte. See Chatton.

Kitty Keys. See Kite-keys.

Kitty-run-the-streets. Viola tricolor, L.—Kent (Folkestone).

Kit Willow. Nhamp. 'The almond-leaved willow. Morton.' Sternb. Salix amygdalina, L.

Kix. (1) 'The same as Kex.' Hal. See Keck.

(2) See Kecksies, Winter.

Klote. 'The same as Clote.' Hal. See Clote.

Knap. Flowers of Trifolium pratense, L.—Dors. Agriculture of Dorset.

Knap-bottle. Silene inflata, L.—Park. Theatr. 'Sic dictum quod folliculus qui semina continet, si manus dorso allidatur, strepitum edit, et quia figura utrem aliquo modo refert.' Skinner. Prior, p. 127.

Knappers. Fruit of Quercus Robur, L.-N. Scotl. Jamieson.

Knapperts, or Knapparts. Lathyrus macrorrhizus, Wimm. — Mearns.; N. Scoll. Jamieson; Belfast, Flora Belfastiensis (Knaperty). Cfr. Gnapperts and Napperty. 'From knap, a knob, and urt, wort, from its knotty tubers.' Prior, p. 127, where the name is erroneously assigned to Vicia Orobus, DC.

Knapperty, Sheep's. Potentilla Tormentilla, Sibth.—Belfast, Flora Belfastiensis.

Knapweed. Centaurea nigra, L.—Ger. Prior, p. 128.

[Knapwell. A misprint for Knawel which has appeared in all the later editions of Babington's Manual of British Botany.]

Knavery. Narthecium ossifragum, L.—'I have had intelligence from my good friend Doctor Anthony Salter of Exeter, that he having found it in some places neare unto him, could understand of the countrey people no other name thereof, or propertie appropriate unto it but Knavery, which whether they named it so in knavery, or knew any use of knavery in it, I neyther can learne nor am much inquisitive thereafter.' Park. Theatr. 1219.

Knave's Mustard. A species of Thlaspi, 'named Knaves Mustard, for that it is too bad for honest men.' Ger. 206.

Knawel. A book-name for Scleranthus annuus, L. (from the Germ. knauel).—Ger. Prior, p. 128.

Knee-Holly. Ruscus aculeatus, L.—South, Hal. Prior, p. 115.

Knee Holme, See Holme, Knee.

hul, or Knehull. Ruscus aculeatus, L.—Turn. Herb. Ger. has chulme and Knee-hulver.

and Fork. (1) Geranium Robertianum, L.—S. Bucks. Lycopodium clavatum, L.—Sal. (Knives-and-Forks). In allusion in (1) to the appearance of the two-flowered peduncles; in (2) to the twin spikes of fructification.

Knight-Cross. Lychnis Chalcedonica, L.—Bradley's Family Dict. (1725). See Cross of Jerusalem.

Knight's Pondwort, Knight's Water Sengreen, Knight's wort, or Knight's Woundwort. Stratiotes aloides, L.—Lyte. Prior, p. 128.

Knight's Spur. Delphinium Consolida, L., and allied species.—'In base Almaigne Riddersporen, that is to say Knightes spurre.' Lyte. Prior, p. 128.

Knipper-nut. (1) Bunium flexuosum, With.—Baxter.

(2) Lathyrus macrorrhizus, Wimm.—By Prior (p. 127) assigned in error to Vicia Orobus, DC.

Knitback. Symphytum officinale, L.—Ger. Hal. Wr. Prior, p. 128.
See Backwort.

Knitbeen, Comfer. 'Symphytum tuberosum, L., is called Comfer Knitbeen in Aberdeenshire, where a preparation, made by boiling the root in oil or lard, is extolled by old women for hardening and strengthening fractures.' Murray's Northern Flora (1836), p. 121.

Knobs. Flower-heads of Lavandula vera, DC .- Ches.

Knobs, Gold, or Golden. See Gold Knops.

Knobs, Horse. See Horse Knobs.

Knobtang. Fucus nodosus, L.-Treas. Bot. Prior, p. 128.

Knobweed (in allusion to the hard, round flower-heads). Centaurea nigra, L., C. Cyanus, L., and C. Scabiosa, L.—Nhamp. Nth. Gloss. Prior, p. 128,

Knockheads. Plantago lanceolata, L.—Herb of the Field, p. 117.
Cfr. Kemps.

Knolles. Brassica Rapa, L.—With. ed. ii. Kent, Ray, E. D. S. Gloss, B. 16; Grose; Pegge, E. D. S. Gloss, C. 3. Hal. (Knoll). In E. D. S. Gloss, B. 11 spelt Knowles. Prior, p. 128.

Knop Sedge. Sparganium ramosum, L.—Turn. Herb. See Bedesedge.

Knops, Gold. See Gold Knops.

Knops, Horse. See Horse Knops.

Knopweed. Centaurea nigra, L.-With. ed. ii. Prior, p. 128.

Knot-berry. Rubus Chamæmorus, L.—North, Ger. Emac.; E. Bord. Bot. E. Bord. Prior (p. 128) says 'from the knotty joints of the stems,' but in the north 'knot' means a hill, and the plant grows in such elevated situations. Cfr. Cloud-berry, and see also Cnoutberry for another suggested derivation.

Knotgrass. (1) Polygonum aviculare, L.—Turn. Herb. Wr. Lyte calls it Male Knotgrass. N. Bucks.; Ches.; S.-W. Cumb.; Sal.; Yks. This is the 'hindering knotgrass' of Shakespeare (Midsummer Night's

Dream, Act iii. sc. 2), and is the plant commonly known as knotgrass. Prior, p. 128.

- (2) Avena elatior, L. (the variety with nodes on the root-stock).— E. Bord. Bot. E. Bord.; Ess.; Moray, Fl. M.; Scotl. Jamieson. Ger. calls it Knobbie or Knottie Couchgrass.
 - (3) Scleranthus annuns, L.-Lyte.
 - (4) Lyte calls Hippuris vulgaris, L., Female Knotgrasse.
- (5) Milton (in Comus) seems to intend some pasture grass when he says:

'The chewing flocks
Had ta'en their supper on the savoury herb
Of knotgrass dew-besprent.'

This may be Agrostis stolonifera, L., which is called knotgrass in Beds. (Batchelor's Gen. View of Agriculture of Bedfordshire (1808), p. 324), and of which Aubrey speaks (Nat. Hist, of Wilts., ed. Britton, p. 51), as 'a sort of knott grasse.' In Treas. Bot. the name is assigned (in error?) to Triticum repens, L.

Knotgrass, Bird's. A translated book-name for Polygonum aviculare, L.-With. ed. vii.

Knotgrass, German. Scleranthus annuus, L.-With. ed. ii.

Knotty Meal. Bunium flexuosum, With. - Invernessh.; Moray, Fl. M.

Knotweed. Centaurea nigra, L., C. Cyanus, L., and C. Scabiosa, L.—Nhamp. Nth. Gloss.: also in Clare's Shep. Cal., p. 49. The form of divination described by Clare is practised in E. Bord, with Plantago lanceolata, L. See Bot. E. Bord., p. 171.

Knotwort. Polygonum aviculare, L.-Treas. Bot. Prior, p. 128.

Knout-berry. Rubus Chamamorus, L.—North, Ger. Emac.; E. Bord. Bot, E. Bord.; Yks.; Dumfriessh. See Knot-berry.

Knowles. See Knolles.

Knowperts. Empetrum nigrum, L.—Banffsh. Phyt. vi. 474, N. s.

Knub-berry. Rubus Chamæmorus, L.—Dumfriessh. See Knotberry. Jamieson has Nub-berry.

Knuckle-bleeders. The petioles of Asculus Hippocastanum, L.— Norf. (Norwich). 'Boys try to get one another to allow them to hit them over the knuckles with the end which grows next the branch.' Mr. W. G. Piper.

Kohl-rabi. The agricultural name for Brassica oleracea, L., var. gongylodes. 'A German name, from It. cavolo-rapa, Fr. chou-rare, L. caulo-rapum, a cabbage-turnip, a cabbage whose stem is swollen so as to resemble a turnip.' Prior, p. 129.

Koling. 'The crab-apple.' Sal. Hal. Pyrus Malus, L.: also spelt Coling (Wr.). Hartshorne, however, defines it as 'a rough-tasting apple, nearly allied to the crab;' and adds that the 'word is peculiar to the neighbourhood of Ludlow.'

Konker-tree (i. e. conqueror tree). Æsculus Hippocastanum, L. (the fruit Konkers).—Som. A game known as konkers is played with the fruits. See Conquerors.

Koolestock. 'The colewort. Ortus Voc.' Hal. Brassica oleracea L.

Korkalett. Lecanora tartarea, Ach.—Shetland Isles. Korkier is a Highland form of the word. See Cork.

Kous. 'The same as Kex. Lanc.' Hal. In N.-W. Linc. Koush or Koushle, E. D. S. Gloss. C. 6, where the name is assigned more particularly to Conium maculatum, L.

Kousloppes. See Cowslip (1).

Kyerlic. Sinapis arvensis, L.—Oxf. E. D. S. Gloss. C. 3.

Kyx. See Keck.

La Lucerne. See Lucerne.

Laburnum. The general name for Cytisus Laburnum, L.—Prior, p. 129.

Laburnum, Wild. Melilotus officinalis, L.—Surr. (neighbourhood of London). From the resemblance of the flowers to those of the Laburnum.

Ladder, Christ's. See Christ's Ladder.

Ladder to Heaven. (1) Polemonium caruleum, L.—'Called by the vulgar Ladder to Heaven or Jacob's Ladder.' R. Cat.

(2) Polygonatum multiflorum, All.—'Wee in English [call it] Salomon's Seale most usually, but in some countries the people call it Ladder to Heaven, according to the Latine name scala coeli, which was anciently knowne in the Apothecaries shoppes, from the forme of the stalke of leaves, one being set above another.' Park Theatr. 699. Prior, p. 129.

Ladies and Gentlemen (the light spadices representing ladies and the dark ones gentlemen). Arum maculatum, L.—Wr. Nhamp. Nth. Gloss.; Sal. (Shrewsbury). In Denbighsh. (Wrexham), Devil's Ladies and Gentlemen.

Lad-love-lass. See Lad's Love.

Lad Savour (Lad savvur). Artemisia Abrotanum, L.-Lanc.

Lad's Love. Artemisia Abrotanum, L.—Camb.; Ches.; N. Cumb.;
Dev.; E. Anglia, Forby; Lanc.; Linc. Brogd.; Nhamp.; Norf.;
Notts.; Suss. Parish; Yks. (Whitby), E. D. S. Gloss. C. 2; var. dial.
Hal. Wr.; Aberdeensh. Jamieson. Miss Plues (Rambles in Search of Wild Flowers) gives Lads'-love-and-Lasses'-delight. In N.-W.
Linc. Lad-love-lass (E. D. S. Gloss. C. 6). Prior, p. 129.

Lady Birch. Betula alba, L.—A book-name.

Lady Bracken. Pteris aquilina, L.-See Bracken, Lady.

Lady Fern. Athyrium Filix-foemina, Presl.-Prior, p. 77.

Lady Flock. Cardamine pratensis, L.—Notts. A corruption of Lady's Smock.

Lady Garten Berries. See Garten-berries.

Lady Glove. Digitalis purpurea, L .- Sal. (Ellesmere).

Lady Grass. Phalaris arundinacea, L. (the variegated variety of gardens).—Ches.; Sal.

Lady Keys. Primula veris, L.—Kent (Folkestone), Frauen schlüssel is one of its German names.

Lady o' the Meadow. Spiraea Ulmaria, L.—S. Scotl. Mactaggart's Gallovidian Encyclopædia.

Lady Poplar. Populus fastigiata, Ait .- W. Ches.

Lady-whin. Ononis arvensis, L.—Scotl. Encyclopædia of Agricul-

Lady's Beds. Galium verum, L.—Aberdeensh. A contraction of Lady's Bedstraw.

Lady's Bedstraw, or Bendstraw. See Bedstraw, Lady's.

Lady's Bower. Clematis Vitalba, L.—Prior, p. 129; Wr. In Park. Theatr, various foreign species of Clematis.

Lady's Candlestick. See Candlestick, Lady's.

Lady's Clover. Oxalis Acetosella, L.—Perthsh. Scottish Naturalist, April, 1871.

Lady's Comb. See Comb, Lady's (p. 130).

Lady's (Our) Cowslip. Gagea lutea, Ker.—Lyte's MS. in Dodoens (Bibl. Mus. Brit. 442, h. 9).

Lady's Cushion, or Our Lady's Cushion. See Cushion, Lady's; and add:

(5) Arabis albida, L.-N.-W. Linc. E. D. S. Gloss. C. 6.

Lady's Ear-drops. The common garden Fuchsia, - Dev.

Lady's Fingers (sometimes spelt Ladies' Fingers and Lady Fingers).
(1) Anthyllis Vulneraria, L.—Hants.; Linc. Brogd., E. D. S. Gloss. C.
6; N. and E. Yks. (My Lady's Fingers); E. Bord. Bot. E. Bord.; Wr.; Prior, p. 130.

(2) Lotus corniculatus, L.,—Hants.; Linc.; Nhamp. Nth. Gloss., Wr.; E. Suss.; Yks. (Doncaster).

(3) Lathyrus pratensis, L.—E. Yks.

(4) Cytious Laburnum, L .- Yks. (Wakefield), Laady Fing'r.

(5) Digitalis purpurea, L.—Sal.; Worc.

(6) Primula veris, L.—Fifesh, Jamieson.

(7) Primula variabilis, Goup.—Norf.; Suff.; Yks. (Tadcaster).

(8) Lonicera Periclymenum, L.—Durh.; Nhumb.; Yks.; Lothians, Roxburghsh. Jamieson.

(9) Arum maculatum, L.-Glou.

(10) Orchis mascula, L.—Berks.

Lady's Foxglove. Verbascum Thapsus, L.-With, ed. ii.

Lady's Frills. A garden variety of Primrose (Primula vulgaris, L.).—Staff.

Lady's Garters. (1) The striped garden variety of Phalaris arundinacea, L.—E. Bord. Bot. E. Bord.; Roxburghsh. (Kelso), Science Gossip, 1876, 39. Prior, p. 130.

(2) Rubus fruticosus, L.—Roxburghsh. Bot. E. Bord. See Garten

Berries.

Lady's Glove. Lotus corniculatus, L.—Nhamp. Nth. Gloss.; Wr.

Lady's Hair. (1) Briza media.—Lyte, Ger. (Our Ladie's Hair). Camb.; Ess.; Norf.; E. Bord. Bot. E. Bord.

(2) Adiantum Capillus-veneris, L.—Park, Theatr. (Index), Wr.

Lady's Laces. The striped garden variety of Phalaris arundinacea, L.—Park. Index, Wr. Nhamp. Nth. Gloss. Prior, p. 130.

Stellaria Holostea, L.-Dev. Probably from the Lady's Lint. white threads in the centre of the stalks.

Lady's Looking-Glass. Campanula Speculum, L.—Park. Theatr., Wr. In Prior (p. 130) erroneously assigned to C. hybrida, L.

Lady's Mantle. A very general book-name for Alchemilla vulgaris, L.—Turn. Herb. (Our Ladies Mantell), Lyte, Wr. Glou.; E. Bord. Bot. E. Bord. Prior, p. 130. 'Our Ladies Mantle, from the prettynesse of the leaf.' Coles, A. in E., 118. In Mexico 'a splendid Ipomæa, the azure blossoms of which are from four to five inches across, and set so close together that hardly a leaf is to be seen, and the whole plant resembles a blue cloak,' is known as Manto de la Virgin. Seemann's Botany of Voyage of H.M.S. Herald, p. 264.

Lady's Meat. (1) Oxalis Acctosella, L.—Clackmannansh.

(2) Leaves of Cratagus Oxyacantha, L.—Scotl. Cfr. Bread-and-

Lady's Milk. 'Carduus lacteus.' Wr. This is probably Carduus Marianus, L.—See Milk Thistle.

Lady's Milk Sile. (1) Cardamine pratensis, L.—Yks. In the north to sile milk is to strain it, and the tin sieve, in form like the wide part of a funnel, through which it is strained, is called a milksile. It is possible the name of the flower is derived from a fancied resemblance in shape to the milk-strainer, and it would be no more far-fetched than likening them to ladies' smocks (see Lady's Smock), but note (2).

(2) Pulmonaria officinalis, L.—Ches. Sile is the Cheshire pronunciation of 'soil,' in this case meaning a 'stain,' and the name is derived from a legend, still current in the county, that a portion of the Blessed Virgin's milk fell on the leaves and caused the white spots seen on their surface. Cfr. Milk Thistle.

Lady's (Our) Milkwort. Pulmonaria officinalis, L.-Lyte. See Lady's Milk Sile (2).

- Lady's (Our) Mint. Mentha viridis, L .- Ger.
- Lady's Navel. Cotyledon Umbilicus, L.—Ger. An adaptation of its old Latin name, Umbilicus Veneris, Prior, p. 130,
- Lady's Nighteap. (1) Convolculus sepium, L.—Wilts. E. D. S. Gloss. B. 19. Prior, p. 130.
 - (2) Anemone nemorosa, L.—Glou.; Heref.
 - (3) 'Canterbury bells.' Wr. This would be Campanula medium, L., but there is evidently some confusion with regard to the application of the name. See Lady's Smock (3).
- Lady's Pincushion. (1) Armeria maritima, L.—Hants. Possibly this may have originally been 'pink cushion.' See Cushion, Lady's, and Cushion Pink, in which names the 'cushion' is derived from its tufted growth, and the 'pink' from its pink-like flowers (Prior).
 - (2) Pulmonaria officinalis, L.—Ches. (My Lady's Pincushion). From the white spots on the leaves resembling pins'-heads on a cushion.
 - (3) Scabiosa atropurpurea, L.—From the white stamens looking like pins'-heads. Suff. Field, Sep. 7, 1872.
- Lady's Purses. (1) Capsella Bursa-pastoris, L.—E. Bord. Bot. E. Bord. In Aberdeensh, Lady's Pouches.
 - (2) The flowers of the garden Calceolaria .- Sal.
- Lady's (Our) Quishion (i. e. Cushion). Armeria maritima, L.— Lyte.
- Lady's Ribands. The variegated form of *Phalaris arundinacea*, L.—Sal. (Lady's Ribbints).
- Lady's Ruffles. Nhamp. 'A small plant with rough, serrated leaves and a white flower, growing in meadows and banksides.' Nth. Gloss. Wr. We are unable to identify this.
- Lady's Seal, or Lady's Signet. (1) Polygonatum multiflorum, All.
 —Grete Herball (Our Ladies' Seal).
 - (2) Tomus communis, L.—Ger. Wr. (Our Ladies' Seal). 'Sigillum Sanctæ Mariæ, Our Ladies Signet.' Coles, A. in E., 299. Prior, p. 130
- Lady's Shoes. Aquilegia vulgaris, L .- Camb.; N. Ess.; Norf.
- Lady's Shoes and Stockings. Lotus corniculatus, L. Bucks. (Wycombe); Kent (Folkestone).
- Lady's Signet. See Lady's Seal (2).
- Lady's Slipper. (1) A general book-name for Cypripedium Calceolus, L.—Prior, p. 131; Wr.
 - (2) The garden Calceolaria is occasionally so called.
 - (3) Lotus corniculatus, L.—Pratt. Herts.
 - (1) Aquilegia vulgaris, L.—Cornw.
- Lady's Smock, Lady Smock, or Ladies' Smock. (1) Cardamine pratensis, L.—Very generally in use. Ger. (Namptwich, Cheshire), and in Ches. generally; Cornw.; Dev.; Hants.; Herts.; Lanc.; Leic.

(Belgrave); N. Linc. E. D. S. Gloss, C. 6; Nhamp. Nth. Gloss., Wr.; Radnor (border of Heref.); Sal.; Som.; Suff. Moor; Suss.; Wilts.; E. Yks.; Scotl. Prior, p. 131. Shakespeare's 'Lady smocks all silver white' (Love's Labour Lost, Act v. sc. 2) are no doubt this plant.

(2) Convolvulus sepium, L.-Cornw.; Nhamp. Nth. Gloss., Wr.;

Som. Jennings; Suss. Parish; Yks. (York).

(3) 'Canterbury bells. This flower is also called the lady's night-cap.' Hal. There is some confusion here: 'Canterbury bells' in this case probably means Cardamine pratesis, L., which is usually called Lady's Smock (see above), and in Gerard's time was called 'in Northfolke Canterbury Bells;' but the 'lady's nightcap' is probably Convolvulus sepium, L., which is likely enough to be called lady's smock, although we have no record of this.

(4) Arum maculatum, L.—Hants. Holl.

Lady's Thimble. (1) Campanula rotundifolia, L.—E. Bord. Bot. E. Bord.; Clackmannansh. Prior, p. 131. So called on account of the bell-shaped corolla, which children gather and fit on their fingers.

(2) Digitalis purpurea, L.—Norf.; Berw. Bot. E. Bord. So called for the same reason as (1).

(3) Veronica Chamædrys, L.—Lanc. (Wigan).

Lady's (Our) Thistle. Carduus Marianus, L.—Lyte. N. Linc. (Bottesford), Ladies' Thistle. 'See Palmer, p. 59.' Hal. Hal. and Wr. assign the name to C. benedictus, L. Prior, p. 131.

Lady's Traces (Turn. Names), in modern books Lady's Tresses. Spiranthes autumnalis, Rich.—Lyte, Wr., Prior, p. 131. Turner (Herbal, pt. ii. 128) speaks of a 'litle kinde with a purple flour which is called of som our ladies traces.'

Lagwort. Petasites vulgaris, Desf.—Wr.

Laing. Eriophorum vaginatum, L.—Selkirksh. Statistical Account of Scotland, iii. 63. See Ling (4).

Laister. Iris Pseudacorus, L.—Cornw.

Lake-weed. Polygonum Hydropiper, L.—With. Ches. (Middle-wich). Prior, p. 131.

Lamb-in-a-pulpit. Arum maculatum, L.—Dev.

Lamb Lakins, or Lamb's Lakins. (1) Arum maculatum, L.—
Nhamp. Nth. Gloss. Hal. and Wr., who spell it Lam-lakens.

(2) Cardamine pratensis, L.—Cumb. E. D. S. Gloss. C. S. Hal. gives lakin as a north-country word for a child's toy or plaything.

Lamb Lilies. Tofieldia palustris, L.—Arysh.

Lambskin. 'A kind of ulva or conferva that grows in 'drains.'
N.-W. Linc. E. D. S. Gloss, C. 6. This we cannot further identify.

Lambs. Flowers of Æsculus Hippocastanum, L.—Dev.

Lambs, Bay. See Bay Lambs.

Lamb's Cress. Cardamine hirsuta, L.—Dev.

Lamb's Ears. Scabiosa succisa, L .- Warw.

Lamb's Grass. Various spring grasses. Dors. Dors. Gloss. Hal. and Wr. have 'Lam's-grass, spring or early grass. West.'

Lamb's Lettuce. A common book-name for Valerianella Olitoria, Monch.—A translation of its old Latin name, lactuca agnina, and certainly not, as suggested in Flora Hertfordiensis, p. 140, after a gardener of the name of Lamb, who brought it into fashion as a salad, Scotl, Jamieson. Prior, p. 131.

Lamb's-quarters. (1) Chenopodium album, L.—Hal. Wr. Wight, Fl. Vect.; Ireland: 'sold in May by the country women by the name of Lamb's quarter.' Threlkeld.

(2) Atriplex hastata, L. (With. ed. ii.), and A. patula, L. (Prior, p.

131).

Lamb's Sucklings, or Lamb Sucklings. 'Flowers of clover, being food of young lambs.' Craven, Holl. Probably

(1) Trifolium repens, L., which is so called in Cumb. (Winderwath)

-pronounced lam's sucklins.

(2) Lotus corniculatus, L.—North, Hal. Wr.; Yks. Hallamsh. Gloss.

Lamb's-tails. (1) Salix Caprea, L.—Dev.

(2) Catkins of Corylus Avellana, L.—Bucks.; Camb.; Dev.; Ess.; Norf.; Notts.; Yks.

Lamb's-toe, Lamb-toe, or Lamb-toes. (1) Lotus corniculatus, L.— Leic.; Nhamp. Nth. Gloss., Wr.; Warw.

> 'The yellow lambtee I have often got Sweet creeping o'er the banks in sunny time.' Clare.

(2) Anthyllis Vulneraria, L.-Pratt.

(3) Medicago lupulina, L.—Staff. Prior, p. 132.

Lamb's-tongue. (1) Plantago media, L.—Suss. Parish. Holme (Acad. of Armoury, ii. 64) seems to intend P. major, L., by this name. Prior, p. 132.

(2) Plantago Lanceolata, L.—Deering (Cat. Stirp.); Sal.; South,

Hal. Wr.

(3) Chenopodium album, L .- Ches.; S. Dev.

(4) 'Corn Mint' (Mentha arvensis, L.) .- Scotl. Jamieson.

(5) Scolopendrium vulgare, Sym.—E. Suss.; Som. (Lamb-tongue, the usual name).

Lam-lakens. See Lamb-lakins.

Lammies. The cones of Larix europæa, DC .- Aberdeensh.

Lammie Sourocks. 'The herb sorrel. Teviotd. Isl. lamba-sura, sorrel.' Jamieson. Rumex Acetosa, L., or perhaps rather R. Acetosella, L., the sheep's sorrel.

Lam's-grass. See Lamb's Grass.

Lancashire Asphodel. See Asphodel, Bog.

Lance-for-a-lad. Typha latifolia, L.—Ger. Index.

Lancell. Plantago Lanceolata, L.—Turn. Lib. Hal. and Wr. have 'Launceley, the herb ribwort (A.-N.), 'and 'Lansele, the herb nib-

wort (A.-N.),' the same plant being intended in each case. The name is an anglicised form of *Lanceola* or *Lanceolata*, the old Latin name of the plant.

Land Cress. See Cress, Land.

Land-grass. Alopecurus agrestis, L.—Beds. Batchelor, Gen. View of Agriculture of Beds. (1808), p. 324.

Land-lung. 'The ash-coloured ground liver-wort.' Peltidea canina, Ach.—Suff. Hal. Wr.

Land-vine. 'A native vine. Baret.' Hal. It is impossible to determine this.

Land-whin. Ononis arvensis, L.—E. Anglia. 'So called to distinguish it from the furze or whin which grows round the margins of fields on the hedge banks, whilst the Rest Harrow infests the land or field.' Forby. East, Hal. Wr.; Norf.; Suff.; Scott. Encyclopædia of Agriculture.

Langdebeef. 'The herb bugloss.' Hal. Wr. Prior (p. 132) and modern writers, following Gerard and Parkinson, refer this to Helminthia echioides, L., but it seems to have been originally applied to other plants having rough leaves similar to this, to which leaves the plant owes its name. Echium vulgare, L., appears to have been intended by Turner (Lib.) under this name (see Bugloss (1)), and it is this plant which is still called langue de bauf in Central France (Boreau, Flore du Centre, i. 456, 1857), while an allied plant (Anchusa italica, Retz) is so called about Paris (Cosson and Germain, Flore des Environs de Paris (1861), p. 324). Turner (Lib.) also supposes Borrago officinalis, L., to have been called by this name. It occurs in Tusser's list of Kitchen-garden plants (E. D. S. Gloss, D., p. 93), and here probably refers to Helminthia, the leaves of which were formerly used 'for an herb for the pot among others.' Park. Theatr. 488. Picris hieracioides, L., is called Langley Beef, a corruption of this name, in Herts.

Langwort. Veratrum album, L.—Ger. Appx. Hal. Wr. Perhaps a misprint for Lingwort.

Lansele. See Lancell.

Lantern, or Lanthorn, Lily. See Lent Lily.

Lap-love. (1) Polygonum Convolvulus, L.—Midland Counties, E. D. S. Gloss, B. 5; Teviotdale, Jamieson. 'In Smalandia, in Sweden, the Convolvulus Polygonum [i. e. Polygonum Convolvulus] is called loef-binde, from loef, a leaf, and binda, to bind.' Id.

(2) Convolvulus arvensis, L.—Midland Counties, E. D. S. Gloss. B. 5; Teviotdale, Jamieson; North, Hal. and Wr. ('Corn Convolvulus').

Lapper Gowan, See Gowan, Lapper.

Larch. The general name for Larix europæa, DC.—Lyte, Prior, p. 132.

Lareabell. 'The sunflower. Linc.' Hal. Wr. Helianthus annuus, L.

Larick (Gael. larach). Larix europæa, DC.—Invernesssh.; Renfrewsh, Jamieson.

Larick's Lint. 'Great golden maiden-hair. Scott.' Jamieson; i. e. Polytrichum commune, L.

Larkspur. (1) Linaria vulgaris, Mill.—Bucks.

(2) Delphinium Consolida, L., and the general name for the garden species of Delphinium.—Lyte, Prior, p. 132. There are many slight variations of the name: e. g. Lark's-claw (Lyte, Prior, p. 132), Lark's-foot (Tusser, E. D. S. Series D.), Lark's-heel (Ger.; Nhamp. Nth. Gloss., Wr., Prior, p. 132), and Lark's-toes (Ger., Prior, p. 132). Clare (Shepherd's Calendar) refers to 'the tall-topped lark-heels, feathered thick with flowers;' and 'birkes heels trymme' occurs in the Two Noble Kinsmen, Act i.

Lathe. 'A weed. Som.' Wr. We cannot identify this.

Latherwort. Saponaria officinalis, L.—An A.S. name referring to well-known property of the plant. Cockayne, ii. 397. See Soapwort.

Lauk. Schoenus nigricans, L.—Lanc. 'A mile from Rochdale, on the Imbery, the country people call it Lauk. They strew their houses with it in Lancashire.' Merrett's Pinax, p. 58.

Launceley. See Lancell.

Laurel. (1) Laurus nobilis, L.—Lyte. Also called Bay Laurel and Roman Laurel. The name is variously spelt in old writers. Chaucer has Laurer and Lorer (see Hal.), and Hal. quotes Lauter from a MS. of Lydgate. Jamieson has Laurere and Lauren. Lorry is another form, given in Archæologia, xxx. 368.

(2) Daphne Laureola, L.—Turn. Herb., &c. 'Vulgus aut Laury aut Lauriell aut Lowre.' Turn. Lib. In Turn. Names Loury. Hal. and Wr. have Lauriole. This is also called Copse Laurel (Hal. Wr.; Hants. Phyt. iii. 798, o. s.; Wight, Fl. Vect.), Spurge Laurel (Ger., and still the common book-name), and Wood Laurel (Bucks.; Glou.; Hants. Phyt. iii. 798, o. s.; Wight, Fl. Vect.).

(3) Prunus Laurocerasus, L., is nowadays commonly so called. Prior, p. 132. This is also known as the Cherry Laurel. The Portugal Laurel is P. lusitanica, L.

Laurestine, or Laurestinus. Viburnum Tinus, L.-Prior, p. 133.

Laus tibi. A name for Narcissus poeticus, L., which was apparently in general use about three hundred years back. Turner (Names) speaks of it as growing 'plenteously în my Lordes gardine in Syon, and it is called of diverse, whyte Laus tibi.' He also alludes to it in his Herbal (pt. i. p. 62): 'We call it in some places of England white laus tibi.' In Turn. Lib. there is a long note upon the name, which it may be worth while to transcribe: 'Nec erat ulla herba que me magis narcisso torsit, nam postquam vigestes ejus picturam et deliniationem vidissem, et quam potui diligentissime perpendisse usq. tamen potuit inveniri, qui hanc mihi herbam potuit exhibere, multominus ejus aglicu nome indicare, tande quu ai recreandi gratia in Northfolcia rusticarer, ambulanti commodu puella nondum septennis in vico mihi obviam venit, dextera manu alborum florum manipulum

gestans, continuo conspectis herbis mecū ita cogitabam, hi sunt Narcissi (nam descriptionis illius herba adhuc recens erat lectio aliquotq. ab illa precibus emendicabam. Cæterum rogantum nomen herbæ nulla responso dignabatur. Percontabar aut ab illis qui proximos pagos & castella habitarent: quod nam esset hinc herbæ nomen inditū. Respondebant omnes herbam vocari Laus tibi, nec aliud nomen potui ab illis expiscari. Cæterū domū reversus asphodelum multis etiam vocari laus tibi didici. Seniculus quidam cui nomen est guarinus Asshe, Barnwelliensis monasterii canonicus rei herbariæ pulchrè gnarus hanc herbam Frenche gelofer vocari affirmabat, hiis licebit uti nominibus donec aptiora occurrerint.' The name Laus tibi does not occur in Lyte's Herball, but he has written it against the figure of Narcissus poeticus in the copy of Dodoens already referred to (Bibl. Mus. Brit. 442, h. 9), thus leaving no doubt as to what plant was intended. The name is not given by Gerard or Parkinson in either of their works, but is included by Tusser in his list of garden plants (see E. D. S., Series D., p. 96).

Lavender. The general name of Lavandula vera, DC.—Lyte (Lavander), Prior, p. 133.

Lavender, French. Lavandula Stachas, L.-Lyte, Prior, p. 85.

Lavender, Sea. A common though not an old book-name for various species of Statice, especially S. Limonium, L.—With. ed. iv. Prior, p. 133.

Lavender Corn. Santolina Chamæcyparissias, L.—Lyte.

Lavender Gentle. Lavandula Stæchas, L.-Lyte.

Lavender Grass. Molinia carulea, L. - Macreight, Manual of British Botany.

Lavender Spike. Lavendula Spica, DC.—Tusser. See E. D. S., Series D., p. 334.

Lavender Thrift. A book-name for various species of Statice, especially S. Limonium, L.—With. ed. iv.

Laver. (1) Perhaps Nasturtium amphibium, Br.—It is given in Turn. Herb. (ii. 32) and Turn. Lib. as an equivalent of Bellragges, which see, and see also Billers. It may be Helosciadium nodiflorum, Koch. We do not find the name used in this sense in later writers.

(2) Iris Pseudacorus, L. (Lavers).-Lyte. Cfr. Levers.

(3) Porphyra laciniata, Ag.—'This, under the name of Laver, is much eaten in many places, especially the south of England.' English Flora, v. 310. Harvey (Phycologia Britannica) extends the name to P. vulgaris, Ag. Purple Laver is an English equivalent for the genus (English Flora, v. 310). E. Bord. Bot. E. Bord. Prior, p. 133.

(4) Ulva latissima, L. (Prior, p. 133), and U. Lactuca, L.— In Glamorgansh. and some other parts they make a sort of food of a seaplant, which seems to be the Oyster Green or Sea-Liver-wort (sic). This they call Laver Bread. Near S. David's they call it Lhavan or Lhawan, in English black-butter.' Kennett (Lansdowne MS. No.

1033).

Laver, Green. Ulva latissima, L., and U. Lactuca, L.- Both are, I believe, indiscriminately eaten under the name of Green Laver or Oyster-green.' English Flora, v. 311, where the name is applied also to the whole genus.

Laverocks. Oxalis Acetosella, L.—Yks. (Whitby), E. D. S. Gloss. C. 2: also Three-leaved Lavarocks. E. Yks. E. D. S. Gloss.

Laverock's Lint. Linum catharticum, L.—Lanarksh. Jamieson.

Lawyers. Old thorny stems of briers and brambles. Similar stems are so-called in New Zealand and other colonies.

(1) Rosa canina, L.—Ches.; 'the wild briar, or bramble with long thorns,' Surr. E. D. S. Gloss. C. 3; Warw.

(2) Rubus fruticosus, L.—' A long bramble full of thorns, so called because "when once they gets a holt an ye, ye doant easy get shut of 'em." Suss. Parish; Worc. E. Bot. (3rd ed.), iii. 163.

Laylock, or Laylocks. A common mispronunciation of Lilac. Syringa vulgaris, L.—Glou. (Fairford); Pulman; Som.; Surr. E. D. S. Gloss. C. 3; Suss. Parish; Warw. E. D. S. Gloss. C. 3; Yks. (Holderness), E. D. S. Gloss, C. 7.

Leaf of S. Patrick. Saxifraga umbrosa, L.—Galway (Inish-bofin), Proc. Royal Irish Acad., 3rd Ser. ii. 569.

Leapers. 'Grey peas. West.' Hal. Wr.

Leap-up-and-kiss-me. Viola tricolor, L.—Suss.; Hants. Hal.

Leechwort. An A.S. name for Plantago Lanceolata, L.—'Läkeblad, Plantago major, in West Gothland (Nemnich). The plantain was famed for healing power,' Cockayne, ii. 397.

Leed (Report of Cambridge Antiquarian Soc., vol. iv. no. 2) or White Leed. Glyceria aquatica, Sm.—Camb. 'Writing in his Britannia of the whole tract of the Fens, [Camden] says "all this country in the winter time, and sometimes for the greater part of the year, is laid under water by the rivers Ouse, Grant, Nene, Welland, Glen, and Witham, for want of sufficient channels and passages; but when these keep to their proper channels, it abounds with grass and a sort of rank hay, by them called Lid. . . . This grass is most likely Glyceria aquatica, [which] is still usually known by the name of White Leed, [and] was once the principal grass of the Wash land.' The Fenland, Past and Present, p. 298. The Rev. E. Gillett assigns the name to Poa aquatica, L. (Cockayne, iii. xxxii).

Leek. Allium Porrum, L.—Prior, p. 133.

Leek, Crow. Scilla nutans, Sm.—Ger. Appx. Hal. Wr. Prior, p. 58. Leek, French. Allium Porrum, L.-Lyte.

Leek, Sour. Rumex Acetosa, L.—Roxburghsh. (Kelso), Science Gossip, 1876, p. 79; Ireland (Belfast), Flora Belfastiensis: R. Acetosella, I., is here called Red or Wee Sour Leek.

Leek, Wild. Allium ursinum, L.-E. Bord. Bot. E. Bord.

Leek-cress. An A.S. name for Alliaria officinalis, Andrzj., a cress

 with an onion-like smell, which pecuharity is referred to in the Latin generic name. Cockayne, ii. 397.

Leemers. Ripe fruit of Corylus Avellana, L.—'Ripe nuts. To leem, to shell or drop out of the husks. Var. dial.' Hal. 'Hazel nuts.' Cumb. E. D. S. Gloss. C. 8; Lanc.; Roxburghsh. Jamieson.

Leerspoole. 'A cane or reed.' Hal.

Leke. 'A leek (A.S.). Not worth a leke, a common expression in early poetry.' Hal.

Lemfeg. Fruit of Ficus Carica, L.—'A doe-fig. Wilts.' Hal. Wr. Wilts. 'A fig, an Elleme fig.' E. D. S. Gloss. B. 19.

Lemon Tree. A frequent name for Lippia (Aloysia) citriodora, Kth., in allusion to the scent of the leaves.—'The verbena. South.' Hal. Wr.

Lens, Water. See Lentils, Water.

Lent-cocks. Narcissus Pseudo-narcissus, L.—Dev. 'In allusion, it seems, to the barbarous custom of cock-throwing, which was prescribed by our forefathers for Lent, or rather for Shrove Tuesday. The boys, in the absence of live cocks to throw sticks at, practised the art of decapitation on the flower.' Gard. Chron., Mar. 22, 1879 (p. 376).

Lenten. 'A linden tree (A.S.).' Hal. Wr. Tilia europæa, L.

Lenten-fig. 'A dried fig, a raisin.' Hal.

Lentils. Ervum Lens, L.—Lyte, Prior, p. 133.

Lentils, Water. Lemna minor, L.—Lyte. 'In Latin Lens palustris or lacustris: in shoppes Lenticula aqua: in English water Lentils... in high Douch Meer Linsen: in base Almaigne water Linsen.' Lyte, 106. Pratt says 'country people still frequently call it Water Lens,' but we have not met with the name in actual use or in modern books.

Lent Lily, or Lilies (from the season of flowering). Narcissus Pseudo-narcissus, L.—Cornw. (sometimes contracted to Lents), N. & Q., 1st Ser. iii. 259; Derb. (gardens, the single variety); Dev. Hal. Wr.; Kent; N. Linc. (Wrawby); Som.; Surr.; E. Suss.; Warw. (where it is also called Lanthorn Lilies); Westm. (gardens, the single variety); Wight (or Lenten Lilies, corrupted into Lantern Lilies), Fl. Vect.; Yks. Prior, p. 133.

Lent Rose, or Lent Roses. Narcissus Pseudo-narcissus, L.—Dev. (Teignmouth; the plural form Lent Rosen is also occasionally employed), E. D. S. Gloss, B. 6, Hal. Wr.; Linc. In S. Dev. N. biflorus, L., is also so called.

Lents. See Lent Lily.

Leopard's Bane. A name applied by Ger. and in modern books to Doronicum Pardalianches, L., but transferred to that plant, like the specific name, from some poisonous plant which it is not possible to determine. See Prior, p. 133. In Turn. Names it is spelt Libbard bayne, and applied to Paris quadrifolia, L. Topsell (Fourfooted Beasts, p. 40) says 'The herbe Wolfe-baine or Libardine is poison to foxes, wolves, dogs, and beares, and to all beasts that are littered

blind, as the Alpine Rhatians affirme.' Hal. and Wr. have Libbard's bane.

Lesch. 'The vegetable produce of the fens consisted almost exclusively of sedge, lesch, which was probably a name used generically, and covered all the Carices abounding in the fens, as well as the special sedge of Burwell Fen, Cladium Mariscus. . . Probably the word also covered reeds and rushes, as neither of these words occur. The word lesch has now become obsolete in the fens, but the French name for plants of the genus Carex is Laiche.' From the Rolls of the Manor of Littleport, Cambridgeshire, 1316-27, in Report of Cambridge Antiquarian Society, vol. iv. No. 2.

Lettuce. Lactuca sativa, L.—Prior, p. 133.

Lettuce, Frog's. See Frog's Lettuce.

Lettuce, Lamb's. See Lamb's Lettuce.

Lettuce, Sea. Ulva Lactuca, L.—Treas. Bot. (Supplement); in the body of the work it is misapplied to Fucus vesiculosus, L.

Lettuce, Wall. A common book-name for Lactuca muralis, Fresen.—Prior, p. 134.

Lettuce, Wild. Lactuca virosa, L.-Lyte.

Levers, Livers, or Lyvers (A.S. læfer). A name applied by Lyte (Levers), and locally as below, to Iris Pseudacorus, L.; but bestowed also on 'any sword-bladed plant, Iris, Sparganium, or Gladiolus, as still in use at Whitwell, Isle of Wight' (Cockayne, iii. xxxii, where the name is printed Level). Cornw.; Dors. Dors. Gloss. (the leaves Liver or Lever-leaves); Som (Langport), Science Gossip, 1872, p. 163 ('the land where they grow is designated liver-ground'); South, Hal. Wr. Pulman assigns the name Lyver to the 'bulrush,' meaning, probably, Typha latifolia, L.

Lewte. Ononis arvensis, L .- Som. Hal. Wr.

Ley. Dianthus Caryophyllus, L.-Lanc.

Leyt. 'The word leyt occurs a few times [in the Rolls of the Manor of Littleport, Cambridgeshire, 1316-27], and obviously meant what we still call leed, Glyceria aquatica,' Report of Cambridge Antiquarian Society, vol. iv. No. 2. See Leed.

Lezzory, or Lizzory. Pyrus torminalis, L.—Glou. (Cotswolds), Cots. Gloss.

Libardine, or Libbard's-bane. See Leopard's Bane.

Lib-long. Sedum Telephium, L.—Lyte, Wr., Prior, p. 136. See Live-long.

Lice, Beggar. See Beggar Lice.

Lice, Buckie. Fruit of Rosa canina, L.—'The seed of the buckie; it much resembles lice.' S. Scott. Mactaggart, Scottish Gallovidian Encyclopædia.

Lichwale, or Lychwale. Lithospermum officinale, L. — Grete Herball. Ger, includes Lithospermum arvense, L., under the name. Prior, p. 134. Lichwort. Parietaria officinalis, L.—Ger. Appx. Hal. Wr. Prior, p. 134. It grows 'neere to old wals in the moist corners of churches and stone buildings.' Ger. 261.

Lid. See Leed, Whi e.

Lide Lily. Narcissus Pseudo-narcissus, L.—Gordon's ed. of Culpeper (1802), i. 189. So called from its time of flowering. 'Lide, the month of March, A.S. lidmona's, now obsolete. "The vulgar in the West of England," says Aubrey, "doe call the moneth of March, lide.

> Eate leeks in *Lide* and ramsins in May, And all the year after physicians may play.", E. D. S. Gloss. B. 19.

Life Everlasting. Antennaria margaritacea, Br.—Park. Parad. 375.

Lig, or Liggan. Fucus vesiculosus, L .- Cornw.

Light Crottles. Lecanora pallescens, Ach. - Scotl.

Lightnings. Papaver Rheas, L.—Berwicksh. 'About Wooler it was wont to be called the Thunder-flower or Lightnings; and children were afraid to pluck the flower, for if, perchance, the petals fell off in the act, the gatherer became more liable to be struck with lightning; nor was the risk small, for the deciduousness of the petals is almost proverbial.' Bot. E. Bord., p. 31.

Lightwort. Mertensia maritima, Don.—Dr. J. Hill (Herbarium Britanicum, 1769) gives this name, but it is only an equivalent for Pneumaria, a name he proposed for the plant. 'Grows among stones or oakes like a dried turfe near the ground.' Mascal's Government of Cattel, p. 18.

Lilac (from the Persian lilag). The general name of Syringa vulgaris, L., which was also originally adopted by Matthiolus as the scientific name. Melia Azedarach, L., is called by Europeans in the Punjab Persian Lilac (Aitchison's Cat. Punjab Plants, p. 31), and in the Mauritius, according to Bouton, Indian Lilac. Prior, p. 134.

Lilac, German. See German Lilac.

Lillie riall (in Hal. and Wr. Lilly Royal), a corruption of Puliall royall. Mentha Pulegium, L.—South, Hal. Wr.

Lily. (1) The general name for the genus Lilium, L. candidum, L.,

being the lily par excellence. Prior, p. 134.

(2) Narcissus poeticus, L.—Warw. (Fillongley), where a field in which it grows is 'familiarly known in the neighbourhood as the Lily Field.' Phyt. iii. 945, o. s. Dr. J. A. H. Murray writes to us: 'In Scotland Lily is applied generically to the two common Narcissus' N. poeticus being the White Lily, and N. Pseudo-narcissus the Yellow Lily or Daffodilly. Sometimes, however, Lily is applied specifically to N. poeticus, as opposed to Daffodilly.'

(3) 'The wild convolvulus.' Hal. Wr. This may be either Convolvulus sepium, L., or C. arvensis, L.; the latter is known by the

name in Hants, and Suss.

(4) Polygonum Convolvulus, L.-Hants.; Wight, Fl. Vect.

Lily, Chequered. Fritillaria Meleagris, L.—Park. Parad., Prior, p. 134. See Chequered Daffodil.

Lily, Conval. See Conval-Lily.

Lily, Corn. See Corn Lily.

Lily, Great Park. Convallaria majalis, L.— Lilium convallium grandius, quod angli vocant Great parke lyly.' Turn, Lib.

Lily, Hedge. Convolvulus sepium, L.—Hants.; Wight, Fl. Vect.

'There is a flower not unlyke unto a lylye in the herbe which is called Convolvulus: it groweth among shrubbes and busshes, and hath no sayour, nether any little chyves lyke saffrone as a lyly hath, only representing a lily in whytenes, and it is as it were an unperfit worke of nature learninge to make lilies.' Turn. Herb. i. 164.

Lily, Lamb. Tofieldia palustris, L .- Ayrsh.

Lily, Lent. See Lent Lily.

Lily, Lide. See Lide Lily.

Lily, Loddon. See Loddon Lilies.

Lily, May. Convallaria majalis, L .- Lyte.

Lily, Orange. Anagallis arvensis, L .- Dumfriessh.

Lily, Pheasant. Fritillaria Meleagris, L.—Cumb. E. D. S. Gloss. C. 8.

Lily, Snake's Head. From the shape of the flower-head, and its spotted colour. Fritillaria Meleagris, L.—Bucks.; Oxon. N. & Q. 4th Ser., iv. p. 66.

Lily, Water. A general name for the two following species:

(1) Nymphaa alba, L.—Turn. Herb. Ches.; Cumb. Prior, p. 134.

(2) Nuphar luteum, Sm.—Turn. Herb. Ches.

Lily, White. (1) Lilium candidum, L. (gardens).—In some modern books this is called the Madonna Lily, or St. Joseph's Lily, from its frequent occurrence in representations of the B.V.M. or St. Joseph.

(2) Convolvulus sepium, L. -S.-W. Cumb.

(3) Narcissus poeticus, L.—See Lily (2).

Lily, Wood. Pyrola minor, L.—Bucks. No doubt on account of its likeness to Convallaria majalis, L.

Lily, Yellow. Narcissus Pseudo-narcissus, L.—See Lily (2).

Lily, Yellow Water. The common name for Nuphar luteum, Sm. —Lyte.

Lily-among-thorns, 'of Canticles, ii. 2, Lat. Lilium inter spinas, understood by the herbalists as Lonicera Caprifolium, L.'—Prior, p. 134. L. Periclymenum, L., is rather intended. 'That the Lillies amongst the Thornes were woodbines is not known to every one.' Coles, A. of S., p. 7. Ray, however, considered it to be Convallaria majalis, L. (Hist. Plant, i. 667).

Lily-bind, i. c. the bindweed with lily flowers. Convolvulus arvensis, L., and C. sepium, L.—Yks. (Wakefield).

Lily-can. Nuphar luteum, Sm.—Fifesh., Perthsh. Jamieson. Cfr. Can-dock.

Lily-conval. Convallaria majalis, L.—Lyte, Hal. and Wr. (Lily-convally), Prior, p. 134.

Lily-flower. Convolvulus sepium, L.—Hants.

Lily-grass. Arum maculatum, L.—Suss. (Shoreham).

Lily-oak (a corruption of Lilac). Syringa vulgaris, L. — Scotl. Jamieson.

Lily of the Mountain. Polygonatum multiflorum, All.-Warw.

Lily of the Valley. The general name for Convallaria majalis, L. —Lyte, Prior, p. 134.

Lime, or Lime Tree. The general name for Tilia europæa, L.—E. Bord. Bot. E. Bord. Prior, p. 135.

Lime, Red. Tilia grandifolia, Ehrh., β corallina, Sm.—"Tis known by the name of the Red Lime, and grows naturally in Stokenchurch Wood."—R. Syn., ed. iii. 473.

Limestone Fern. A common book-name for Polypodium calcareum, Sm.—W. Cumb.

Limewort. (1) Silene Armeria, L.—Ger. See Catchfly. In Robson's British Flora (1777) the name is transferred to Dianthus prolifer, L.

(2) Veronica Beccabunga, L.—Eliza Cook's Journal, July 5, 1851, pp. 149-50. Cfr. Limpwort.

Limper-scrimp. See Lumper-scrump.

Limpwort. Veronica Beccabunga, L.—Heref. 'Ab Herefordensibus limpwort.' Merrett's Pinax. Cfr. Brooklime.

Lin. (1) Tilia europæa, L.—North, Brockett; Yhs. (Craven), Holl.; (Whitby), E. D. S. Gloss, C. 2; E. Yhs. E. D. S. Gloss. B. 22.

(2) Linum usitatissimum, L.—Hal. Scotl. Jamieson. A man in the flax trade is called in Dors. a lin-man (Dors. Glos.).

Linarich. 'A sea-plant.' "Scotl. Jamieson. This we cannot identify. Lincels. See Lintels.

Linde. 'The lime-tree (A.S.). Sometimes used perhaps for a tree in general.' Hal. Tilia europæa, L.—Scotl. Jamieson (Lind or Lynd). Turn. (Herb.) has Lind-tre. A more common form is Linden or Linden-tree (Lyte). Prior, p. 135. Hal. and Wr. have Linn-tree (Derb.).

Line. (1) Linum usitatissimum, L. (the seed Linseed). Grete Herball, Grose. Cumb. E. D. S. Gloss. C. 8; N. Linc. E. D. S. Gloss. C. 6; North, E. D. S. Gloss. B. 1; Yks.; Scotl. Jamieson. Mrs. Atkinson writes from Winderwath: 'It is pronounced liin (exactly as

in the old Norse or Danish), whether as to the plant, its seed, "liin-seed," or the fibre formerly prepared for spinning on the "liin-wheel." There are still fields in Westmoreland which retain the names of Liinholmes, Lindale, and Lyneguards, though the plant has long ceased to be cultivated. Prior, p. 135.

(2) Tilia europæa, L.—Ger. N.-W. Linc, E. D. S. Gloss. C. 6. 'In the Herbals, and all old works after Chaucer's time, it is spelt Lyne or Line, as in the ballad of Robin Hood and Guy of Gisborne, where it rhymes to thine:

"Now tell me thy name, good fellow, said he, Under the leaves of lyne." Prior, p. 135.

- (3) Eriophorum vaginatum, L.-E. Bord. Bot. E. Bord.
- (4) Eleocharis caspitosa, Link.—E. Bord. Bot. E. Bord.
- Ling. (1) Calluna vulgaris, Salisb., with which Erica Tetralix, L., and E. cinerea, L., are occasionally associated.—Turn. Herb. Ger. (Linge). Ches.; Cumb. E. D. S. Gloss. C. 8; Durh.; N. Linc. ('heather of any sort'), E. D. S. Gloss. C. 6; Nhamp. Nth. Gloss.; North, E. D. S. Gloss. B. 1, Ray, &c.; Suff.; Yks. E. D. S. Gloss. B. 2; C. 1, 2, 5, 7:

'D'ye ken hoo ling-beezums er myade Sur?'

Old North-Country Ballad.

Ireland (Belfast). Prior, p. 135.

- (2) Erica Tetralix, L .- Ger. Ches. ; Suff.
- (3) Erica cinerea, L.-Ger.
- (4) Eriophorum vaginatum, L. (more especially the leaves).—Durh.; Nhumb.; E. Bord. Bot. E. Bord.; Selkirksh. Statistical Acct. of Scotland, iii. 63.
- (5) Eleocharis cospitosus, Link.—E. Bord. Bot. E. Bord. This is probably the plant to which Jamieson assigns the name, and which he describes as 'a species of rush or long thin grass.'
 - (6) Ulex europœus, L .- North, Hal.
 - (7) Tamarix gallica, L.—See Heath (2).

Ling, Black, or Crow. Calluna vulgaris, Salisb.—Yks. Cleveland

Ling, Downy. Eriophorum polystachyon, L .- Ayrsh.

Ling, Draw. See Drawling.

Ling, Pull. 'A moss plant.' Scotl. Jamieson. No doubt Eriophorum.

Ling, Wire. Empetrum nigrum, L .- Yks. Cleveland Gloss.

Ling-berry, or Ling-berries. (1) Empetrum nigrum, L.—S.-W. Cumb.; N. Yks.

(2) Vaccinium Vitis-Idara, L.—Cumb.; Yks, N. & Q., 1st Ser., vii, 231. Its Swedish name is lingon. Id.

(3) The fruit of Calluna vulgaris, Salisb .- Yks, Cleveland Gloss,

Ling Gowlands. 'A small marigold kind of flower, growing among h.' Yks. (Whitby), E. D. S. Gloss, C. 2. Probably some posite flower, such as Hieracium Pilosella, L., is intended.

Lingwort. Veratrum album, L.—Lyte. In Turn. Lib. Lyngwort. 'The plant angelica.' Wr.: some error is to be suspected.

Linn-tree. See Linde.

Lint. Linum usitatissimum, L.—Turn. Herb., Grose. E. Bord. Bot. E. Bord.; Scotl. Jamieson; Aberdeensh.; Ireland (Antrim and Down). 'Linthaw and Linthill in Berwickshire, and Linthaugh in the parish of Ford, probably derive their name from the cultivation of Lint upon them.' Bot. E. Bord. p. 45. Jamieson has Lint-bells and Lintbows, meaning the flowers and seed-pods of flax respectively.

Lint, Fairy. Linum catharticum, L.—E. Bord. 'From the abundant harvests of this elegant weed on our upland pastures, prepared and manufactured by supernatural skill, the "good people" were wont, in the olden time, to procure their requisite supplies of linen.' Bot. E. Bord.

Lint-bells. See Bells, Lint.

Lint-bennels. See Bennels (2).

Lint-bow, i. e. Lint-boll. Linum usitatissimum, L .- Scotl. Jamieson.

Lintels (a corruption of lentils). 'Tares in corn.' Hal. Probably Vicia hirsuta, L., but cfr. Lints. Hal. and Wr. also have Lincels, which is probably a misprint. Nhamp. Nth. Gloss.

'The bearded rye was in the row, The lintel in the pod.' Clare's MS. Poems, quoted in Nth. Gloss.

Lints. Vicia sativa, L.—'Tares are called lints in Lincolnshire.'
Hal. N.-W. Linc.: 'Lentils, tares, vetches,' E. D. S. Gloss. C. 6;
Yks. (Holderness), E. D. S. Gloss. C. 7 (Lintins).

Lion's Foot. From the shape of the leaf.

- (1) Alchemilla vulgaris, L.—Grete Herball. It was an A.S. name (see Cockayne, ii. 397). 'In Latin . . . Planta leonis, Pes leonis . . . in Frenche Pied de Lion: in high Douch . . . Lewenfusz.' Lyte. Ger. calls it also Lion's Paw. Prior, p. 135.
 - (2) Helleborus niger, L.—Grete Herball, Turn. Lib.

Lion's Mouth, or Lions' Mouths. (1) Antirrhinum majus, L.—Suss. Ger. calls this Lion's Snap. Prior, p. 140.

(2) Linaria vulgaris, Mill.—Suss.

(3) Digitalis purpurea, L.—Suss.

(4) Nepeta Glechoma, Benth. - Suss. Parish.

Lion's Paw. See Lion's Foot (1).

Lion's Snap. See Lion's Mouth (1).

Lion's Teeth. Leontodon Taraxacum, L.—Bullein, Book of Simples, fol. 10. A translation of the generic name.

Liquorice, Wild. Ononis arvensis, L.—Cumb. E. D. S. Gloss, C. 8; N. Yks.; Dumfriessh.; Invernessh.; Moray, Fl. M. 'In the season of flowering the root is dug up and eaten by children, in idleness, as a substitute for the liquorice-root of the apothecary.' Bot. E. Bord.,

p. 52. 'The long, woody root' of *Trifolium alpinum*, L., another leguminous plant, 'is chewed by the shepherds of the Pyrenees under the name of *réglisse*.' Hooker's Journ. of Botany, v. 347.

Liquorice-vetch. Apparently a quite recent book-name for Astragalus glycyphyllus, L., given by Prior (p. 136).

Liquory-knots. Roots of Lathyrus macrorrhizus, Wimm.—Berve.

'Schoolboys in Berwickshire call the roots liquory-knots, for, when dried, the taste of them is not unlike that of the real liquorice.' Bot. E. Bord. p. 57. 'This is deemed by the Ulster Irish a sort of liquorice, and is used for the same purposes as liquorice by the Highlanders.' Threlkeld.

Liquory Stick. Ononis arvensis, L.—Hal. Roxburghsh. (Kelso), Liquor Stick, Science Gossip, 1876, p. 39. See Liquorice, Wild.

Liricon-fancy, or Liry-confancy. Convallaria majalis, L.—Lyte. Hal. and Wr. give Liricumfancy. 'A corruption of Lat. lilium convallium.' Prior, p. 136.

[Lithewale. 'The herb gromwell.' Hal. Wr. This is probably a misprint for Little Wale, a name assigned to Lithospermum officinale, L., in Ger. Appx., whence so many of Hal.'s names are taken; and this again may be a misprint for Lichwale, which see.]

Lithewort. An A.S. plant-name about which there seems to be some confusion. Cockayne (ii. 398) assigns it to Sambucus Ebulus, L. Hal. and Wr. refer it to 'the plant forget-me-not,' an insufficient identification, as several plants are called Forget-me-not,—and the former adds: 'The term is still sometimes used'—but of this we can find no trace. Prior (p. 136) has Lithy-tree, which we have not elsewhere met with, as a name for Viburnum Lantana, L., and this may be a form of the same name, though Cockayne says V. Lantana was never known as Lithewort.

Lithy-tree. See Lithewort.

Litmus. Roccella tinctoria, L.—Prior, p. 136.

Little and Pretty. Saxifraga umbrosa, L.—Dors.

Little Good. Euphorbia Helioscopia, L.—E. Bord. Bot. E. Bord.;

Aberdeensh. (Little Gweedie); Clackmannansh. (Little Giddie);

Forfarsh. (Little Goody); Perthsh.; Roxburghsh. (Kelso, Little Guid), Science Gossip, 1876, p. 39. Prior, p. 136.

Littlewale. Lithospermum officinale, L.—Ger. Appx. Hal. Wr. See Lithewale.

Live-for-ever. See Life-everlasting (2).

Live-in-idleness. Viola tricolor, L.—Ger., Buddle MS.

Livelong. (1) Sedum Telephium, L.—Wr. Norf. 'The people of the country delight much to set it in pots and shelles on Midsomer even, or upon timber slattes or trenchers dawbed with clay, and so to set or hang it up in their houses, whereas it remayneth greene a long season and groweth, if it be somtimes over-sprinckled with water.' Lyte, p. 39. 'A branch of the green leaves hung up in any

place will keep the verdure a long time.' Coles, A. in E. Prior, p.

(2) Antennaria margaritacea, Br.—The 'flower being gathered when it is yong, may be kept in such manner as it was gathered, I meane in such freshnesse and well liking, by the space of a whole yeere after in your chest or elsewhere; wherefore our English women have called it Live long, or Live for ever, which name doth aptly answer his effects.' Ger. 517. Park. Parad. 375.

Liver-grass. Marchantia polymorpha, L.—E. Bord. (where it is employed in domestic medicine), Bot. E. Bord. p. 264.

Liver-leaf. See Liver-wort (2) and Levers.

Livers. See Levers.

Liver-wort. (1) Agrimonia Eupatoria, L.—Lyte, who gives it as a translation of the German levercruyt. 'Agrimony, an hearbe called also Liverwort, because it is good for the liver.' Minsheu.

(2) Anemone Hepatica, L.—Park. Theatr., but more usually, as by Lyte, called Noble Liverwort, 'in high Douch edel levercruyt,' being a 'soveraigne medicine against the heat and inflammation of the Lyver.' Lyte, p. 59. In Treas. Bot. it is called Liver-leaf, which is its popular N. American name.

(3) Marchantia polymorpha, L.—Turn. Herb. Lyte, Prior, p. 136.
'The decoction of Liverworte swageth the inflammation of the liver.'

Lyte, p. 411.

The name is given by Tusser (E. D. S., Series D., p. 93) in his list of 'Seedes and herbes for the Kitchen;' (1) or perhaps (2) is probably intended.

Liver-wort, Ground. Peltidea canina, Ach.-Ger. Prior, p. 136.

Liverwort, Noble. See Liverwort (2).

Liverwort, Stone. Marchantia polymorpha, L.—'It is named in shops Hepatica, yet are there also manie other herbes named Hepatica or Liverwoorts, for difference whereof this may fitly be called Hepatica petræa, or Stone Liverwort, having taken that name from the Germaines, who call this Liverwoort Steyn Leber-kraut.' Ger. 1376.

Liverwort, Three-leaved. Anemone Hepatica, L.-Lyte.

Liverwort, Water. Ranunculas aquatilis, L.—Lyte. 'The apothecaries of this time do call it Hepatica and Hepatica aquatica or palustris; and do very erroneously use it for Hepatica.' Id.

Liverwort, White. Parnassia palustris, L.—Ger. One of its old names was Hepatica alba.

Liverwort, Wood (from its growth on trees). Sticta pulmonacea, Ach.—Ger.

Lizard Orchis. A modern book-name for Orchis hircina, L.—Prior, p. 170.

Lizzy-run-the-hedge. (1) Galium Aparine, L., 'when it climbs up and amidst our quick fences to the length, perhaps, of twenty feet.' E. Bord. Bot. E. Bord.

(2) Nepeta Glechoma, Benth.-Prior, p. 196.

Lizzory. See Lezzory.

Loaves-of-bread. A child's name for the fruit of Hyoscyamus niger, L.—Nhamp.

'Hunting from the stack-yard sod
The stinking Henbane's belted pod,
By youth's warm fancies sweetly led
To christen them his loaves-of-bread.'
Clare, Shepherd's Calendar (May).

Ofr. Cheeses.

Lob, or Lop Grass. Bromus mollis, L.—With. ed. iv. Hants. Bromfield MS. See Lisle's Observations in Husbandry, ed. ii. (1757), p. 73: 'the grass which country people call the hooded grass or lob grass,' &c. Prior, p. 137. It is sometimes called simply Lop.

Loch Reed. 'Common Reed-grass.' Phalaris arundinacea, L.— Scotl, Jamieson.

Locken, Lockenty, or Lockity Gowan. See Gowan, Lockin.

Locker. Trollius europæus, L.—Selkirksh.: Tweeddale, Jamieson. With. (ed. ii.) has Locker Gowlans. See Gowan, Lockin.

Lock-Lubbertie. Nostoc commune, Vauch.-Scotl. Jamieson.

Locks and Keys. (1) Fruit of Frazinus excelsior, L. — Camb.; Dev.; N. Ess.; N.-W. Linc. E. D. S. Gloss. C. 6; Norf.; Notts.; West, Hal. Wr.

(2) Fruit of Acer Pseudo-platanus, L.—Camb.; N. Ess.; N.-W.

Linc. E. D. S. Gloss, C. 6; Norf.

(3) Dielytra spectabilis, DC.—Som. (the usual name in cottage gardens).

Lockyer Goldens. Trollius europæus, L.-N. Yks.

Locusts (pronounced locus). Rhinanthus Crista-galli, L.—N. Bucks.

Locally supposed to have been the food of S. John Baptist.

Loddon Lilies. Leucojum æstivum, L.—Berks. (Reading). From its abundance on the banks of the Loddon.

Lodewort, Ranunculus aquatilis, L.—Ger. Appx. Hal. Wr. An A.S. name for Ranunculus bulbosus, L. Gl. Sloane 5, fol. 45c, according to Cockayne, iii. 336.

Loggerheads. (1) Centaurea nigra, L.—N. Bucks.; Glou.; Oxf. Cockayne, iii. 315.

(2) Centaurea Cyanus, L.—Nhamp. Nth. Gloss. 'From the resemblance of its knobbed involucres to a weapon so called, consisting of a ball of iron at the end of a stick.' Prior, p. 137. According to Holme (Acad. of Armory, ii. 426) a person having a large head was termed a loggerhead.

Lombardy Poplar. A general name for Populus fastigiata, Ait.— Prior, p. 186. See Loudon's Arboretum, iii. p. 1660.

Lonachies, or Lonnachs. Triticum repens, L.—N. Scott. Jamieson.

London Bottles. Prunella vulgaris, L.—Ayrsh.

London Lace. The variegated form of Phalaris arundinacea, L.—Sal.

London Pink. Geranium Robertianum, L.-Glou.

- London Pride. (1) Dianthus barbatus, L.—'It is now commonly called in most places London Pride.' Ger. Emac. 598. Nhamp. Nth. Gloss.; Yks. (Holderness), E. D. S. Gloss. C. 7. In Sutherland's Hortus Medicus Edinensis (1613) it is called Pride of London. Another allied Dianthus was called Pride of Austria (Ger. 479).
 - (2) Saxifraga umbrosa, L.—In general use. Ches.; Lanc.; Middx.; E. Bord. Bot. E. Bord. Prior (p. 137) says 'it is understood upon apparently good authority, that of Mr. R. Heward in the Gardeners' Chronicle, to have been given to this latter plant in reference to the person who introduced it into cultivation, Mr. London, of the firm of London and Wise, the celebrated royal gardeners of the early part of the last century.' But Mr. Heward does not state this on his own authority, but says only that he has 'somewhere read' it; and this origin for the name is not the correct one. Threlkeld (1727) is the earliest writer we have found applying the name to this plant—'vulgò London Pride.' (Appendix to Synopsis, p. 2.)

London Rocket. A book-name for Sisymbrium Irio, L.—With. ed. vii. Prior, p. 137. 'After the great Fire in London, in the Years 1667, 1668, it came up abundantly among the Rubbish in the Ruines,' R. Syn. ed. iii. 298.

London Tuft. Dianthus barbatus, L. (gardens).—Park. Parad. 320.
Line.; Nhamp. Nth. Gloss.; Norf.; Suff.

Long-leaf. Scolopendrium vulgare, Sym.-Hants.

Long Purples. (1) Orchis mascula, L.—Som.; Suss. Parish.

'Long Purples,
That liberal shepherds give a grosser name,
But our cold maids do Deadmen's fingers call them.'
Hamlet, Act iv. sc. 7.

There is no doubt that this was the plant intended by Shakespeare. The synonym he quotes is still in use for the plant (see **Deadmen's Fingers**), and the many 'grosser names' which the Orchis still receives are further evidence on the point. But this is hardly the 'long purples of the dale' of Tennyson (A Dirge).

(2) Lythrum Salicaria, L.—Nhamp. Sternb., Nth. Gloss. This is certainly the plant of Clare's Village Minstrel, ii. 90.

'Gay long-purples with its tufty spike:

She'd wade o'er shoes to reach it in the dyke.'

Longwort. See Lungwort. Hal. and Wr. assign the name to 'Pellitory of Spain' (Anacyclus Pyrethrum, DC.).

Lonnachs. See Lonachies.

Lont-figs. 'Dried figs. Som.' Hal. Wr.

Look-up-and-kiss-me. Viola tricolor, L .- Cornw.

Loose-strife, or Golden or Yellow Loosetrife. Lysimachia vulgaris, L.—Ger. Turn. (Names) spells it Lousstryfe, and Lyte has Lousestryfe. Prior, p. 137. An adaptation of the Lat. name Lysimachia, which, 'as Dioscorides and Plinie doe write, tooke his name of a speciall vertue that it hath in appeasing the strife and unrulinesse which falleth out among oxen at the plough, if it be put about their yokes: but it rather retaineth and keepeth the name Lysimachia of King Lysimachus, the son of Agathocles, the first finder out of the nature and vertues of this herbe, as Plinie saith.' Ger. 388.

Loose-strife, Purple, or Red. Lythrum Salicaria, L. — Turn. Names. Prior, p. 138.

Loozie Arnit. See Lousy Arnit.

Lop, or Lop-grass. See Lob-grass.

Lopper Gowan. See Gowan, Lapper.

Lords and Ladies. A very general name for Arum maculatum, L., given in reference to the dark and light spadices, the dark being the lords, the light the ladies. Prior (p. 138) considers the name of recent introduction. As a book-name it is certainly recent, for it does not appear in any old herbal; but its extremely wide distribution shows that it has long been in use as a popular name. Bucks.; Camb.; W. Ches.; S. and E. Cornw.; Cornw. E. D. S. Gloss. C. S.; Derb.; Dev. (Teignmouth); N. Ess.; Glou.; Hants.; Herts.; Lanc. (if bright-coloured; dull-coloured ones are called Quakers); Leic. (Belgrave); Linc.; Nhamp. Nth. Gloss.; Norf.; Oxf.; Rutl.; Som.; Staff.; Suff. Moor; Suss.; Wilts. (Devizes); N. and E. Yks. E. D. S. Gloss. B. 19. Hal. Wr. Holloway's comment is too good to be omitted: 'So called, I presume, from the stately appearance the blossom has by being partially inclosed and protected by the sheath; so that the flower appears as though it were in a kind of state chair or carriage' (!).

Lords' and Ladies' Fingers. Arum maculatum, L.-Warw.

Lorer, or Lorry. See Laurel (1). Prior, p. 138.

Lot-tree. Pyrus Aria, L.—Treas. Bot. We have not met with this name elsewhere.

Lough. 'Coarse grass on the moors. Linc.' Hal.

Loury. See Laurel (2).

Louse-berry, or Louse-berry Tree. Euonymus europæus, L.—With, ed. ii. Prior, p. 138. 'The berries . . . powdered and sprinkled upon the hair destroy lice.' With. ed. ii.

Louse-bur. Xanthium Strumarium, L.-Lyte.

Lousewort. (1) Pedicularis palustris, L.—'In Latine Pedicularis, that is to say, Louse herbe: in high Douch Leuszkraut, bycause the cattell that pasture where plentie of this grasse groweth become full of lice.' Lyte, p. 516. Probably the explanation is that pastures where this plant abounds are generally extremely poor, and poor food produces lice in cattle.

(2) Delphinium Staphisagria, L.-Prior, p. 138. Holme's Acad. of Armory, ii. 104. Although rarely applied to this plant in English,

this name has equivalents in French and German, as well as in Latin and Greek (see Lyte, 372). 'The powdered seeds have been used externally from the earliest times for the destruction of *pediculi* in the head and other parts of the body, both in the human subject and in cattle; hence the German name *läusesamen*, signifying louse-seeds.' Bentley and Trimen's Medicinal Plants, tab. 14. It is called *Lycebane* in Pharmaco-pinax.

Lousy, Loozie, or Lucie Arnut, or Arnit. (1) Bunium flexuosum, With.—Forfarsh. Fl. Forf.; Moray, Fl. M.; Stirlingsh. from which county a correspondent writes: 'I think from a supposition that they caused lice to grow in children's heads.' 'Children dig up the roots and eat them, but they are hindered from indulging to excess by a cherished belief that the luxury tends to generate vermin in the head.' Bot. E. Bord., p. 85.

(2) Avena elatior, L.—Scotl. Jamieson.

Lousy Beds. Lychnis diurna, Sibth.—Cumb. E. D. S. Gloss. C. 8.

Lousy Grass. Spergula arvensis, L.—Agricultural Gazette, June 19, 1875 (p. 787), but not localised.

Lousy Soldiers' Buttons. Lychnis diurna, Sibth.—Lanc. A correspondent writes: 'An old Lancashire nurse says she would not have gathered one; as a child, for anything, because they are so often covered with small insects.'

Love-ache. See Lovage.

Lovage. In Lyte and other early works this is applied to Levisticum officinale, Koch., but in modern British books it is assigned to Ligusticum scoticum, L.—In Prompt. Parv. it is spelt Loveache. Hal. Wr. Prior, p. 138.

Lovage, Water. *Œnanthe crocata*, L.—The roots 'are dayly by the ignorant women in Cheape-side sold to people more ignorant than themselves by the name of *Water Lovage*.' Ger. Emac. 1060.

Love. Clematis Vitalba, L.— 'The gentlewomen call it Love.' Park. Theatr. p. 384. Prior, p. 138.

Love and Idleness. See Love-in-idleness.

Love-apples. Lycopersicum esculentum, Mill.—Prior, p. 138.

Love-bind. Clematis Vitalba, L.-Hal. Wr.

Love-entangle. 'The nigella. Cornw.' Hal. Wr. Nigella damascena, L.—Perhaps this should rather be Love-in-a-tangle or Love-intangle. Cfr. Love-in-a-mist.

Love-in-a-mist. Nigella damascena, L.—Ess.; N. Linc. (Bottesford), Love-in-mist; E. Suss. Prior, p. 138, who gives also Love-in-a-puzzle, a garden name found in Flora Historica and elsewhere.

Love-in-idleness. Viola tricolor, L.-Lyte, Hal. Wr.

'Maidens call it Love-in-idleness.'
Mids. Night's Dream, Act ii. sc. 2.

Glou. (Fairford); Nhamp. Nth. Gloss.; Oxf.; Warw. Wr. The name

is subject to some variation: Prior (p. 139) has Love-and-idle and Love-in-idle, which last we have in a *Hants*, list; from *Warw*, we have Love-and-idleness, and from *Glou*. Love-an-idol and Love-and-idles. Ger. has Live-in-idleness.

Love-lies-bleeding. (1) A common name in gardens for Amaranthus caudatus, L.—In Linc. Love-lies-a-bleeding. Prior, p. 139.

(2) Adonis autumnalis, L.—Glou.

[Loveman. Prior (p. 139) says this is a name given by Turner to Galium Aparine, L., but we fail to find it in any of his works.]

Love-me. Myosotis palustris, L.-N. and E. Yks.

Love-me-not. Veronica Chamædrys, L.—S. Bucks.

Love-true. The garden pansy, Viola tricolor, L.—Nhamp. Nth. Gloss.

Lovers' Links. Cotyledon Umbilicus, L.-Roxburghsh. Jamieson.

Lovers' Pride. Polygonum Persicaria, L.-Suss.

Lovers' Steps. Lolium temulentum, L.—Suss.

Lover's Wanton. The tubers of Orchis maculata, L., O. latifolia, L., and Gymnadenia conopsea, Br.—Aberdeensh. 'Rustics believe that if you take the proper half of the root of an orchis and get any one of the opposite sex to eat it, it will produce a powerful affection for you, while the other half will produce as strong an aversion.'

Love's Laces. The variegated form of Phalaris arundinacea, L.—Sal.

Low Broom. Genista tinctoria, L.-Lyte.

Lubba. Eleocharis cæspitosa, Link.—Shetland Isles, Edmonston MS, 'A coarse grass of any kind.' Orkneys, Jamieson.

Lucerne. (1) Medicago sativa, L.—Prior, p. 139. 'It is hard to assign a reason why the plant is called Lucerne, since the canton of that name, in Switzerland, neither was, nor is, particularly famous for producing this vegetable; nor did the western and northern nations of Europe receive it thence.' Harte's Essays in Husbandry, Essay ii. p. 23 (1770). In Worlidge's Systema Agriculturæ (1669) it is usually called La Lucerne (pp. 24, 28, &c.).

(2) Onobrychis sativa, L., according to Prior (p. 139), who says: 'By some of the older herbalists the sainfoin was called so.'

Lucie-arnit, or Lucie-arnut. See Lousy-arnut.

'Lowsie is Lucy, as some volke miscalle it.' Shakespeare's Ballad on Sir T. Lucy.

Lucifer Matches. Sisymbrium officinale, L.-Worc.

Lucken Golland, or Gowan. See Golland, Luckin.

Lucken, Luckie, or Luckin Gowan. See Gowan, Lockin.

Luckie's Mutch. Aconitum Napellus, L.-Lanarksh. Jamieson.

Lucky Hands (Notts., Rutl.), or St. John's Hands (Rutl.). Nephrodium Filix-mas, Rich.—A correspondent gives us these names as being in actual use in the counties indicated above; but some mistake may possibly have arisen, as we find them in a translated extract from Schkuhr given in Newman's British Ferns, p. 199 (1844): 'Formerly this fern and its root were applied to many superstitious uses, since divers vagabonds prepared from the latter, together with its young incurved and yet unexpanded fronds, the so-called Lucky or St. John's hands, which they sold to ignorant and credulous people, both in town and country, as preservatives against witchcraft and enchantment.'

Lucky Minnie's Lines. Chorda filum, Lam.-Highlands.

Lug. Iris Pseudacorus, L.—'Angli pro varietate soli et regionis varie nominant, Northumbrienses a seg, elienses et in palustribus locis propter Eliam a lug.' Turn. Lib.

Lujula. Oxalis Acetosella, L.—Prior, p. 139. See Alleluia (2).

Lumper-scrump, or Limper-scrimp. Heracleum Sphondylium, L.— Som.

Lunary. (1) Botrychium Lunaria, L. - Turn. Herb. Hal. Wr.

Prior, p. 139.

(2) Lunaria biennis, L.—A mere anglicising of Lunaria, of which name Parkinson says (Theatr. p. 508) 'there are so many herbes called by the name of Lunaria that it would make any man wonder how so many should be called.'

Lung-flower. Gentiana Pneumonanthe, L.—A mere translation of the Latin specific name given in Culpeper's English Physician (Gordon's ed. 1802), i. p. 256. Prior, p. 140.

Lungs of Oak. Sticta pulmonacea, Ach.—The plant is frequent on old oak trees, and is occasionally used in diseases of the lungs, Hants. (New Forest). See Lungwort (3).

Lungwort. (1) The common book-name for Pulmonaria officinalis, L.—Grete Herball, Lyte. Glou. In the E. D. S. Tusser (p. 93) spelt Longwort. Prior, p. 140.

(2) Verbascum Thapsus, L.—Turn. Lib. and Names (spelt Long-

wort). See Bullock's Lungwort.

(3) Sticta pulmonacea, Ach,—Lyte. Occasionally used in diseases

of the lungs.

(4) Lathrea squamaria, L.—'Our countrey women do call it Lungwort, and do use it against the cough, and all other imperfections of the lungs: but what benefit they reape thereby I know not; neither can any of iudgement give me further instruction thereof,' Ger. 1388.

Lungwort, Bullock's. See Bullock's Lungwort.

Lungwort, Clown's. See Clown's Lungwort.

Lungwort, Cow's. See Cow's Lungwort.

Lungwort, French. Hieracium murorum, L.-With. ed. ii.

Lungwort, Golden. See Golden Lungwort.

Lungwort, Tree. Sticta pulmonacea, Ach .- Ger. Prior, p. 140.

Lupin, or Lupine. The genus Lupinus.-Prior, p. 140.

Lurkey Dish. Mentha Pulegium, L.—This name is given in Wilbraham's Cheshire Glossary. Hal.

Lusmore. Digitalis purpurea, L.—'In Ireland it is called lusmore, or the great herb.' Henderson's Folklore of the Northern Counties, ed. ii. p. 228.

Lustwort. Drosera rotundifolia, L.—Ger. Prior, p. 140. 'Bicause sheepe and other cattell, if they do but onely taste of it, are provoked to lust.' Ger. 1366.

Lychnidea. An old garden name for the genus *Phlox*, from its resemblance to a Lychnis. 'Lychnidea or Bastard Lychnis.' Mill. Gard. Dict.

Lyme Grass. A modern book-name for Elymus arenarius, L. (from Lat. elymus). — With. ed. vii. Prior, p. 140, who assigns the name to E. europœus, L. (Hordeum sylvaticum, Huds.).

Lyver. See Levers.

Mace. The usual Som. name for the fruit of Querens Robur, L. Pulman, In W. Dev. Mess (E. D. S. Gloss, B. 6). Cfr. Mash.

Mace, Reed. Typha latifolia, L.—Turn. Herb. Nemnich gives the name simply as Mace. Mace was an old English (A.-N.) word for a club.

Mackarel (Macrell) Mint. Mentha viridis, L .- Ger.

Mad. 'A species of nightshade.' Hal. Wr. Atropa Belladonna, L.?—We have not met with the name elsewhere.

Madder. (1) The root of Rubia tinctorum, L.—Turn. Lib. Prior, p. 141.

(2) Anthemis Cotula, L.—Dors. Dors. Gloss.; Hants.; West, Hal. Wr., Pulman; but usually spelt Madders.

Madder, Field. A book-name for Sherardia arvensis, L.—Prior, p. 78.

Madder, Wild. Galium Mollugo, L .- With. ed. ii.

Madderlen. Sherardia arvensis, L.—A book-name (diminutive of Madder) invented by Dr. J. Hill (Herb. Brit. 1769).

Madders. See Madder (2).

Mad Dog's Berries. Solanum Dulcamara, L.-Moray (Elgin).

Madenwede. Anthemis Cotula, L .- Turn. Herb. See Mayweed.

Mader-wort. 'The herb mugwort.' Hal. Wr. Artemisia Absinthium, L. Archæologia, xxx. 410. Cfr. Motherwort.

- Madge-mony-legs. Triticum caninum, L. From its numerous creeping roots, which quickly fill the soil. Yks. Cfr. Meg-many-
- Madnep. (1) Pastinaca sativa, L.- 'Nostrates asserunt Pastinacas vetustiores torporem et delirium inducere, unde eas Mad neppes vocant.' R. Cat.
 - (2) Heracleum Sphondylium, L.-Ger. (p. 856), who speaks of it as being usefully employed in cases of insanity. Prior (p. 141) prefers to regard the name as a corruption of mead-nape.

Madonna Lily. A modern book-name for Lilium candidum, L.

Mad Woman's Milk. Euphorbia Helioscopia, L.-S. Bucks.

Madwort. This is synonymous in Ger. with Heal-dog (which see), but it is not easy to ascertain what plant was originally intended under the name. Parkinson (Theatr. 589) says (under the heading ' Alyssum -Madwort'), 'This name Alyssum is diversly confounded, both by the ancient and moderne writers, being referred to divers herbes:' he describes various and very different species in this chapter. In more modern books Asperugo procumbens, L., is called Madwort (Prior, p. 141) or German Madwort (With. ed. ii.), but it is certainly not the German Madwort of Gerard, which is a species of Stachys or Sideritis.

Maghet. Pyrethrum Parthenium, L.—Treas. Bot. Prior, p. 141, who also includes Anthemis, Achillea, Bellis, Chrysanthemum, Matricaria, &c.

Maiden-hair, or Maiden's-hair. (1) The common name for Adiantum Capillus-veneris, L.-Called also Maiden-hair Fern and Black Maiden-hair, which see. 'The lye wherein Maidenhaire is sodden or infused is good to bathe the head, and make the haire come thicker in those places which are more thin and bare.' Coles, A. of S., p. 91. Prior, p. 77.

(2) Narthecium ossifragum, L.-Lanc. 'In Lancashire is used by women to die their haire of a yellowish colour, and therefore by them it is termed Maiden-haire, if we may believe Lobell.' Ger. Emac., 96.

Prior, p. 142.

(3) Galium verum, L. - 'In the north countrey Maydensheire.' Turn. Names. Yks. Merrett's Pinax. Coles (A. in E.) gives it as Maid's hair, and says it is so called 'from the fineness of the leaves.' Prior, p. 142.

(4) Briza media, L.—Norf.; Wight, Fl. Vect. Parkinson (Theatr. 1166) says it is called by gentlewomen 'Maiden-haire Grass, or rather Meade haire Grasse.' Prior, p. 142.

(5) Cuscuta Epithymum, Murr.-Wight, Fl. Vect.

(6) Nepeta Glechoma, Benth.— Some country people that would have the barren Ivy to be the true Ground-Ivy, call the other Maidenhair.' Coles, A. in E., 53.

(7) Asplenium Trichomanes, L.-Lyte, Turn. Herb. This was also called Common (Lyte, Ger.) or English (Turn. Herb. Lyte) Maidenhair. A. Ruta-muraria, L., is called White Maidenhair by Ger.

Maiden-hair, Golden. See Golden Maiden-hair.

Maiden-hair Grass. See Maiden-hair (4).

Maidenheads. Sanguisorba officinalis, L.-Yks. (Tadcaster).

Maiden-lips. 'The plant lappago.' Wr.

Maiden Mercury. Male plants of Mercurialis annua, L.—Lyte. See Girl's Mercury.

Maiden Oak. Quercus sessiliflora, Ehrh., as distinguished from Q. pedunculata, Ehrh.—Hants. Phyt. iii. 883, o. s.

Maiden Pink. A common book-name for Dianthus deltoides, L., understood by Prior (p. 142) as 'a mistake for mead-pink, a pink that grows in meadows.' But the name seems to us rather an abbreviation of Maidenly Pink, which Ger. (p. 477) gives as a translation of Cary-ophyllus virgineus, saying 'This virginlike Pinke [has] . . . flowers of a blush colour, whereof it tooke his name.' A parallel is found in the garden rose popularly known as 'Maiden's Blush.'

Maidens' Honesty. Clematis Vitalba, L.—' About Michaelmass all the hedges about Thickwood (in the parish Colerne) [Wilts] are as it were hung with maydens honesty: which looks very fine.' Aubrey's Wilts, Royal Soc. MS., p. 120. Hal. and Wr. interpret this as 'the plant honesty,' but the Clematis is meant.

Maid-in-the-Mist. Cotyledon Umbilicus, L .- S. Scotl. Jamieson.

Maid of the Meadow. Spira Ulmaria, L.-W. Ches. (Maid-of-the-Mead).

Maid's Hair. Prior, p. 142. See Maiden-hair (3).

Maid's-love. Artemisia Abrotanum, L.-Nhamp. Wr.

Maidsweet. A misprint for Meadsweet. Ger. 886.

Maidweed. See Mayweed.

Maierom. Origanum Majorana, L.—A spelling of Marjoram given by Tusser.

Maiken. Iris Pseudacorus, L.-N. Lanc.

[Mailkes, Red. Hal. and Wr. give this name, and explain it 'the corn poppy.' It is, however, doubtless a misprint for Red Maithes, which see.]

Mails. Chenopodium album, L.—Ayrsh. Jamieson. Cfr. Miles.

Maithen. See Mathes.

Maithes. See Mathes.

Majoram. A spelling of Marjoram, which see. Prior, p. 146.

Makebate. A name given by Ger. (1129) to Jasminum fruticans, L., which he calls 'Polemonium seu Trifolium fruticans:' it has been erroneously applied by modern writers, as well as by Prior (p. 143), to the plant now called Polemonium caruleum, L. Skinner suggests an origin for the name which seems purely imaginary: he says: 'Forte an quia ab absurdo & credulo vulgo conjugibus in lecto interpositum inimicitias & dissidia inter eos serere creditum est.'

Parkinson says: 'Gerard saith it is called Make bate, yet I know not where nor by whom' (Theatr. 1466).

Make-beggar. 'The annual pearlwort.' Hal. Wr. This is either Spergula arvensis, L. (called Beggarweed in Beds.) or Sagina procumbens, L., which is called Poverty in Norfolk.

Makepeace. Betula alba, L. (Birch), which, says Coles, 'hath an admirable influence upon [children] to quiet them when they are out of order, and therefore some call it makepeace.' A. in E., 594.

Makinboy. Euphorbia hiberna, L.—This name has got into English books—e.g. With. ed. ii., &c.—from Threlkeld, and is a corruption of an Irish name. 'In Galway it is known as makkin-bwee: makkin originally meant root, but is colloquially applied to the parsnip; bwee means yellow—makkin-bwee in English is therefore yellow parsnip.' Journ. Bot., 1873, p. 339, where there is a note on the popular use of the plant in Ireland at the present time.

Male. Leontodon Taraxacum, L .- Dors. Hal.

Male Fern. See Fern, Male.

Male Hemp. See Hemp, Male.

Male Knot-grass. See Knot-grass (1).

Male Pimpernel. Anagallis arvensis, L. (the ordinary red-flowered form).—Lyte, who distinguishes the blue-flowered variety as Female Pimpernel, which see.

Malice. See Mallow (1).

Mallard. See Mallow (1).

Mallow. (1) The common name for the species of Malva, M. sylvestris, L., being the Mallow par excellence.—Turn. Names, Lyte. Cumb. E. D. S. Gloss, C. 8; E. Bord. Bot. E. Bord.; and in general use. Prior, p. 143. The name varies in pronunciation and spelling: Hal. gives Malice (spelt Mallace by a Hants. correspondent) as a Dev. form; Mallard is a Berks. form; Hal. and Wr. give Malue (Reliq. Antiq. i. 53); a Bucks. correspondent spells it Mullers; from Fks. we have Mole; and Mauls (which see) is a wide-spread form, from which the transition to the Scotch (Jamieson) and E. Bord. (Bot. E. Bord.) Maws is easy. We have Mallow-rocks sent us by a Dors. correspondent. If really in use, this may be a corruption of Mallow-hocks, Hock or Hock-herb being an old name for the mallow, 'from Lat. alcea' (Prior, p. 114).

(2) Zostera marina, L.—Orkneys, Jamieson.

Mallow, Dwarf. Malva rotundifolia, L.-Lyte.

Mallow, Marsh. (1) Malva sylvestris, L.—Pratt. S. Bucks.; Ches. (including M. rotundifolia, L.); Cumb. E. D. S. Gloss. C. 8; Glow. (Mash Mallow); Sal.; E. Yks.; Warw.; Worc.; Dumfriessh. This common pronunciation of the name, with its application to M. sylvestris, is not to be taken as a mispronunciation and misapplication of Marsh Mallow, but rather refers to the use of the Mallow in fomentations and mashes.

(2) Althea officinalis, L.-Ger. Suff.; Yks. Turn. Names (Marish

Mallowe). Coles (A, in E., 328) has also Moorish Mallow. Mersmalewe is an old form: MS. Sloane 5, f. 2 (Hal.). Prior, p. 143.

(3) Caltha palustris, L.—N. Yks.

Mallow, Musk. A common book-name for Malva moschata, L., in allusion to the odour of its foliage.—With. ed. ii. Prior, p. 143.

Mallow, Tree. Lavatera arborea, L.-With. ed. ii. Prior, p. 143.

Mallow, White. Althea officinalis, L .- Ger.

Mallow-rocks. See Mallow (1).

Malue. See Mallow (1).

Mamma's Milk. Euphorbia Helioscopia, L.—S. Bucks.

Mandrake. (1) Mandragora officinalis, L., the root of which has from very early times been popularly endowed with supernatural properties. A sketch of its popular history by one of us will be found in Gard Chron. for Sept. 5, 1874 (p. 289). Gerard says: 'In English we call it Mandrake, Mandrage, and Mandragon.' Hal.

- (2) Bryonia dioica, I.—'The root sometimes groweth to the bignesse of a childe of a yeere old, so that it hath been by some cut into the forme of a man, and called a mandrake, being set againe into the earth.' Coles, A. in E., 300. Full directions for making 'the counterfeit mandrake which hath been sold by deceivers for much money, from the 'great double root of Briony,' will be found in Lupton's Notable Things, Book iii. No. 39 (1675). Gerard (p. 281) says that 'the idle drones that have little or nothing to do but eate and drinke, have bestowed some of their time in carving the roots of Brionie, forming them to the shape of men and women; which falsifying practise hath confirmed the errour amongst the simple and unlearned people, who have taken them upon their report to be the true Mandrakes.' W. Ches.; Heref.; Leic. (Belgrave); N.-W. Linc. E. D. S. Gloss. C. 6; Sal.; Worc. Phyt. v. 159, N. s.; Yks.; Warw.; Wight, Fl. Vect. Prior, p. 143.
 - (3) Tamus communis, L.—Yks.
 - (4) Arum maculatum, L .- Yks.

Manelet. Chrysanthemum segetum, L.—Scotl. Jamieson.

Manicon. 'A kind of Nightshade.

"Bewitch Hermetic men to run Stark staring mad with manicon."

Hudibras, III. i. 324.' Hal. Wr.

Probably Atropa Belladonna, L.

Manna Grass. Prior (p. 144) gives this as a name for Glyceria fluitans, Br.—'The seeds . . . are collected in several parts of Germany and Poland, under the name of Manna-seeds.' Mart. Mill. It is not, however, the Manna Grass of Gerard, which is a species of Digitaria.

Man Orchis. In Holdich's Essay on Weeding applied to Orchis mascula, L., O. Morio, L., O. latifolia, L., and O. maculata, L.—It is usually assigned in books to Aceras anthropophora, Br., which is also called Green Man or Green Man Orchis.

Man's-motherwort. 'The herb Palma Christi,' Ger. Appx. Hal. Wr. Ricinus communis, L.

Mantle, Lady's. See Lady's Mantle.

Maple. (1) The common name for Acer campestre, L.—Lyte. N. Yks.; E. Bord. Bot. E. Bord. In the Midlands pronounced Mauple (E. D. S. Gloss. B. 5). Prior, p. 144 (who spells it Mapel, according to its derivation).

(2) Acer Pseudo-platanus, L.-S. Cumb.

Maple Service. Pyrus torminalis, L.—Pratt.

Map-lichen. A common book-name for Lecidea geographica, Hook.
—Prior, p. 144.

Maram. See Marram.

Marble-flower. 'Ni fallor, Papaveris species, flore eleganti, à colore variegato instar Marmoris varii, sic dicta.' Skinner. We have not met with the name elsewhere. Probably a garden form of Papaver somniferum, L.

March, or Merch (Archæologia, xxx. 410). Apium graveolens, L.
—Lyte. Hal. Wr. 'Da. märke, Sw. mærki, the old name of parsley.'
Prior, p. 144, which see.

March, Wood. Sanicula europæa, L.-Ger. Appx.

March Beetle. See Beetle, March.

March Daisy. 'Probably the early flowers of Bellis perennis.'
Nhamp. Nth. Gloss.

March Pestill. Typha latifolia, L .- Lyte.

March Violet. Viola odorata, L.—Lyte. From the time of their flowering. 'March Violets... must be set of whole plants in a well manured ground, and digd the depth of a foote before the Kalends of March.' Surflet's Countrie Farme, 302. Prior, p. 243.

Marcury. See Mercury.

Mardling. Lemna minor, L.—Suff.

Mare-blob. Caltha palustris, L.—Derb. (Mere-blobs), Reliquary, vi. 163; Nhamp. Nth. Gloss., Wr.; Warw. Prior, p. 145. See Blob.

Marefart. Senecio Jacobæa, L.—Hal. Wr. Ches.

Mare's-fat. Inula dysenterica, L.-Hal. Wr. Norf. Holl.

Mare's Tail. The common book-name for Hippuris vulgaris, L.—With. ed. ii. 'A plant called in old herbals "Female Horse-tail," Lat. cauda equina foemina, being looked upon as the female of the larger and stronger Equisetum fluviatile. Modern botanists, following Hudson, have shifted the hyphen, and chosen to understand the name as "Female-horse tail" or Mare's Tail.' Prior, p. 145. The name is, however, often applied to the Equiseta, as by Sir Joseph Hooker in

his address to the British Association at Norwich (1868), and by Tennyson in Aylmer's Field:

'The pretty marestail forest, fairy pines.'

E. Yks.

Margan. See Morgan.

Margaret's Herb, or Marguerite. Bellis perennis, L.—See Herb Margaret. In Lyte's MS. notes to Dodoens (Bibl. Mus. Brit. 442, h. 9, p. 126) it is called Brave Margaret. Prior, p. 145.

Marian. (1) Carduus lanceolatus, L.—Forfarsh., where children blow the pappus from the receptacle, saying:

'Marian, Marian, what's the time of day? One o'clock, two o'clock—it's time we were away.'

(2) Campanula medium, L.—'Some call it Marian.' Park. Parad., p. 357.

Marian's Violet. Campanula medium, L.—From its old Latin name, Viola Mariana. Lyte, 173. Ger. calls it Mariet—' of some Mariettes'—a name which Prior (p. 146) wrongly assigns to C. Trachelium, L. See Marian (2).

Marigold, or Marygold. (1) The general name for Calendula officinalis, L.—Lyte. Ches.; Linc. (Marygowd), E. D. S. Gloss. C. 6. In Grete Herball, Mary gowles. See Mr. Ellacombe's Plant-lore of Shakespeare, p. 119. Prior, p. 146.

(2) Caltha palustris, L.—Yks. (Northallerton).

(3) Chrysanthemum segetum, L.-W. Ches.

Marigold, African. See Affrican.

Marigold, Bur. A book-name for Bidens tripartita, L., and B. cernua, L.—With. ed. vii. Prior, p. 33.

Marigold, Corn. See Corn Marigold.

Marigold, Field. Chrysanthemum segetum, L.—Sal.

Marigold, French. A garden name for Tagetes patula, L.

Marigold, Marsh. The common name for Caltha palustris, L.—Lyte. W. Ches.; Suff.; Yks.

'The wild marsh marigold shines like fire in swamps and hollows gray.'
Tennyson's May Queen.

Prior, p. 146.

Marigold, Wild (Lyte; Irel. Belfast), or Yellow (E. Bord. Bot. E. Bord.). Chrysanthemum segetum, L.

Marigold Goldins. Chrysanthenum segetum, L.—Ireland (Belfast).

Marine Sauce. 'A name sometimes given to the common Laver, Porphyra vulgaris.' Treas. Bot.

Marjoram (in Turn. Lib. Margerum). (1) Origanum Majorana, L.—Prior, p. 146.

(2) Origanum vulgare, L.—S.-W. Cumb.

Marjoram, English (Lyte, who spells it Marierom), Grove (Culpeper), or Wild (E. Bord. Bot. E. Bord.). Origanum vulgare, L.

Markerry. See Mercury (1).

Marle. Mespilus germanica, L.—'Medlars or marles.' Tusser, E. D. S., Series D., p. 76.

Marl-grass. Trifolium medium, L., and less frequently T. pratense, L.—Hudson, Fl. Anglica. In With. ed. iv. it is stated that the true Marl-grass of shops is the native T. pratense.'

Marmaritin. Pasonia officinalis, L.—'In Middleton's "Witch:"
Lat. in Pliny marmaritis, the Peony.' Prior, p. 146.

Marquery. See Mercury.

Marram. Psamma arenaria, Beauv.—'The people all along the coaste of Norfolke and Suffolke call it Marram.' Park. Theatr. 1200. Hal. Wr.; E. D. S. Gloss. B. 3. In Norfolk the places where this abounds are called Marrams—e. g. 'Caistor Marrams.' See New Bot. Guide, p. 133. Prior (p. 144) spells it Maram, Grose has Marem, and Pratt Marum A Norf. correspondent gives Murram. Morran is an Irish form. 'Our country women in Fingall call these Morranes.' Threlkeld.

Marrube. 'Lavender cotton.' Hal. Wr. Most likely Marrubium vulgare, L.

Marsh, or Marish, Beetle. Prior, p. 146. See Beetle, March.

Marsh is applied as a qualifying adjective to a great many plantnames, but we do not think it necessary to enter the whole of them
under this word.

Marsh, or Marish Berries. Vaccinium Oxycoccos, L .- Lyte.

Marsh Claver. Menyanthes trifoliata, L.—Ger. i. e. Marsh Clover, Claver being an older and more correct spelling. See Claver. With. (ed. ii.) spells it Marsh Cleaver.

Marsh Corn. Potentilla anserina, L.—Belf. Flora Belfastiensis.

Marsh Daisy. Armeria maritima, L .- Cumb. E. D. S. Gloss. C. 8.

Marsh, or Marish, Elder. Viburnum Opulus, L.—Lyte, Prior, p. 146.

Marsh Flower. A book-name, but not an appropriate one, for Limnanthemum nymphæoides, Lk., given by Prior (p. 146).

Marsh Gillofer, or Gilliflower. See Gilliflower, Marsh.

Marsh Holy Rose. A book-name for Andromeda polifolia, L.—With. ed. ii. Prior, p. 146.

Marshlocks. A book-name for Comarum palustre, L.-With. ed. ii.

Marsh Mallow. See Mallow, Marsh.

Marsh Marigold. See Marigold, Marsh.

Marsh Parsley. Apium graveolens, L.—Prior, p. 147. 'Because it is a kind of Parsly, growing naturally in marshy places.' Coles, A. in E., 290.

Marsh Pestle. Typha latifolia, L.-Prior, p. 146.

Marsh Pilewort. Ranunculus Ficaria, L .- Nhamp. Nth. Gloss.

Marsh Samphire. Salicornia herbacea, L.—With. ed. vii. E. Bord. Bot. E. Bord. 'The English use the pickled shoots like Sampire to stir up an Appetite, and call it Marsh Sampire. I eat some of it so prepared in an English man's house in this city [Dublin], and who would threap me down that it was Sampire, and so named in his country of Lincolnshire.' Threlkeld. Prior, p. 147.

Marsh Trefoil. Menyanthes trifoliata, L.—A translation of its old Latin name, Trifolium palustre. Ger. Prior, p. 147.

Marshweed. Equisetum palustre, L.—Dev. (Exmoor). Referred to under this name in Mr. R. D. Blackmore's novel, 'Lorna Doone.'

Marsh, or Marish, Whorts, Vaccinium Oxycoccos, L. - Lyte, Prior, p. 147 (Marsh-worts). Ger. has Marsh Whortleberries,

Marvel. Marrubium vulgare, L.-Hal. Wr. Suss. Parish.

Mary-bud. Calendula officinalis, L .- Wr.

'Winking Mary-buds begin To ope their golden eyes.' Cymbeline, Act ii. sc. 3.

This has given rise to some discussion, but the plant above-named is almost certainly meant. Chatterton speaks of

'The marybud that shutteth with the light.'

Prior, p. 147.

Marygowd, Marygowles. See Marigold.

Mary Gowlan. See Gowlan, Mary.

Mary's (St.) Seed. Sonchus oleraceus, L.—Ger. Appx. 'S. Maries seede is Southistle seede.'

For other plants dedicated to the Blessed Virgin, see under Lady and Virgin.

Mascorns (Moray, Fl. M.), or Mascrop (Scotl. Jamieson). Potentilla anserina, L.—Jamieson has also Mosscorns.

Maser Tree. Acer campestre, L.—Early Lowland Scotch. E. D. S. Gloss, B. 13. See Prior, p. 147. Jamieson has Maser or Mazer. The wood was formerly called Mazer-wood, and bowls made from it were known as Mazer-bowls.

Mash Mallow. See Mallow, Marsh.

Maskert, Swine's. Stachys palustris, L.—Scotl. Jamieson, who also has Swine's Mosscort.

Mast. (1) The fruit of Fagus sylvatica, L.—Tusser, E. D. S., Series D. 'In Hants, the fruit of the beech tree is called Mast or Beech Mast; and when hogs are turned out into the woods in autumn to feed on it, they are said to be turned out to mast.' Holl. See Buck Mast.

(2) Fruit of Quercus Robur, L.—Lyte, Tusser, E. D. S., Series D.

Dev. (Masts), E. D. S. Gloss. B. 6; Grose (Mass).

- Masterwort. Peucedanum Ostruthium, Koch.-Lyte, who includes in the same chapter Ægopodium Podagraria, L., and says: 'Whereas these herbes have once taken roote, they wyll there remayne willingly, and do yearely increase and spreade abroade, getting more grounde dayly: for which cause as I thinke it was first called Imperatoria or Masterwoortz in Douch.' Lyte, p. 300. Prior (p. 147) suggests a different explanation.
- Masterwort, Black. Astrantia major, L.-A name proposed by Gerard (p. 828).
- Mast Tree. Pinus Abies, L.-Ger. 'Sic dicta quia ex ea mali navium conficiuntur.' Skinner.
- Matfellon, or Matfilon. Centaurea nigra, L., and C. Scabiosa, L.— Ger. Hal. Wr. 'It is also called Materfillon and Matrefillon, of a corrupted word as it seemeth.' Ger. Lyte gives Materfilon as the shop name. Prior, p. 147.
- Mat-grass. (1) Psamma arenaria, Beauv.—Norf. (2) Nardus stricta, L.-With. ed. ii. Prior, p. 148.
- Mathes, or Maithes. Anthemis Cotula, L.—Ger. Index. Under this name we may place many slightly varying forms of it—e. g. Mather or Mathern (Lyte, Dors., Hants., Warw.), Mauthern (Wilts. Hal. Wr.), Mavin (Suss. Phyt. iii. 435, o. s.), Maythig (Sal.), Mawth (Hal. Wr.), Mawthen (Wight, Fl. Vect.; Ger. Appx.), Mawther (Prior, p. 149), Maithen (Archæologia, xxx. 410, Grete Herball, Sal.), Maithen (Archæologia, xxx. 410, Grete Herball, Sal.), Maise (Sal.), Meaden (Dors. Dors. Gloss.), Mazes (Linc. E. D. S. Gloss. C. 6), Moithern (Sal.). The name is often applied also to Chrysanthemum Leucanthemum, L., and to the allied species of Matricaria, &c. Dr. Prior's notes upon this name and allied ones should be consulted; see also Cockayne, ii. 391. Dr. J. Hill (Herbarium Brittanicum, 1769) applies Maithen to the genus Crepis. See also Mayweed, to which Mathwede (Turn. Herb.) and Maitheweed (North, Grose) are transitional.
- Mathes, Red. Adonis autumnolis, L.-Lyte. 'In English we may call it red Maythes: by which name it is called of them that dwell where it groweth naturally (Ger. 310)—i.e. according to the same author, 'in the west parts of Englands among the corne.' The 'fine jagged leaves very despely cut like those of Maiwood (Ger.) suggested the name. Prior, p. 143.
- Mat-reed (leaves of Typha latifolia, L.; Lyte), Mat-rush (Scirpus locustris, L.; Lyte), or Maturaed (Typhu latifolia, L.; Culpaper; Primma arenaria, Beaux.; Ger.; Nordas stricta, L.; With ot. ii.; and Sportina stricta, Roth.; Ger.). Names alluding to the use of the leaves or stems for making muts. Prior, p. 148.
- Matwourth, Archaeologia, xxx. 410. "The herb sprague." Mal.

 "The plant asperuge." Wr. We cannot identify this.
- Mandlin. (1) Bolomita sulgeria, Willd.—In Tooms Mawkellin; in Lyte Mewsfellein, Pictor, p. 140. (2) Activities Aperatum, L. Gen. Skinner calls it Sweet Mouthin.

Prior, p. 54E.

Mandinwood. Chrymenianum Lancontheming, L. - Lyte Change

lynwurte). In his MS. notes in Dodoens (Bibl. Mus. Brit. 442, h. 9), p. 126, the name is also applied to Bellis perennis, L. Prior, p. 149.

Maul, Maule, Mauls, or Mawls. Malva sylvestris, L.—Hal. Wr. With. ed. ii. N. Counties, Grose; N.-W. Linc. E. D. S. Gloss. C. 6; var. dial. Ray; Yks. E. D. S. Gloss. B. 2, C. 2, and C. 5, Prior, p. 150. See Mallow.

Mauple. See Maple.

Mawe's (St.) Clover. See Clover, St. Mawe's.

Mawroll. Marrubium vulgare, L.-Ger. Appx. Hal. Wr.

Maws. (1) Malva sylvestris, L.—See Mallow (1).

(2) Papaver Rhæas, L. (Wild Maws).-Derb.

Mawseed. The name by which the seeds of Papaver somniferum, L., are commonly sold for feeding cage birds. Prior, p. 150.

Mawth. See Mathes.

May. (1) Crategus Oxyacantha, L. (generally applied to the blossoms only).—Ger. (Maybush); Grose (Maybloom); Hal. Wr.; Camb.; Cornw.; Cumb. (Winderwath, May Flower); Dors. Dors. Gloss.; N. Ess.; Herts.; N.-W. Linc. (the bush May-tree), E. D. S. Gloss. C. 6; Norf. Holl. (Maybush); Sal. (Ellesmere); Som.; Suff. Moor; Suss.; Warw.; Wilts. E. D. S. Gloss. B. 19; Yks. Pulman. Parkinson says we call it 'May or Maybush because our ordinary sort seldome or never flowreth before May and never after.' Theatr. 1026. Prior, p. 150. The berries are called May-fruits in Yks.

(2) Syringa vulgaris, L.—Dev.

(3) Flowers of Acer Pseudo-platanus, L.—Cornw. In every case from the time of flowering.

May, Blackthorn. Prunus spinosa, L.-Middx. (Brentford).

May, Italian. Spirae hypericifolia, DC.—'Once bore [this name] in London gardens.' Loudon, Arboretum, ii. 727. In Treas. Bot the name is erroneously assigned to S. Filipendula, L.

May Blob. (1) Caltha palustris, L.—Wr. Leic.; Nhamp. Nth. Gloss.; Notts.; Rutl.; Warw. Phyt. vi. 416, N. S.; Wilts. (May Blub). See Blob (1).

(2) Cardamine pratensis, L.-Wr. Nhamp. Nth. Gloss.

May Blossoms. Convallaria majalis, L.—Lyte, Hal. Wr.

Maybush. See May.

May Flower. On account of the season of their blooming.

- (1) Cardamine pratensis, L.—Ches.; Lanc. (about Manchester); Roxburghsh. Bot. E. Bord.
- (2) Caltha palustris, L.—W. Ches.; S.-W. Cumb.; Sal. (Newport); W. Worc.; Ireland (Belfast).
 - (3) Syringa vulgaris, L.—Cornw. (gardens).
 - (3) Stellaria Holostea, L .- S,-W. Cumb,
- (5) Primula veris, L.—' We call it a May-flower.' Holme's Acad. of Armory, ii. 70.

In America Azalea nodiflora, L., is so called. Loudon, Arboretum, ii. 1150: that of New England is Epigæa repens, L.

May Gowan. See Gowan, May.

May-grass. Stellaria Holostea, L.—Sal. (Pulverbatch).

May Lily. Convallaria majalis, L. - Prior, p. 150. A name invented by Turner (Names).

Viburnum Opulus, L.—Nemnich. May Rose.

May-spink. Primula vulgaris, L.—Aberdeensh.; Mearns, Jamieson.

Mayweed. A name commonly applied to Anthemis Cotula, L. (Lyte, Hal. Wr., Middx., Suff., Suss., &c.), but often including similar plants, as Matricaria inodora, L. (Herts.), M. Chamomilla, L. (Prior, p. 150), Pyrethrum Parthenium, L. (var. dial. Hal.), and Chrysunthemum Leucanthemum, L. (Suff.). Among the variations of the name may be noted Maidweed (Lupton's Notable Things, bk. viii. No. 45), Maidewode (Wr.; spelt Maydewode by Hal.), and Maitheweed (see Mathes). Tusser's line, 'The Mayweed doth burn,' has reference to the acrid juice of the plant: see a note by one of us in the E. D. S. ed. of Tusser, p. 284; and W. Ellis's Modern Husbandman, vol. iv. pt. 4, p. 132 (1750). Anthriscus sylvestris, Hoffm., is referred to incidentally under this name in some observations on Worc. plants in Phyt, iii. 195, o. s.

Maywort. Galium Cruciata, Scop.—Treas. Bot. Prior, p. 150.

Mazalium. See Mezereon.

Mazard, Mazzard, or Mazzards. (1) 'A kind of cherry. dial. It is in good esteem for making cherry-brandy.' Hal. Wr. Prunus Avium, L.—Cornw.; Dev.; Glou. Grose, Cotswold Gloss.; Som., Mr. F. T. Elworthy, who adds: 'It is much cultivated in N. Devon, where there are many "mazzard-gardens" or orchards. A man with a long hooked nose is often described as "fit for a mazzard-picker," because he could hold on to the ladder with his nose and gather with both hands; "Wilts.; West Country, Ray, Pulman. Lyte has Mazers and Mazars. Prior, p. 150.

(2) Prunus Cerasus, L .- Dev. (Mazzard Cherry, as if to distinguish it from the Mazzard); Glou. ; Worc.

Mazell (a corruption of Mezereon). Daphne Mezereon, L.-Hants. Bromfield MS.

Mazer. See Mazard (1) and Maser-tree.

Mazes. See Mathes.

Meaden. See Mathes.

Mead Hair Grass. See Maiden-hair Grass.

Meadow Bout. Caltha palustris, L.-With. ed. ii. Ches.; Lanc. Ger. gives Boots as the Ches. name. Prior, pp. 27, 150.

Meadow, like marsh, is prefixed to many plant-names in books, but we do not think it necessary to enter all of them under this word.

Meadow Bright. Caltha palustris, L.—Nhamp. Nth. Gloss.

Meadow Cress. Cardamine pratensis, L.—Dale's Pharmacologia.

Meadow Crocus. Colchicum autumnale, L .- Yks.

Meadow Frisky. See Frisky, Meadow.

Meadow Gowan. Caltha palustris, L .- Ayrsh.

Meadow-grass. A book-name for the various species of Poa. P. trivialis, L., is the Fowl or Fold Meadow-grass. See Fowl-grass.

Meadow Nuts. Comarum palustre, L.—Ayrsh., the roots being eaten by children.

Meadow Parsnep. Heracleum Sphondylium, L. — Turn. Herb. Prior, p. 150.

Meadow Pink. (1) Lychnis Flos-cuculi, L. (from the resemblance of its laciniated petals to those of Dianthus plumarius, L.).—Stirlingsh., where it is called Meadow Spink. Prior, p. 150.

(2) Dianthus deltoides, L.-Prior, p. 150.

Meadow Rattle. Rhinanthus Crista-galli, L.—Wr. Hal. and Wr. also have Medrattle, from a xiii. cent. MS.

Meadow Rhubarb. Coles gives this name (A. of S., p. 18). Thalictrum flavum, L., is probably meant, which was formerly called Ruta pratensis (see Ger. p. 1068).

Meadow Rocket. From the description of the plant, and its being employed as a love-charm, no doubt Orchis latifolia, L., is intended by this name in Mactaggart's Scottish Gallovidian Encyclopædia, p. 174. He says: 'There are few districts in Scotland which have not their own name to this plant; in Annandale, and by the Border, it is meadow rocket; in the west and greater part of Ireland mount caper.' He describes it under the name Dodjell Reepan.

Meadow Rue. A book-name for Thalictrum flavum, L.—With. ed. ii. Prior, p. 151.

Meadow Saffron. A common book-name for Colchicum autumnale, L.—Turn. Herb. Prior, p. 151.

Meadow Saxifrage. A book-name for Silaus pratensis, Besser.—With. ed. ii. Prior, p. 151.

Meadow Soft Grass. A book-name for Holcus lanatus, L., and H. mollis, L.—With. ed. ii.

Meadow Spink. See Meadow Pink.

Meadow Sweet. The common name of Spirea Ulmaria, L.—Ger., who also gives Mede-sweet and (Index) Meadsweet. Ches.; Cornw.; S.-W. Cumb.; E. Bord. Bot. E. Bord. Also called Meadow-wort:

'Amongst these strewing kinds some other wild that grow As burnet, all abroad, and meadow-wort they throw.' Drayton, Polyolbion.

Lyte has Meadwort. Prior, p. 151. Jamieson gives Meduart as the Scotch form (Sw. miocd-oert); Hal. has 'Medwurt, the herb regina;' and Wr. spells it Medwort, the same plant being intended in each case.

Meakins. See Mekkins.

Meal-berry. A book-name for Arctostaphylos Uva-ursi, L.—'Da. meelber, Norw. miölbær, from the floury character of the cellular structure of its fruit.' Prior, p. 151.

Meals. Various species of Atriplex and Chenopodium.—Cumb.: applied to C. album, L., in E. D. S. Gloss, C. 8, and spelt Meols. In Ger. Appx, we have Meedles (Hal. Wr.), and in Archæologia, xxx. 410, Medles,

Mealy-tree. Viburnum Lantana, L.—'Sic dictum quia ejus folia, instar farinæ, candida, mollia, et tomentosa sunt.' Skinner. With. ed. ii. Prior, p. 151.

Medetarde. 'Mead cress.' Hal. Wr. Archæologia, xxx. 410. Perhaps Cardamine pratensis, L.

Medewort, Wimanis. 'French cress.' Hal. We do not identify this.

Medick. A book-name for Medicago sativa, L., and other species.— With, ed. ii. Prior, p. 151.

Medick Fitch, or Medick Vetchling. Onobrychis sativa, L .- Lyte.

Medlar, or Medlar Tree. Mespilus Germanica, L. — Turn. Lib. Called also Dutch Medlar. Mart. Mill. Prior, p. 151.

Medratell. 'The herb germandria. See a list of plants in MS. Sloane 5, f. 5.' Hal. See Meadow Rattle.

Meduart. See Meadow Sweet.

Meedles. See Meals.

Meeks. Polygonum Bistorta, L.-Notts. Deering, Cat. Stirp.

Meet-her-i'-th'-entry-kiss-her-i'-th'-buttery. Viola tricolor, L.—
N.-W. Linc. E. D. S. Gloss. C. 6. This, which is probably the longest
plant-name in the English language, is only one amongst a great
number of similar names that have been given to the pansy in various
counties. See Buttery Entry, Look-up-and-kiss-me, Cull-me-toyou, &c.

Meg-many-feet, or Meg-wi-mony-feet. Ranunculus repens, L.—So called on account of its numerous runners, which root at every joint, fixing themselves with great tenacity to the soil, and spreading rapidly. Cumb. E. D. S. Gloss. C. 8. Also Meg-wi-many-teazz (toes). Cfr. Madge-mony-legs.

Megweed. Smyrnium Olusatrum, L.-Suss. (Shoreham).

Mekilwort. Atropa Belladonna, L.—Scotl. Jamieson.

Mekkin. (1) Iris Pseudacorus, L.—Cumb. E. D. S. Gloss, C. S. Flags or bulrushes. North. E. D. S. Gloss, B. 1 (Meakins).
(2) Ferns.—In Cumb. (Winderwath) all common wayside ferns are called Mekkins except Pteris aquilina, L.

Melancholy Gentleman. Hesperis tristis, L. (from its 'dark or sullen' colour).—Park, Parad. 260. Prior, p. 152.

Melancholy Thistle. A book-name for Carduus heterophyllus, L.—With. ed. ii. Prior, p. 152.

Melefowr. Achillea Millefolium, L.—'An old spelling of Milfoil.

"Plucking 'ane herb called melefowr, quhilk causis the nose bleed,"
—sitting on the right knee, and pulling it 'betuix the midfinger and thombe, and saying of in nomine Patris, Filit et Spiritus Sancti,' was to impart the faculty of prediction" (Trial of Elspeth Reoch, 12 March 1616. Rec. Ork. f. 63).' Dalyell's Darker Superstitions of Scotland (1834), p. 523.

Melgs. Chenopodium album, L.-Moray, Fl. M.

Melick, or Melick Grass. A book-name for the genus Melica.— With. ed. ii.

Melilot. The general book-name for Melilotus officinalis, L.—
'Mellilot is an herbe so named and y' sede is called mellylot also,'
Grete Herball. Turn. Names. Prior, p. 152.

Melilot Trefoil. Medicago lupulina, L.—'The old writers call it Melilot Trefoil.' Mart. Mill., but we have not met with the name in earlier works.

Melmot, or Melmont, Berries. Juniperus communis, L.—Moray, Jamieson.

Mel-silvestre. 'Honey-suckle.' Hal. Archæologia, xxx. 410.

Lonicera Periclymenum, L.

Meols. See Meals.

Meon. See Mew.

Merch. See March.

Mercury. (1) Mercurialis perennis, L.—Lyte, and now the common book-name. E. Yks.; E. Bord. Bot. E. Bord. Prior, p. 152.

(2) Chenopodium Bonus-Henricus, L.—'Of some it is taken for Mercurie.' Lyte, p. 561. This appears to be intended in Turn. Names, where he says: 'The herbe whiche is comunely called in english mercury hath nothyng to do with Mercurialis.' In Cogan's Haven of Health (p. 44) it seems also to be the plant referred to. He says it is not Mercurialis, and adds: 'It is a common proverbe among the people, Be thou sick or whole, put Mercurie in thy koale.' Cumb.; Linc. (where it is commonly cultivated as a pot-herb under the name of Marquery), Hal. Wr., E. D. S. Gloss. C. 6; E. Yks. Tusser mentions it in his list of 'seedes and herbes for the kitchen' (E. D. S., Series D., p. 93).

Mercury, Baron's. See Baron's Mercury.

Mercury, Boy's. See Boy's Mercury.

Mercury, Dog's. See Dog's Mercury.

Mercury, English. Chenopodium Bonus-Henricus, L.-Ger.

Mercury, False. See False Mercury.

Mercury, French. Mercurialis annua, L.-With. ed. ii. Prior, p. 102.

Mercury, Girl's. See Girl's Mercury.

Mercury, Wild. (1) Mercurialis perennis, L.-Lyte.

(2) Chenopodium Bonus-Henricus, L.-E. Bord. Bot. E. Bord.

(3) Digitalis purpurea, L. (or Scotch Mercury).—E. Bord. Bot. E. Bord.

Mercury Docken. Chenopodium Bonus-Henricus, L. — Mearns, Jamieson.

Mercury Leaf. 'Mercurialis perennis, L.'—S. Scotl. Jamieson. We suspect Chenopodium Bonus-Henricus, L., is the plant intended.

Mercury's Moist Blond. Verbena officinalis, L.—Ger.

Mercury's Violet. Campanula medium, L.—Ger. Park. Parad. Prior (p. 152) assigns the name to C. Trachelium, L.

Mere-blobs. See Mare-blob.

Merecrop. Anagallis arvensis, L.—Ger. Appx. Hal. Wr., who also have Morcrop, from Archæologia, xxx. 410.

Merlin's Grass. Isoetes lacustris, L.—G. W. Francis (Analysis of the British Flora). This is a translation of the Welsh name for the plant. In a MS, account of Samuel Brewer's Botanical Journey through Wales in the year 1726, preserved in the Botanical Department of the British Museum, is the following passage relating to it: [At Llyn Ogwen (Carnarvonshire) I saw] 'the horses very greedily eating of that which was cast upon the shore and that on the water; and the people tel me that they wait there every day for it, and leave good grass growing near it; and that it improves cattle better than any grass; and that the fish like it as well. The fish are larger there than in any of the other lakes, which they attribute to the eating of [this plant], which they call Gwair Merllyns; gwair is hay, and Merllyn was a Welsh prophet.'

Merry, or Merry-tree (the fruit Merries). Prunus Avium, L.—Wr. Bucks.; Ches.; Dors. Dors. Gloss.; Herts.; Lanc. T. Lawson (1688); Sal.; Westm. Lawson; Wight, Fl. Vect.; Wilts. Hal. Different varieties are known in Hants. as Black and Red Merry respectively, and in Ches. a form is known as White Merry.

Mersmalewe. See Mallow, Marsh (2).

Mesh. 'A species of Lichen which grows on apple-trees. Som.'
Holl. We do not know what is meant.

Mess. See Mace.

Mew, or Meu. A book-name for Meum athamanticum, Jacq., invented by Turner (Names), who says: 'It may be called in englishe mewe.' Ger. has 'Mewe or Meon,' Prior, p. 152.

Mezereon. The common name for Daphne Mezereon, L.—'The apothecaries of our countrie name it Mezereon.' Ger. 1216. Lyte and Ger. call it Dutch Mezereon. In Bucks, it is corrupted to Mazalium. Prior, p. 152. In Ches. the name is sometimes transferred to D. Laureola, L.

Mice, Dutch. Lathyrus tuberosus, L., is 'occasionally cultivated' under this name. Gard. Chron., 1860, p. 774. Ger. gives Muysenmet steerten as a 'high Dutch' name, and adds, 'that is to say, tailed Mise, of the similitude or likenes of domesticall Mise, which the blacke, rounde, and long nuts, with a peece of the slender string hanging out behind, do represent.' Ger. 1058.

Michaelmas Crocus. Colchicum autumnale, L.-Wilts. (Devizes).

Michaelmas Daisy. See Daisy, Michaelmas.

Michelwort. 'Elleborus albus. See a list of plants in MS. Sloane 5, f. 5.' Hal, Wr. Veratrum album, L.

Micken. Meum athamanticum, Jacq.—Forfarsh. (Highlands), Fl. Forf.; Aberdeensh., Stirlingsh. (Highland Micken), Dickie's Bot. Guide. In Jamieson printed Michen. See Moiken.

Midden Myles, or Mylies. Chenopodium album, L. — 'Orach, North Scotland, thus denominated as growing on dunghills.' Jamie-

Middle Comfrey (Lyte), or Consound. Ajuga reptans, L.—See Consound.

Midge-grass. Holcus lanatus, L.-E. Bord. Bot. E. Bord.

Midsummer Daisy. See Daisy, Midsummer.

Midsummer Men. Sedum Telephium, L.— 'The people of the countrey delight much to set it in pots and shelles on Midsomer Eve, or upon timber slattes and trenchers dawbed with clay, and so to set it or hang it up in their houses, wherein it remayneth greene a long season, and groweth, if it be sometimes over-sprinckled with water.' Lyte. It seems to have been thus used as a love divination. Prior, p. 153. In Bentham's Handbook of the British Flora the name is erroneously assigned to S. Rhodiola, L.

Midsummer Silver. 'In this place [Lingfield, Surrey] the Inhabitants are very fond of Ghirlands, or Garlands, made of Midsummer Silver, a little Herb, which continues all the Year of a bright Ash Colour, and have crowded the Church and their own Houses with them.' Aubrey, Nat. Hist. and Antiq. of Surrey, iii. 62 (1718). 'No such custom now prevails (1808), nor do old people remember it. The Midsummer Silver is common here.' Manning and Bray's Hist. of Surrey, ii. 340 (1809). The plant referred to is no doubt Potentilla anserina, L., which was called Argentina (which see) by old writers.

Mildew. Various species of fungi which affect the leaves or stems of plants. The disease of wheat known as mildew is due to Puccinia Graminis, Pers. Prior, p. 153.

Milds, or Miles. Chenopodium album, L.—E. Bord. Bot. E. Bord.;

Lothians, Roxburghsh. Jamieson. In Bot. E. Bord. spelt Myles: and

Boil myles in water, and chop them with butter, and you will have
a good dish,' is given as 'an old saying' (p. 171). The name is
extended in Ayrsh. to various species of Atriplex. Meals (which
see) and Meedles are other forms of the word: see also Midden
Myles.

Mile. Apium graveolens, L .- Roxburghsh. Jamieson.

Milfoil. Achillea Millefolium, L.—Lyte. E. Bord. Bot. E. Bord. In Turn. Lib. Myllefoly; in Grete Herball, Millefoly. Prior, p. 153.

Milfoil, Hooded Water. See Hooded Water Milfoil. Prior, p. 153.

Milfoil, Water. A book-name for several water-plants with finely-divided leaves resembling those of the Milfoil. Ger. assigns it to Ranunculus aquatilis, L.; the species of Myriophyllum are commonly so called in modern books (With, ed. iv.); it is also given to Hottonia palustris, L. (Prior, p. 153); and Utricularia vulgaris, L., is known as Hooded Water Milfoil (which see).

Milk-cans. Stellaria Holostea, L.—Ches. (Lymm).

Milk Gowan. Leontodon Taraxacum, L .- Forfarsh. Jamieson.

Milk Grass. Valerianella Olitoria, Moench.—'In June, at a distance, the fields look as if all covered with spilt milk; which is from a flower, for that reason called Milk-Grass (Lamb-Lettuce); for it has now lain six or seven years lee.' From a letter from a Scotch farmer printed in W. Ellis's Modern Husbandman, iii. pt. 2, 161 (1750).

Milk Maid, or Milk Maids. (1) Cardamine pratensis, L.—Dev. (Teignmouth); Middx.; Yks.

(2) Stellaria Holostea, L.—Dev.; Wight.

(3) Lotus corniculatus, L.—Suss.

(4) The flowers of Convolvulus sepium, L.-Suss. Parish.

Milk Maid's Eye. Veronica Chamædrys, L.—E. Bord. Bot. E. Bord.

Milkorts. See Milkwort (3).

Milk Parsley. A book-name for Peucedanum palustre, Mench.—With. ed. vii. Prior, p. 153.

Milksile. Cardamine pratensis, L .- Yks. See Lady's Milksile.

Milk Thistle. (1) A common name for Carduus Marianus, L., in allusion to the markings of the leaves. With ed. ii. Prior, p. 153.

(2) Sonchus oleraceus, L., in allusion to its milky juice. See Milky Dashell for variations of the name. Dors.; N. Linc. (Bottesford).

Milk-vetch. A common book-name for the genus Astragalus, L.— Prior, p. 153.

Milk-weed. (1) Sonchus oleraceus, L.—With. ed. ii., in allusion to its milky juice.

(2) Peucedanum palustre, Moench.—With. ed. ii. Called also Marsh Milkweed.

(3) Euphorbia Helioscopia, L.—Ess.; Herts.; East Anglia. It is popularly employed under this name as a remedy for corns. See The Bazaar newspaper, April 14, p. 284.

Milkwort. The common name for

(1) Polygala vulgaris, L., on account of its 'vertues in procuring

milke in the brests of nurses.' Ger. 450. Lyte. S.-W. Cumb.; N. Yks.; E. Bord. Bot. E. Bord. Prior, p. 154.

(2) Glaux maritima, L.— This taken with meate, drinke, or potage, ingendreth plenty of milke: therefore it is goode to be used of nurses that lacke milke. The same vertue hath Polygala taken with his leaves and flowers.' Lyte. Commonly called Sea Milkwort in modern books. Prior, p. 154.

(3) Roots of Campanula rotundifolia, L. (Milkworts or Milkorts).

-N. Scotl. Jamieson.

Milkwort, Our Lady's. See Lady's (Our) Milkwort.

Milkwort, Sea. See Milkwort (2).

Milky Dashell, i. e. Milky Thistle (Cornw., Dev.), Milky Dickle (Dev.), or Milky Tassel (Cornw.). Sonchus oleraceus, L.

Milky Parsley, Wild. Peucedanum palustre, Monch.—A book-name invented by Parkinson: 'Bauhinus calleth it Apium sylvestre lucteo succo turgens, and thereupon I have entituled it in English Wild Milkie Parsley, to distinguish it from other sorts of wilde Parsley." Park, Theatr. p. 928.

Millefoly. See Milfoil.

Miller's Star. Stellaria Holostea, L.—Suss.

Millet. (1) The common commercial name for Panicum miliaceum, L.-Lyte. Prior, p. 154, who also includes Milium, Paspalum, and Sorghum.

(2) Phalaris canariensis, L.-Lyte, who says that some apothecaries so call it.

(3) Scirpus sylvaticus, L.—Wight, Fl. Vect.

Millet Grass. Milium effusum, L.—Ger. Wood Millet Grass is a common book-name for it.

Mill-mountain. Linum catharticum, L.—In Ger. Emac. (p. 559) is an account of this plant and its use in medicine by John Goodyer. He says it was then sold in Winchester (Hants.) by the above name. Prior (p. 154) would derive it 'from the Lat, cha-mæl-inum montanum," but we do not find that the latter word was part of any old name of the plant.

Miltwaste. Asplenium Ceterach, L.—It 'healeth the Melt that is hard and stopt.' Lyte. See Prior, p. 154, and Cockayne, i. 161.

Minarta. An Irish name for Geum urbanum, L., mentioned in N. & Q. 3rd Ser. iv. 383. The writer says he has 'failed to trace' the word 'in any of the Celtic glossaries,

Mingwort. Artemisia Absinthium, L.—North, Grose. Hal. Wr.

Minshull Crab. See Crab, Minshull.

Mint, or Wild Mint. The common name for the various species of Mentha. Prior, p. 155. Hal. and Wr. give Baulme Mint as 'water mint' (M. aquatica, L.?); Bergamot Mint is M. citrata, Ehrh. (Prior, p. 155; see Bergamot (2)); Brandy Mint is M. piperita, L.

Mile. Apium graveolens, L .- Roxburghsh, Jamieson.

Milfoil. Achillea Millefolium, L.—Lyte, E. Bord, Bot. E. Bord. In Turn. Lib. Myllefoly; in Grete Herball, Millefoly. Prior, p. 153.

Milfoil, Hooded Water. See Hooded Water Milfoil. Prior, p. 153.

Milfoil, Water. A book-name for several water-plants with finely-divided leaves resembling those of the Milfoil. Ger. assigns it to Ranunculus aquatilis, L.; the species of Myriophyllum are commonly so called in modern books (With. ed. iv.); it is also given to Hottonia palustris, L. (Prior, p. 153); and Utricularia vulgaris, L., is known as Hooded Water Milfoil (which see).

Milk-cans. Stellaria Holostea, L.—Ches. (Lymm).

Milk Gowan. Leontodon Taraxacum, L .- Forfarsh. Jamieson,

Milk Grass. Valerianella Olitoria, Moench.—'In June, at a distance, the fields look as if all covered with spilt milk; which is from a flower, for that reason called Milk-Grass (Lamb-Lettuce); for it has now lain six or seven years lee.' From a letter from a Scotch farmer printed in W. Ellis's Modern Husbandman, iii. pt. 2, 161 (1750).

Milk Maid, or Milk Maids. (1) Cardamine pratensis, L.—Dev. (Teignmouth); Middx.; Yks.

(2) Stellaria Holostea, L .- Dev. ; Wight.

(3) Lotus corniculatus, L.—Suss.

(4) The flowers of Convolvulus sepium, L.-Suss. Parish.

Milk Maid's Eye. Veronica Chamadrys, L.—E. Bord. Bot. E. Bord.

Milkorts. See Milkwort (3).

Milk Parsley. A book-name for Peucedanum palustre, Moench.— With. ed. vii. Prior, p. 153.

Milksile. Cardamine pratensis, L.—Yks. See Lady's Milksile.

Milk Thistle. (1) A common name for Carduus Marianus, L., in allusion to the markings of the leaves. With ed. ii. Prior, p. 153.

(2) Sonchus oleraceus, L., in allusion to its milky juice. See Milky Dashell for variations of the name. Dors.; N. Linc. (Bottesford).

Milk-vetch. A common book-name for the genus Astragalus, L.— Prior, p. 153.

Milk-weed. (1) Sonchus oleraceus, L.—With. ed. ii., in allusion to its milky juice.

(2) Peucedanum palustre, Moench,—With. ed. ii. Called also Marsh Milkweed.

(3) Euphorbia Helioscopia, L.—Ess.; Herts.; East Anglia. It is popularly employed under this name as a remedy for corns. See The Bazaar newspaper, April 14, p. 284.

Milkwort. The common name for

(1) Polygala vulgaris, L., on account of its 'vertues in procuring

Mogford. Artemisia vulgaris, L.—Som. 'This herb is always called mog-vurd, and is sought by old women as "good for the inside." Mr. F. T. Elworthy. Hal. gives Mogweed, from MS. Sloane 5, f. 2; and Tusser has Mogwort (1580) or Mogworth (1577). These are forms of Mugwort, which see. See also Prior, p. 160, and note in Tusser, E. D. S., Series D., p. 277.

Moiken. Meum athamanticum, Jacq.—Perthsh. "The athamanta meum, here called moiken or muilcionn, grows in the forest of Clunie." Stat. Acc. P. Clunie. Its proper Gael, name is muilcionn. Jamieson.

Mold. 'Hermodactili. See a list of plants in MS. Sloane 5, f. 5.'

Hal. Hermodactyls were the corms of some Eastern species of Colchicum, but we can throw no light on the above name.

Mole. See Mallow (1).

Molewort. A name invented by Dr. J. Hill (Herb. Britannicum, 1769) for the genus Arabis.

Moll-blob, or Molly-blob. Caltha palustris, L.—Nhamp. Nth. Gloss.; Worc. N. & Q. 5th Ser. ix. 405. See Blob.

Mollen, or Moleyne. See Mullein.

Mollipuff. Lycoperdon Bovista, L.—Dale's Pharmacologia.

Moly. In modern names, as Treas. Bot., assigned to Allium Moly, L., but the plant of Milton's Comus (l. 636), Tennyson's Lotos-Eaters, and other modern poems, is not to be identified with any known species. Prior, p. 156.

Money. 'From the rattling of the seeds in the pouch or pod.'
Rhinanthus Crista-galli, L.—N. Bucks.; Nhamp. Nth. Gloss. Cfr.
Penny-grass.

Money-flower. Lunaria biennis, L.—Ger. 'The Brabanders or base Almaignes, do call it Penninck-bloemen, that is to say Penny floure or Mony floure.' Lyte, p. 154. Prior, p. 156.

Money-in-both-pockets. The general Som. name for Lunaria biennis, L., the seeds being disposed in the transparent pod on both sides of the dissepiment.

Moneywort. (1) Lysimachia Nummularia, L.—Lyte, from the Latin Nummularia. Cumb. (Winderwath). See Herb Twopence. Prior, p. 156.

(2) A book-name for Anagallis tenella, L., from the resemblance of its leaves to those of the preceding. With. ed. ii.

(3) A book-name for Sibthorpia europæa, L. (With. ed. ii.), more frequently called in books Cornish Moneywort.

Monkey-flower. Various species of Minulus (gardens).

Monkey's Face. Viola tricolor, L.-Suss.

Monkey's Grass. Agrostis vulgaris, L.—Suss.

Monk's Cowl. Aconitum Napellus, L. — Sal. 'May be called Monkes coule.' Turn. Lib. 'Germanes call it Monickes cap or

Munch cappen, that is Monkes hode.' Turn. Herb. See Monk's-hood.

- Monkshead. Leontodon Taraxacum, L.—The name is in Burnett's Medical Botany, and alludes to the smooth, round receptacle, which, after the seeds are blown away, resembles a priest's tonsure. See Priest's Crown.
- Monkshood. (1) A general name for Aconitum Napellus, L.—'In neather Douchelande . . . Munckes capkens, and therefore they call it in Latine Cucullus Monachi, or Cappa Monachi.' Lyte, p. 429. Ches. (pronounced Monkswood). Prior, p. 156.

(2) Delphinium Consolida, L., and other species. — Ger. Park. Parad. 278.

- Monk's Rhubarb. Rumex Patientia, L.—'Of some Rhabarbarum Monachorum, or Monkes Rubarbe: bicause as it should seeme some monke or other have used the roote heereof insteede of Rubarbe.' Ger. p. 314. Wr. Prior, p. 156. Thalictrum flavum, L., was also called Rhabarbarum Monachorum (Ger. p. 1068).
- Monox Heather. Empetrum nigrum, I.—Ireland (Belfast). Mr. S. A. Stewart writes: 'I am not certain how this ought to be spelled; the above is as pronounced. The berries are called the Monnocs. I fancy the word is Celtic, and then the spelling would be monnaghs or monnoughs.' See Moonog.
- Monsope. 'The herb orobus.' Hal. Wr. Archæologia, xxx. 410.
 This we cannot identify.
- Mooches. Fruit of Rubus fruitcosus, L.—'In the forest of Dean to mooche blackberries, or 'simply to mooch, means to pick blackberries, and blackberries have thus obtained there the name of mooches.' Heref. Gl., quoted in Hal., sub v. Mich. A Glou. correspondent spells it Mochars. In Dev. sometimes called Mushes.
- Mood, Green. Various Confervæ. E. Bord. Bot. E. Bord.
- Moon, or Moons. (1) Chrysanthemum Leucanthemum, L.—With. ed. ii. Berks.; Bucks.; Camb.; N. Ess.; Glou.; Norf.; N. Wilts.
 - (2) Chrysanthemum segetum, L. Nhamp. Nth. Gloss. Wr. In Dors, and Warw. Yellow Moons.
- Moon Daisy. Chrysanthemum Leucanthemum, L.—Glou.; Oxf.; Sal.; Worc.; E. Yks. Prior, p. 156.
- Moon Fern. Botrychium Lunaria, Sw.—Scotl. Bot. E. Bord.

We saddled our naigis wi' the moon-fern leif, And rode fra Kilmenin Kirk.' Hogg.

Skinner's amusing derivation may be cited: 'Nescio an corr. a mulcfern, ut Gr. Hemionitis, sic dicta a similitudine Filixis in foliis & quia muli ejus esu delectantur.' See Moonwort.

- Moon-flower. (1) Chrysanthemum Leucanthemum, L.—With. ed. ii. Gard. Chron. 1860, 738. Called Moon Penny in Ches.
 - (2) Stellaria Holostea, L.—Worc.
 - (3) Anemone nemorosa, L.-Worc.

- Moonog. (1) Empetrum nigrum, L.—Ireland (Belfast). See Monox Heather.
 - (2) Vaccinium Oxycoccos, L.—Scotl. 'A name for the Cranberry or Crawberry.' Mactaggart's Gallovidian Encyclopædia, Threlkeld gives Monog as the Irish name of Vaccinium Vitis-Idwa, L.
- Moonwort. (1) Botrychium Lunaria, Sw.—Lyte. E. Bord. Bot. E. Bord. Coles (A. in E., 560) calls this Small Moonwort, and says some have thought that the leaf 'beareth as many parts as there be dayes in a moon.' Prior, p. 156.

(2) Lunaria biennis, L.-Coles (A. of S., 37) calls this Great Moon-

wort, and says 'the seed resembles the moon.'

- (3) Stellaria Holostea, L.—N. Yks. In Ger. (p. 379) this is given as synonymous with Madwort, and applied to Marrubium Alysson, L., and a Stachys or Sideritis.
- Moor. Calluna vulgaris, Salisb. (when in blossom).—Yks. Cleveland Gloss.
- Moor-balls. Confervæ ægagropila, L.—' From their globular form, and occurrence in the lakes upon moors.' Prior, p. 157.
- Moor-berries, or Moss-berries. Vaccinium Oxycoccos, L.—Ger. Emac., from its growing on moors or mosses. Prior, p. 157.
- Moor Everlasting. Antennaria dioica, Gærtn.—E. Bord. Bot. E. Bord.
- Moor Grass. (1) Eriophorum angustifolium, L.-With. ed. iv.
 - (2) Sesleria carulea, Scop.—With. ed. ii. Called also in books Blue Moor-grass. Prior, p. 157.
 - (3) Drosera rotundifolia, L.—Yks. Ger.
 - (4) Potentilla anserina, L.—Scotl. Jamieson.
- Moor-heath. Erica vagans, L.-Loudon, Arboretum.
- Moor Myrtle. Myrica Gale, L.—Yks.
- Moor-pawms. Carices.—North, Grose; 'the flower spikelets of the Carex tribe,' Cumb. (Winderwath), named from their resemblance to willow eatkins, which are called pawms; E. Yks. E. D. S. Gloss. B. 2; (Whitby), E. D. S. Gloss. C. 2: this is subsequently corrected to 'the flowers of Eriophorum,' which are much more like willow catkins. Hal, and Wr. have 'Moor-palm, the flower of the dock,' but the above are more likely to have been intended.
- Moor Whin. Genista anglica, L.—E. Bord. Bot. E. Bord. Prior, p. 157.
- Moor-wort. A book-name for Andromeda polifolia, L., which is also called in books Rosemary Moorwort. With ed. iv. Prior, p. 157. But the name was applied to some plant in Anglo-Saxon times, perhaps Drosera rotundifolia, L. See Cockayne, ii. 400.
- Moors. (1) 'Turnips. Dev.' Hal. Moor or More is merely a westcountry name for 'roots,' and in many districts turnips are spoken of agriculturally as 'roots.'
 - (2) The roots of Potentilla anserina, L .- Yks. 'Hujus radices, quas

Moors vocant, in agro Eboracensi circa Settle hyberno tempore effossas pueri esitant. Sunt enim sapore suavi, nec mimis grato quam pastinace.' R. Cat. 'In Ulster the inhabitants who use the English tongue call it Moors-corn.' Threlkeld.

Moors-corn. See Moors (2).

Morcrop. See Merecrop.

More, Field. See Field More.

More Centaury. See Centaury, Great.

More-herbyw. 'The herb devil's-bit.' Hal. Wr. Archæologia, xxx. 410. Scabiosa succisa, L.

Morel. (1) The common name of the edible fungus Morchella esculenta, Pers.—North ('a fungus'), Hal. Wr.

(2) Peziza coccinea, L.-Nhamp. Gard. Chron. 1862, p. 621.

(3) Solanum nigrum, L.—Turn. Lib. Lyte. Ger. calls this Petty Morel. It may be the More Morel of Archæologia, xxx. 410. Hal. and Wr. have 'the wood nightshade.' No doubt 'woody' nightshade (S. Dulcamara, L.) is intended. Prior, p. 157.

Morel, Great. A book-name for Atropa Belladonna, L.—Treas. Bot. Prior, p. 157.

More Smerewort. 'The herb mercury.' Hal. Chenopodium Bonus-Henricus, L.—Archæologia, xxx. 410.

Morgan. (1) Anthemis Cotula, L.—Hal. and Wr. spell it Margan. Hants. Grose; Suss. Parish; Wight (Margin), Fl. Vect.

(2) 'Tares in corn. South.' Hal. (Margen). Vicia hirsuta, L.? Perhaps an error.

Morgan, Dutch. Chrysanthemum Leucanthemum, L.-Wight, Hal.

Morgeline. Veronica hederifolia, L.— 'From the French, L. morsus gallinæ, the henbit.' Prior, p. 157.

Morillon. Morchella esculenta, Pers.—'Morillons we have from Germany and other places beyond sea... the outer side is like a honey-combe.' Aubrey's Royal Soc, MS.

Morocco, Red. Adonis autumnalis, L.—With. ed. ii. Prior, p. 194.

Morranes. See Marram.

Mortagon. 'Herba martina. Arch. xxx. 410.' Hal. This we cannot identify.

Morub. Polygonum Persicaria, L.-Hal. Wr.

Moschatel. A book-name for Adoxa Moschatellina, L.—With. ed. ii. Prior, p. 157.

Moss. This general name for the members of the class Musci (Prior, p. 157) is also applied absolutely to the species of Eriophorum (Durh. and Nhumb. (the flowers only), Winch's Bot. Guide; E. Bord. Bot. E. Bord.; Roxburghsh. Jamieson) and to Sedum acre, L. (Warw.). The last-named plant is also called French Moss (Bucks.), Golden Moss (Oxf., N. Yks., Warw.), and Wall Moss (Yks.); the genus

Sphagnum is called Bog Moss in books; Lycopodium clavatum, L., is Stag's-horn Moss (E. Bord. Bot. E. Bord.), and Buck's-horn Moss and Running Moss in Cumb., and shares with the rest of its genus the name Club-moss; L. Selago, L., is Tree Moss (Cumb., a name which in With. ed. ii. is applied to Usnea plicata, Ach.); L. alpinum, L., is Cypress Moss (Park. Theatr.); Chondrus crispus, Lyngb., is called Carageen Moss (Prior, p. 39) and Irish Moss (which see), and in Treas. Bot. Pearl Moss; Cup Moss is a general name for Scyphophorus pyxidatus, Hook., and is applied in Banffsh. to Lecanora tartarca, Ach. (Jamieson); Iceland Moss is a common name for Cetraria islandica, Ach.; Indian Moss is a garden name for Saxifraga hypnoides, L.; Pepper Moss is Pilularia globulifera, L. (With. ed. ii.); Reindeer Moss, Cenomyce rangiferina, L.; Rock Moss, Roccella tinctoria, Ag. (Prior, p. 157); Sea Moss, Utva latissima, Grev. (Lyte); Water Moss, Fontinalis antipyretica, L. (Prior, p. 157); Scale Moss is a generally known equivalent for the Jungermannieæ; Polytrichum commune, L., is called Golden Moss by Ger.

Moss Berries. See Moor-berries.

Moss Campion. A modern book-name for Silene acaulis, L.—With. ed. vii. Prior, p. 157.

Mosscorns. See Mascorns.

Mosscort, Swine's. See Masket, Swine's.

Moss-crops. (1) A common north-country name for the species of Eriophorum.—With. ed. ii. Hal. Wr. Cumb. E. D. S. Gloss. C. 8; Westm. Thomas Lawson, 1688; Scotl. Jamieson; Ayrsh.; Peeblesh.; Selkirksh. Prior, p. 157.

(2) Potentilla anserina, L.—Scotl. Jamieson.

Moss Fern. A name proposed by Gerard for Polypodium vulgare, L.

Moss Millions. Vaccinium Oxycoccos, L. — Ayrsh. From the resemblance of the fruit to a pumpkin or melon in shape, and the place of growth. Wright gives milion as an equivalent of pumpkin. Jamieson gives Moss Mingen as a Clydesdale name of the plant.

Moss Rush. Juncus squarrosus, L.—Pratt.

Moss-thristle. Probably Carduus palustris, L.—Scotl. Mactaggart's Gallovidian Encyclopædia.

Moss Whin. Genista anglica, L.—E. Bord. Bot. E. Bord. Prior, p. 157.

Moss Wythan. Myrica Gale, L.—Cumb. E. D. S. Gloss. C. 8.

Moth Mullein. The common book-name for Verbaseum Blattaria, L.—'Concerning the vertues of this herbe, we finde none other thing wryten of it, saving that the mothes and battes do incontinently come to this herbe, wheresoever it be strowen or layde.' Lyte, who gives corresponding names for it in French and German.

Mother Dee. Lychnis diurna, Sibth.—W. Cumb. 'Dee' is the north-country pronunciation of die. There is a superstition amongst

Cumberland children that if they pluck the flower some misfortune will happen to their parents. The same is said in Yorkshire of Veronica Chamædrys, L., but the name does not seem, as far as we know, to be extended to that plant. See Mother's Heart.

Mother of Bent, The. See Bent, The Mother of.

Mother of Millions. Linaria Cymbularia, Mill.—Cornw.; Dev. Phyt. iii. 147, N. s.; E. Suss.

Mother of Thousands. (1) Linaria Cymbalaria, Mill.—Cornw.; Cumb. E. D. S. Gloss. C. 8; Dev.; Dors.; Som.; Wilts.; Worc.; E. Yks.; E. Bord. Bot. E. Bord.; Berwicksh.

(2) Bellis perennis, L. (var. prolifera).—(Mother-of-a-thousand) Nhamp. Nth. Gloss. Prior, p. 158.

(3) Saxifraga sarmentosa, L.—Middx. (London).
 (4) 'The double blue creeping Campanula,' Som.

Mother of Thyme, or (Treas. Bot.) Mother of Time. (1) Thymus Serpyllum, L.—Ger. Cumb. E. D. S. Gloss. C. 8; Worc.; Ireland (Dublin). See Prior, p. 158.

(2) Calamintha Acinos, Clairy .- Som,

Mother of Wheat. Veronica hederifolia, L.—E. Bord. Bot. E. Bord.; Berwicksh. Bot. E. Bord.; Roxburghsh. (Kelso), Science Gossip, 1876, p. 39.

Mother's Heart. Capsella Bursa-pastoris, L.—Glou. (Fairford); Lanc. In the Eastern Border district 'children have a sort of game with the seed pouch. They hold it out to their companions, inviting them "to take a haud o' that." It immediately cracks, and then follows a triumphant shout, "You've broken your mother's heart." Bot. E. Bord., p. 37. The following note, contributed by one of us to the Folklore Record (i. p. 159), shows that a similar belief is widely spread:—

'In Middlesex, schoolboys offer to their uninitiated companions a plant of the shepherd's purse (Capsella Bursa-pastoris), and request them to pluck off one of the heart-shaped seed-pods, which done, they exclaim, "You've picked your mother's heart out!" This was practised in Chelsea in my own school-days; and, as a Lancashire name for the plant is "Mother's-heart," it seems likely that the custom is widely extended. Something of the same sort exists in Birmingham: Mr. W. Macmillan (Science Gossip, 1876, p. 94) says: "I remember when at school at Birmingham that my playmates manifested a very great repugnance to this plant. . . . Very few of them would touch it, and it was known to us by the two bad names 'Naughty man's plaything' and 'Pick your mother's heart out.'" Dr. Berthold Seemann (Hannoversche Sitten und Gebräuche in ihrer Beziehung zur Pflanzenwelt (Leipzig, 1862), p. 33) says, that in Hanover, as well as, according to Hartmann, in the Swiss Canton of St. Gall, the same plant is offered to an uninitiated person with a request to pluck off one of the pods; should he do so, the others exclaim, "You have stolen a purse of gold from your father and mother!" It is interesting to find that a common tropical weed, Ageratum conyzoides, I.., is employed by children in Venezuela in a very similar manner. Dr. Ernst gives its vernacular Venezuelan name as

"Rompes araguëlo," and says (Seemann's Journal of Botany, iii. 316, 1865), "It is explained by some as 'rompes a tu abuelo' (you tear your grandfather), with reference to a child's play. One child takes hold of the lower part of a leaf, another of the upper. If one pulls so hard as to tear the leaf, the other exclaims, 'Rompes a tu abuelo.'"

Motherwort. (1) Artemisia vulgaris, L.—Grete Herball (Moderwort). Yks. (E. Riding), Ray. In Archæologia, xxx. p. 410, Maderwort, and Modirworth (p. 371), three different kinds being mentioned. 'It is called the moder of herbes' (Grete Herball), but Prior has shown (p. 158, which see) that this is not the explanation of the name.

(2) Leonurus Cardiaca, L.—Turn. Names, Lyte, and in modern books. 'We doe call it Motherwort in English, as truely from the effects to helpe the Mother, as they call it Cardiaca from the effects to helpe the heart.' Park. Theatr. p. 43.

Motherwort, Man's. See Man's Motherwort.

Motherwort, Stinking. Chenopodium Vulvaria, L.—Lyte. An adaptation of the Latin specific name. See Lyte, p. 549.

Mothwort. Helichrysum Stæchas, DC.—Lyte, who gives Tinearea as one of its Latin, and Mottenblumen as one of its Dutch, names.

Moulds. (1) A name given to the minute thread-like fungi which grow upon food and other organic substances. See Prior, p. 159. (2) Nepeta Glechoma, Benth.—Rutl.

Mount Caper. Orchis latifolia, L. — Ireland. See Meadow Rocket.

Mountain Ash. See Ash, Mountain.

Mountain Avens. A book-name for Dryas octopetala, L.—With. ed. ii.

Mountain Bramble. A book-name for Rubus Chamæmorus, L.—With. ed. vii.

Mountain Cowslip. Primula Auricula, L.-Ger. Prior, p. 159.

Mountain Dulse. See Dulse, Mountain.

Mountain Elm. Ulmus montana, With.—A book translation of the Latin name. Prior, p. 159.

Mountain Fern. A book-name for Nephrodium Oreopteris, Desy.— Prior, p. 77.

Mountain Flax, or Flox. See Flax, Mountain; and add:

(3) Spergula arvensis, L.—Dors. (pronounced Mountain Vlix).

(4) Briza media, L.—Kirkcudbrightsh., where it is used medicinally. Scottish Nat., April, 1871.

Mountain Flower. Geranium sylvaticum, L.—E. Bord. Bot. E. Bord.

Mountain Parsley. A book-name for Allosorus crispus, L., from its parsley-like leaves.—Pratt.

Mountain Sage. Teucrium Scorodonia, L.-S.-W. Cumb.

Mountain Snowdrop. Leucojum æstivum, L.-Warw.

Mountain Sorrel. A book-name for Oxyria reniformis, L.— With. ed. ii. Prior, p. 159.

Mournful Widow. Scabiosa atropurpurea, L. (gardens), from its extremely dark colour.—Dev. (in some parts). A French name for the plant is Fleur de Veuve. We have also the name Mourning Bride, but not localised.

Mourning Widow. Geranium phæum, L. (gardens).—Lanc., Yks.

The name widow is applied to other plants with very dark or dingy flowers. See Mournful Widow.

Mouse Barley. See Barley, Mouse.

Mouse Ear. (1) Hieracium Pilosella, L.—Grete Herball, Lyte. Mid-Ches. Prior, p. 159.

(2) Cerastium triviale, Link.-Lyte.

Mouse-ear, Blue. Myosotis arvensis, L.—Ger.

Mouse-ear, Codded. A book-name for Sisymbrium Thaliana, Hook.
With ed. ii.

Mouse-ear Chickweed. See Chickweed, Mouse-ear.

Mouse-ear Scorpion-grass. A book-name for Myosotis palustris, L.—With. ed. ii. Prior, p. 159.

Mouse-grass. Aira caryophyllea, L.-Moray, Fl. M.

Mouse Milk. Euphorbia Helioscopia, L .- Yks. (Northallerton).

Mouse Pea. (1) Lathyrus macrorrhizus, Wimm. — Ger. Appx. Hal. has Mowsepeas. Berwicksh. Bot. E. Bord.

(2) Lathyrus pratensis, L.?—'This is probably the Mouse-pea mentioned by Mr. Kerr. "There was formerly grown in Scotland a species of vetch, tare, or lentil, of considerable size, called provincially the Mouse-pea, but which is hardly ever to be met with now. This has sometimes been suggested as a probably good substitute for tares." View of the County of Berwick, p. 265.' Bot. E. Bord., p. 57.

Mouse-tail. (1) Myosurus minimus, L., from the shape of its seedspike.—Lyte, and in modern books. Prior, p. 159.

(2) Alopecurus agrestis, L., from the shape of its flower-head.—Ray. Called also Mouse-tail Grass (Martyn, Flora Rustica). Prior, p. 159.

(3) Sedum acre, L.—Turn. Names.

Mouser-withy. Som. 'A kind of willow [Salix], growing in dryer land than the common osier: it is much used by that chers.' Mr. F. T. Elworthy.

Muck-weed. (1) Chenopodium album, L., and probably various other species, and perhaps includes Atriplex.—Norf. Hal. ('the goose-foot'); E. Norf. E. D. S. Gloss. B. 3; Yks. (Whitby, 'the

herb goose-foot, growing rank where manure lies'), E. D. S. Gloss. C. 2. Wr. In Warw, Muckhill Weed.

(2) 'Pondweed. Potamogeton crispum?' Nhamp. Nth. Gloss.

Mudweed. (1) Helosciadium inundatum, Koch.—Treas. Bot. (2) Limosella aquatica, L.—With. ed. ii.

Mudwort. A common book-name for Limosella aquatica, L.— Treas. Bot. Prior, p. 160.

Muggart, or Muggart Kail. See Mugwort (1).

Muggert. (1) Artemisia vulgaris, L.—See Mugwort (1). (2) Senecio Jacobæa, L.—Cumb. E. D. S. Gloss, C. 8.

Muggon. See Mugwort (1).

Mugwet. (1) Asperula odorata, L.—Ger. Index, the French name being Muguet. From this it was extended to other allied plants. Lyte says of Galium Cruciata, With., 'in high Douche, Golden Walmaister, that is, Golden Muguet;' and of G. verum, L., 'in French, Petit Muguet... We may also name it Pety Muguet.' In some modern books (With. ed. ii., &c.), Mugweed. Prior, p. 160.

(2) Prior gives Mugget as an English name for Convallaria majalis, L.—Its origin is from the French name given above. Ger. says: 'In French Muguet; yet there is likewise another herbe which they call Muguet, commonly named in English Woodroof.' The name refers to the fragrance of the flowers ('O.Fr. musquet, from L. muscatus, scented with musk,' Prior). Theis says: 'Ce mot a été appliqué dans le même sens aux hommes perfumés.'

(3) The garden form of Viburnum Opulus, L.—West, Pulman.

Mugwort. (1) The common book-name for Artemisia vulgaris, L. (With. ed. ii., &c.), often extended in actual use to (2).—Ches., Cornw., Yks. Jamieson gives Muggart, Muggert (Aberdeensh.), and Mugger (Ayrsh.), as Scotch forms of the name; and in Moray it is called Muggart Kail (Fl. M.). Mugwood is a Cumb., Sal., and Yks. form. Muggon is another Scotch form; see a Renfrewsh. story in Chambers' Popular Rhymes, p. 331, where this rhyme occurs:

'If they wad drink nettles in March And eat muggons in May, Sae mony braw maidens Wadna gang to the clay.'

(2) Artemisia Absinthium, L.—'Vulgus hanc herbam ubique vocat Mugwort.' Turn. Lib. Grete Herball. North, Hal. Wr.; E. Yks. Ray; E. Bord. Bot. E. Bord. Some of the forms given under (1) may also belong here.

Muir-crops. Eriophorum vaginatum, L., when springing up.—E. Bord. Bot. E. Bord.

Mulberry. (1) The usual name for Morus nigra, L.—Prior, p. 161.
(2) Rubus fruticosus, L.—Norf. ('the universal name among the lower orders; they talk of going mulberrying, never of going black-berrying'); Suff.

(3) Cuscuta Epilinum, Weihe,—Som. Rural Cyclopædia. From the form and appearance of its bunches of pale pink flowers.

(4) Pyrus Aria, L .- Aberdeensh.

Mullein. A common name for Verbascum Thapsus, L., and other species of the genus, spelt variously in early writers: Moleyne (Grete Herball), Mollen (Turn. Herb.), Mullen (Turn. Names), Mulleyne (Lyte), who says, 'Mulleyne or rather Wolleyn or Wulleyn.' Ger. too has 'Mullein or rather Woolen,' and this derivation of the name is supported by the generally woolly aspect of the plant, which is referred to in all the old descriptions, and also by the corresponding 'high Douch' and 'base Almaigne' names, Wuulkraut, Vollecruyt, and Wollebladeren, given by Lyte. Other plants are included by Gerard (p. 629) among the Mulleins, as Lychnis coronaria, L. See also Mullein, Petty. He gives Phlomis fruticosa, L., as Wild or Woody Mullein. Prior (p. 161) favours another and to us less probable derivation. Mullet (which see) was another form of the name.

Mullein, Black. A common book-name for Verbascum nigrum, L.—
A translation from the Latin, and originally (like the Latin) bestowed upon it to distinguish it from the White Mullein (V. Thapsus, L.), which old writers called V. album. Ger. See Mullein, White.

Mullein, Candlewick. See Candlewick.

Mullein, Moth. See Moth Mullein.

Mullein, Petty. Primula vulgaris, L., P. veris, L., and varieties.—
Lyte. Ger. says these 'are reckoned among the kindes of Mulleins
. . . the ancients have named them Verbasculi, that is to saie, small
Mulleins.' Prior (p. 161) limits the name to P. veris, L.

Mullein, Purple. Verbascum Blattaria, L.-Lyte.

Mullein, White. Verbascum Thapsus, L.—With. ed. ii., from its general white appearance. In more modern books V. Lychnitis, L., from its white flowers.

Mullein Dock. Verbascum Thapsus, L.-Norf.

Mullet. Apparently a form of Mullein. Ger. says the leaves of Inula dysenterica, L., are 'like Verbascum nigrum or black Mullet,' and calls it Fleabane Mullet. Prior, p. 161.

Munshock. Vaccinium Vitis-Idea, L. — Scotl. (Ochil). 'Gael. moin, a mountain, or moine, a moss: subh denotes a berry.' Jamieson.

Murlin. Alaria esculenta, Grev.-Ireland (Antrim).

Murrain Berries. (1) Tamus communis, L.—Wight, Fl. Vect. Hal. Wr.

(2) Bryonia dioica, L .- Norf. (Murren).

Murrain-grass. Scrophularia nodosa, L.—Ger. Index. 'Sic dicta fort, quia ad Scrophulas seu Anginas peste infectorum jumentorum utilis est.' Skinner.

Murram. See Marram,

Murrick. 'An esculent root or vegetable. Shetl.' Jamieson.

Muruns. 'The herb chickweed.' Hal, Wr. Stellaria media, L.

Muscovy. Erodium moschatum, L.—Holme's Acad. of Armory, ii. 103. Prior, p. 161,

Mushes. See Mooches.

Mushroom. A name which, used absolutely, is generally applied to Agaricus campestris, L.—Various spellings occur: Hal. gives Mushrump and Mushrummes, including under that name fungi in general. From Kent we have Mushroon (E. D. S. Gloss. C. 3); West (Pulman) and Ireland (Belfast), Musheroon; Suss. (Parish), Misheroon; and Cumb. (E. D. S. Gloss. C. 8), Mushamer. The Horse Mushroom (Ches., E. Yks., &c.), or Hedge Mushroom (Ches.), is Agaricus arvensis, L.; Cup Mushroom is applied to various species of Peziza (R. Cat., &c.); St. George's Mushroom is Agaricus gambosus, Fr. See George's (St.) Mushroom. Prior, p. 161.

Musk. (1) Mimulus moschatus, L. (gardens).

(2) Erodium moschatum, L.—Hal. (the herb crane's bill). Skinner, who says: 'Sic dictum quia ejus folia jucundo odore moschum semulantur.' Prior, p. 161.

Musk, Wild. Erodium cicutarium, Sm.—Beds. Batchelor, Gen. View of Agriculture of Beds. (1808), p. 322.

Musk Mallow. See Mallow, Musk.

Musk Orchis. A book-name for Herminium Monorchis, Br., in allusion to its scent. With. ed. ii. Prior, p. 162.

Musk-root. Adoxa Moschatellina, L.—Treas. Bot.

Musk Thistle. A book-name for Carduus nutans, L., in allusion to its scent. With. ed. ii. Prior, p. 162.

Musk Wood-crowfoot. A book-name for Adoxa Moschatellina, L., in allusion to its scent and its crowfoot-like leaves, Holme's Acad. of Armory, ii. 103.

Mustard. A general name for various species of Sinapis. In Lobel's Adversaria, p. 67 (1570), spelt Mudsterd. Prior, p. 162.

Mustard, Black. Sinapis nigra, L.—The mustard used as a condiment. Prior, p. 162.

Mustard, Boor's, or Bowers. See Boor's Mustard.

Mustard, Bowyer's. See Bowyer's Mustard.

Mustard, Candy. See Candytuft.

Mustard, Churl's. See Churl's Mustard.

Mustard, Clown's. Iberis amara, L.—Baxter.

Mustard, Corn. Sinapis arvensis, L.—Pratt.

Mustard, Dish. See Dish Mustard.

Mustard, Garlic. A modern book-name for Alliaria officinalis, Andrzj.—Treas. Bot. Prior, p. 162.

Mustard, Green. Lepidium latifolium, L.-Ger. Appx. Hal. Wr.

Mustard, Hedge. A common book-name for Sisymbrium officinale, L.—With, ed. ii. Prior, p. 107.

Mustard, Knave's. See Knave's Mustard.

Mustard, Mithridate. See Mithridate Mustard.

Mustard, Old Man's. Achillea Millefolium, L.—N. Linc. (Bottesford).

Mustard, Tower, or Towers. (1) A book-name for Turritis glabra, L.—Ger. Prior, p. 162.

(2) Arabis Turrita, L.-Treas. Bot.

Mustard, Treacle. (1) Lepidium campestre, Br. —Turn. Herb. See Mithridate Mustard.

(2) In modern books Erysimum cheiranthoides, Br.—With. ed. ii. Prior, p. 237.

Mustard, White. A book-name for Sinapis alba, L.-With. ed. ii.

Mustard, Wild. (1) A frequent name for Sinapis arvensis, L.—With. ed. ii. Prior, p. 162. Cumb. E. D. S. Gloss. C. 8.

(2) Raphanus Raphanistrum, L.—Lyte (Wild Mustard Seed); E. Bord. Bot. E. Bord.

Mutton-tops. 'The young tops or shoots of the goosefoot.' Hal.

This would be Chenopodium album, L., unless some mistake has occurred between goose-foot and goose-grass (Galium Aparine, L.), the young shoots of which are called Mutton-tops or Mutton-chops in Dors. (Dors, Gloss.).

My Lady's Pincushion. See Lady's Pincushion (2).

Myagrum. Lyte gives this as an English name for Camelina sativa, Cr.

Myles. See Milds.

Mypes. The cultivated form of Pastinaca sativa, L.—Ger. Prior (p. 162) says: 'Wel. maip, Gael. neip . . . a corruption of L. napus, and properly meaning the turnip, Brassica Rapa, L.;' but this explanation seems to us doubtful.

Myrrh. Myrrhis odorata, L.—S.-W. Cumb.; Aberdeensh. From the Latin name. Lyte calls it Myrrhis Casshes or Caxes.

Myrtle. Myrica Gale, L.—Scott. (Dumfries). Called also Bog Myrtle (a common bookname—Prior, p. 26), Devonshire Myrtle (S. Dev.), Dutch Myrtle (With, ed. ii., Prior, p. 69), and Moor Myrtle (Yles.).

Myrtle, Burren. Arctostaphyllos Uva-ursi, L.—This is very abundant 'on the Burren mountains, Co. Galway, where it is called Burren Myrtle.' Wado's Plantæ Rariores in Hibernia inventæ.

Myrtle, Candleberry. See Candleberry Myrtle.

Myrtle, Jews'. See Jews' Myrtle.

- Myrtle, Wild. A name suggested by Lyte for Ruscus aculeatus, L., from one of its Latin names, Myrtus sylvestris. In Fl. Vect. it is called Shepherd's Myrtle, though this is not stated to be an Isle of Wight name.
- Myrtle Flag (With. ed. ii.), Myrtle-grass (Treas. Bot.), or Myrtle Sedge (Pratt). Book-names for Acorus Calamus, L., in allusion to its scent.
- Myrtle Spurge. Euphorbia Lathyrus, L.—A name invented by Turner.
- Mysterious Plant. Daphne Mezereon, L.—This is a good instance of the manufacture of a name and the subsequent invention of a suitable explanation for it. The Rev. H. N. Ellacombe, in his lecture on the Common English Names of Plants (Bath, 1870), says, 'When I lived in Derbyshire I was admiring a fine plant of it in a cottage garden, and asked the old woman what she called it. . . She was ready with her answer. "We call it the mysterious plant, sir, because its flowers come out before its leaves."
- Nailwort. A name proposed by Ger. for (1) Draba verna, L., and (2) Saxifraga tridactylites, L., which plants he includes in the same chapter. 'It hath been taken to heale the disease of the nailes called a whitlowe.' Ger. p. 500. Prior, p. 162.
- Naked Boys. Because the flower appears without any leaves.

(1) Colchicum autumnale, L.-Wilts. Aubrey.

- (2) Crocus nudiflorus, L.—Ches. (Gatley, where it is plentiful in the meadows); Heref. and Norf. N. & Q. 2nd S. iii. 254. In the two last cases (1) may be intended.
- Naked Lady, or Naked Ladies. Colchicum autumnale, L.—Hal. Cornw.; Lanc. (Ormskirk); Sal.; Warw.; Wore.; Yks.; Anglesea, Prior, p. 162. In N. &. Q. 2nd S. vi. 271, Stark-naked Lady.
- Naked Virgins. Colchicum autumnale, L.—Ches.
- Nancy Pretty. A corruption of None-so-pretty. Saxifraga umbrosa, L.—Yks. (Holderness), E. D. S. Gloss. C. 7; Scott. Jamieson. In Linc. (Scawby) called Nancy-none-so-pretty. Prior, p. 163.
- Nancy, Sweet (Ches., Norf.), or White (Ches., Staff.). The double-flowered garden form of Narcissus poeticus, L.—In Col. Egerton Leigh's Ches. Gloss we have 'Wild Nancy-Narcissus;' perhaps N. Pseudo-narcissus, L., is meant.
- Nanpie. Pæonia officinalis, L.—Yks. Loudon's Mag. Nat. Hist. vii. 565.
- Nap-at-Noon. (1) Tragopogon pratensis, L.-Cumb. E. D. S.

Gloss. C. 8; Midland Counties, Cornhill Magazine, July, 1865; Sal. (Ellesmere).

(2) 'The purple goatsbeard.' Hal. Tragopogon porrifolius, L.—Prior, p. 163.

Nape. Brassica Napus, L., and B. campestris, L.—With. ed. ii.
Hal. has 'Neap, a turnip. Cornw.'

Napoleons. Trifolium incarnatum, L.—An obvious corruption of Trifolium. Wight. Perhaps hardly worth inserting, except as an illustration of how some popular names are invented.

Napperty. Lathyrus macrorrhizus, Wimm. — Ireland (Belfast). See Gnapperts, Knapperts, and Knapperty.

Napple. Lathyrus macrorrhizus, Wimm.—Scotl. (Galloway), Jamieson. See Gnapperts and Knapperts. In Mactaggart's Gallovidian Encyclopædia, Nappleroot.

Nard. 'The herb pepperwort.' Hal. This we cannot identify.

Prior (p. 163) says 'various aromatic plants, chiefly of the Valerian
tribe.' In Treas, Bot. Nardus stricta, L., is called Common Nard.

Nardus, Wild. Asarum europæum, L.-Ger. Appx.

Narrow Bent. Elymus arenarius, L. - Scotl. Edmonston's MS.

Nasturtium. The common garden name of Tropæolum majus, L.

Natural Grass. (1) Poa trivialis, L., and (2) P. pratensis, L.—
'From the large share which they contribute to the meadow pastures,'
E. Bord. Bot. E. Bord.

(3) Medicago lupulina, L .- Scilly, Journal of Botany, ii. 109.

Grasses generally, except Ryegrass, are often so called by seedsmen, because they are found in old or 'natural' pastures. Ryegrass and the clovers being sown in rotation are often called 'artificial' grasses.

Naughty Man's Cherry. See Cherry, Naughty Man's.

Naughty Man's Oatmeal. Anthriscus sylvestris, Hoffm., and other hedge Umbelliferæ.—Warw. (Birmingham). Cfr. Deil's Meal.

Naughty Man's Plaything. Urtica dioica, L .- Suss. Parish.

Navelwort, or Lady's Navel. The common name for Cotyledon Umbilicus, L.—Ger. Worc. 'From the shape of its leaf.' Prior, p. 164. In Park. Theatr. it is also called Navel-of-the-earth.

Navelwort, Venus'. (1) Cotyledon Umbilicus, L.—A translation of its old Lat. name, Umbilicus Veneris. Park. Theatr. p. 741, where are similar French and Italian names.

(2) In gardens sometimes applied to Cynoglossum Omphalodes, L.

Navet. Brassica Napus, L.-Lyte, Hal.

Navew. Brassica Napus, L.—Lyte, who calls it Garden Navew and Navew, Gentle. Sal. (Naphew). Prior, p. 164.

Neap. See Nape.

Neckweed. Cannabis sativa, L.—Lyte. Var. dial. Hal. See Bullein's Booke of Simples, fol. 26. 'Sic dicta quia funes quibus malefici suspenduntur ex hac materia texuntur.' Skinner. Prior, p. 164.

Needle, or Needles. Scandix Pecten, L.—Hants. Holl.; N.-W. Linc. E. D. S. Gloss. C. 6; Norf. Holl. The long, needle-like, beaked fruits have suggested many similar names for the plant: such are Adam's Needle (E. Bord. Bot. E. Bord.), Beggar's Needle (Hal. Wr. With. ed. iv.; Midlands, E. D. S. Gloss. B. 5; Sal. Wellington), Clock Needle (S. Bucks.), Crake Needle (With. ed. ii. Hal. Wr.; North, Ray; Yks.), Crow Needle (S. Bucks.; Ess.; Nhamp. Nth. Gloss.; Wight, Fl. Vect.; Wr.), Deil's (E. Bord. Bot. E. Bord.) or Devil's (which see) Darning-needle, Poke (Suss.), Pound (Hal.), Puck (Hunts. and Suss. Holl.), or Pucker (Pratt) Needle, Pink Needle (Cotgrave, Hal.), Shepherd's Needle (Lyte), Tailor's Needle (Cornw.), Venus' Needle (Ger.), or Witches' Needle (E. Bord. Bot. E. Bord.). Lyte calls it Needle Chervil; Needle Points is an Ess. name for it; and Hal. and Wr. have Needleweed (Norf. Grose, &c.). Hal. has 'Pook-needle, the cockle in corn, Suss., 'no doubt meaning this plant. Aiguille and Aiguille du berger are among its French names. Erodium cicutarium, L'Her., is called Powk Needle in Ger. Appx.

Needle, Ground. Erodium moschatum, L.-Ger. Appx. Hal. Wr.

Needle, Pink. (1) 'The herb shepherd's-bodkin.' Hal. Scandize Pecten, L.—See Needle.

(2) Erodium moschatum, L'Her., and E. cicutarium, L'Her. — Lyte.

Needle and Thread, Adam's. A garden name for Yucca filamentosa, L.—From the hard point of the leaf (see Adam's Needle (2)), and the thread-like fibres attached to the edges of the leaves.

Needle Furze. Genista anglica, L.—With. ed. ii. Prior, p. 164. N. Yks. (Needle Whin).

Neese-wort (Turn. Names), or Neesing-root (Park. Parad.). (1)

Veratrum album, L.—'Because it provoketh neesing' [sneezing].

Coles, A. in E., 238. Lyte spells it Nese-wort. Ger. says the root was called Neesing powder: 'the powder drawen up into the nose causeth sneesing;' he also calls Epipactis latifolia, Sw., and Cephalanthera Neesewort, on account of 'the likenesse that [these have] with white Hellebore.'

(2) Achillea Ptarmica, L.—'The smell of this plant procureth sneezing, whereof it tooke the name Sternutamentoria, that is the herbe which doth procure sneesing, or Neesewort.' Ger. p. 484.

Nele. 'Nele is Lolium.' Ger. Appx. From the reference to Lolium in Ger. Index, it appears that Lychnis Githago, Lam., is meant here, Ger. gives the French name of this as Nielle des Bledz or Nielle, Prior (p. 164) spells it Neele, and refers it to Lolium temulentum, L., but we think erroneously.

- Neminies (a contraction of Anemones). Anemone nemorosa, L.—
 Glou. (Fairford).
- Nenuphar. Lyte gives this as the English name for the two Water Lilies, Nymphae alba, L., and Nuphar luteum, Sm. It is one of the old Latin names for the plants, and is also given by Lyte as Italian and French. Hal. has Ninnyvers for N. alba, evidently a form of the same word.
- Nep, or Neps. (1) Nepeta Cataria, L.—Lyte (Neppe). E. Anglia, Forby; North, Wr.; Norf. Holl. Hal. Forby also spells it Nip, and says, 'being covered with a fine white down, [it] has given rise to a common simile, "as white as nip." Hal. has also Nept, from 'MS. Linc. f. 92.' Prior, p. 164.
 - (2) Flowerheads of Lavandula vera, DC.-Ches.; Lanc.
 - (3) 'A turnip. North.' Hal. Cfr. Nape.
- Nep, Wild. Bryonia dioica, L.—Grete Herball. In Turn. Lib. Wylde Nepe.
- Nespite. Calamintha officinalis, Mench.-Ger. Appx. Hal. Wr.
- Nettle. (1) The general name for Urtica dioica, L.—Turn. Herb. Ches.; S.-W. Cumb.; E. Bord. Bot. E. Bord. Prior, p. 164.
 - (2) Lamium album, L., and L. purpureum, L.—Yks. (Wensleydale). See, under their respective titles, Blind, Bee, Dai, Day, Dea, Dead, Deaf, Dee, Devil's, Dey, Dog, Dumb, Dunny, French, Greek, Hedge, and Hemp Nettle.

Lamium purpurcum, L., L. album, L., and L. Galeobdolon, Cr., are known respectively as Red, White, and Yellow Dead-nettle. Prior, p. 64.

Nettle, Roman. Urtica pilulifera, L.—Lyte. See Roman Nettle. Prior, p. 165.

Nettle, Stinging. The common name for Urtica dioica, L.—E. Bord. Bot. E. Bord. In E. Yks. it is called Tenging Nettle.

Nettle, Variegated. Lamium maculatum, L.—Ches. (gardens); Yks. (Cleveland).

Nettle, White (Cumb.; Oxf.; E. Bord. Bot. E. Bord.), or White Dead (N. Yks.). Lamium album, L.—Prior, p. 64.

Nettle, Wild. Urtica pilulifera, L.-Lyte.

Nettle, Wild-grass. Stachys sylvatica, L.—Nhamp. Nth. Gloss.

Nettle Hemp. Galeopsis Tetrahit, L.-Ger.

New Chapel Flower. See Our Lady of New Chapel's Flower.

Nigella, or Nigelweed, Field. See Field Nigella.

Nightcaps. Convolvulus sepium, L. — Linc. (Bottesford). See Grandmother's, Lady's, and Old Man's Nightcap.

Nightingales. (1) Geranium Robertianum, L.—Bucks. (Wycombe).
(2) Arum maçulatum, L.—Ess.

Nightshade. A general name for the genus Solanum.—Turn. Lib. Prior, p. 165. Said to be applied in Kent to a species of Chenopodium.

Nightshade, Bindweed. Circaea Lutetiana, L.-Ger.

Nightshade, Bittersweet. A book-name for Solanum Dulcamara, L.—Prior, p. 165.

Nightshade, Deadly. See Deadly Nightshade.

Nightshade, Enchanter's. A common book-name for Circae Lutetiana, L.—Ger. (Inchanter's N.). 'A name that, by some blunder, has been transferred from the mandrake to an insignificant garden weed.' Prior, p. 72. Ger. speaks of 'the errour of some who have taken Mandragoras for Circea, in which errour they have still persisted unto this daie, attributing unto Circea the vertues of Mandragoras.'

Nightshade, Garden. Solanum nigrum, L.—Lyte. It is a common garden weed.

Nightshade, Sleeping. Atropa Belladonna, L.—Ger. A translation of its old Lat. name, Solanum somniferum. 'This kind of Nightshade causeth sleepe.' Ger. 270.

Nightshade, Wood (Park. Theatr.), or Woody. Solanum Dulcamara, L.—Lyte. A translation of one of its old names, Solanum lignosum. Prior, p. 165.

Nimble-tailors. 'A field-pea.' Nhamp. Nth. Gloss.

Nine-joints. Polygonum aviculare, L.— Of its great number of joynts. Coles, A. in E., 348.

Ninety-knot. Polygonum aviculare, L.-Sal. Prior, p. 165.

Ninnyvers. See Nenuphar.

Nip. See Nep (1).

Nippernails. 'Hips of the wild rose.' Ches. Col. Egerton Leigh's Glossary. Rosa canina, L.

Nipple-wort. The common book-name for Lapsana communis, L.—Prior, p. 166. Parkinson seems to have given the name. 'Camerarius saith that in Prussia they call it Papillaris, because it is good to heale the ulcers of the nipples of womens breasts, and thereupon I have intituled it Nipplewort in English.' Theatr. p. 811. Coles (A. in E., 147) has a similar note. Holme (Acad. of Armory, ii. 105) has 'Nipwort or Nipplewort.'

Nips. 'Hips of the wild rose.' Ches. Col. Egerton Leigh's Glossary. Rosa canina, L.

Nipwort. See Nipplewort.

Nit. A Scotch pronunciation of Nut (fruit of Corylus Avellana, L.).—Jamieson, who gives also 'nit-grit, as large or great as a nut, South of Scotl.'

Nit-grass. Gastridium lendigerum, Gaud.—Prior, p. 166.

Noble Agrimony. Anemone Hepatica, L.-Lyte.

Nodding Isabel. Briza maxima, L.-Lanc. (Ormskirk).

Nogs. Cannabis sativa, L.—Sal. Hal.

Noke. 'An oak. Nominale MS.' Hal.

None-so-pretty. Saxifraga umbrosa, L.—With. ed. ii. East, Hal. Wr.; Glou.; Nhamp. Nth. Gloss.; E. Bord. Bot. E. Bord. Prior, p. 163.

Nonesuch, or Nonsuch. (1) Medicago lupulina, L.—Hants.; Suss. Holl. Prior, p. 166.

(2) A variety of Apple.

(3) Lychnis Chalcedonica, L.—Ger., Parkinson, Prior, p. 166.

Nonesuch, Black. Medicago lupulina, L.—With. ed. ii. Norf. Marshall, E. D. S. Gloss. B. 3; E. Norf. Hal. and Wr. Black Nonsuch is said to be 'trefoil seed.' It is further explained to be in the husk. 'The market, however, does not consist wholly of red clover seed; there are proportional quantities of suckling (white clover); also of Hulled Nonsuch (trefoil); also of Black Nonsuch (trefoil in the husk); also of White Nonsuch (darnel or ray-grass).'

Nonsuch, White. 'Rye-grass seed.' Lolium perenne, L.—E. Norf. E. D. S. Gloss, B. 3. Hal. Wr.

Noontide. Tragopogon pratensis, L.—Ger. Prior, p. 166, who also has Noon-flower. See Go-to-bed-at-noon.

Noops. Fruit of Rubus Chamæmorus, L.—E. Bord. Bot. E. Bord. Prior, p. 166.

Nosebleed. Achillea Millefolium, L.—Lyte, Hal. Wr. 'The leaves being put into the nose do cause it to bleede' (Ger. 914); but Parkinson (Theatr. 695), commenting on this, says 'assuredly it will stay the bleeding of it.' But this property of the plant seems to be popularly credited in more than one district, and it forms the basis of a love divination. 'It is an old superstition to take a leaf and tell one to put it up his nose, turn it thrice round, and all the while think of his sweetheart: if his nose bleeds, he is sure to get her. The application scarcely ever fails, at least if the leaf be smartly turned.' Bot. E. Bord, p. 129. A similar belief prevails in Suffolk, where a rhyme is recited during the operation, which will be found at p. 17. Forby thus records the custom: 'You must take one of the leaves and with it tickle the inside of the nostrils, repeating at the same time the following lines:

"Yarroway, yarroway, bear a white blow, If my love love me, my nose will bleed now."

If the blood follows this charm, success in your courtship is held to be certain.' Vocab. of East Anglia, p. 424. For other similar folk-lore connected with this plant, see a paper by one of us in Gard. Chron. for Aug. 7, 1875 (p. 161), and Folk-Lore Record, vol. i. p. 156. Nhumb.; Suff.; Suss. Hal. Prior, p. 161.

Notchweed. Chenopodium Vulvaria, L.—Coles, A. in E., 577. Skinner gives an explanation of this name. Nub-berry. Rubus Chamaemorus, L .- Scott. Jamieson. Cfr. Noops.

Nuns. (1) Orchis Morio, L .- Notts. With.

(2) Impatiens glanduligera, Royle.—Lanc. (Poulton-le-Fylde), the flowers being supposed to resemble a nun's cap in shape.

Nurse Garden. 'The crab-apple tree.' Hal. Wr. Pyrus Malus, L. Probably so called because so frequently used in nurse or nursery gardens as a stock for grafting the apple.

Nurssusuly. Skinner gives this as a name for a species of Nurcissus. It is doubtless a corruption of Narcissus-lily, but Skinner's speculations as to its origin are very amusing.

Nut, or Nut-tree. The common name for Corylus Avellana, L.—Prior, p. 67.

See, under their respective titles, Anthony Nut, Arnut, Bannut, Bladder Nut, Bognut, Catnut, Chestnut, Cipper Nut, Cobnut, Earth-nut, Ernut, Fare-nut, French Nut, Ground Nut, Hale Nut, Hare Nut, Hawk Nut, Hazel Nut, Hog Nut, Jove's Nut, Jarnut, Kipper-nut, Knipper Nut, Meadow Nut, Oaknut, Walnut, and Yarnut.

Nut, Pig. (1) Bunium flexuosum, With.—N. Bucks.; Ches.; Cumb.; Notts.; Sal.; Worc.; Yks. (Wakefield).

(2) The capsules of Viola sylvatica, Fr.—Ches., where children are in the habit of eating them.

Nut, Welsh. Juglans regia, L .- See Walnut.

Nut, Wood. Corylus Avellana, L.-Lyte. Prior, p. 167.

Nut Bush. Corylus Avellana, L .- E. Bord. Bot. E. Bord.

Nut Hall. Corylus Avellana, L. - Cornw.

Nut Palms. Male catkins of Corylus Avellana, L.—Berw. Bot. E. Bord. See Palm. In Ches. they are called Nut Rags.

Oak. The general name for the genus Quercus.—Turn. Herb. In Ches. on the 29th of May children distinguish the reddish-colonred leaves as Girl's Oak, and the green leaves as Boy's Oak. Girls wear the former and boys the latter.

Oak, Bay. See Bay Oak.

Oak, Black. Quercus Robur, L.—Hants. 'The woodmen here talk of two kinds of oak, which they call the Black and White Oak, but the only intelligible difference I could extract from their accounts is, that the twigs of one float, whilst those of the other sink, when thrown into water! Some of the more observant, however, amongst them, distinguish more clearly our two species; the Q. sessiliflora they call White Oak and Maiden Oak, as I have repeatedly ascertained.' W. A. Bromfield, in Phyt. iii. 883, o. s.

Oak, Dog. Acer campestre, L.-Yks. (Tadcaster).

Oak, Durmast. A variety of Quercus Robur, L.—'Durmast (quasi dunmast) oak, the acorns being sometimes of a reddish or dun colour.' Phyt. iii. 882, o. s. We should rather suspect some connection with the Celtic derw, an oak, and mast, a name for its fruit.

Oak, Evergreen. A general name for Quercus Ilex, L. Called also Holm or Holly Oak.

Oak, Jerusalem. See Oak of Jerusalem.

Oak, Maiden. See Maiden Oak.

Oak, Sea. Fucus vesiculosus, L.—Treas. Bot. We have not met with the name, but it is probably an old one.

Oak, White. Quercus sessiliflora, Sm.-Wight, Fl. Vect.

Oak Atchern. An acorn (fruit of Quercus Robur, L.).—Mid.-Ches. In Yks. (Wensleydale) they are called Oakberries. Hal. and Wr. quote Oak-corne, from Ortus Voc. In E. Bord. (Bot. E. Bord.) they are termed Oak-nuts: here the 'pretty galls which grow upon the leaves so abundantly are called Oak-berries,' and the larger ones on the buds are, as is commonly the case, called Oak-galls.

Oak Fern. See Fern, Oak.

Oak Lungs. See Lungs of Oak.

Oak of Cappadocia. Ambrosia maritima, L. (Ger.), not Chenopodium ambrosioides, L., as stated by Prior (p. 168). 'Is said to grow naturally in Cappadocia.' Park, Theatr. 88.

Oak of Jerusalem, or of Paradise. Chenopodium Botrys, L., not C. ambrosioides, L., as stated by Prior (p. 168).—Turn. Names, Lyte. The leaves are 'deepely cut or iagged, very much resembling the leafe of an oke, which hath caused our English women to call it Okes of Ierusalem.' Ger. p. 950. Sometimes called Jerusalem Oak, Treas. Bot.

Oar-weed. See Ore.

Oat, or more generally Oats, but in the old herbals always spelt Otes.

The common name for Avena sativa, L.—Grete Herball, Prior, p. 168.

Oat, Dravick. Bromus secalinus, L .- Park. Theatr. See Drake.

Oat, Wild. (1) Avena fatua, L.—Lyte. E. Bord. Bot. E. Bord.; Scotl. (Wild Aits), Jamieson. Prior, p. 168.

(2) Bromus secalinus, L.—Lyte. From its superficial resemblance to oats. In Ches. there is a belief that it is degenerated oats. See Drook.

Oat-grass. Several oat-like grasses are so called—e. g. Bromus mollis, L. (With. ed. ii.), B. sterilis, L. (Lyte), and Avena pratensis, L. (N.-W. Line, E. D. S. Gloss. C. 6). The last is probably the plant intended under this name in Tennyson's May Queen.

Oatmeal, Deil's. Bunium flexuosum, With. Yks.: Devil's, Anthriscus sylvestris, Hoffm. Surr. Cfr. Deil's Meat.

Oat Thistle. Onopordium Acanthium, L .- Ger. In Park. Theatr.

Carduus arvensis, L., is called the Oaten land or Oate land Thistle, and described as growing 'to the height of a man among the corne.'

Oblionker-tree (the fruit Oblionkers). Esculus Hippocastanum, L.

—Worc. The latter 'is a common and well-known word in these parts, and means a horse-chestnut. A chestnut tree is called an "oblionker-tree." In the autumn, when the chestnuts are falling from their husks, boys thread them on string and play a "cob-nut" game with them. When the striker is taking aim, and preparing for a shot at his adversary's nut, he says:

"Oblionker!
My fust conker" (conquer)."

N. & Q. 5th Ser. x. 177.

See Conquerors. The word oblionker seems to be a meaningless invention to rhyme with the word "conquer," and it has gradually become applied to the fruits themselves.

- Oculus Christi. Salvia Verbenaca, L.—'In English wilde Clarie and Oculus Christi.' Ger. p. 628. 'The seede put whole into the eies, clenseth and purgeth them exceedingly from waterish humours, rednesse, inflammation, and divers other maladies, or all that happen unto the eies, and taketh away the paine and smarting thereof, especially being put into the eies one seede at one time, and no more, which is a generall medicine in Cheshire and other countries thereabout, knowne of all, and used with good successe.' Id. In the Western United States a similar use is made of the seeds of Salvia Columbariae, Benth. See Eye-seeds.
- Ode. Isatis tinctoria, L.—A corruption of Woad, which seems to have been in use in Turner's time: 'In English Wad and not Ode as some corrupters of the englishe tonge do nikename it.' Turn. Names, See also Nares.
- Oderwort. 'The herb dragance.' Hal. Archæologia, xxx. 411. Perhaps a corruption of Adderwort (which see), a name for Polygonum Bistorta, L., which has also been called Dragons and Dragonwort (see these words).

Oerth-ivi. See Ivy, Creeping.

Ofbit, or Ofbiten. Scabiosa succisa, L.—Treas. Bot. More properly Off-bitten. See Forebitten More and Devil's Bit. Prior, p. 168.

Oil-seed (from its use for the expression of oil). Camelina sativa, Cr.—Prior, p. 168.

Oister-loit. See Oysterloyt.

Old Granny's Nightcap (Oxf.), or Old Woman's Nightcap (S. Bucks.). Aconitum Napellus, L.

Old Man. (1) Artemisia Abrotanum, L.—Camb.; Ches.; N. Ess.; Middx. (London); Nhamp. Nth. Gloss.; Norf.; Sal.; var. dial. Hal. Prior, p. 168.

(2) Clematis Vitalba, L.-E. Suss.

(3) Rosmarinus officinalis, L.-E. Suss.

i's Beard. (1) Clematis Vitalba, L .- Bucks.; S. Dev.;

Dors.; Herts.; Nhamp. Nth. Gloss., Wr.; Som.; Suff.; Suss.; Warw. Prior, p. 168.

'Old man's beard that wreathed along the hedge.'
Clare, Village Minstrel, ii. 134.

(2) Various species of Equisetum, - Dors, Pulman (Ole Man's Beard); Som.

(3) Saxifraga sarmentosa, L.—Dev.

- (4) Nigella damascena, L.—Coles, A. in E., 123.
- Old Man's Love. Artemisia Abrotanum, L.—Nhumb.
- Old Man's Mustard. Achillea Millefolium, L.—Linc. (Bottesford).
 Pratt calls it Old Man's Pepper.
- Old Man's Nightcap. Convolvulus sepium, L.-Suss. Parish.
- Old Man's Plaything. Pimpinella Saxifraga, L.—Sal. (Craven Arms). In this, and perhaps in other similar names, Old Man probably means the Devil; as Anthriscus sylvestris, Hoffm., an umbelliferous plant which a good deal resembles the above, is called Deil's Meal, which see.
- Old Man's Woozard. Clematis Vitalba, L .- S. Bucks.
- Old Owl. Filago germanica, L.-W. Suff. (very general).
- Old Sow. (1) Antennaria margaritacea, Br.—Norf.
- (2) Melilotus cærulea, Desf., which 'has a singular porcine odour, whence it is vulgarly called Old Sow, and is the plant which gives the peculiar flavour to Schapziger cheese,' Morton's Cyclopædia of Agriculture, ii. 425.
- Old Wives' Mutches. Aconitum Napellus, L.—Perthsh. Scottish Naturalist, April, 1871.
- Old Woman. Artemisia 'argentea.' Sal. (Clun, Tilstock). Perhaps A. Absinthium, L., is intended.
- Old Woman's Nightcap. Aconitum Napellus, L.-Bucks.
- Oler. See Owler.
- Olive, Spurge. Cneorum tricoccos, L.—Ger.; but in more recent books usually applied to Daphne Mezereon, L., which Ger. says 'may be called Germaine Olive Spurge.' Prior, p. 220.
- Olivere. 'The olive-tree (A.-N.).' Hal. Wr. Olea europæa, L.

Oller. See Owler.

- Ollick. 'A kind of leek.' Cornw. (Truro). Probably Allium porrum, L.
- Olour. 'An herb liked by swans. From Lat. olor, a swan.' Scotl. Jamieson. This we cannot identify.
- Ome Tree. Ulmus campestris, L., and U. montana, Sm.—Cumb. E. D. S. Gloss. C. 8.
- One-berry. Paris quadrifolia, L.—Turn. Names. 'From its one central fruit.' Prior, p. 169.
- One-blade, or One-leaf. Maianthemum bifolium, DC. Lyte (a

translation of the old Lat. name Monophyllon). The name refers to the barren stalk, which has only one leaf. Prior, p. 169.

Onion. Allium Cepa, L.-Lyte. Prior, p. 169.

Onion, Bog. Osmunda regalis, L.—Cumb. E. D. S. Gloss. C. 8; where it is 'considered a specific for rickets in children,' Science Gossip, 1868, p. 270.

Onion, Crow. Allium vineale, L .- Warw.

Onion, Gipsy. Allium ursinum, L.-Wight, Fl. Vect.; South, Hal-

Onion, Sea. Scilla verna, L .- I. of Man, E. Forbes.

Onion Couch. Avena elatior, L., in allusion to the tuberous onion-shaped nodes of the root-stock.—West. It is also called Onion Grass (S. Bucks.) and Onion Twitch (Gard. Chron. 1875, p. 477).

Onyolbun. 'A herb mentioned in MS. Bib. Reg. 12, B. i. f. 14.' Hal. This we cannot identify.

Ood. 'Seaweed. Kent.' Wr.

Oore. See Ore.

Open-arse. The fruit of Mespilus germanica, L.—Variously spelt in the older herbalists and other writers Openers, Open-arces, Openhers, Opynars. Turn. Herb., Hal. (who gives also other spellings). Ches.; Glou.; N.-W. Linc. (Oppen-arses), E. D. S. Gloss, C. 6; Som.; Worc. Pulman (Open-ass). The tree was called Open-ars tree (Turn. Lib.).

'I fare as doth an open ers; That ilke fruit is euer lenger the wers, Til it be rotten in mullok, or in stre.'

Chaucer, Reve's Prologue,

Wr. calls the fruit Open-tail.

Open Gowan, See Gowan, Open.

Ople, or Ople-tree. Viburnum Opulus, L.—Lyte. From the old Lat, name Opulus.

Orach. Atriplex hortensis, L.-Turn. Lib. Prior, p. 169.

Orach, Delt. See Delt Orach.

Orach, Dog's. Chenopodium Vulvaria, L .- Prior, p. 67.

Orach, Wild. Various species of Atriplex and Chenopodium.— Lyte, Ger. Ger. calls C. Vulvaria, L., Stinking Orach.

Orange-flower Tree. Philadelphus coronarius, L.—N.-W. Linc. E. D. S. Gloss, C. 6. From its perfume resembling that of orange-blossoms. It is also called Mock Orange in gardens. Treas. Bot.

Orange Lily. The common name in gardens for Lilium bulbiferum, L., applied in Dumfriessh. to Anagallis arvensis, L.

Orchal (With. ed. vii.), Orchel, or Orchil. Roccella tinctoria, Ag., and the dye prepared from it. See Archall for other forms of the name. In With. ed. vii. it is also called Argol. Prior, p. 169. Also called Orchella-weed: see Treas. Bot. Parmelia amphalodes, Ach., h is called Arcell by Lightfoot (Flora Scotica, ii. 818), also someshares the name.

- Orchanet (from the French orcanette, alkanet). Various species of Anchusa, especially A. tinctoria, L. In Turn. Names probably Lycopsis arvensis, L., is intended: 'it may be named in english wilde buglos or orchanet, as the french men do.' Turn. Names. Prior, p. 169.
- Orchard-grass. A frequent book-name for *Dactylis glomerata*, L.—With. ed. vii. Martyn (Flora Rustica). It is also so called in N. America, where it has been introduced to cultivation from Europe. Prior, p. 170.
- Orchard Weed. From its very frequent growth under fruit trees.

 Anthriscus sylvestris, Hoffm.—Grose.
- Orcheston Grass. An elongated form of many British grasses, including Agrostis stolonifera, L., Poa trivialis, L., and others: so called from their place of growth. See Transactions of the Linnean Society, vol. v. pp. 28—31, and With. (ed. vii.), ii. 169, for a full account of it. The following note upon it in Aubrey's MS. of the Nat. Hist. of Wilts (Royal Soc.), p. 123, may be worth transcribing: 'At the east end of Ebbesbourne-wake is a meadowe called Ebbesborne-meade, that beareth grasse eighteen foot long. I myself have seen it of thirteen feet long: it is watered with the washing of the village. . . . Upon a wager in King James the first's time, with washing it more than usuall, the grasse was eighteen foot long. It is so sweet that the pigges will eate it, it growes no higher than other grasse, but with knotts and harles like a skeen of silke . . . they cannot mowe it with a sythe, but they cutt it with such a hooke as they doe bagge pease with. [From] Mr. Beed ye Rector there. At Orston St. Maries is a meadow of the nature of that at Ebbesbourne aforesayd which beares a sort of very long grasse. Of this grasse, there was presented to king James the first some that were seventeen foot long; here is only one acre and one halfe of it. In common years it is 12 or 13 foot long; it is a sort of knott-grasse, and the pigs will eat it.'
- Orchis. The general book-name for many Orchidacew. The Bee Orchis is Ophrys apifera, L.; Bog Orchis, Malaxis paludosa, Sw.; Butterfly Orchis, Habenaria chlorantha, Bab., and H. bifolia, Br.; Cuckoo Orchis, Orchis mascula, L. (Ger.); Drone Orchis, Ophrys fucifera, Sm.; Frog Orchis, Habenaria viridis, Br.; Hand Orchis, Orchis maculata, L. (from the shape of the tubers, Treas. Bot.); Lady Orchis, Orchis purpurea, Jacq.; Lizard Orchis, O. hircina, L.; Marsh Orchis, O. latifolia, L.; Military Orchis, O. militaris, L.; Monkey Orchis, O. tephrosanthos, Vill.; Musk Orchis, Herminium Monorchis, L.; Purple Orchis, Orchis mascula, L.; Spider Orchis, Ophrys aranifera, Huds., and O. arachnites, Willd.; Spotted Orchis, Orchis maculata, L. See also Bird's-nest (3), Fly Orchis, and Man Orchis. Lyte calls Orchis maculata, L., and several other species, Orchis Standelwort. Prior, p. 169.
- Ore, or Oreweed. A name applied to more than one species of seaweed. South, Hal.: who adds, 'Holinshed, Chron. Ireland, p. 183, mentions Orewads.' Ray (South) has 'Oore, seawrack' (E. D. S. Gloss. B. 16). It is Fucus vesiculosus, L., that is so called in Cornw. (Polperro), N. & Q. 1st Ser. x. 359; and this is probably the Orewood of Skinner, who says 'quædam algæ species quæ Cornubiæ agros mirifice fœcundat sic dieta fort, quod, ut aurum, accolas locupletat, auro emi meretur, est autem vox Cornubiæ fere propria.' We

do not follow him in his suggested derivation. In Treas. Bot. Laminaria digitata, Lam., is called Oar-weed, and it seems to be some Laminaria that is alluded to by Markham (Farewell to Husbandry ii. 80), when he speaks of 'those broad-leaved blacke weedes which are called Orewood, and grow in great tufts and abundance about the shore.' Seaweeds of this genus are called Blade Ore in the Scilly Islands, Fucus serratus, L., being called Crabby Ore in the same locality (Journ. Roy. Agric. Soc. 1870, pt. ii. p. 384).

Orgament. 'Wild marjoram. Topsell's Four-footed Beasts.' Hal. Wr. Origanum vulgare, L.

Organ, or Organs. (1) Origanum vulgare, L.-Turn. Names (in

- some places); S. Dev.
 (2) Mentha Pulegium, L.—'In the West parts, as about Exeter. Organs.' Park, Theatr. p. 30. Cornw.; Dev.; Som. (Orgin), Pulman. Hal. Wr. Prior, p. 170. In Musarum Deliciæ (1656) occurs an epigram 'Upon Pigs devouring a bed of Penny royall, commonly called Organs.' Mr. Elworthy says 'penny-royal tea is in Som. called Orgin broth.'
- Organy. (1) Mentha Pulegium, L.-Lyte. Wilts. Akerman. (2) Origanum vulgare, L.-Ger. Wr. Wilts. E. D. S. Gloss. B. 19. Prior, p. 170. In Lyte Origanie.
- Orl. Alnus glutinosa, L.—Hal, Wr. Pulman. Heref. E. D. S. Gloss. B. 12; Sal.; Wore. Cfr. Aul.
- Orobstrangler. Orobanche major, L.—A translation of Orobanche invented by Turner and taken up by Lyte. See Turn. Herb. ii. fol. 72. Ger. calls it Orobanch.
- Orphan-John. Sedum Telephium, L.—East, E. D. S. Gloss, B. 20. Harping Johnny is another (Norf.) form of the same name.
- Orpies. Sedum Telephium, L.-E. Bord. Bot. E. Bord. In Mactaggart's Gallovidian Encyclopædia, Orpie-leaves. 'Cultivated in rustic gardens, for orpy-leaves are a popular vulnerary.' Bot. E. Bord., p. 83. Orpy or Orpie-leaf, Jamieson; Roxburghsh. (Kelso), Science Gossip, 1876, p. 39.
- Orpine. Sedum Telephium, L.—In Turn. Lib. Orpyn. Lyte, Wr. Archæologia, xxx. 411, where it is also assigned to Nepeta Glechoma, Benth. Prior, p. 170.
- Orpy-leaf. See Orpies.
- Orrice, or Orrice-root. The root of the Iris florentina, L., imported under this name, and used for the scenting of 'violet-powder.' It is probably a corruption of Ireos: Ger. says the 'roots in shops and generally everywhere are called Ireos or Orice.' See Ireos. Prior, p. 170.
- Ornall. Sedum Telephium, L.—Archæologia, xxx. 411 (Ornale), Hal. Ger. Appx. Hal. Wr. (Orvall).
- Oryelle. Alnus glutinosa, L.—Prompt. Parv. Hal. Wr.
- Osier, or Ozier. The general name for Salix viminalis, L.—Ger.
 Lyte calls it Frank Ozier and Ozier Withy. E. Bord. Bot. E. Bord.
 In St. W. Finc. Oisier (E. D. S. Gloss, C. 6). Prior, p. 171.

See Golden Osier.

- Osmund Royal (Ger.). (1) A common old book-name for Osmunda regalis, L., which is also called Osmund the Waterman (Lyte, Ger.), Osmund Fern (Coles, A. in E.), or simply Osmund (Lyte, who applies the name also to other ferns). A portion of the root was called Heart of Osmund (which see). Cfr. Prior, p. 171, for a note on the derivation of the name. In Wordsworth's poem On the Naming of Places he speaks of it as 'of the Queen Osmunda named' (N. & Q. 1st Ser. vi. 617), but this is merely a fanciful conjecture. In the Circle of the Seasons (1827) it is called Osman Roy. 'Minshew ideo dictum putat quod ejus decocto ut utuntur ad os mundandum, quod an verum sit, nescio, conjectura certe ingeniosa est. Potest tamen simplicius deduci ab Osmundo quodam inventore, forte an Osmundo rege.' Skinner. Some see in Osmunda a reference to Thor under his name Osmund.
 - (2) Lyte figures Nephrodium Filix-mas, Rich., under this name, and says it is so called of Matthiolus and Ruellius.
- Osteriacks, or Ostericks. Polygonum Bistorta, L.—Prior (p. 171) says, M.Lat. ostriacum, apparently a corruption of L. aristolochia, a name transferred to it from another plant; a suggestion borne out by Skinner's remark on Oysterloyte (which see). In some editions of Culpeper spelt Ostrich. Prior, p. 171.
- Ouler, Sea. Pyrus Aria, L.—See Chess-Apple.
- Our Lady of New Chapel's Flower. Orobanche major, L.—
 'Groweth . . . in the North countre besyde Morpethe, whereas it is called our lady of new chapellis flour.' Turn. Herb. ii. 71. In Turn. Names it is called simply New chappel floure. The plant 'still grows on the banks about our Lady's Chapel in Bothal wood.' Hodgson's Hist. of Northumberland, ii., pt. 2, 459 (1832).

For plants dedicated to the B.V.M. under the title of Our Lady, see pp. 294-297.

- Our Lord's Flannel, or Our Saviour's Flannel. (1) Echium vulgare, L.—Kent (Bridge, near Canterbury).
 - (2) Verbascum Thapsus, L.—Kent (Faversham).
- Overenyie. Artemisia Abrotanum, L.—Aberdeensh. Jamieson. From Lat. Abrotanum. See Averoyne.
- Owd Lad's Corn (owd lad = the devil). Stellaria Holostea, L.— Sal. (Pulverbatch).
- Owler. Alnus glutinosa, L.—Ches. (or Oler); Lanc.; N.-W. Linc. E. D. S. Gloss, C. 6; Staff. With. ed. ii.; North, Hal. Wr. Prior, p. 171. Ollerton in Cheshire, pronounced locally Owlerton, may have derived its name from the Owler tree. Oller is another form of the name, used in Worc. (With. ed. ii.) and by Pulman.
- Owl's Crown. Filago germanica, L.—Norf. (general). In E. D. S. Gloss, B. 3 it is assigned to Gnaphalium sylvaticum, L.; and Hal. and Wr. have 'Wood cudweed. Norf.,' but the above is probably meant.
- Owm. Ulmus campestris, L.—Yks. (Holderness), E. D. S. Gloss. C. 7.
- Oxan. Galium Cruciata, L.-Ger. Appx.
- Oxberry (Wore.), Oxberry Root. Tamus communis, L.-Heref.;

Sal, ; Wore. Phyt. v. 159, N. s. In W. Ches, the berries are collected by the farmers as a cure for barrenness in cattle.

(1) Adonis vernalis, L .- This is the right oxe eye described by Dioscorides,' but there is a long disquisition as to this in Ger., p. 607, 608. Lyte, p. 189.

(2) Chrysanthemum Leucanthemum, L.-With. ed. iv. Cumb. (also Oxen-eye and Girt (great) Ox-eye); Yks.; E. Bord. Bot. E. Bord. Prior, p. 171. It is often called Oxeye Daisy; Cumb.; E. Bord. Bot. E. Bord. Prior, p. 62.

(3) Chrysanthemum segetum, L.- A wild field Marygold, this is also termed an Oxe-eye if yellow and a wild Daisie if white.' Holme's Acad. of Armory, ii. 69. Sometimes called Yellow Oxeye in books.

Oxford Weed. Linaria Cymbalaria, Mill.—Baxter, who states that it is 'abundant on almost every wall at Oxford.'

Helleborus fætidus, L.—'In English Oxehecle or Setter-Ox-heal. woort, which names are taken from his vertues, in curing oxen and such like cattell.' Ger. 825. Usually spelt Oxcheele in Ger., but (more correctly) in the Index to Ger. Emac. and Park, Theatr. Ozeheale. Prior, p. 171.

Oxlip. Primula elatior, Jacq.—Ess., extended in other counties where this does not grow to P. variabilis, Goup., and the caulescent variety of P. vulgaris, L. Lyte. Ches.; Hants. Holl.; Sal. (Oxslop); Suff.; Suss. Holl.; var. dial. Hal.; North, Brockett. Turner gives Oxislip as a West Country name. Grose says P. veris, L., is so called in Ess. Oxlip simply means a large cowslip, and the origin of the latter name (which see) is obscure.

Ox-tongue. (1) A name applied to several plants with rough prickly leaves. Helminthia echioides, Gærtn.—Ger. Index. Prior, p. 172.
(2) Borrago officinalis, L.—Lyte, but merely as a translation. 'In Latine . . . Lingua bovis, that is to say, Langue de beuf, ou vache: in English Oxe tongue."

(3) Anchusa officinalis, L.-Lyte.

Oyster-green. Ulva Lactuca, L.—Prior, p. 172. Groweth upon rockes . . . especially among Oisters, and in greater plentie among those Oisters which are called Walfleete Oisters: it is very well knowne even to the poore Oisterwomen which carrie Oisters to sell up and down, and are greatly desirous of the said mosse, for the decking and beautifying of their Oisters, to make them sell the better; this mosse they call Oister-greene.' Ger. p. 1377.

Oysterloyte. Polygonum Bistorta, L.-Lyte. 'Nescio an, magno errore, sed in nominibus plantarum, non inusitato, a Belg. Oosterlucye, Aristolochia, et sane hæ duæ plantæ Alexipharmaca vi sorores sunt.' Skinner, who spells it Oister-loit. His view is supported that Turner (Names) says of Aristolochia rotunda, 'It may be named in englishe round ofter (sic) Luci or astrolochia,' the latter being an obvious corruption of Aristolochia. P. Bistorta was called Astrologia (see this word and Osteriacks).

Oyster Plant. Mertensia maritima, Don.—E. Bord. (the taste of the leaves is singularly like to that of oysters'), Bot. E. Bord. p. 147; Argylesh.; Shetlands.

Ozier. See Osier.

Paddie Stool. See Paddock Stool.

- Paddock Chese. 'The asparagus. This name occurs in an ancient list of plants in MS. Bib. Soc. Antiq. 101, f. 89.' Hal. Wr. This is a wrong identification; no doubt a Lycoperdon (probably L. Bovista, L.) is intended. Cfr. Paddock Stool and Frog Cheese, of which the name is an equivalent.
- Paddock Pipes, or Paddock's Pipes. (1) Various species of Equisetum.—With ed. iv. (E. palustre, L.); Cumb. E. D. S. Gloss. C. 8; Scott. Jamieson; Moray, Fl. M. (E. limosum, L.). Prior, p. 172, who confines the name to E. limosum.

(2) Hippuris vulgaris, L .- Cumb.

- Paddock Stool. A toad-stool. Ger. Park.—Cumb. (E. D. S. Gloss. C. 8), where all non-edible fungi are so called; E. Bord. Bot. E. Bord; North, Hal. Wr.; Nhamp. Nth. Gloss.; Scotl. Jamieson; Invernessh., where fairies are supposed to sit on them (see Pixie Stool). Prior, p. 172 (Boletus, Agaricus, &c.). 'The ill-favoured and deliquescent species, as well as the large Polypori and Boleti, are called Paddie or Paddock Stools, or Tade Stools, and are believed to be pre-eminently virulent in their qualities.' Bot. E. Bord., p. 272. Paddock is a north-country name for the toad; and, according to Prior, toad-stools have received their name from their resemblance to a stool, and a popular belief that toads sit upon them; but stool is an old name for excrement; and 'the ancient herbalists conceived that these plants were the excrements of animals'—(Science Gossip, 1865, p. 258)—an idea also conveyed in the name Lycoperdon.
- Paddock's Spindle. Orchis mascula, L.—Perthsh.
- Paddow Pipe. (1) Various species of Equisetum.—Bailey's Dict.
 E. Bord. (E. limosum, L.) Bot. E. Bord.; also called Paddie Pipes.
 Wright says, 'The plant Salomon's seal,' but this is an error.

(2) Hippuris vulgaris, L.—With. ed. iv. Yks. Baines (Flora of

Yorkshire).

- Padelion. Alchemilla vulgaris, L.—Lyte. Prior, p. 172. A corruption of the French name. 'The French [call it] pied de lyon.... and we in English Padelyon, after the French.' Park. Theatr. 538.
- Padstool. A toadstool.—North, Hal. Wr. Prior, p. 172. See Paddock Stool.
- Paigle, or Paigles, variously spelt Pagil, Pagle, Peagle, Peggle, Pegle, and Pegyll. (1) Primula veris, L.—Grete Herball; Beds. Batchelor's Bedfordsh. Gloss.; Camb. Turn. Herb.; East, Hal.; Ess.; Herts. (also Cow Paigle); Kent (Weald of), E. D. S. Gloss. C. 3; Linc. Brogd.; Middx. (Hampstead); Norf. Grose; Nhamp. Nth. Gloss.; South, Ray; Suff. (Peagle) Ray, Moor; Yks. (Mid.) E. D. S. Gloss. C. 5. Prior, p. 172. 'As yellow as a pegle' is a Kentish saying (E. D. S. Gloss. C. 3), and also a Suffolk saying (Moor). Holme (Acad. of Armory, ii. 70) limits the name to the double cowslip (Park). Turner (Herb. pt. iii. p. 80) includes both P. veris and P. elatior (probably the true plant) under the name: 'The one is called in the West contre of some a Cowislip, and the other an Oxislip, and they are both called in Cambridgeshyre Pagles.' Gerard seems to restrict the name to the Oxlip: 'The greater sort called for the most part Oxelips

and Paigles' 'p. 637). In Essex (Braintree, &c.) the name Cowslip is restricted to the Oxlip, while the Cowslip is always known as Peggle. This use of the names may explain the occurrence of both 'cousleps' and 'paggles' in Tusser's list of 'herbes, branches, and flowers, for windows and pots,' and also among his 'strowing herbes of all sortes.' (Pive Hundred Points, E. D. S. ed. p. 95.)

> 'The yellow marigold, the sunnes owne flower, Pagle, and pinke, that decke faire Floraes bower. Haywood's Marriage Triumph, 1613.

- (2) Cardamine pratensis, L.—Suff. Gloss. to Tusser's Husbandrie (E. D. S. ed. p. 338).
- (3) Ranunculus bulbosus, L., R. acris, L., R. repens, L., and R. Ficaria, L.—Suff.
- (4) Stellaria Holostea, L. Ger. Appx., where it is also written Pygie.

In addition to Prior's copious note upon this very obscure name, Prof. Skeat writes: 'French paillole, Italian pagniola, mean a spangle or small piece of gold. The root of this word is Fr. paille, Ital. pagliuola, straw, chaff; and the spangles were named from their minuteness, resembling pieces of chaff. This derivation would make out paigle to mean a spangle.' Mr. Skeat says further, that, still adhering to the same root, Lat. palea, straw, he finds the word paille used in German to denote 'straw-coloured.' It is possible this may be the derivation and the meaning of paigle. Prof. Max Müller also suggests Fr. paille, Ital. paglia, as the possible derivation of paigle on account of its colour; but it will be noticed that two of the plants to which the name is applied have white flowers.

Paigle, Cow. Primula veris, L.—Herts.

Painted Cup, Marsh. A book name for Bartsia viscosa, L.—With. ed. iv.

Painted Grass. See Grass, Painted.

[Painting Root. Lithospermum arvense, L.—This has probably no claim to be considered a genuine English name: it occurs in With. (ed. iii. &c.), followed by the remark, 'The girls in the North of Europe paint their faces with the juice of the root upon days of festivity.']

Paiwurt. 'The herb saxifrage.' Hal. Wr. This we cannot identify.

Palm, or Palms. The catkins of several species of willow, which have been used in northern countries as a substitute for true palms in the Church's processions on Palm Sunday; especially (1) Salix Caprea, L.—Palsgrave (1530), Hal.; Hants.; Leic. E. D. S. Gloss. (also Palm-willow); N.-W. Linc. E. D. S. Gloss. C. 6 (Paums); Nhamp. Nth. Gloss.; Norf.; Suss. Parish; Yks. (N. and E.) (Holderness); E. D. S. Gloss. C. 7; E. Bord. Bot. E. Bord.; Scotl. (Teviotdale), Jamieson; Moray (S. pentandra, L.), Fl. M.; Stirlingsh. (Pam-bus); Irel. (Antrim, Down), where it is still used on Palm Sunday. Prior, p. 173. See Pawms.

(2) Taxus baccata, L. 'In Kent yew-trees are always called Palms.' Parish. Kent. Evelyn (Sylva), E. D. S. Gloss. C. 3; Ireland

(Antrim, Down), Dublin. Prior, p. 173.

(3) Catkins of Corylus Avellana, L.—Pulman.
 (4) Pinus Picea, L.—Irel. (Antrim, Down).

The substitution of Willow and Yew for the true Palm in the ceremonies of Palm Sunday has led to a similar extension of the name: both, doubtless, date from very early times. Hampson (Medii Ævi Kalendarium, ii. 30) quotes an old sermon for Palm Sunday from the Cotton MS. Claud. A. 11, fo. 12, in which occurs a passage, saying that, as 'we have non olyfe that bereth grene leves we takon in stede of hit hew [yew] and palmes wyth, and beroth abowte in procession, and so this day we callyn Palme Sonnenday.' Barnaby Googe (Popish Kingdome, bk. iii.) tells how the 'Papists Willow braunches hallow that they Palmes do use to call.' Parkinson (Theatr. p. 1431) speaks of 'divers gathering them to decke up their houses on Palme Sunday; ' and Coles (A. in E.) adds, 'therefore the said flowers are called Palme.' It is the Willow which is sold as 'Palm' in Covent Garden Market; while in Kent and other counties, 'going a Palming' is a popular custom on the Saturday before Palm Sunday. It would appear that in Turner's day, Willow only was used in England, and in his Libellus (1538) he has a characteristic protest against the 'mendacity' of the Catholic clergy. 'Palmā arborem in anglia,' he says, 'nunq me vidisse memini. In die tamen ramis palmarū (ut illi loquutur) sæpius sacerdotē dicentē audivi, Benedic etiā & hos palmarū ramos, quu preter salignas frondes nihil omnino videre ego, quid alii viderint nescio. Si nobis palmarum frondes non suppeterent; prestaret me judice mutare lectionem & discere, Benedic hos salicū ramos, q falso & mendaciter salicum frondes palmarum frondes vocare.' As, however, the Roman Ritual distinctly refers to 'hos olivæ cæterorum-que arborum ramos,' as well as to the 'ramos palmæ,' it would seem that the zealous reformer strained a point in his anxiety to criminate the clergy of the period. According to Sir Walter Scott's novel, 'Castle Dangerous,' Willow and Yew were carried, even in Scotland, upon Palm Sunday; and Brockett says that in the North of England the flowers of Willow are gathered early in the morning of that day, and with them 'small pieces of wood formed into crosses, called Palm crosses,' are decorated, which are then 'stuck up or suspended in their houses.' According to Pallas, as quoted by Martyn, it is a species of Willow (Salix vitellina) that is used as a substitute for Palm in the Greek Church of Russia. Among ourselves S. cinerea and S. Caprea are the species chiefly used; and of these waggon-loads from the marshy banks of the lower Thames region are sent to London every year. In the accounts of St. Martin Outwich, London, for 1525, there are entries of payments for 'yow,' 'palme,' and 'box floures' on Palm Sunday, which makes it probable that yew and box were used then as well as willow, as indeed they are in Catholic churches in London and the neighbourhood, at the present day; willow being but seldom used. Yew is the most frequently employed; and in Ireland yew-trees are almost universally called palms, even by those who know the proper name for them (N. & Q. 3rd Ser. vii. 168). We have not heard the Box (Buxus sempervirens) called Palm; Lyte, however, refers to it as the Palm-tree, and says it is so called 'bycause upon Palm Sunday they carie it in their churches and sticke it rounde aboute their houses.' It now-a-days often figures prominently among the branches blessed in Catholic churches. In Domesday Book (Shropshire, vol. i. 252), we find mention of a tenure

of land held on payment of a bundle of box-twigs on Palm Sunday—
'Terra dimid. car unus reddit inde fascem buxi in die Palmorum;'
and in Newton's Herball to the Bible is an account of the serious
effects produced upon 'a certaine young man' by the askes of box
which had been blessed upon that day, and were administered to him
as medicine. A writer in the Stamford Mercury for April 15, 1870,
speaks of hazel as well as willow being gathered on Palm Sunday in
Lincolnshire. Further information upon the subject will be found
in a paper contributed by one of us to the Gardeners' Chronicle for
March 27, 1875.

Palm, Moor. See Moor-pawms.

Palm, Nut. Catkins of Corylus Avellana, L.-Berw. Bot. E. Bord.

Palm Grass. Poa aquatica, L.-Nhamp. Nth. Gloss. Wr.

Palsy-wort. Primula veris, L.—Park. Theatr. 'They are named Arthretica and Herba Paralysis, for they are thought to be good against the paines of the joints and sinewes; they are called . . . in English pettie mulleins or Palsieworts . . . A conserve made with the flowers . . . prevaileth woonderfully against the palsie.' Ger. 637, 638. Prior, p. 172.

Pancake Plant. Malva sylvestris, L., the fruits, Pancakes. N. Linc. Ofr. Cheeses.

Pancakes. Leaves of Cotyledon Umbilicus, L.-Dev.

Pance, or Pances. Viola tricolor, L.—Lyte. Suss. (Culpeper), Pancies. Prior, p. 173.

Panier Rush. Scirpus lacustris, L.—'Bycause they use to make fygge frayles and paniers therewithal.' Lyte.

Pansy. The general name for Viola tricolor, L.—Park. Theatr. Ches.; Yks. (Cleveland); E. Bord. Bot. E. Bord.; Var. dial. Hal, Wr. Prior, p. 174.

Papple. Lychnis Githago, L.—Scotland, Jamieson, who also spells it Paple. 'A noxious seed which grows among wheat: extremely prolific.' Maetaggart's Gallovidian Encyclopædia.

Papwort. Mercurialis perennis, L.—Ger. Appx. Hal. Wr.

Paradise Plant. Daphne Mezereum, L.—Som. (Bristol).

Paralysy, Herb. Primula veris, L.—A form of its old name Herba paralisi. 'It is principally good for palsy.' Grete Herball.

Parcel, or Parsil. Petroselinum sativum, Hoffm.—North. Hal. Yks. Hallamsh. Gloss. In E. D. S. Gloss. B. 13. Parsell is given as an Early Lowland Scotch form.

Parietary, or Parietory. Paritory, Turn. Lib. Prior, p. 177. Parietaria officinalis, L.—Grete Herball. Hal. Wr. 'In English, ordinary Pellitory of the wall, but corruptly, for it hath no correspondencie with Pellitory; but to follow the Latine name, as most other countries doe, it should be called Parietarie, and of the wall is added according to both the names of Paritaria and Muralis.' Park. Theatr. 437.

Park-leaves. Hypericum Androsamum, L.—Lyte. Some call it Parke leaves, 'because it is so familiar to parkes and woods, that it almost groweth no where else.' Park. Theatr. 577. Prior, p. 174. Hal. has 'Parklewys, the herb agnus-castris' (sic), but the above is probably meant.

Parmaceti, Poor Man's. See Poor Man's Parmacetty.

Parnell. Viburnum Opulus, L .- Sal.

Parsley. The general name for Petroselinum sativum, Hoffm.— Lyte. Prior, p. 175.

Parsley, Ass. See Ass Parsley.

Parsley, Bur. See Bur Parsley.

Parsley, Coney. (Suss.); Cow (Camb.; N. Ess.; Glou.; Hants.; Norf.); or Devil's (Ches.). Anthriscus sylvestris, Hoffm.

Parsley, Dog's. (1) Æthusa Cynapium, L.—Prior, p. 67.

(2) Anthriscus sylvestris, Hoffm. (Dog Parsley).—Ellis, 'Modern Husbandman,' vol. iv. 4, 78-9.

Parsley, False. Æthusa Cynapium, L.-Sal.

Parsley, Fool's. See Fool's Parsley.

Parsley, Hedge. Torilis Anthriscus, Gærtn. Prior, p. 175.

Parsley, Horse. Smyrnium Olusatrum, L.-Prior, p. 119.

Parsley, Marsh. See Marsh Parsley.

Parsley, Milk. See Milk Parsley.

Parsley, Mountain. See Mountain Parsley.

Parsley, Pig's. See Pig's Parsley.

Parsley, Rose. Anemone hortensis, L.-Lyte.

Parsley, Sea. Ligusticum scoticum, L.—Highlands, Pratt.

Parsley, Sheep's. (1) Anthriscus sylvestris, Hoffm.—Kent; Norf.
(2) Chærophyllum temulum, L.—Suff. Prior, p. 122.

Parsley, Stone. Sison Amomum, L.-Lyte. Prior, p. 175.

Parsley, Water. Apium graveolens, L. Apium aquatile, or water parsley; but Hydroselinum [Charophyllum temulum, L.], or Sium majus [Sium latifolium, L.], is the true Water Parsley, Ger. 862.

Parsley, Wild. (1) Cherophyllum temulum, L.—Ger.

(2) Leaves of Scandix Pecten, L. Bucks. (Great Marlow).

(3) Peucedanum palustre, Moench. With ed. iv. (or Wild Milky Parsley).

(4) Anthriscus sylvestris, Hoffm. Radnor. (Bord. of Heref.).

Parsley Breakstone. Alchemilla arvensis, Scop.—Suff.; Scott. Jamieson. See Parsley Pert.

Parsley Elder. The laciniated garden variety of Sambucus nigra, L.—Deering (Cat. Stirp.), p. 194. Parsley Fern. The common name for Allosorus crispus, Bernh.— Cumb. (Winderwath). Prior, p. 78.

Parsley Pert, or Piert. Alchemilla arvensis, Scop. — (Parsley Perk, Ches.) 'The true etymologie of the word being corrupted, as for the most part all unusual or hard words are to the vulgar sort; for the uncorrupted word is Percepierre, a true French word, and signifieth the same that Lithontriton in Greeke, Saxifraga in Latin.'—Park, Theatr. p. 448. Gerard (p. 453), in error, assigned the name to Scleranthus annuus, L. Lobel (Stirpium Adversaria, p. 324 (1570)) describes and figures the plant as 'Percepier Anglorum,' and says of it, 'Herbariis no valde notā, nequedū quod sciamus descriptā. At Anglie tamen Bristoiaē, arbitramur, frequentissimo apud mulierculas usu receptū est.' Although Johnson (in Ger. emac.) does not seem to have been aware of Gerard's error, he reproduces Lobel's figures in his Appendix (p. 1594), and describes the plant, adding, 'Our herbe women in Cheapside know it by the name of Parsley Breakestone'—a name which is also given in Park. Theatr. p. 449. Prior, p. 175.

Parsley Vlix. Alchemilla arvensis, L.—Dors.

Parsnip, or, as it was formerly spelt, Parsnep, Pasnep, and Pastnip. The general name for Pastinaca sativa, L.—Lyte. The following is a good example of an ingenious derivation. 'The nep, which, from its size, requires to be chopped up or divided into small portions before it can be eaten, as school-boys are said to parse their lessons, when they divide them grammatically.' (!) McNicoll's Dict. of Nat. Hist. Terms, p. 374. Prior, p. 175.

Parsnip, Cow. See Cow Parsnip.

Parsnip, Crow. Leontodon Taraxacum, L.-Hal. Wr.

Parsnip, Meadow. See Meadow Parsnip.

Parsnip, Pig's. See Pig's Parsnip.

Parsnip, Water. A book name for Sium latifolium, L. and S. angustifolium, L.—With. (ed. iv.) calls the former Great Water Parsnep, and the latter Upright Water Parsnep. Prior, p. 246.

Parson-and-Clerk (Dev.), Parson-in-the-pulpit (Ches.; Dev.; Yks. (Brandsby)), or Parson-pillycods (Yks. (Northallerton)). Arum maculatum, L.

Parvenke. See Pervenke.

Pash-pole. The double poppy (Papaver somniferum, L., var.).— Holme, Acad. of Armory, ii. 67.

Pasmets. Parsnips (Pastinaca sativa, L.). Wilts. E. D. S. Gloss. B. 19. Pulman has Pasment.

Pasnep. See Parsnip.

Pasper. Crithmum maritimum, L. — Mactaggart's Gallovidian Encyclopædia.

Pasque Flower. Anemone Pulsatilla, L.—'They flower for the most part about Easter, which hath mooved me to name it Pasque flower, or Easter flower.' Ger. p. 309. Prior, p. 175.

- Passeflower. Anemone Pulsatilla, L.—Lyte, who suggests that Adonis autumnalis, L., also 'may be called' so. See Passevelours. Prior, p. 175.
- Passevelours. A French name for Amaranthus caudatus, L. (Park. Parad. p. 371), and A. tricolor, L. (Ger. p. 254), which seems, like Floramor (which see), to have been in use for the plant among English people. 'The French call it [A. caudatus] Passe velours, that is to say, passing velvet in colour.' Park. Parad., p. 371. In Ger. Index it is called Passe flower, or Passe velour.
- Passions. (1) Polygonum Bistorta, L., because eaten at Passion-tide. Turn. Herb. who spells it Pationes. 'In Cheshire Passhions and Snakeweede, and there used for an excellent pot-herbe.' Ger. p. 323.

(2) Rumex Patientia, L.-Prior, p. 175. See Patience.

Passworts. Primula veris, L.—'Flores Primulæ veris, contr. in Palsy-worts (i. e.) Paralyseos.' Skinner.

Pastnip. See Parsnip.

- Patience. (1) Rumex Patientia, L.—Turn. Lib. 'In Latine Patientia, or Patience, which worde is borrowed of the French, who call this herbe Pacience: after whom the Dutch men name this potherb also Patientie.' Ger. p. 314. Prior, p. 175. The name seems to have been extended to other docks; Lyte calls R. pulcher Wild Patience.
 - (2) Polygonum Bistorta, L., in 'Pharmacopinax' (1625), in this case some confusion with Passions.
- Patient Dock, or Patience Dock (North, Hal. Wr.). Polygonum Bistorta, L.—Ches.; a corruption of the old name Passions, which see.

Patrick's (St.) Cabbage. See Cabbage, St. Patrick's.

Pattens and Clogs. (1) Lotus corniculatus, L.—Glou. (Fairford); Suss. Parish.

(2) Linaria vulgaris, L. Pratt. Suss.

Pattikeys. Fruit of Frazinus excelsior, L.—Nhamp. Nth. Gloss. Wr.

Paul's Betony. Veronica officinalis, L.—Lyte, Ger. 'A name given to it by Turner [Names], as being the plant described as a betony by Paul Ægineta.' Prior, p. 176.

Paunce. Viola tricolor, L.—Hal. Ger. gives Paunsies. In Spencer Pawnce. Prior, p. 173.

Pawms (Palms). Catkins of willows, especially of Salix Caprea, L. —Cumb. (Winderwath) where they are gathered by children, and strewed about on Palm Sunday. Pawm-busses (Palm-bushes) is the name given in Cumb. to all willows that have conspicuous catkins. N.-W. Linc, E. D. S. Gloss. C. 6; Yks. Hallamsh. Gloss. (Holderness) E. D. S. Gloss. C. 7; (Whitby) E. D. S. Gloss. C. 2; Stirlingsh. See Palm (1).

Pawms, Moor. See Moor-pawms.

Pawple. See Papple and Popple.

Pea. The general name for Pisum sativum. Prior, p. 176.

Pea, Cat. Vicia Cracca, L.—Clackmannansh.

Pea, Chick. Cicer arietinum, L.-Wr. Prior, p. 176.

Pea, Chickling. Lathyrus,-Prior, p. 176. See Cichling.

Pea, Craw. Lathyrus pratensis, L.-E. Bord. Bot. E. Bord.

Pea, Crow. Empetrum nigrum, L.-Moray.

Pea, Everlasting. See Everlasting Pea.

Pea, Heath. See Heath Pea.

Pea, Mice. Vicia Cracca, L .- Moray. Fl. M.

Pea, Mouse. See Mouse Peas.

Pea, Show. Lathyrus odoratus, L.-Norf.

Pea, Wood. Lathyrus macrorrhizus, Wimm.-Pratt. Prior, p. 176.

Pea-tree. Cytisus Laburnum, L.-Ayrsh.; Lothians, Jamieson.

Peach Bells. Campanula persicifolia, L.—Dev. An adaptation of the Latin name.

Peachwort. Polygonum Persicaria, L.—A translation of the Latin specific name. 'Dead Arsmart is called Persicaria or Peachwoort, of the likenesse that the leaves have with those of the Peach-tree.' Ger. p. 361. Prior, p. 176.

Peagle. See Paigle.

Pear. Pyrus communis, L., and all its garden varieties. Prior, p. 176.

Pear, Choke. See Choke-pear.

Pear, Pixie. See Pixie Pear.

Pear, Swallow. See Swallow Pear.

Pear, Whitty. See Whitty Pear.

Pear-tree, Widbin (S. Bucks.), or Wild (Derb. With. ed. ii.).

Pyrus Aria, L.

Pearl, or Pearls. Avena elatior, L.—Irel. (Antrim, Donegal). See Grass, Pearl. Halliwell gives as one of the meanings of Pearl, 'white spots in the eyes.' The name of the plant being the same as that of the disease which it is supposed to cure, points in all probability to the doctrine of similitudes. Coles (A. in E.) mentions a trefoil with a 'white spot in the leafe like a pearle,' which is used for the same disorder.

Pearl Moss. Chondrus crispus, Lyngb.—Treas. Bot. This was formerly sold in Covent Garden Market under the name of Irish Pearl Moss. See Loudon's Gardener's Magazine, viii, 94 (1832).

Pearl-plant. Lithospermum officinale, L., and L. arvense, L.— Lyte, Ger. From the hard white pearl-like seed. Prior, p. 177.

Pearl-wort. A book-name for the genus Sagina. With, ed. ii.

Pearls of Spain. The white-flowered variety of Muscari botryoides, Mill. — 'Some English gentlewomen call the white grape-flower Pearles of Spaine.' Park, Parad, p. 115.

Pease Everlasting. Lathyrus sylvestris, L.-Ger.

Pebble-vetch. A cultivated variety of Vicia sativa, L.—'The pebble-vetch is a summer-vetch, different from the goar-vetch, and not so big.' Lisle's Husbandry (1757), p. 125.

Pedelyon. (1) Alchemilla vulgaris, L.—Grete Herball. Lyte has Padelion.

(2) Helleborus niger, L. — Grete Herball. Ger. Appx. Hal. (Pedelion).

Pedlar's Basket. (1) Linaria Cymbalaria, Mill.—Hal. Wr. Ches.; Cumb.; Derb. (Bakewell); Lanc. (Ormskirk); Westm. (2) Saxifragu sarmentosa, L.—Ches.; Lanc.; Sal.

Pee-a-bed. Leontodon Taraxacum, L.—Dev. A euphemistic form of Piss-a-bed.

Peep o' day. Ornithogalum umbellatum, L.-Sal. (Wem).

Peeseweep Grass. See Grass, Peeseweep.

Peggall Bush. Cratagus Oxyacantha, L.—Wilts. Household Words, vol. x. p. 173. The fruit Pegalls or Pigalls. East, Wr.

Peggle. See Paigle.

Peg-roots. Helleborus viridis, L.—'Hippitriaci a pecuarii in lue jumentorum huic plurimum confidunt, scilicet boum palearia, equorum cutem infra cervicem, pecudum aures stylo pertundunt, dein fibros radicum hujus per vulnus transadigunt, unde Peg-roots dicuntur.' S. Dale's Pharmacologia (ed. iii.), 1737, p. 177. Prior, p. 177. Cfr. Setter-wort.

Peletir. 'The pellitory, Palsgrave.' Hal. Parietaria officinalis, L.?

Pella-mountain, or Puliall-mountain. Thymus Serpyllum, L. ? also Teucrium Polium, L.—Lyte. Apparently a corruption of Pulegium montanum, its old Latin name. Prior, p. 177.

Pellas. Fruits of Malva rotundifolia, L.—Cornw. (Truro).

Pelles. See Pillas.

Péllitory, Bastard. See Bastard Pellitory.

Pellitory, Wild. Achillea Ptarmica, L.—Lyte. The garden form was called Double White Pellitory. Park. Parad.

Pellitory of Spain. Anacyclus Pyrethum, DC. Ger., and still in use in pharmacographical books. The name seems to have been vaguely employed by old writers: Lyte applies it to Imperatoria Ostruthium, L., and Ger. (p. 484) says that Achillea Ptarmica, L., was so called, 'taking that name from his sharp and biting taste,' in which it resembled the Anacyclus.

Pellitory of the Wall. Parietaria officinalis, L.—In Bucks. corrupted to Penalty-of-the-wall. Lyte. E. Bord. Bot. E. Bord. See Parietary.

Pence. Rhinanthus Crista-galli, L .- Nhamp. Nth. Gloss. Wr.

Pencuir Kale. See Kale, Pencuir.

Peniterry. Parietaria officinalis, L.-Ireland. 'A weed called, locally at least, Peniterry, to which the suddenly terrified [school-boy idler might run in his need, grasping it hard and threateningly, and repeating the following "words of power":—
"Peniterry, peniterry, that grows by the wall,

Save me from a whipping, or I pull you roots and all."
Father Connell, by the O'Hara Family (chap. xii.).

Penny, Henny (North, Grose), or Horse (Yks. Hallamsh. Gloss.; Hal.). Rhinanthus Crista-galli, L.

Penny, Moon. Chrysanthemum Leucanthemum, L.—Ches.

Penny, Silver. Bellis perennis, L.—Nhamp. Nth. Gloss.

Penny Cake, or Cakes. Cotyledon Umbilicus, L .- Cornw. ; S. Dev. ; also Pennycod (Cornw.).

Penny-cress. See Cress, Penny.

Penny-flower. Lunaria biennis, L. - Lyte. Park. Parad. 265, from its round, flat seed-pods, almost the size of pennies. A translation from the German. See Money-flower.

Penny Grass. See Grass, Penny.

Penny Grass, Hen. See Hen Pen.

Penny Grass, Sheep-killing. See Grass, Sheep-killing Penny.

Penny Hat. Leaves of Cotyledon Umbilicus, L.—Dev.

Penny Hedge (Norf.), or Penny-in-the-hedge (Worc.). Alliaria officinalis, Andrzj.

Penny Leaves. Cotyledon Umbilious, L., from its round, flat leaves .- Som. ; Ireland (Co. Waterford).

Penny Mountain. Thymus Serpyllum, L.—'Penie mountain, or wilde time.' Ger. Index. Prior, p. 177.

Penny Pies. (1) The root-leaves of Cotyledon Umbilicus, L.—Dev.: Cornw. Flora of Plymouth, p. 161 (also Penny-plates, Dartmoor).

(2) Sibthorpia europæa, L.—Cornw. Prior, p. 53.

Penny Rattle. Rhinanthus Crista-galli, L.—Suss. Parish.

Penny Rot. Hydrocotyle vulgaris, L.—Ger. Sal. Prior, p. 177.

Penny Royal. Mentha Pulegium, L.-Turn. (Lib.) spells it Peny Ryall, which was, and in fact still is, in country places, the pronunciation of 'royal'. Ches.; Sal.; E. Bord. Bot. E. Bord. Lyte calls Mentha arvensis, L., Wild Pennyroyal. Prior, p. 177.

Penny Wall. Cotyledon Umbilicus, L.-Isle of Man. Phyt. iv. 167, N. S.

Penny-weed. Rhinanthus Crista-galli, L.—Hal. Midland Counties, E. D. S. Gloss. B. 5. Holdich, Essay on Weeds.

Penny-wort. (1) Cotyledon Umbilicus, L.—'Because the leaves are as round as a penny, and not much broader.' Coles, A. in E. 371. Lyte calls it Wall Pennywort. Prior, p. 245. Ger.; Som.

(2) Sibthorpia europæa, L.—Prior, p. 178.

(3) Linaria Cymbalaria, L.—'In old works.' Prior, p. 178.

Pennywort, Marsh (Prior, p. 170), or Water (Ger.). Hydrocotyle vulgaris, L.—Prior, p. 178.

Pensy. 'The pansy. Palsgrave.' Hal. Viola tricolor, L.

Peony. The various species of Paonia. Prior, p. 178.

Pepilles. 'The water purslain.' Hal. Peplis Portula, L.—A corruption of the generic name.

Peplar, White. Populus alba, L.-Lyte.

Pepper, Country. Sedum acre, L.-Ger.

Pepper, Old Man's. Achillea Millefolium, L.—Pratt, who gives it as a 'common name,' though we have not met with it elsewhere. Cfr. Old Man's Mustard.

Pepper, Poor Man's. See Poor Man's Pepper.

Pepper, Saturday's. Euphorbia Helioscopia, L.-Wilts.

Pepper, Wall. See Wall Pepper.

Pepper, Water. Polygonum Hydropiper, L.—'Of a sharpe and biting taste, like unto pepper, whereof it tooke his name.' Ger. 360. Lyte (also Water Pepperwort). Prior (p. 178), who extends the name to Elatine Hydropiper, L.

Pepper, White. Eruca sativa, Lam. ? 'Euzomon latini erucam nominant, vulgus Rocket, aliqui vocant Whyte Pepper.' Turn. Lib.

Pepper, Wild. Achillea Millefolium, L.-E. Bord. Bot. E. Bord.

Pepper-brand. Tilletia caries, Tul. Treas. Bot.

Pepper-crop. Sedum acre, L.—Prior, p. 178. We have not met with the name elsewhere.

Pepper Dulse. See Dulse, Pepper.

Pepper Grass. See Grass, Pepper.

Pepper-mint. See Mint, Pepper.

Pepper Moss. A book-name for Pilularia globulifera, L.—With. ed. ii.

Pepper Saxifrage. A book-name for Silaus pratensis, Bess.—With. ed. vii. Prior, p. 178.

Pepper-wort. Lepidium latifolium, L.—Turn. Herb. 'The roote is sharpe and bitch the toong like pepper, whereof it tooke the name pepperwoort.' Ger. 186. Prior, p. 178.

Pepperidge. See Piperidge.

Pepillary, or Poppillary. Populus nigra, L.—Ches. Wilbraham's Cheshire Gloss. Perceley. 'Parsley. Palsgrave.' Hal. Petroselinum sativum, L.

Percepier. Alchemilla arvensis, Scop.— Percepier or Perchpier, as some call it. Park. Theatr. p. 449. See Parsley Pert. Prior, p. 178.

Periwinkle. The common name for Vinca minor, L., and Vinca major, L.—'Āglis Perwyncle dicitur.' Turn. Lib. Lyte. In Chaucer and the older poets Pervenke and Pervinke. E. Bord. Bot. E. Bord. Prior, p. 178.

Pernel. 'The pimpernel.' Anagallis arvensis, L.—But the illustrative quotation given by Hal. suggests a different meaning for the word.

Perrymedoll. Campanula pyramidalis, L., an obvious corruption of the specific name. Suff. Moor.

Persel. 'Parsley,' Pegge. Petroselinum sativum, L.—Hal., who has also Percile (A. N.). Perseley. Turn. Names. Jamieson gives Persil as a Scottish form.

Persian Willow. Epilobium angustifolium, L.—Prior, p. 178.

Persicaria. A common modern book-name for Polygonum Persicaria, L.: also Persicary (Treas. Bot.). Prior, p. 179.

Pervenke. Vinca major, L., and V. minor, L.—Spelt also Parvenk (Archæologia, xxx. 353), and Parwynke (ib. p. 376):

'Parwynke is an erbe grene of colour, In tyme of may he beryth blo flour.'

A corruption of the old Latin name pervincula. Hal. and Wr. have *Parvenke, a pink (A.-N.),' but this is a mistake. Prior, p. 178.

Pestilence Wort. Petasites vulgaris, Desf.—Park. Theatr. (Index), from the Germ. Pestilentz-wurtz:—'very available against the plague and pestilentiall fevers.' Park. Theatr. 420. Prior (p. 179) has Pestilence-weed.

Peter. Primula veris, L.-Archæologia, xxx. 411. Hal.

Peter Keys. The fruit of Fraxinus excelsior, L.—Coles, A. in E. 305 (Peter Keyes).

Peter's Cress. See Cress, Peter's.

Peter's Staff. Verbascus Thapsus, L.—Ger. Appx. Hal. Wr.

Peter's (St.) Wort. Hypericum tetrapterum, Fr.-Lyte.

Petigree, or Petigrue (Turn. Names). Petygrew (Turn. Lib.).

Ruscus aculeatus, L. Coles, A. in E. (Pettigree). Prior, p. 179.

Petty Cotton. See Cotton, Petty.

Petty Morel. See Morel (3).

Petty Muguet. See Mugwet (1).

Petty Mullein. See Mullein, Petty.

Petty Spurge. Euphorbia Peplus, L.-Lyte.

- Petty Whin. A book-name for *Ononis arvensis*, L., invented by Turner. 'In Cambridge shyre this herbe is called a *Whine*, but I putt pety to it, to make difference between this herbe, and a fur [furze] which in manye places of Englande is also called a *Whine*.' Herbal, pt. i. p. 45. Prior, p. 179.
- Pewter-wort. Equisetum hyemale, L.—' Women scowre their pewter and wooden things of the kitchen therewith, which the Germaine women call Kannenkraut, and thereupon some of our huswives do call it Pewter-woort.' Ger. 958. Prior, p. 179. See Grass, Scrub, and Grass, Shave.
- Pheasant Lily. Fritillaria Meleagris, L.—Cumb. E. D. S. Gloss. C. 8.
- Pheasant's Eye. (1) A book-name for Adonis autumnalis, L.—Prior, p. 179.

(2) Anchusa sempervirens, L.—Som.

- Phorams, or Phorans. Various species of Rumex. Irel. (Co. Louth).
- Pianet. Paronia officinalis, L.—'Double peony, vulgarly called a pianet.' Holme, Acad. of Armory, ii. 71. Ches.; Cumb. E. D. S. Gloss. C. 8; Linc.; Sal. Piano-rose is another corruption of the name, used in Ireland (Antrim and Down, E. D. S. Gloss.; Tyrone, Science Gossip, 1877, p. 46). Another form is Pie-nanny (Yks. Whitby), E. D. S. Gloss. C. 2.
- Pick Cheese. Fruit of Malva sylvestris, L.-Herts.; Norf.
- Pickerell-weed. (1) Various species of Potamogeton.—'Pickerel-weed, of which I told you, some think pikes are bred, for they have observed that when none have been put into ponds, yet they have then found many, and that there has been plenty of that weed in those ponds, and (they think) that that weed both breeds and feeds them.' Walton's Complete Angler, ch. viii. E. Anglia, Forby; Camb.; Suff. Moor, who says, 'the idea that the sun's heat helps the breeding of pike in it is common.' E. Bord. (Potamogeton natans, L.) Bot. E. Bord.

(2) Ranunculus aquatilis, L.—E. Anglia. Rev. E. Gillett in Botanist's Chronicle, p. 45.

- Pick-folly. 'Children pick the leaves of the herb called Pick-folly, one by one, repeating each time the words rich-man, poor-man, beggar-man, thief; fancying that the one which comes to be named at the last plucking will prove the condition of their future partners.' Nhamp. Sternb. We cannot identify this plant.
- Pick Needle. Erodium moschatum, L'Her.—' Much esteemed for its musk-like fragrance, and generally propagated with other garden annuals; nor, indeed, are any of the numerous and beautiful nosegays which deck our market-stalls considered perfect without a branch of Muscovy or Pick-needle.' Prior, p. 179. Banks, Plymouth and Devonport Flora (1830).
- Pick Pocket. In the case of (1) and (2) from their impoverishing the land of the farmer. (1) Capsella Bursa-pastoris, L.—Dev.; Norf.; Notts.; Suss. Parish; Worc.

- (2) Spergula arvensis, L.—Pratt.
- (3) Prunella vulgaris, ${f L}.-{f E}$ ss.
- (4) Lolium perenne, L.—Dev.
- Pick Purse. From its impoverishing the land. (1) Capsella Bursa-pastoris, L.—North, Ger. Prior, p. 179.
 - (2) Spergula arvensis, L.—Norf. Hal. (E. Norf.) E. D. S. Gloss. B. 3. Prior, p. 179.
- Pick-your-mother's heart-out. Capsella Bursa-pastoris, L.—Warw. (Birmingham). See Mother's Heart.
- Pickle Plant. Salicornia herbacea, L.—It is used as a substitute for samphire. See Samphire (2) and Sampion. Cumb. E. D. S. Gloss. C. 8.
- Picks, Hedge. Fruit of Prunus spinosa, L.—Hants.
- Pie-apple. (A corruption of Pine-apple.) A fir-cone. Nhamp. Wr.
- Pierce-stone. Crithmum maritimum, L.—'Pearce-stone or sampier.' Surflet's Countrie Farm, p. 223. 'It is called Pearcestown.' Holme's Acad. of Armory, ii. 100.
- Piercill, or Piersill. Alaria esculenta, Grev.—N. Scotl. Jamieson.
- Pigall. Fruit of Cratægus Oxyacantha, L.—West. Hal. Wr.; Wilts. (Devizes).
- Pigeon's Eye. Cardamine pratensis, L.—Yks. (Northallerton).
- Pigeon's Foot. Geranium molle, L.—Ger., who gives corresponding names in Latin, French, and Dutch.
- Pigeon's Grass. See Grass, Pigeon's.
- Pig Grass. See Grass, Pig.
- Pig-haw. Fruit of Cratagus Oxyacantha, L. Wilts. E. D. S. Gloss. B. 19.
- Pig-leaves. Carduns pratensis, L.—North, Hal. Wr.; E. Yks.
 E. D. Gloss. B. 2 (Whitby). ('The meadow thistle.') E. D. S. Gloss. C. 2.
- Pig-nut. See Nut, Pig.
- Pig Rose. Rosa canina, L.—Cornw.; Dev. Flora of Plymouth, p. 136.
- **Pig-rush.** Polygonum aviculare, L.—Sal. (Wellington).
- Pig-tail. Galium Aparine, L.—Nhamp. Nth. Gloss.
- Pig Violet. Viola sylvatica, Fr.—Ches. (occasionally).
- Pig-weed. (1) Polygonum aviculare, L.—Hants.; Worc. (2) Chenopodium rubrum, L.—Prior, p. 180.
- Pig's Bubbles. Heracleum Sphondylium, L. Som. (Vale of Taunton Dean), where it is extensively collected as food for pigs, which are very fond of it.
- Pig's Eyes. Cardamine pratensis, L.—Ess. (Bocking).

Pig's Foot. Lotus corniculatus, L .- Suff.

Pig's Hales. Fruit of Cratagus Oxyacantha, L .- Som. Holl. Wr.

Pig's Noses. Fruit of Rosa canina, L .- Dev.

Pig's Parsley. 'Wild Parsley.' Pulman. Probably Anthriscus sylvestris, Hoffm. 'Growes (I thinke) everywhere under groves and hedges; but I mention it for the sake of the following story, viz.: Major Ventres (in Sir George Vaughan's Regiment) received a shott in the arme at Alresford-fight, and one of the bones broken. He was brought to Oxford, and lay at a taylor's house in St. Abbes parish: his arme was exceedingly enflamed and swoln, and the chirurgiens could not operate till the swelling was asswaged: with their art, nor the physicians could not abate y swelling. The taylor's wife hearing of it, sayd that she would undertake to doe that; and she made a pultesse of Pigges-Parseley stampt with oatemeale grutts, and tooke of the swelling in a very short time, and then the chirurgiens cured him. I remembred this receipt being so short, and useful, and have done a great deale of good by imparting it.' Aubrey's (Wilts.) Royal Soc. MS. p. 120.

Pig's Parsnip. Heracleum Sphondylium, L.—Sal.; Som. Pulman. West. Hal. Wr.

Pig's Pettitoes. Lotus corniculatus, L.-Suss. Parish.

Pig's Wrack. 'A kind of sea-wrack boiled with meal or potatoes, and given as food for pigs.'—Irel. (Antrim, Down), E. D. S. Gloss. Probably Chondrus crispus, L. See Irish Moss.

Piggesnie. Prior (p. 80) considers that Dianthus Caryophyllus, L., is intended by this name, which occurs in Chaucer (C. Tale, I. 3268) and elsewhere.

Pigle. 'The herb shortwort.' Hal. Wr. We do not know what is intended, unless shortwort be a misprint for stitchwort (Stellaria Holostea, L.).

Pil-corn, or Pill-corn. Avena nuda, L.—Lyte. Cornw. Camden. Prior, p. 180. See Pillas.

Pilewort. Ranunculus Ficaria, L.—Lyte. Bucks. (Wycombe);
W. Ches.; Glou.; Yks. An adaptation of the Lat. specific name. In Nhamp. Marsh Pilewort (Nth. Gloss.). Prior, p. 180.

Pilewort, Great. Scrophularia nodosa, L.—Park. Theatr. 612.

Piliol. Thymus Serpyllum, L.—'Wild thyme.' Hal. Wr.

Pillas, Pillis, Pillus, or Pills. Avena nuda, L.—With. ed. iv. (Pills); Cornw. (Pillas, Pillus, Hal. has Pelles); Camden gives Pellas (quasi pealed). So called from its naked seeds, the husk not adhering to the grain, as in common oats. This is doubtless 'the oat grass' of E. D. S., E. Cornwall Gloss.

Pill-bass. See Bass (2).

Pillerds. Hordeum vulgare, L.—Grose. Cornw. Hal. Perhaps the naked variety of barley is intended; or the naked oat (Avena nuda, L.), which used to be much cultivated in Cornwall. See Pillas. Pill-wort. A book-name for Pilularia globulifera, L.—Prior, p. 181.

Pimentary. Melissa officinalis, L.—Ger. Appx. Hal.

Pimerose (pronounced pimmer-ose). Primula vulgaris, L.—Ches.; Sal. (Pimmirose). In Mactaggart's Gallovidian Encyclopædia we have Pimrose.

Pimpernel. (1) Pimpinella Saxifraga, L.—Grete Herball. Prior, p. 181.

(2) Poterium Sanguisorba, L. Prior, p. 181.
(3) Prunella vulgaris, L.—Ger. Appx.
(4) The common name for Anagallis arvensis, L.—Turn. Lib. (Pympernell). N. Yks. Also called Red Pimpernell. Turn, Names.

None of these, however, seem to answer to the following description: 'The Pimpernell groweth like the Honeysuckle, winding about anything it can get hold on; the flower is four leaves, with four hairs or chives out of the middle of it; the flower grows out of the side of the stalk, from between two leaves.' Holme, Acad. of Armory, ii. 69.

Pimpernel, Bog. A common book-name for Anagallis tenella, L.

Pimpernel, Female. See Female Pimpernel.

Pimpernel, Male. See Male Pimpernel.

Pimpernel, Water. Veronica Anagallis, L.-A translation of its old Latin name, Anagallis aquatica. Prior (p. 181), who extends the name to V. Beccabunga, L., and Samolus Valerandi, L.

Pimpernel, Yellow. A common book-name for Lysimachia nemorum, L.-Prior, p. 181.

Pimpernel Rose. A book-name for Rosa spinosissima, L., suggested by its synonym, R. pimpinellifolia, and referring, like its other name, Burnet Rose, to the form of its leaves, which resembles those of Poterium Sanguisorba, which was called Pimpinell.

Pimpinell. Sanguisorba officinalis, L., and Poterium Sanguisorba, L.-Lyte. Prior, p. 181.

Pimpinell, Round. A book-name for Samolus Valerandi, L.—Hill, Herb. Brit. (1769).

Pin Rush. Juneus effusus, L.—Prior, p. 200.

Pincushion. (1) Scabiosa arvensis, L.—Camb.; N. Ess.; Norf.; Notts.

(2) Scabiosa atropurpurea, L.— 'The sweet scabious. East.' Hal. Wr. N. Bucks.

(3) Viburnum Opulus, L. (garden form). Heref.
 (4) Fruit of Euonymus europœus, L.—Glou.

Pincushion, Lady's. See Lady's Pincushion.

Pincushion Shrub. Euonymus europæus, L.—S. Bucks.

Pincushion Tree. The barren garden variety of Viburnum Opulus. L.-N. Bucks.; Oxf.; Warw. (Birmingham).

Pine, or Pine Tree. Pinus Abies, L.-Lyte. Prior, p. 181.

Pine, Ground. See Ground Pine.

Pine, Water. Stratiotes aloides, L.—Ches.

Pine Apple. A name originally applied to the fruit of *Pinus Abies*, L.—Lyte, who also calls the tree a **Pine-apple Tree**; and subsequently transferred to *Ananassa sativa*, L., from its fruit resembling the fir-cone. 'Cones, or what we call *pine-apples.'—Herts*. Ellis, Shepherd's Guide.

[Pine-sap. A North American name for Monotropa Hypopitys, L., included by Prior, p. 182.]

Pink. (1) The general name for many species of *Dianthus*. Lyte. See Prior, p. 182.

(2) Cardamine pratensis, L.—'Enough to make the pinks an' the ewe-gowan blush to the very lip.' Brownie of Bodspeck, ch. 11. E. Bord. Bot. E. Bord.

(3) Lychnis Githago, Lam.—Ireland (co. Down).

Pink, Cheddar. A book-name for Dianthus cassus, L., from its place of growth: also called Cleve, or Cliff Pink. Prior, p. 182.

Pink, Childing. See Childing Pink.

Pink, Clove. See Clove Gilliflower.

Pink, Corn. See Corn Pink.

Pink, Cushion. Armeria maritima, Willd .- Wilts. Prior, p. 60.

Pink, Deptford. See Deptford Pink.

Pink, Indian or Indy. See Indian Pink.

Pink, London. Geranium Robertianum, L.-Glou.

Pink, Maiden. See Maiden Pink. Prior, p. 182.

Pink, Meadow. See Meadow Pink.

Pink, Pitman's. See Pitman's Pink.

Pink, Scawfell. Armeria maritima, Willd.—Cumb. (Scawfell).

Pink, Sea. (1) A common name for Armeria maritima, Willd., from its habit and place of growth.—W. Ches.; Cumb. E. D. S. Gloss. C. 8; S. Dev.; Staff.; Yks. Hal.; E. Bord. Bot. E. Bord.; Dumfr.; Ireland (Dublin).

(2) Cérastium repens, L.—'Was formerly cultivated in the English gardens, under the name of Sea Pink, as an edging for borders.'

Mart. Mill.

Pink, Wild. (1) Dianthus deltoides, L.—E. Bord. Bot. E. Bord. (2) Stellaria Holostea, L.—Bucks. (Wycombe).

Pink Bird's Eye. Geranium Robertianum, L. -S. Bucks.

Pink-eyed John, and Pinken-eyed John. See Pink-o'-my-John.

Pink Grass, See Grass, Pink.

Pink Needle. (1) Erodium cicutarium, L'Her. — Turn. Herb. Lyte (p. 48) seems to intend Geranium dissectum, L., under this name. Prior, p. 182.

(2) Scandia Pecten, L.-Hal. Wr.

- Pink-o'-my-John. Viola tricolor, L.—Leic. E. D. S. Gloss. Wr. Other forms of the name are Pinken-eyed John (Beds. Pratt.) and Pink-eyed John (N.-W. Linc.; E. D. S. Gloss.): also Pinkenny-John. Nhamp. Wr.
- Pink-weed. Polygonum aviculare, L.—Coles, A. in E. p. 348.
 Prior, p. 182.
- Pinky Seg. Carex panicea, L.—With. ed. iv. From the resemblance of the leaves to those of the pink. Cfr. Gilliflower-grass and Pink-grass.
- Pinnote Tree. 'The round-leaved vine (A.-N.).'—Hal. This we cannot identify.
- Pins-and-needles. Hypnum serpens, L.—Sal. (Shrewsbury). 'The little stalks or setæ of this pretty moss bear upon their summits the spore-cases or capsels [capsules]—these are the pin's heads.' Shropshire Word-book.
- Pintelwort. Arum maculatum, L.—'Name in MS. Bodl. 130.' Cockayne, iii. 341.
- Piny. Pæonia officinalis, L.—Glou. (Fairford); var. dial. Hal. Wr. In Ches. Piony. Hal. has 'Piones, the seeds of the piony, which were formerly used as a spice (A.-N.).' In Tusser (E. D. S. ed. p. 97), Pionée.
- Pipe, or Pipe Tree. A common name for the Lilac (Syringa vulgaris, L.) in old books, 'bicause the stalks and branches thereof, when the pith is taken out, are hollow like a pipe' (Ger. p. 1214). The word enters into many of the names of the hollow-stemmed Equiseta. See Horse-pipe, &c., and Equisetum in Index.
- Piperidge, Pipperidges, Piprage, Pepperidge, Piperidge Tree, or Piperidge Bush. Berberis vulgaris, L.—Turn. Herb. (Piprage); E. Anglia, Forby; East, Hal.; North, Holl. (Pipperidge); South and East, Ray (Pipperidges); Camb. (the fruit Piperidges); Herts. (Pepperidge); Suff. Ray. Linc. (Pipricks), N. & Q. 31. vii. 31. Prior, p. 183.
- Pipes. The fruit of Quercus Robur, L.—Yks. (Wensleydale). More correctly the acorn cup with the stalk attached, which resembles a pipe, and which children carry in their mouths and pretend they are smoking.
- Pipe-stapple. 'Synon. with windlestrae or smooth-crested grass. Loth.'—Jamieson. Cynosurus cristatus, L.—The stiff stalks are used for cleaning pipes.
- Pipe-wort. A book-name for Eriocaulon septangulare, With. Hooker's British Flora. Prior, p. 183.
- Pipple. Populus tremula, L. Wight. (Fl. Vect.). Hal. has Pipplin, a poplar tree; called Pipple in some counties.' Som. Pulman has Pippler.
- Pire. Pyrus communis, L.— 'A pear-tree (A.-N.).' Hal. Wr. has
- Pirl Grass. See Grass, Pearl (1).

Pisky. Stellaria Holostea, L.—Dev.

Pisky-stool. 'A mushroom.'-W. Cornw. E. D. S. Gloss.

Pismires, or Pissimires. Leontodon Taraxacum, L.—Yks. (Tad-caster).

Pissabed. (1) Leontodon Taraxacum, L.—Ger. Em. Hal. Pulman. Bucks.; Camb.; Ches.; Cumb.; Derb.; Dev.; Dors.; N. Ess.; Nhumb.; Norf.; Som.; Warw.; Yks.; E. Bord. Bot. E. Bord. Scotland (Clackmannansh.), Pish-th'-bed. Ireland (Co. Donegal). 'Children that eat it in the evening experience its diuretic effects, which is the reason that other European nations, as well as ourselves, vulgarly call it Pissabed.' With. ed. ii. 839. Prior, p. 183, doubts the generally accepted derivation of the name; but there is a wide-spread popular belief that if children even gather the flowers they will experience the unpleasant symptoms. In Ches. the name is extended to several other plants with flowers resembling those of the dandelion, such as Leontodon autumnalis, L., and L. hirtus, L.

(2) Ranunculus bulbosus, L., and allied species. 'It is also Crow-

foote.' Park, Theatr. (Index).

The modern refinement of phraseology which causes this name to be regarded as 'unfit for ears polite,' seems the more strange when we remember that pissenlit is its general French equivalent. In former days it excited no remark, as is shown by Gerard's suggestion regarding Doronicum, of which he says, 'sith I woulde be glad that our English women might know how to call it, they may terme Doronicum . . . , pisse in bed, bicause the flower is like Dandelion, which is called Pisse in bed.' Ger. 622.

Pisspot. Convolvulus sepium .- L. Suss.

Pith Rush. Juncus conglomeratus, L.-Lyte.

Pitman's Pink. A species of Dianthus. 'The single pink.'
Nhumb. (Newcastle). Hal.

Pivert (a corruption of Privet). Ligustrum vulgare, L.—Dev.

Pixie Pears. (1) Fruit of Rosa canina, L.—Dev.

(2) Fruit of Cratægus Oxyacantha, L.—Dors. Cornhill Magazine, July, 1865.

Pixy-puff. 'A broad species of fungus.' Hal. Wr. Probably a Lycoperdon.

Pixy Stool. 'The toad stool.' Hal. Wr. Dev. Grose. Som. Attributed by Prior (p. 183) to 'Agaricus Chanterellus' (Cantharellus cibarius, Fr.), but more likely some Agaric was intended.

Plaggis. Primula veris, L.— Cowslips.' Arch. xxx. 411. Hal. Wr. Plaister Claver, or Clover. See Clover, Plaister.

Plane, or Plane Tree. (1) Platanus orientalis, L., and P. occidentalis, L.—Lyte. Prior, p. 183. Often popularly transferred to

(2) Acer Pseudo-platanus, L., the leaves of which somewhat resemble those of the true plane. S. Cumb.; E. Yks. E. D. S. Gloss. B. 2; E. Bord. Bot. E. Bord.; Clackmannansh.; Scotl. Jamieson. Prior (p. 183) calls this the Mock Plane.

Plant (a contraction of plantain). Plantago major, L.—Dev.

Plantage.

As true as steel, as Plantage to the moon.'

Troilus and Cressida, iii. 2.

Prior 'p. 184' thinks that the Moonwort (Botrychium Lunaria, L.) is here intended.

Plantane (Turn. Lib.). A common name for the species Plantain. of Plantago, more especially P. major, L.—Grete Herball. S. Bucks (Plantany). Nhamp. Plantum, Nth. Gloss; S. W. Cumb.; E. Yks.; E. Bord. Bot. E. Bord. (Planten); Prior, p. 184. P. Coronopus, L., is the Buck's-horn or Crowfoot Plantain (Lyte); P. major, L., the Great Plantain (Turn.); P. lanceolata, L., the Long Plantain (Grete Herbal.); P. maritima, L., the Sea Plantain; and Aliema Plantago, L., the Water Plantain.

Plantain-shoreweed. A book-name for Littorella lacustris, L.— Prior, p. 184.

Pleasant-in-sight. The double-flowered variety of Lychnis Floscuculi, L.—With. ed. iv.

Ploughman's Spikenard. A common book-name for Inula Conyza, DC., apparently invented by Gerard. Prior, p. 184.

Pluff. Lycoperdon Bovista, L.—Scotl. Jamieson.

um. Prunus domestica, L.—Prior, p. 184. Hal. gives Ass-plum; 'Florio has asinine, a kind of Asse-plum;' and Barley-plum, 'a Plum. kind of dark purple plum, West.; ' a small red plum is called Horseplum in Ches.; while Prunus communis, L. (Lyte), and P. insititia, L. (Yks. (Cleveland)) are called Wild Plum.

Plum Pudding. Epilobium hirsutum, L.—Ches. From its smell. See Apple-pie and Cherry-pie.

Primula vulgaris, L. - Mactaggart's Gallovidian Plum-rocks. Encyclopædia.

Plume-dames. 'A Damascene plum.' Scotl. Jamieson.

The flowers of Trifolium pratense, L.—Scotl. (Upper Clydesdale) Jamieson.

Podder. (1) 'A weed called podder, winding about hempe or other Hollyband's Dictionarie. Hal. Perhaps a misprint for, or another form of, dodder (Cuscuta europæa, L.).

(2) (i. e. pod-ware.) 'Beans, peas, tares, or vetches, or such ware as have pods.' Hal. Kent. E. D. S. Gloss. C. 3; I. of Thanet, E. D. S. Gloss. B. 11.

Pod-thistle. 'The broad-leaved thistle. Carduus acaulis.' Nhamp. Nth. Gloss. Wr. Some other species, probably C. lanceolatus, L., is intended.

Poison-berry. (1) Fruit of Tamus communis, L.—Dev.; Kent (Romney Marsh); Suss. Parish.

(2) Fruit of Arum maculatum, L.—Yks. (Cleveland).
(3) Fruit of Ilex Aquifolium, L. Yks. (Wensleydale).
(4) Fruit of Solanum Dulcamara, L.—Oxf.; E. Bord. Bot. E. Bord. (Pushionberry).

(5) Fruit of Iris fætidissima, L.—Dev.

Poison Daisy. Anthemis Cotula, L .- Suss.

Poison Flower. Solanum Dulcamara, L.-Herts.

Poison Poppy. Papaver Rheas, L.—N. Bucks. This name doubtless alludes to the supposed noxious properties of the plant, referred to under Headache.

Poison Rhubarb. Petasites vulgaris, Desf. Yks. (Wensleydale).

Poke Needle. Scandix Pecten, L.-Suss.

Pokers. Typha latifolia, L.-W. Ches.; Kent (Folkestone).

Polander. Primula veris, L., var.—Norf. The garden polyanthus, of which last name it is a corruption: in Sal. Polianturs.

Pole Reed. Prior (p. 184) assigns this name to Phragmites communis, Trin.; but Ger. applies it to Arundo Donax, L.

Pole Rush. Scirpus lacustris, L.—Lyte. Prior, p. 184.

Poley Mountain. Calamintha Acinos, Clairv. 'I have sometimes seene it brought to Cheapside market, where the herbe women called it Poley mountaine; some it may be that have taken it for Polium montanum [Teucrium Polium, L.], misinforming them.' Johnson in Ger. Emac, p. 676. Assigned by Prior (p. 184) to Bartsia alpina, L., but in error.

Polstead Cherry. Prunus Padus, L.—Suff., where they were formerly abundantly sold under this name. Perhaps named as being plentiful at the village of Polstead.

Poly, Grass. See Grass Poly.

Polypody. Polypodium vulgare, L.—Lyte (spelt Polypode). Prior, p. 184. In Kent, Golden Polypody (Pratt).

Pomes (Palms). Catkins of willow (Salix Caprea, L., &c.). S.-W. Cumb.

Pondweed. A general name for Potamogeton natans, L., and other species (Lyte); extended to Lemna in Treas. Bot. Horned Pondweed and Tassel Pondweed are book-names for Zannichellia palustris, L., and Ruppia maritima, L., respectively. Prior, p. 185.

Pondwort, Knight's. Stratiotes aloides, L.—Lyte.

Pook Needle. 'The cockle in corn.' Suss. Hal. Wr. Scandize Pecten, L., is the plant intended here.

Poole-flower. Apparently some species of Dianthus. 'Caryophyllus Cambrensis Poole. The Poole flower, growing naturally upon the rockes neare Cogshot Castle, in the Isle of Wight, is a small flower, but very pleasant to the eye, by reason of the comely proportion thereof; it is of a bright pale red, thicke speckled, and very small with white, that it seemeth to bee but one colour, the leaves of the flower are but smally jagged about: it is constant.' Park. Parad. 311.

Pool-spear. 'A reed. South.' Hal. Wr.

Poor-land Daisy. See Daisy, Poor-land.

Poor Man's Mustard. Alliaria officinalis, Andrzj. Linc. (Bottesford).

Poor Man's Parmacetty. Capsella Bursa-postoris, L.—Ger. 'It being in some sort effectual for the same things that parmacety is.' Coles, A. in E. 71. Prior, p. 185.

Poor Man's Pepper. (1) Lepidium campestre, Br.—Warw. (2) Sedum acre, L.—Notts; Suss. Prior, p. 185.

Poor Man's Remedy. Valeriana officinalis, L.—'It is of a great esteem in the Northern parts, where they never make any pottage or broath for any one that is sick, but they put some of this herb therein, be the disease what it will, and is called of them, The Poor Man's Remedy.' Coles, A. in E. 220.

[Poor Man's Rhubarb. Assigned to Thalictrum alpinum, L., in English Botany (ed. 3, vol. i. p. 4), but erroneously.]

Poor Man's Salve. Scrophularia nodosa, L. and S. aquatica, L.—S. Dev.

Poor Man's Tea. Veronica Chamædrys, L.—Cumb. E. D. S. Gloss. C. 8.

Poor Man's Treacle. (1) Allium sativum, L.—Ger. Prior, p. 185. (2) Alliaria officinalis, Andrzj. R. Turner's Botanologia.

Poor Man's Weather-glass. From its closing its flowers before rain. Anagallis arvensis, L.—W. Ches.; Cumb. E. D. S. Gloss. C. 8; Hants. (New Forest); Nhamp. Nth. Gloss., Wr.; Warw.

Poor Oats. Avena fatua, L .- Som. (General.)

Poor Widow. Scabiosa atropurpurea, L.—Dev.

Pope. Papaver Rhæas, L.—S. Nhamp., 'where going a poping is commonly used as a term for weeding poppies.' Nth. Gloss.; Oxf. Wr.

Pope's Ode (Hood). Aconitum Napellus, L.-Nhamp. Nth. Gloss.

Pop Dock. See Dock, Pop.

Pop-glove. Digitalis purpurea, L.—Cornw. Hal. Wr.

Popil. A poplar. (Populus.) Scotl. Jamieson.

Popilary. Populus nigra, L.—Ches. Wilbraham's Cheshire Gloss.

Popille. 'Tares. Nominale MS.' Hal. Lychnis Githago, Lam.— Scotl. Jamieson; a form of Popple.

Poplain. 'The poplar tree. West.' Hal.

Poplar. The general name for the genus Populus. Balsam Poplar (which see) is P. balsamifera, L.; Berry-bearing Poplar (which see), P. monilifera, L.; Black Poplar, P. nigra, L. (Lyte), often now-a-days extended to P. monilifera, L.; Lady Poplar (W. Ches.), and Lombardy Poplar (which see), P. fastigiata, Desf.; Old English Poplar, P. nigra, L. (Suff.) Loudon's Arboretum; White Poplar, P. alba, L. (Lyte); Willow Poplar, P. nigra, L. (Camb. Loudon's Arboretum).

Popple, or Popples. (1) Lychnis Githago, Lam. 'Vulgus appelat coccle aut pople.' Turn. Lib. Hal. Cumb. E. D. S. Gloss. C. 8;

N.-W. Linc. E. D. S. Gloss, C. 6; Yks. Cleveland Gloss. (E.) E. D. S. Gloss. C. 2, (Mid.) E. D. S. Gloss. C. 3, (N.) (Seeds); E. Bord. Bot. E. Bord.; (also Pawple) Scotl.; Moray. Fl. M. Ireland (Antrim and Down), E. D. S. Gloss.

(2) Sinapis arvensis, L .- Cumb. In E. D. S. Gloss, C. 8 (Cumb.), it

is said that the seeds of all the Brassica tribe are so called.

(3) 'The wild red poppy of the cornfields' (Papaver Rhaas, L.) Yks. (Whitby) E. D. S. Gloss. C. 4. The seed capsules after flowering are called Poppy-nops or Poppy-knops.

(4) Populus, 'the poplar-tree. East.' Hal. Wr. W. Cornw. E. D. S.

Gloss.

Poppy. The general name for the genus Papaver. (1) Papaver Rheas, L.—Kent. (spelt Popy) E. D. S. Gloss. C. 3; N. Yks.; E. Bord. Bot. E. Bord.; sometimes (S.-W. Cumb. Dumfriesh.) pronounced Puppy. Turn. Lib. (Poppi).

(2) Papaver somniferum, L.—Ger.
 (3) Lychnis Githago, Lam.—W. Ches.

(4) Digitalis purpurea, L.—Cornw.; S. Bucks.; Wight. Fl. Vect. from the habit of children to inflate and burst the flower. See Dock, Pop. Several other plants are called Poppy: Centaurea Cyanus, L., is the Blue Poppy (Cockayne, iii, 314); Glaucium luteum, L., the Horned (Turn. Names) or Sea Poppy (Lyte); Silene inflata, L., the Spatling or Frothy Poppy (which see); Meconopsis cambrica, Vig., the Welsh Poppy; Digitalis purpurea, L., the Green (Cornw.) or Flop Poppy (which see); Papaver Rhaas, L., and allied species, the Corn, Wild (Yks.), or Poison Poppy (which see).

Digitalis purpurea, L.—Som. From the well-known habit which children have of inflating the corolla, and then striking it with the hand, so as to make a slight report.

Poret. A leek or small onion. Tusser (Five Hundred Points), E. D. S. ed., mentions it in a list of 'Seedes and Herbes for the Kitchen.' Hal, and Wr. have 'Pourett, garlic. Heref.'

Posy. Peronia officinalis, L. - Wilts. N. & Q. 5th S. xii. 291.

Potherb. Valerianella olitoria is called 'in English the white potherbe, so called for that there is a blacke potherbe, which is called Alisander' (i. e. Smyrnium Olusatrum, L.). Ger. 243.

Pot Marjoram. Origanum vulgare, L.-N.-W. Linc. E. D. S. Gloss. C. 6.

Pottage Herb. Brassica Napus, L.-North, Ray.

Poukenel. Scandix Pecten, L. The same as Powk-needle. Prior, p. 186.

Pound Needle. Scandix Pecten, L.—Hal.

Poverty. Sagina procumbens, L.—Norf. The plant is very indicative of poor land.

Poverty Weed. (1) Melampyrum arvense, L.—I. of Wight. Hal.
Wr. 'Bears reference, I presume, to an opinion that it exhausts or impoverishes the soil.' Flora Vectensis, p. 357.
(2) In E. D. S. Gloss. (Surr.) we find Puverty, or Puppety Weed;

but the above cannot be intended, as it is not a Surrey plant.

Povice. 'A mushroom; a fungus. North.' Hal. Wr.

Pow-cat. Phallus impudicus, L., in allusion to its offensive odour. Cumb. E. D. S. Gloss. C. 8.

Powdered Beau. Primula farinosa, L.—Caithness (Wick), 'from the white dust which plentifully covers the under side of the leaves.' Statistical Acc. of Scotland (1845), xv. 127.

Powk Needle. (1) Erodium cicutarium, L'Her.—Ger. Appx. (2) Scandix Pecten, L.—Prior, p. 186.

Pratling Parnell. Saxifraga umbrosa, L.—'Of our London dames pratling Parnell.' Ger. 645. 'Pratling parnel, an herb, sanicula maculosa.' Littleton's Lat. Dict. (1724), quoted in N. & Q. 5th S. ix. 171. Prior, p. 186.

Presha, Presha bhwee, Prushus. Sinapis arvensis, L. Ireland (Antrim and Down), E. D. S. Gloss. This is the old Irish name for the plant (still in use) which Threlkeld gives as Praisseagh-buigh. Prassia is another form of the word: 'the growing oat crop struggles with the perennial thistle, dock, and prassia.' Pictures from Ireland, by 'Terence M'Grath,' p. 113.

Pretty Betsy. (1) Centranthus ruber, DC.—Ess.; Oxf. (Pretty Betty); Suss. Ireland (Co. Donegal).
(2) Saxifraga umbrosa, L.—Suff.

Pretty Maids. The double (garden) form of Saxifraga granulata, L.—Berks. This may be referred to in the old nursery rhyme:—

'Mary! Mary! quite contrary;
How does your garden grow?
Cockle shells, and silver bells,
And pretty maids all of a row.'

Pretty Nancy. Saxifraga umbrosa, L.—Heref.; Roxb. (Kelso) Science Gossip, 1876, p. 39.

Pricket. Sedum acre, L.—Ger. Prior, p. 186.

Prick Hollin. Ilex Aquifolium, L.—N.-W. Linc. E. D. S. Gloss. C. 6. Wr. E. Yks. (Holderness) (Prick Hollan) E. D. S. Gloss. C. 7.

Pricklebacks. The seed-vessels of Ranunculus arvensis, L., which are covered with hooks. N. Yks.

Prickly Broom. Ulex europæus, L.—Ger.

Prickly Tang. Fucus serratus, L.—Scotl. Jamieson.

Prick Madam. Sedum acre, L., S. album, L., and S. reflexum, L. Lyte (who seems to intend S. reflexum more especially), Ger. *Prickmadam is one kinde of Sedum is planted in gardens, and is used for a pot-herb.' Haven of Health, p. 74. In Holme's Acad. of Armory (ii. 73), spelt Prick-my-dame. Lyte calls S. album, L., Wild Prickmadam. Prior, p. 186.

Pricksong-wort. Lunaria biennis, L.-Buddle MS.

Prick-timber. (1) Euonymus europœus, L.—' Pricke-timber, by-cause the timber of this tree serveth very well to the making both of prickes and spindelles.' Lyte, p. 760. Prior, p. 187.

- (2) Cornus sanguinea, L .- 'The Pricke-timber tree, bycause butcher's use to make prickes of it,' Lyte, p. 726. See Prick Tree.
- Prick Tree. Cornus sanguinea, L. 'Some because butchers use to make prickes of it cal it prick tree.' Turn. Herb. pt. i, 168. For the same reason Skinner calls Euonymus europæus, L., Butcher's Prick Tree, a name assigned by Ger. to Rhamnus Frangula, L.
- Prickwood. (1) Euonymus europœus, L. Ger. Suss. Prior,

(2) Cornus sanguinea, L .- N. Bucks.; South and East. Ray.

Pride of London. Dianthus barbatus, L. — Holme, Acad. of Armory, ii. 64. Park, Parad. (Index). See London Pride (1). Gerard gives Superba as one of the old Latin names of the plant. Another variety, formerly grown in London gardens, bearing most fine and pleasant white flowers, spotted very confusedly with reddish spots, which setteth fouth the beautie thereof . . hath been taken of some to be the plant called of the later writers Superba Austriaca, or Pride of Austrich' (Ger. 479). But there seems to have been some doubt as to what this really was: see Park. Parad. 316.

Prie. Ligustrum vulgare, L.—Hal. Tusser (Five Hundred Points), E. D. S. ed.

Prie-grass. See Pry.

Priesties. Arum maculatum, L.—Lanc. (in the Cliviger valley, near Burnley).

Leontodon Taraxacum, L., because the naked Priest's Crown. receptacle, after the seeds are blown away, resembles the shaven head of a priest. 'Priestes crowne that flyeth about in somer, barbedieu. Palsgrave.' Hal. Prior, p. 187.

Priest's Hood. Arum maculatum, L.—'Some call it prestes hode, for it hath as it were a cape and a tongue in it.' Grete Herball.

Priest's Pintle. (1) Orchis mascula, L. — Lyte. Cumb.; Warw. Holme, Acad. of Armory, ii. 56. Ches. ; S.-W.

(2) Arum maculatum, L.—'From the figure of the pestle or clapper in the middle of the hose.' Coles, A. in E. p. 65. Cumb.; Derb.; Durh.; Linc. Lyte, Ger. 685 (abbreviated to Priest's Pint at p. 1113). Prior, p. 187.

Prim. Ligustrum vulgare, L.—Park. Parad. Tusser (Five Hundred Points), E. D. S. ed. Suss. Ger. has Primprint, which is perhaps the original name, subsequently shortened into *Prim*, as above, **Primp** (*N.-W. Linc.* E. D. S. Gloss, C. 6), and **Print** (With. ed. vii.; Nhamp. Nth. Gloss.). Prior, p. 187.

Primet. Primula vulgaris, L.—Grete Herball. Prior, p. 187.

Prim Grass. See Grass, Prim.

Primmily. Primula Auricula, L.—Suff. Moor.

(1) The general name for Primula vulgaris, L. -Primrose. 'Ab aglis dicitur, a prymerose.' Turn. Lib. Lyte, who spells it Primerose. S.-W. Cumb.; E. Bord. Bot. E. Bord. Hal. and Wr. give Primerole, as an A.-N. form. Prior, p. 187. (2) Ligustrum vulgare, L.—Ger. Appx.

(3) Bellis perennis, L.—' Primroses, which some take to be daisies,' Lupton's Notable Things, v. 89.

Primrose, Bird's Eye (With. ed. ii.), or Scotch (Prior, p. 189). Primula farinosa, L.

Primrose, Evening. A common garden name for Enothera biennis, L. Prior, p. 73.

Primrose Peerless. Narcissus biflorus, L.—Lyte, who includes N. poeticus, L., and perhaps other species. Dev. (Primrose Parings); Warw. Gerard includes also N. Pseudo-narcissus, L., and (in his 'Catalogus') N. Tazetta, L. 'bearing . . . flowers . . . of a pale whitish creame colour, tending somewhat neare unto the colour of a pale primrose, which hath caused our countrey gentlewomen, I thinke, to entitle it Primrose Peerlesse.' Park. Parad. p. 74. Prior, p. 189, who suggests an origin for it which seems to us unlikely. Culpeper has Primrose Pearls.

Primwort. Ligustrum vulgare, L. See Gloss. to Tusser (E. D. S. ed.), p. 40, sub. v. prim.

Prince's Feather. (1) Prunella vulgaris, L.—E. Bord. Bot. E. Bord.

(2) Amaranthus hypochondriacus, L.—Dev. Prior, p. 189.
(3) Saxifraga umbrosa, L.—Park. Parad. p. 234. Dev.; Lanc.
(4) Syringa vulgaris, L.—Dev.; Rutl. (Uppingham), pronounced Princy Feather, without the s of the possessive case.

Print. See Prim.

Privet. Ligustrum vulgare, L.—Turn. Herb. S.-W. Cumb.; E. Bord. Bot. E. Bord. Prior, p. 189.

Ligustrum vulgare, L.—Tusser (Five Hundred Points), E. D. S. ed.; Ches.; Sal. (Ellesmere, Wem); Suff.; E. Yks.; Scott. Jamieson, who has also Privy Saugh.

Procession Flower. A name for Polygala vulgaris, L., in allusion to its use in the Rogation-tide processions. See Cross-flower. Ger. Emac. p. 564. Prior, p. 189.

Proud Carpenter. Prunella vulgaris, L.-Ches.

Prumorole. Primula vulgaris, L.—Hal.

Prunell. Prunella vulgaris, L.- Lyte. Ger.

Prushus. See Presha.

Prussian Asparagus. See Asparagus, Bath.

Pry. (1) Different species of Carex, especially Carex glauca, L.— Notts. 'A blue spiry grass, called here prie-grass, which is produced in cold, wet land.' Ann. of Agriculture, xxii. 470. Cumb. E. D. S. Gloss. C. 8. Scotl. Jamieson.

(2) Sesleria carulea, Scop.—Scotland (Selkirksh. Ettrick) Stat. Acct.

Scotland, iii. 63.

(3) Tilia parvifolia, L.—Ess. Camden's Britannia.

Pry, Benton. Aira caspitosa, L.—S.-W. Cumb.

Publicans. Caltha palustris, L.—Yks. (West Riding).

Publicans-and-Sinners. 'Applied in Oxf. to Marsh Marigold (Caltha palustris, L.) and Buttercups (Ranunculus) when they grow together,' Rev. H. Friend.

Puckfist. Lycoperdon Bovista, L.—Hal. Wr. Frequently used by early writers as a term of contempt; as in Ben Johnson's Alchemist, Act I. sc. ii. l. 63, Vicars's Coleman Street Conclave Visited (London, 1648), p. 13, &c. Cfr. Fuzz-ball. In Glou. Puckfoust (Cotswold Gloss.). An Irish name for it is Cos-a-Phooka, or Pooka's foot, i. e. Puck's foot: Keightley's Fairy Mythology, p. 317. Prior, p. 189.

Puck Needle. Scandix Pecten, L.—Hants. Holl. Suss. Holl. Pratt has Pucker Needle.

Puddings, Black. See Black Puddings.

Pudding Grass. See Grass, Pudding.

Pudding-herb ('Pudding-yerb'). Mentha Pulegium, L. — Yks. (Whitby), where it is used for flavouring black-puddings. E. D. S. Gloss. C. 4. Aubrey (Royal Soc. MS. fol. 119) has Pudding-Wort. Cfr. Grass, Pudding.

Puddock Pipes. Various species of Equisetum. 'A moss-herb.' Mactaggart's Gallovidian Encyclopædia. Clackmannansh.

Puddock's Spindles. Orchis Morio, L.—Perthsh.

Puddock-stool. Various species of fungi. Mactaggart's Gallovidian Encyclopædia. Scotl. Jamieson.

Pudroom. 'A fungus or toadstool.' Nhamp. Sternb.

Puff-ball. Various species of Lycoperdon. Hants. Holl.; Sal.; E. Bord. Bot. E. Bord. Hal. gives Puff as a Som, equivalent. Prior, p. 190.

Puffes-fists. Lycoperdon Bovista, L.—Ger. (in Index Puffe-fistes).

Puffin-pea. A variety of Pisum sativum, L.—Herts. 'A forward hog-pea, called here [Rickmansworth] puffin-pea.' Ellis, Modern Husbandman, vol. iv. pt. iii. p. 44.

Puliall-mountain. See Pella mountain.

Puliall, or Puliol Royal. Mentha Pulegium, L.-Lyte.

Pull-dailies. Orchis latifolia, L.-Edinburghsh.

Pull-ling. Eriophorum, 'A moss plant.' Scotland, Jamieson.

Pull Pipes (pool-pipes). Various species of Equisetum. Westm. (Grasmere, &c.).

Pull Reed. Phragmites communis, Trin.— A long reed used for ceilings instead of laths. Som. Hal.

Pull Spear. Phragmites communis, Trin.—South. Hal.

Pulsatill. Anemone Pulsatilla, L.-Ger. 'After the Latin name.'

Punk. Polyporus squamosus, L.—Sal.

Puppy. See Poppy.

Pur-apple. Fruit of Pinus sylvestris, L.—Nhamp. Nth. Gloss.

Purcill. See Pursill.

Purging Flax. See Flax, Purging.

Purification Flower. A name given by Prior (p. 190) for Galanthus nivalis, L.

Purlaing. Eriophorum vaginatum, L.—E. Bord. Bot. E. Bord.

Purple Camomile. See Camomile, Purple.

Purple Crocus. Colchicum autumnale, L.—Yks.

Purple Dea-nettle. Lamium purpureum, L.—Sal. (Pulverbatch).

Purple Fingers. Digitalis purpurea, L.—Bullein, fol. 98.

Purple Grass. See Grass, Purple.

Purple Loosestrife. Lythrum Salicaria, L.—Turn. Names.

Purple Tassels. See Purse Tassels.

Purple-wort. A dark-leaved variety of Trifolium repens, L.—Park. Theatr. Index. See Grass, Purple.

Purples. 'A species of orchis.' Hal. Wr. (1) Orchis mascula, L. (2) 'Earcockle' in wheat. Ess. Ann. of Agric. xlv. 236.

Purr Barley. 'Wild barley.' Hal. Wr. Hordeum murinum, L.

Purse-tassels. Muscari comosum, Mill.—Park. Parad. 'The whole stalke with the flowers upon it, doth somewhat resemble a long pursetassell, and thereupon divers gentlewomen have so named it. Parad. 116: on p. 118 called Purple-tassels.

Pursill. Alaria esculenta, Grev.—N. Scotland, Jamieson.

Purslane. Portulaca oleraceu, L. Prior, p. 191.

Purslane, Sea. Atriplex portulacoides, L., a translation of its old Latin name, Portulaca marina.

Purslane, Water. Peplis Portula, L.—A translation of one of its old names, Portulaca aquatica. Ger. Emac. Prior, p. 246.

Purslane (Porcelayne), Wild. Euphorbia Peplis, L.—Lyte.

Pushion-berry. See Poison-berry (4).

Pussy-cats. Catkins of willows, and especially of Salix Caprea, L. South. Hal. Bucks.; Hants. Holl.; Kent (Folkestone); E. Suss. Holl.

Pussy-cat's Tails. (1) Catkins of Salix Caprea, L.—Dev.

(2) Catkins of Corylus Avellana, L.—Dev. (3) Holcus lanatus, L.—Suss.

?yannet. See Piannet.

rgie. Stellaria Holostea, L.—Ger. Appx.

gil. See Paigle (4).

TIE. (A.S. pirige.) Pyrus communis, L.—Prior, p. 191.

Quakers. (1) Briza media, L.—Park. Theatr. N. Bucks.; Ches. Ger.; Glou.; Sal.; Suff. 'Is called in Cheshire, about Nantwich, Quakers and Shakers,'—Ger. 81. We are not clear whether this is intended as one name, as Prior (p. 191) supposes, or as two names. Prior, p. 191. See Cowquake (1), and Grass, Quaker.

(2) Arum maculatum, L., when the spadices are dull-coloured.

Quaking Ash. See Ash, Quaking.

Quaking Esp. i. e. Aspen. Populus tremula, L.—Ireland (Antrim and Down).

Quat Vessel. Carduns lanceolatus, L.—Hants. (New Forest).

Queen Ann's Needlework. Geranium striatum, L.—Nhamp. Wr.

Queen Ann's Thrissel (Thistle). Carduus nutans, L.—Berwickshire.

Queen Mary's Thistle. Onopordon Acanthium, L .- 'On returning through the village an old dame enquired if we had been gathering Queen Mary's Thistle, alluding to Onopordon, which tradition says was brought to Fotheringay [Nhamp.] by Mary's attendants.' Pharmaceutical Journal, June 12, 1875 (p. 997).

Queen of the Meadow. A translation of its old Latin name, Regina prati. Spiræa Ulmaria, L.-Ger. Em. 'Because in what meadow so ever it grows, it is more perspicuous than any of the rest.' Coles, A. in E. 557. Cumb.; S. Dev.; Durh.; Yks. (Tadcaster); E. Bord. Bot. E. Bord.; Scotl. Jamieson. Prior, p. 191 (Queen of the Mead).

Queen's Cushion. A provincial name for Saxifraga hypnoides, L.— Treas. Bot.

Queen's Feather. Saxifraga umbrosa, L.—Ches.

Queen's Gilliflower. Hesperis matronalis, L.—Ger. Tusser, Prior,

Queen's Needlework. Spiraea salicifolia, L.-Loudon, Arboretum.

Quick, or Quicks. (1) Triticum repens, L.—Grete Herball; Norf. (E.) Wr. E. D. S. Gloss, B. 3; North, Grose; Suff. E. D. S. Gloss. B. 20; E. Yks. E. D. S. Gloss. B. 2.

(2) Various species of Agrostis. Wore.

(3) Cratagus Oxyacantha, L.—Hal. Wr. Ches.; N.-W. Linc. E. D. S. Gloss, C. 6; Norf.; Sal.; Ireland (Antrim and Down), E. D. S. Gloss, A.S. cwic, alive. Planted thorns are so called, to distinguish them from rails, and other 'dead' fences.

(4) Prunus spinosa, L .- Young black and white thorn for planting

in a hedge.' Morton's Cyclopædia of Agriculture.

Quickbeam, or Quickbeam Tree. (1) Pyrus Aucuparia, L .-'In the South partes of England, a quick beame tree.' Turn. Herb. Som.; Suss. Wr. Prior, p. 191.

(2) Pyrus Aria, L.—Herts.? Ellis's Modern Husbandman, vii. pt.

2, p. 21: he speaks of 'its silver leaves and red berries.'

Quicken, or Quickens. (1) Triticum repens, L.—Warw. (Quickengrass); North ('Couch Grass'). Hal. Wr.; E. Bord. Bot. E. Bord.; Moray. Fl. M. Ireland (Antrim and Down), E. D. S. Gloss.

- (2) Pyrus Aucuparia, L. (or Quicken Tree).—Ger. Turn. Names. N.-W. Linc, E. D. S. Gloss. C. 6 (also Quicken-wood); Warw.; E. Bord. Bot. E. Bord.; Berw. Johnston; Fifesh. Prior, p. 191.
- Quick-in-hand. Impatiens Noli-me-tangere, L. With. ed. ii. Prior, p. 191 (Quick-in-the-hand).
- Quickset. Crategus Oxyacantha, L.—E. Yks. Prior, p. 191. This name, perhaps, refers more properly to the fence which is 'set' or planted with 'quicks,' than to the thorns themselves: thus we speak of a 'quickset hedge.'
- Quickwood. Cratagus Oxyacantha, L.—N.-W. Linc. E. D. S. Gloss. C. 6; Yks. Hal. 'Whitethorn, provincially quick-wood.' Agric-Survey Report (N. Yks.), p. 58. Live thorns in contradistinction to dead thorns, which are often stuck in to make a fence.
- Quidwort. Filago germanica, L.—'Ye shall take quidewort that growth among corn like groundsel.... mark when ye do see another sheep chew her quide... and take part of her quide out of her mouth, and mix it with the bruised quide wort... and make her to swallow it, and she shall do well.' Mascal's Government of Cattel, p. 242 (1662). See Cudwort.
- Quillet. Trifolium repens, L.—W. Cornw. 'Three-leaved grass, clover.' Bottrell, E. D. S. Gloss.
- Quill-wort. A book-name for Isoetes lacustris, L.—With. ed. ii. Prior, p. 192.
- Quin. 'A kind of spikenard.'-Hal. Wr.
- Quince. Cydonia vulgaris, Pers.—Lyte. Two varieties, named according to the shape of the fruit, are Apple Quince and Pear Quince. Prior, p. 192.
- Quinsey-wort. Asperula cynanchica, L.—With. ed. ii. Referring, like the specific name, to its former use in quinsey: 'it conferreth much help to those that are troubled with the quinsie.' Park. Theatr. 453,
- Quinsy Berry. A book-name for Ribes nigrum, L.—From its efficacy in throat complaints.
- Quishion (Cushion), Our Lady's. Armeria maritima, Willd .- Lyte.
- Quitch. (1) Agrostis stolonifera, L.—Glamorgansh. (Swansea).
 (2) Avena elatior, L.—Martyn's Flora Rustica, 1793. In Co. Done-

gal, every weed is so called, but this especially.

(3) Triticum repens, L.—'On the lias.' Leic. E. D. S. Gloss.

Quitch, Black. See Black Quitch.

Quitch Grass. Triticum repens, L.-Ger. See Grass, Quick.

Qulips. Tulips. Sal. (Pulverbatch).

Qwyce. 'The furze. Prompt. Purv.' Quoted as Quyce by Hal. and Wr. Ulex europœus, L. Raave. Anacharis Alsinastrum, Bab.—Ireland (Antrim and Down), E. D. S. Gloss.

Rabbit Grass. Agrostis setacea, Curt. - Wight, Fl. Vect.

Rabbit-meat, or Rabbit's-meat. (1) Anthriscus sylvestris, Hoffin.

Linc. (Bottesford); Suss. (Parish); E. Yks.

Heracleum Sphondylium, L.—N.-W. Linc. E. D. S. Gloss. C. 6.
 Oxalis Acetosella, L.—Dev.

(4) Lamium purpureum, L .- Sal. (Whitchurch).

Rabbit's Flower. Digitalis purpurea, L.—Dev.

Rabbit's Mouth. Antirrhinum majus, L.-Pratt. See Bunny Mouth.

Rabone. Raphanus sativus, L.—'In English, Radish, or Rabone.' Ger. Hal. Prior, p. 192; who also (p. 194) gives Rawbone.

Racers. 'A variety of tares. Var. dial.' Vicia sativa, L., var.—Hal.

Triticum repens, L.—Lothians, Jamieson. The name (spelt wrack) is applied by the same author to 'the weeds gathered from land, and generally piled up in heaps for being burnt. In Suff. weeds generally are called rack. See Hal.

Racket. Eruca sativa, L., and allied plants.—'In English Rocket, and Racket. . . . In lowe Dutch Rakette.' Ger. 192.

Radcole. 'A radish.' Hal. Probably the horse-radish, Armoracia rusticana, Rupp., which is called Redcole (which see), is intended.

Radish. The ordinary name for Raphanus sativus, L.—Lyte. Spelt Radyce in Turn. Lib. Hal. gives Radik. Prior, p. 192.

Radish, Horse. See Horse Radish.

Rafort. See Raifort.

Rag. (1) Stictina scrobiculata, Scop. Heref. also Raw. Hazel Rag.

(2) Catkins of Corylus Avellana, L.-Hal. Yks. In Ches. Nut

Rag, or Raw, Stone. Parmelia saxatilis, Ach. E. Bord. Bot. E. Bord.

Rag, Tassel. Catkins of Salix Caprea, L.—Ches. Leigh's Gloss.

Rag Jack. Chenopodium album, L.—Ches. (Rostherne).

Rag Paper. Verbascum Thapsus, L.—Bucks. See Hag-taper, of which name this seems to be a corruption.

Rag-weed. Senecio Jacobæa, L.—Ger. Em. Hal.; Ayrsh.; Irel.; Scotl. (Jamieson). Coles (A. in E.) says it is so called 'by some country people from the raggednesse of the leaf.' In some eds. of Culpeper corrupted into Ragwood (Suss.).

Rag-wort. (1) Senecio Jacobea, L.—Ger. N. Yks.; E. Bord. Bot. E. Bord.; Scotl.; Moray. Fl. M.; Irel. Prior, p. 192. (2) Orchis mascula, L., and allied species,-Lyte.

- Ragged Jack. (1) Lychnis Flos-cuculi, L.—Ess.; Som.; E. Suss. Parish.
 - (2) A garden name of the curled Borecole or Scotch Kail. Ches.; Som.; W. Suss. Parish.
- Ragged Robin. A general name for (1) Lychnis Flos-cuculi, L.— N. Bucks.; Ches.; Cumb.; Dev.; Dors.; Glou.; Hants.; Herts.; Sal.; Suff.; West.; Wilts.; N. Yks.; E. Bord. Bot. E. Bord. Prior, p. 192.
 - (2) The double garden variety of Lychnis diurna, Sibth.- Rucks.
 - (3) Geranium Robertianium, L.—Bucks.
- Raifort. Armoracia rusticana, Rupp.—Lyte. Hal. has 'Rafort, a radish.' Great raifort, Ger.: French, grand raifort.
- Raiklesses. See Reckless.
- Rainberry-Thorn. Rhamnus catharticus, L.—Florio, quoted by Prior (p. 193). See Rhine-berry.
- Raisin-tree. Ribes rubrum, L.—'In some places of Englande a rasin-tree,' Turn. Names. Raisin in Markham's Country Housewife's Garden. Prior, p. 193.
- Rait. Ranunculus fluitans, Lamk .- Som. With. ed. iv.
- Rambling Sailor. Linaria Cymbalaria, Mill.—Cumb. E. D. S. Gloss. C. 8. Lanc. (Ormskirk).
- Rampe. Arum maculatum, L.—Lyte. Turn. Names. Ger. Prior, p. 193.
- Rampion. A garden name for Campanula Rapunculus, L.—Ger. 369. Cf. Tusser (Five Hundred Points), E. D. S. ed. Prior, p. 193.
- Ramps. (1) Allium ursinum, L.—'Rammes aut Rampes,' Turn. Lib. Cumb. E. D. S. Gloss. C. 8; Nhumb.; E. Bord. Bot. E. Bord.; Galloway, Lothians, Jamieson; Ireland (Co. Derry and Co. Donegal). Another species of Allium (A. tricoccum) is so called in N. Carolina (Amer. Journ. Science and Arts, xlii. No. 1).
 - (2) Arum maculatum, L.—Cumb.
 - (3) A garden name for Campanula Rapunculus, I.-Treas. Bot.
- Rams. (1) Allium ursinum, L.—Turn. Lib. Var. dial. Hal. Jamieson has 'Ramsh, a species of leek.' Yks. (North Riding), (Whitby), E. D. S. Gloss. C. 4.
 - (2) Leaves of Colchicum autumnale, L.-N. Yks.
- Ram's Claws. Ranunculus repens, L.—Dors. (Ram's Clas), Dors, Gloss. 'When in ploughing the sciens get divided, and so become buried under the turned-up furrow, it still grows in the form of a bunch of malformed leaves, which our country people call "rams' class" (claws), but why we have never made out, and one is not enlightened by being told that it is because "it's a nasty, mischievous thing." Field, May 29th, 1869. Som. Hal. Pulman.
- Ram's Foot. Ranunculus aquatilis, L .- Ger. Appx. Hal.

Ram's-foot Root. Geum urbanum, L.—Dev. Friend.

Ram's Horns. (1) Arum maculatum, L.—Suss.

(2) Orchis Morio, L.-Suss.

(3) Allium ursinum, L.—Glou. (Stroud). See Ramsons.

Ramsden. See Ramsons.

Ramsey, Ramsy, or Ramsies. (1) Allium ursinum, L.—Turn. Herb. Norf.; West, Pulman ('wild garlie'). (2) Ononis arvensis, L.—Dev. (Barnstaple). Prior, p. 193.

Ramsons. Allium ursinum, L.-Lyte, Hal., Wr. Dors.; Glou. (Stroud), occasionally Rams-horns; Sal.; Wight. Phyt. O. S. iii. p. 975. Also Ramsden, E. D. S. I. of Wight Gloss. Prior, p. 193.

Ramstongue. 'Ribwort.' Wr. Plantago lanceolata, L.

Rantipole. Daucus Carota, L .- Wilts.; Hants (New Forest). 'So called from its bunch of leaves,' Wise's New Forest, p. 285.

Ran-tree. See Rowan.

Ranty-berries. Fruit of Pyrus Aucuparia, Gaertn. Irel. (Antrim and Down), E. D. S. Gloss.

Ranty-tanty. (1) 'A weed which grows among corn, with a reddish leaf.' Scotl. Jamieson. Rumex Acetosella, L?

(2) 'The broad-leaved sorrel,' Renfrewsh. Jamieson. Rumex Acetosa, L. ?

Rape. The general name for (1) Brassica Napus, L., when in cultivation. With, ed. iv.
(2) Brassica Rapa, L.—Lyte, Hal. Prior, p. 193.

(3) Sinapis arvensis, L.—Yks. (Cleveland).

Rape Crowfoot. See Crowfoot, Rape.

Rapes, Coventry. See Coventry-rapes.

Rapper-dandies. Arctostaphylos Uva-ursi, Spr.—Berw. Pratt; E. Bord. Bot. E. Bord. Hal. and Wr. have 'red barberries. North:' probably the above, which is called Bearberry, is intended.

Rashes. Rushes. Various species of Juncus. Turn. Names. E. Bord. Bot. E. Bord.; Forf.; Moray, Fl. M. 'As straught's a rash,' Mactaggart's Gallovidian Encyclopædia. Hal. has 'Rasher, a rush'; North.' Prior, p. 200.

Rasp, or Rasps. Rubus Ideus, L.—Linc. Brogd. (E. D. S. Gloss. C. 6); Nhamp.; Nth. Gloss.; North, Grose; Yks. Cleveland Gloss. Hallamsh. Gloss. (Holderness), E. D. S. Gloss. C. 7; Var. dial. Hal.; E. Bord. Bot. E. Bord.; N.-E. Scotl. Jamieson; Ireland (Antrim and Down, Rausps), E. D. S. Gloss. Turn. (Herb.) has Raspis and Raspices, and Lyte mentions Raspis-berries. Resp and Risp (which see) are other forms.

Raspberry. (1) Rubus Idaus, L. — Turn. Names. S. Cumb.; E. Bord. Bot. E. Bord. Prior, p. 193.

(2) Ribes rubrum, L.—Sutherland's Hortus Medicus, 1683. (Rasberries).

Raspberries and Cream. Eupatorium cannabinum, L.-Wight, Fl. Vect.

Rassels. 'The land-whin. Suff.' Hal. Wr. Ononis arvensis, L.

Rastylbow. Ononis arvensis, L. Prompt. Parv. A corruption of its old name Restabovis.

Rate. See Reits.

Ratsbane. Anthriscus sylvestris, Hoffm.—Som.

Rat-tail, or Rat's-tail. A name applied to several plants having a tail-like inflorescence.

 Plantago major, L.—W. Cumb. called also Ratten Tails, E. D. S. Gloss. C. 8; Norf.

(2) Plantago lanceolata, L.-S.-W. Cumb.

(3) Agrimonia Eupatoria, L .- Durh.

(4) Phleum pratense, L.-Ches.

Rattle. (1) The common name for Rhinanthus Crista-galli, L.—which is also called Penny Rattle (Suss. Parish); White or Yellow Rattle (Ger.); Rattle-grass (see Grass, Rattle); Rattle-box, Sal. (Ellesmere); Ireland, Pratt. Prior, p. 194; and Rattle-jack (N.-W. Linc. E. D. S. Gloss. C. 6).

(2) Various species of Equisetum.-Clackmannansh.

Rattle, Bull. See Bull Rattle.

Rattle, Cow. See Cow Rattle.

Rattle, Meadow. See Meadow Rattle.

Rattle, Red. Pedicularis palustris, L.—Lyte. Wr. Ger. has also Red Rattle Grass.

Rattle-bags. (1) Silene inflata, L.—Dev. (Plymouth).

(2) Rhinanthus Crista-galli, L.—Dev. (Plymouth), more usually.

Rattle-box. Rhinanthus Crista-galli, L.—Sal. (Ellesmere).

Rattle-penny. Rhinanthus Crista-galli, L.—Hal. From its dry calices rattling when shaken, and the shape of its round flat capsules. Dors. (Rottle-penny), Dors. Gloss.; North. Grose.

Rattling Asp. Populus tremula, L.—Lyte. In Rural Cyclopædia, Rattler. From the rattling sound made by its tremulous leaves.

Rausps. Rubus Idaus, L.-Irel. (Antrim, Down), E. D. S. Gloss.

Raw. See Rag (1).

Rawbone. See Rabone.

Rawn Tree. See Rowan.

Rawp. Rape, Brassica Napus, L.—Yks. Cleveland Gloss.

Raw-yeds. See Roits.

Ray. (1) Lychnis Githago, Lam.—Grete Herball.

(2) Lolium temulentum, L.-Grete Herball.

Ray, Red. Lolium perenne, L.—Lyte. Ger. Index. A translation of the old Latin name Lolium rubrum.

Ray-grass. See Grass, Ray.

Ray-grass, Italian. A commercial name for Lolium italicum, A. Br.

Reck. 'Sea wrack of different kinds.' Yks. (Cleveland).

Reckless, or Recklas. Primula Auricula, L.—In gardens. Cumb.
E. D. S. Gloss, C. 8; Linc.; Clackmannansh. (Raiklesses). A corruption of Auriculas.

Red-berries. Fruit of Rosa canina, L .- N. Yks. (Cleveland).

Red Butcher. Lychnis diurna, Sibth .- Ches. (Crewe).

Red Cole. Armoracia rusticana, Rupp. 'This kinde groweth in Morpeth in Northumberland and there it is called Redco. It should be called after the old Saxon englishe Rettihcol, that is, Radishe colle.' Turn, Names. Jamieson has Redcoal and Redcoll.

Red Dock. The dead stalks and panicles of docks (Rumex) in winter. South. 'In January they take two large bunches of docks, red docks they call them.'—Round about a Great Estate, p. 60. Ellis (Mod. Husbandman, May, p. 39) refers to a species of Rumex as 'The Red and White Dock.'

Red Elder. Viburnum Opulus, L .- Scotl. (Lanarksh.), Jamieson.

Red Gum. See Rust.

Red Jack. Lychnis diurna, Sibth.-Ches.

Red Knees. Polygonum Hydropiper, L.—Ger. Appx. Hal. Wr. Prior, p. 194.

Red-lead. Orchis mascula, L., O. Morio, L., O. latifolia, L., and O. maculata, L.—Holdich's Essay on Weeds.

Red Legs. From the general redness of the stems. (1) Polygonum Bistorta, L.—Sal.; Warw. Prior, p. 194.

(2) Polygonum Persicaria, L.-W. Ches.

(3) Polygonum aviculare, L .- Norf.; West. Cfr. Red-shanks.

[Red Mailkes, 'The Corn Poppy,' Hal. Wr. It is however no doubt a misprint for Red Mathes: see Mathes, Red.]

Red Morocco. Adonis autumnalis, L.—With. ed. ii. Prior, p. 194.
'The Pheasant's-eye has a peculiar claim to an insertion in the Flora Londinensis, as it is one of those plants which are annually cried about our streets, under the name of Red Morocco.' Curtis, Flora Londinensis, ii. 37.

Red Ray. See Ray, Red.

Red Robin. (1) Lychnis diurna, Sibth. Dev. Friend.
(2) Uredo-spores of Puccinia graminis, Pers. See Rust.

Red Rocket. The lilac variety of Hesperis matronalis, L.—Ches. (gardens).

Red Rot. Drosera rotundifolia, L.—North. Ger. 'Sheepherds do call it the Red Rot, because it rotteth sheep.' Coles, A. of S., p. 30. 'Some think it rots sheep that feed thereon; but of this be sure, if sheep feed much on the places where it grows, they will quickly run to rot.' R. Turner's Botanologia, p. 274. Prior, p. 194.

Red Rust. See Rust.

Red-shank, or Red-shanks. A name applied to many plants of which the stems are more or less red.

- Polygonum Persicaria, L.—Cumb. E. D. S. Gloss, C. 8; Yks.
 (Cleveland); North, Wr., Holl.; E. Bord. Bot. E. Bord.; Irel. (Belfast), Flora Belfastiensis.
- (2) Polygonum amphibium, L.—Nhumb. But perhaps (1) is intended.
 - (3) Polygonum Hydropiper, L.—North, Ray. Hal. Cfr. Redlegs.

(4) Rumex Acetosa, L.—Roxb. Jamieson.

- (5) Rumex obtusifolius, L.—'The dock after it has begun to ripen,' N. Scott. Jamieson.
- (6) Geranium Robertianum, L.—Lisle's Observations in Husbandry, (1757), p. 345.
- Red-ware. Laminaria digitata, Lam.—Orkneys. Edinburgh Encyclopædia.
- Redweed. (1) Papaver Rhæas, L.—Lobel, Stirp. Adv. nova, p. 111 (1570). 'In some countries it is called Redweed.' Coles, A. in E. Bucks. (including P. Argemone, L.); East, Hal. Wr.; Hants. (New Forest); E. Norf. E. D. S. Gloss. B. 3; Wight, Fl. Vect. (Spelt Ridweed in E. D. S. I. of Wight Gloss.). Prior, p. 194.

(2) Geranium Robertianum, L.—Ches. (Delamere Forest), Science Gossip, 1877, p. 39.

(3) Polygonum aviculare, L .- Dev. Friend.

(4) Polygonum Hydropiper, L.; and

(5) P. Persicaria, L.—Ches.

Reddish. A common mis-pronunciation of radish. Raphanus sativus, L.—Yks. (Swaledale), E. D. S. Gloss, C. 1.

Reed. (1) The general name for Phragmites communis, Trin.—Yks.;
E. Bord. Bot. E. Bord. Prior, p. 194.

(2) Phalaris arundinacea, L.—Cumb.

See Bog Reed, Bur Reed, Ditch Reed, Loch Reed, Mat Reed, Pole Reed, Pull Reed.

Reed Blade. Poa aquatica, L.-Wr.; Nhamp. Nth. Gloss.

Reed Canary Grass. Phalaris arundinacea, L.—Prior, p. 37.

Reed Grass. A name given by Lyte to Sparganium ramosum, L.—Ger. assigns the name to Apera Spica-venti, Beauv. (pp. 4, 5), but in his Index says, 'Reede grasse, that is Burre Reede.'

Reed Mace. Typha latifolia, L.—' It maye be also called rede mace, because boyes use it in theyr handes in the stede of a mace.' Turn. Herb. pt. ii, p. 159. Wr. E. Bord, Bot. E. Bord. Prior (p. 195) gives a somewhat different explanation of the name. See Mace, Reed.

Reefort. 'A radish.' Scotl. Jamieson.

Reindeer Moss. Cenomyce rangiferina, Hoffm. Prior, p. 195.

Reits. 'Sea or river weed. West.' Hal. Wr. has Relts—a misprint.
Ranunculus fluitans, Lam. Sal. (Shrewsbury); W. Worc. (Rate),
E. D. S. Gloss Cfr. Roits.

Remcope. Scabiosa Succisa, L.—Grete Herball.

Remember Me. Veronica Chamædrys, L.-N. Yks.; Scott.

Rennet. Galium verum, L.—From its property of coagulating milk. See Cheese-rennet. Ellis, Mod. Husbandman, III. i. 110; he also (Shepherd's Guide, 116) calls it Rennet-wort grass. W. Cumb.

Resh, or Reshes. Rushes—various species of Juncus. Cumb. E. D. S. Gloss. C. 8; North, Grose; Yks. 'wire rush, a weed.' Hal. Wr. E. Yks. E. D. S. Gloss. B. 2 (Whitby, 'the wire rush of the moors and wastes. Juncus glaucus'), E. D. S. Gloss. C. 4; Scotl. Jamieson; Early Lowland, E. D. S. Gloss. B. 13. Hal has Rescen (Exmoor), probably a misprint for Rexen, which see. Prior, p. 200.

Respe, Respies. Rubus Ideus, L.—Tusser (Five Hundred Points), E. D. S. ed. Hal. quotes Respasse from Herrick.

Rest-Harrow. Ononis arvensis, L., i. e. arrest harrow, as the Latin Aresta Bovis is corrupted to Resta bovis. 'The roote is long and very limmer, spreading his branches both large and long under the earth, and doth oftentimes let, hinder, and staye, both the plough and oxen in toyling the ground, for they be so tough and limmer, that the share and colter of the plough cannot easily divide, and cut them asunder.' Lyte, p. 669. N.-W. Linc. E. D. S. Gloss. C. 6; Suss. (Hastings). Prior, p. 195.

Retherne-tounge. 'The herb Buglos. See a list in MS. Sloane 5, f. 3.' Hal.

Rexen. A rush: various species of Juncus. Dev. (Exmoor), Grose.

Holl. Pulman; West., Hal. who gives it as 'rushes,' and doubtless it is a plural form.

Rhineberry. The fruit of Rhamnus catharticus, L. A translation of the German name. 'In English Rhein-berries, because there is much of them found alongst the river Rhene.' Lyte. Prior, p. 195.

Rhodo. A common Scotch contraction for Rhododendron. Ayrsh.

Rhubarb. (1) The usual name for Rheum officinale, Baill. See Pharmacographia (ed. i.), p. 443. Prior, p. 195.

(2) Rumex alpinus, L.—Derb. (Chapel-en-le-Frith).

See Bog Rhubarb, False Rhubarb, Meadow Rhubarb, Monk's Rhubarb, Poor Man's Rhubarb, Wild Rhubarb.

Rib. 'The common watercress. East.' Hal. Wr. Nasturtium officinale, Br.

Rib Grass. See Grass, Rib.

Ribwort. Plantago lanceolata, L.-Lyte. The leaves are 'ribbed for the most part with five nerves or sinews.' Ger. 341. Also called Ribwort Plantain. Ger. Prior, p. 195.

Riband-weed. Laminaria saccharina, Lam. Treas. Bot.

Ribbon-grass. See Grass, Ribbon.

Ribbon-tree. Betula alba, L.—N.-W. Linc. E. D. S. Gloss. C. 6. 'So called because the bark of the young tree can be pulled off in long, ribbon-like strips.'

Rice, White. Pyrus Aria, L.—Hal. Hants. (New Forest); Wight, Fl. Vect. Rice, or Rise, is a Hants. term (also North. Hal. and Scotl. Jamieson) for brushwood or underwood; this shrub is called White Rice from the silvery colour of the undersides of the leaves.

Ridweed. See Redweed (1).

Riely. Lolium temulentum, L. Ireland (Co. Tipperary): see Gard. Chron. 1874 (i.) 639, for an account of its use in that county. 'Well known in most counties in Ireland by the name of Rileh and Rivery, for its intoxicating quality, whether taken in bread or drink." Wade's Plantæ Rariores in Hibernia inventæ (1804), p. 6. This is evidently a corruption of the Gaelic name, which Threlkeld gives as Ruinhelais. Mr. Cameron (Gaelic Names, p. 92) has 'Ruintelais, the loosening or purgative grass, from ruinnec, grass, and tealach, loosening; 'he also gives Riolle as a Gaelic name.

Rilts. Berberis vulgaris, L. (fruit).—Hal. South and East, Ray.

Ringe Heather. Erica Tetralix, L.—Scotl. Jamieson. From its use in making ringes, i. e. 'whisks made of heath.'

Ring Finger. Orchis mascula, L.—S. Bucks.

Ring o' Bells. Scilla nutans, Sm.-Lanc. (Wigan). An expressive name derived from the resemblance of its flower spike to a symphonia, or Ring of Bells, which consisted of a number of tuned bells hung on a curved staff, to be struck with a hammer.

Ringo-roots. Eryngo roots, roots of Eryngium maritimum, L .-Ellis, Modern Husbandman, V. iii. 120.

Ripple, or Ripplin Grass. See Grass, Ripple.

Rish. A rush: various species of Juncus. Hal. Ches.; Cornw.; Hants. Holl. Prior, p. 195. The word occurs in the ancient poem, The Turnament of Tottenham:

"All the wyves of Tottenham came to se that syst With wyspes, and kexis, and ryschys there lyit."
Percy's Reliques, ed. v. vol. ii. p. 23.

In Cornwall rish also means a list or tally, and it has been conjectured that a primitive way of keeping a tally may have been by stringing beads on a rush. The saying 'I'll begin a new rish' is also equivalent in Cornwall to, 'I'll turn over a new leaf.'

Risps. Fruit-bearing stems of Rubus Ideas, L.—Norf. Holl.

Rivery. See Riely.

Rivet, or Rivets. Bearded wheat. East. Hal. Tusser (Five Hundred Points), E. D. S. ed. Rivet-Wheat is a well-known variety cultivated in many counties.

Rix. 'A rush. Exmoor.' Hal. Cfr. Rexen.

Rizzles. Ribes rubrum, L.—'A species of berry; sometimes called russles.' Galloway, Mactaggart's Gallovidian Encyclopædia. Jamieson, who also has 'Rizards, Rizzerberries, currants.'

Roan-tree. See Rowan.

Roast Beef Plant. Iris fætidissima, L.—The smell of the bruised leaves, though very disagreeable, has been likened by many to that of roast beef. 'I have heard it called Rost Beef, for that the leaves being bruised smell somewhat like it.' Coles, A. in E. 67. Cornw.; Dev. Prior (p. 196) has Roast Beef.

Rō-berry, Row-berry, Rue-berry. Fruit of Tamus communis, L. Dev. Friend.

Robert. 'The herb stork-bill.' Hal. Wr. Geranium Robertianum, L.

Robin, or Robins. (1) Lychnis diurna, Sibth.—Dev. Friend; Wight, Fl. Vect.

(2) Geranium lucidum, L.-Dev.

(3) G. Robertianum, L. Dev. Friend.

Robin, Little. Geranium Robertianum, L.-Kent.

Robin, Ragged. See Ragged Robin.

Robin, Red. (1) Geranium Robertianum, L.—Camb.; N. Ess.; Herts.; Norf.

(2) Lychnis diurna, Sibth.—Dors.

(3, 4) Agrostis stolonifera, L., and Polygonum aviculare, L., are indifferently called red robin by farmers.' Holdich, Essay on Weeds. Suss. Annals of Agriculture, xi. 288.

(5) Uredo-spores of Puccinia graminis, Pers. See Rust.

Robin, Rough. Lychnis Flos-cuculi, L.—S.-W. Cumb.

Robin, Round. (1) Lychnis diurna, Sibth .- Dev. Friend; Kent.

(2) Geranium Robertianum, L. Dev. Friend.

Robin, White. Lychnis vespertina, Sibth.—Dors.

Robin Flower. (1) Lychnis diurna, Sibth.—Dev. (Teignmouth and Plymouth), also called The Robin's Flower.

(2) Geranium Robertianum, L.—Dev. (Teignmouth).

Robin Hood. (1) Anemone coronaria, L.—'This common Anemone is by many gentlewomen, and others as ignorant, called Robin Hood, Scarlet and John, and the Spanish Marigold.' Rea's 'Flora' (1676), p. 117.

(2) Lychnis Flos-cuculi, L.—Dors. Dors. Gloss.; Durh. (Castle

Eden).

(3) Lychnis diurna, Sibth.—Dev. Friend; Dors. Dors. Gloss.; Som. (general); West. Hal. Wr. Pulman (Rabbin 'ood).

(4) Geranium Robertianum, L.—Dev. Friend.

Robin Hood's Fetter. Clematis Vitalba, L.—Cumb., in gardens.

Robin Hood's Hatband. Lycopodium clavatum, L.—Cumb.; Yks. Hallamshire Gloss. Hal. Wr.

Robin-in-the-hose. Lychnis diurna, Sibth.—Ger. Appx. Hal. Wr.

Robin ith' Hedge. (1) Lychnis diurna, Sibth.—Yks. Hallamsh. Gloss.

(2) Geranium Robertianum, L.-Yks. (Cleveland).

Robin Redbreast. Lychnis diurna, Sibth.—Cornw. (Truro).

Robin Redshanks. Geranium Robertianum, L.—Yks. (Bedale). Field, June 5, 1876.

Robin-run-the-hedge: (1) Nepeta Glechoma, Benth.—Ches.; Derb.; Leic. (Belgrave, Glenfield, Robin-run-in-the-hedge); Notts.; Sal.; Suss.; Worc. (Robin-run-in-the-hedge). Prior, p. 196.

(2) Galium Aparine, L.—S. Cumb. (Robin-run-int'-hedge); E. Bord. Bot. E. Bord.; Dumfr.; Galloway, Jamieson (Robbin-rin-the-hedge); Roxb. (Kelso), Science Gossip, 1876, p. 39; Irel. (Antrim, Belfast, Down, Dublin).

(3) Convolvulus sepium.—L. Hants. Holl. 'The bindweed.' Hal. Wr. (Robin-run-in-the-hedge).

(4) Solanum Dulcamara, L.—(Robin run i' th' hedge). Lanc.

(Preston). Science Gossip, 1882, p. 164.

Robin's Eye. (1) Geranium Robertianum, L.—Dev. E. D. S. Gloss.;

Suff.
(2) Lychnis diurna, Sibth.—Dev. Friend.

Rob-run-up-dyke. (1) Galium Aparine, L.—Cumb. E. D. S. Gloss. C. 8, also Robin-run-the-dyke, Robin-run-int'-dyke.

(2) Nepeta Glechoma, Benth.—Cumb. (Winderwath).

Rochlis. 'The rattle.' Heref. Hal. Wr. Rhinanthus Crista-Galli .- L.

Rock, White. A contraction of White Rocket. Arabis alpina, L. Ches.

Rock Brakes. Allosorus crispus, Bernh.-Treas. Bot.

Rock Crop. Sedum acre, L.—Cornw.

Rock Mint. Teucrium Scorodonia, L. -Som.

Rock-Moss. Roccella tinctoria, L.—Prior, p. 196.

Rock Plant. Sedum acre, L .- Dev. Friend.

Rock Rose. (1) A common name for Helianthemum vulgare, Gaertn., and other species.—N. Yks. Prior, p. 196.

(2) Armeria maritima, L.—Dev.

Rock Samphire. (1) Crithmum maritimum, L.—Ger. (Rock Sampier).

(2) Salicornia herbacea, L.—Nhumb. 'Is used for a pickle at Newcastle-on-Tyne, where they call it Rock Sampire.' J. Wilson, Synopsis of British Plants, 1744.

Rocket. (1) Eruca sativa, L., and allied plants—Turn. Lib., Lyte. Prior, p. 196.

(2) Hesperis matronalis, L.—Treas. Bot. Commonly so called in

gardens.

Rocket, Base. See Base Rocket.

Rocket, Bastard. Sinapis arvensis, L.-Prior, p. 196.

Rocket, Blue. (1) Aconitum Napellus, L.—Ireland, Taylor on Poisons, p. 816. T. Forster (Pocket Encyclopædia of Nat. Phenomena (1827), p. 290) assigns the name to several sorts of Wolfsbane [Aconitum] and Larkspur [Delphinium].

(2) Scilla nutans, Sm. Ireland (Co. Fermanagh), Science Gossip,

1882, p. 43.

See Dame's Rocket, Dyer's Rocket, Italian Rocket, London Rocket, Meadow Rocket, Red Rocket, Wound Rocket, Yellow Rocket.

Rocket, Wall. Sinapis muralis, DC .- Prior, p. 196.

Rocket, White. Hesperis matronalis, L.

Rocket, Winter. Barbarea vulgaris, Br.—Prior, p. 196.

Rockwood. Asperula odorata, L.—Dev. Friend.

Rod, Golden. See Golden Rod.

Rod, Shepherd's. Dipsacus pilosus, L.-With. ed. iv.

Roddin-tree, and variously spelt Roddon-tree, Roden-tree, or Rodintree, the fruit Rodens, or Rodins. Pyrus Aucuparia, Gaertu.— North Scotl. Jamieson; Aberdeensh.; Clackmannansh.; Inverness; Moray, Fl. M.

Rods-Gold. 'The marigold.' Ger. Appx. Hal. Wr. Calendula officinalis, L.—Cfr. Ruddes.

Roebuck-berry. Rubus saxatilis, L.—Scotl. Lightfoot, Jamieson.

Rogation Flower. Polygala vulgaris, L.—Ger. Because used in processions in Rogation week. See Gang Flower. Prior, p. 196.

Roger-beam. 'In summer time when their meadows are flooded in the Vale [apparently of Aylesbury] low ground, in several of them there comes up a weed about two inches long called there Roger-Beam, that grows in flat bunches, with various twined leaves somewhat like house-leek, and is found to be another cause of the sheeps rotting, because they greedily eat this cold, watery, glewy vegetable, that never is seen in arable land, nor anywhere else in dry summers.' Ellis' New Experiments in Husbandry for the month of April (1736), p. 43. This we cannot identify.

Rogue's Gilliflower. See Gilliflower, Rogue's.

Roiseberry. Rubus Ideus, L.-Norf.

Roits. Ranunculus fluitans, Lam.—Sal. Raw-yeds is another form given in Shropshire Word-book. Cfr. Reits.

Roll-berry. Tamus communis, L.-N. Dev.

Roman Camomile. See Camomile, Roman.

Roman Nettle. Urtica pilulifera, L.—Lyte. 'They do commonly call al such straunge herbs as be unknown of the common people, Romish or Romayne herbes, although the same be brought from Norweigh, which is a country far distant from Roome.' Lyte, p. 5.

Roman Plant, The. (1) Chenopodium Bonus-Henricus, L.—Lanc. (Holmscales, near Milnthorpe).

(2) Myrrhis odorata, L.-Lanc. (Holmscales, near Milnthorpe).

Roman Willow. Syringa vulgaris, L.—Linc. E. D. S. Gloss. C. 6. N. & Q. 2nd S. vii. 385.

Ronclewort. At Lidbury, Dev., 'they chop rue, wormwood, and ronclewort,' and give them to sheep as a preventive of rot. Ellis' Shepherd's Guide (1749), p. 144. We do not know the plant.

Rone Tree. See Rowan.

Ronge-wort. Ranunculus Flammula, L.—'Ronge-wort, i. e. spearwort, because vagabonds use to make y^m sore legs.' Buddle MS. 'Ronge, to bite, to gnaw. West.' Hal.

Ronnachs. Triticum repens, L.—Aberdeensh., Mearns, Jamieson.

Rope Grass. See Grass, Rope.

Rope-wind. Convolvulus arvensis, L .- Pratt.

Rosary. 'A rose-bush, Skelton.' Hal, Wr.

Rosa-solis. (1) Drosera rotundifolia, L.—Roxb. 'An obvious corruption of Rossolis.' Jamieson. Ger. gives Ros Solis as one of its English names, which was also in common use as a name for a 'liquor made thereof, which the common people call Rosa Solis.' Ger. 1367.

(2) Narthecium Ossifragum, Huds. 'This Moor-grass, in the parish of Wing [Bucks.] they call Rosa-solis, as it is distinguished by shepherds from other grasses, who know it by its three-square leaf, rapierlike; for its blade, like that, is thickish, and shaped somewhat in the flag kind, bearing a yellowish flower, like that of a daffadowndilly, and seldom runs above a handful high, in a spungy, soft substance.' Ellis' Shepherd's Guide (1749), pp. 321-2.

Rose. The general name for the genus Rosa, extended to many plants which have no affinity with that genus, and used also as mean-

ing flowers in general. Prior, p. 197.

See under their respective headings, Apple Rose, Barrow Rose, Bell Rose, Briar Rose, Burnet Rose, Canker Rose, Cat Rose (in Appendix), Choop Rose, Christmas Rose, Cliff Rose, Cock Rose, Cop Rose, Corn Rose, Cup Rose, Dog Rose, Egyptian Rose, Fox Rose, Guelder Rose, Gipsy Rose, Juno's Rose, Lent Rose, Marsh Holy Rose, May Rose, New Year's Rose (in Appendix), Piano Rose, Pig Rose, Pimpernel Rose, Rock Rose, Rosin Rose, Scotch Rose, Sheep-shearing Rose, Snowdon Rose, Sun Rose, Virginia Rose, Water Rose, Wild Rose, Wind Rose, Woodman's Rose.

Rose-a-Ruby. Adonis autumnalis, L.—Ger. (Rosearubie, in Index Roseruby). Prior, p. 198.

Rose Bay. An old name for Nerium Oleander, L. (Lyte), sometimes extended to Epilobium angustifolium, L.—Treas. Bot.

Rose Bent. Juncus squarrosus, L.-E. Bord. Bot. E. Bord.

Rose Campion. Lychnis Coronaria, Lam.—Lyte, and still general.

L. diurna, Sibth., is called by Lyte Wild Rose Campion.

Rose Elder. The barren cultivated form of Viburnum Opulus, L.— Park, Theatr. (Index). A translation of its Latin name Sambucus rosea. Prior, p. 197.

Rose Noble. (1) Scrophularia nodosa, L.—Durh. (Fence Houses);
Irel. (Belfast), Ulster, Flora Belfastiensis; Donegal (8. aquatica, L.);
Tyrone, Science Gossip, 1877, p. 46.

(2) Cynoglossum officinale, L.—Ches. (about New Brighton and

Wallasey) where it is very plentiful on the sandhills.

Rose of Sharon. (1) Hypericum calycinum, L.—Ches.; Lanc. (Ormskirk); Linc.; Suff.; Warw.
(2) 'A dwarf rose, grown in pots, and frequently seen in cottage

windows.' Dev. Friend.

Rose Parsley. Anemone hortensis, L.-Lyte.

Rose-root, or Rose-wort. Sedum Rhodiola, DC.—Lyte. 'Doubt-lesse it tooke his name Rhodia radix, of the roote, which smelleth like a rose: in English Rose roote and Rose woort.' Ger. 426.

Rosemary. (1) Rosmarinus officinalis, L.—Turn. Names. Rosemaryne was an old spelling, given by Hal. Lyte. Prior, p. 198.

(2) Sonchus arvensis, L.—Linc. (Bottesford).

Rosemary, Marsh, or Wild. A book-name for Andromeda polifolia, I., originating in the fact that this species was formerly placed among the Rosemarys and called Hosmarinum sylvestre minus nostras, See Park, Theatr. p. 75. Prior, p. 198.

Rosemary, Sea. Sueda fruticosa, Forsk. 'On the muddy coast of Norfolk locally known by the name of Sea Rosemary.' Treas. Bot. p. 1034.

Rosemary, Wild. (1) Andromeda polifolia, L.—See Rosemary,
Marsh. Prior, p. 198.
(2) Galium verum, L.—Culpeper (ed. 1653).

Rosems. Allium ursinum, L.-Staff.; Yks.

Rosen. The plural of Rose. Dev. Friend.

Roshberry. Rubus Idaus, L.-Norf.

Rosin Rose. Hypericum calycinum, L., and H. perforatum, L., the smell of which is supposed to resemble that of rosin, Yks. Lyte speaks of the seeds of the latter as 'senting like rosin.'

Rot. Several plants growing in marshy ground and supposed to cause 'rot' in sheep are so-called. See Penny-rot, Red-rot, Sheep-rot, Water-rot, White-rot.

Rotcoll. Armoracia rusticana, Rupp.—N. Scott. Jamieson. Cfr. Redcole.

Rot Grass. See Grass, Rot.

Rottle-penny. See Rattle-penny.

Rough Cadlock. Sinapis arvensis, L. See Cadlock (1).

Rough Chervil, or Cicely. A book-name for Torilis Anthriscus, Gaertn. Prior, p. 44, 46.

Rough Grass. Dactylis glomerata, L .- R. Cat.

Rough Robin. Lychnis Flos-cuculi, L .- S.- W. Cumb.

Rough Weed. Stachys palustris, L.—Irel. (Belfast), Flora Belfastiensis.

Round Dock. See Dock, Round.

Round Robin. See Robin, Round.

Round Rush. 'Sedge, or round rush.' Herts. Ellis' Modern Husbandman, IV. i. 101 (1750). We are not clear as to what is meant.

Roun-tree. See Rowan.

Roving Jenny, or Roving Sailor. (1) Linaria Cymbalaria, Mill. Dev. Friend; Wight, Fl. Vect.

(2) Saxifraga sarmentosa, L.—Dev. Friend.

Rowan, or Rowan-tree. A north country name of the mountain ash, Pyrus Aucuparia, Gaertn., and variously spelt Rown-, Roun-, Rowen-, Rone-, Roan-, Rawn-, Ran-, and Royne-tree. Turn. Names (Roun-tree); Cumb. (Rowan-tree, Roan-tree) E. D. S. Gloss. C. 8; North, Hal. (Roun-tree, Ran-tree), Jamieson (Rone-tree); Westm. (Rown-tree, Rawn-tree, Rone-tree), T. Lawson, 1688; Yks. Jamieson (Rowen-tree), Hallamsh. Gloss. (Ran-tree, Roan-tree), (Whitby) (Rowan), E. D. S. Gloss. C. 4; Mid. Yks. (Rowan-tree), E. D. S. Gloss. C. 5.; W. Riding (Ran-tree) E. D. S. Gloss. B. 7; E. Bord. (Rown-tree) Bot. E. Bord.; Scotl. Jamieson (Rowan-tree, Roun-tree); Aberd. (Ran-tree); Ayrsh. (Rown-tree); Forf. (Ran-tree); Invern. (Rowan-tree); Lothians, Jamieson (Ran-tree); Roxb. Jamieson (Rawn-tree); Irel. (Belfast) (Rowan). Prior, p. 198.

Rowan-tree, Dog. See Dog Rowan-tree.

Row-berry. See Ro-berry.

Rown Tree. See Rowan.

Royal Bracken. Osmunda regalis, L .- Scot. Lightfoot.

Royal Elder. Viburnum Opulus, L. (the cultivated form).—R. Bradley's Family Dictionary (1725), ii., sheet 5, Y 2.

Royne-tree. Pyrus Aucuparia, Gaertn.—Yks. (Craven) Holl. Hallamsh, Gloss. See Rowan,

Rrog. Chorda filum, Lam.-Irel. (Antrim, Down), E. D. S. Gloss.

Rubwort. Geranium Robertianum, L.—Ches. (Delamere Forest)
Science Gossip, 1877, p. 39.

Ruckles. A pond-weed said to be dangerous to bathers by impeding their swimming; probably Polygonum amphibium, L., or some Potamogeton. Staff. N. & Q. 4th S. x. 48.

Ruddes. (1) Calendula officinalis, L.—Grete Herball. 'Maydens make garlandes of it whan they go to feestes and brydeales bycause it hath fayre yelowe floures and ruddy.' Grete Herball. Probably the name was pronounced 'ruddies.' I. of Wight (Rud), E. D. S. I. of Wight Gloss.

(2) Chrysanthemum segetum, L. Prior (p. 199) spells it Rudds.

Rue. Ruta graveolens, L.-Lyte. Prior, p. 199.

Rue, Fen, or Meadow. (With ed. ii.). Book names for Thalictrum flavum, L.—Prior, p. 199.

Rue, Goat's. Galega officinalis, L .- Lyte.

Rue, Stone. (Lyte) or Wall (Turn. Names). Asplenium Rutumuraria, L.

Rue-berry. See Ro-berry.

Rue Fern. Asplenium Ruta-muraria, L.—Dev. Friend. Ger. calls it Rue Maidenhaire.

Ruffet. 'Furze. Dors.' Hal. Wr. Ulex europæus, L.

Rump. Raphanus Raphanistrum, L.—Oxf. Journ. R. Agric. Soc. 1st S. xv. 207. Cfr. Runch.

Run-away-Jack. Nepeta Glechoma, Benth. Glou.

Runch, or Runches. (1) Sinapis arvensis, L.—Hal. Wr.; North, Grose and Ray, who confine the name to the dried stalks, and give also Runch-balls; Cumb. (Runch-balls) Hal. Wr.; E. Yks. E. D. S. Gloss. B. 2 (Holderness), E. D. S. Gloss. C. 7 (Whitby), E. D. S. Gloss. C. 4; Roxb. (Kelso), Science Gossip, 1876, p. 39.

(2) Raphanus Raphanistrum, L.—Hal. Jamieson; Ayrsh. Stat. Account of Scotland, i. 247; Cumb. (Winderwath); E. Bord. Bot. E. Bord.; Moray, Fl. M.; Roxb. (Kelso), Science Gossip, 1876, p. 39.

Prior, p. 199.

(3) 'White roots, common among ploughed land; swine are fond of them, farmers not.' Mactaggart's Gallovidian Encyclopædia. Probably Stachys palustris, L., or perhaps Triticum repens, L.

Runcivals. A variety of Pisum sativum, L.: probably the large marrow-fat kinds. Tusser (Five Hundred Points), E. D. S. ed. 'Supposed to be derived from Span. Roncesvalles, a town at the foot of the Pyrenees, where gigantic bones of old heroes were pretended to be shown; hence the name was applied to anything larger than usual.' Idem (Index).

Runcle. A variety of beet (* Beta maxima*). Annals of Agriculture, xxxii. 367.

Rungy. Sinapis arvensis, L.-Edmonston's Flora of Shetland.

Runnet. Galium verum, L .- Kent, Pegge. See Rennet.

Runnidyke. Nepeta Glechoma, Benth.—Cumb. (Winderwath).

Running Moss. Lycopodium clavatum, L.—Cumb.

Running Thyme, i. e. creeping thyme. Thymus Serpyllum, L.-

Rupture-wort. A book-name for Herniaria glabra, L.—'In Latin Herniaria; in English Rupture woort, or Rupture grasse.' Ger. 454. Prior, p. 199.

Rush. (1) The general name for the various species of Juncus. Cumb. also Rus, E. D. S. Gloss. C. 8. Prior, p. 200.

(2) Some species of Carex are so called in Suff.

See Bog-rush, Bullrush, Candle-Rush, Cat-rushes, Club-Rush, Cotton-rush, Dutch Rushes, Flowering Rush, Foul Rush, Frail Rush, Hard Rush, Hare's-tail Rush, Mat Rush, Moss Rush, Panier Rush, Pin Rush, Pole Rush, Round Rush, Scouring Rush, Staff Rush, Sweet Rush, Twig Rush, Wire Rush, Wood Rush.

Rush Garlick. Allium Schænoprasum, L.—Lyte. Ger. calls it Rush Leek.

Russles. Ribes rubrum, L.—Galloway. Jamieson. See Rizzles.

Rust, or Red Rust. 'Mildew in wheat.' Hal. Wr. Dev.; N.-W. Linc. E. D. S. Gloss. C. 6. Uredo-spores of Puccinia graminis, Pers. (Uredo rubigo, DC.). Prior, p. 200. Called also Red-rag, Red-robin, and Red-gum. See Journ. R. Agric. Soc. 1st S. ii. 9.

Rust-burn. Ononis arvensis, L.—North, Hal. Wr.; E. Yks. E. D. S. Gloss. B. 2 (Whitby), E. D. S. Gloss. C. 4. 'In Yorkshire Rustburn, perhaps corruptly from Rest-bourn.' Mart. Mill.

Rusty-back. Asplenium Ceterach, L.—From the brown scales with which the back of the frond is densely covered.

Rye. The general name for Secale cereale, L .- Prior, p. 200.

Rye Grass. See Grass, Rye.

Rye-grass, Italian. See Italian Ray-grass.

Ryschys. An old name for rushes, or rather an old spelling of rishes. See Rish. Prior, p. 200.

Sabin. Juniperus Sabina, L.—From the specific name. Prior, p. 200.

Saffron. (1) Crocus sativus, L.—Lyte. Prior, p. 200. Dev. Friend; Sal.

(2) Crocus nudiflorus, L.—Sal.

(3) Colchicum autumnale, L. Sal.

(1) is the plant which produces the saffron of commerce; (2) and (3) are so called from their general resemblance to it.

- Saffron, Meadow, or Wild. Colchicum autumnale, L.—Turn. Herb. Lyte. Prior, p. 151.
- Saff-tree. Any of the Salices (willows) which grow into trees, as distinguished from the low-growing, shrubby species. Cumb. E. D. S. Gloss. C. 8. The word saff is a recent softened pronunciation of the old guttural saugh; see note to Saugh.
- Sag. Various species of Carex. Leic. E. D. S. Gloss.; Linc.; 'A kind of reed. Som.' Hal.
- Sage. The general name for Salvia officinalis, L.—Lyte enumerates two varieties, viz., Small Sage or Sage Royal, and Great or Broad Sage, both of which are still cultivated and distinguished by gardeners. Prior, p. 200.
- Sage, French. Phlomis fruticosa, L.—The leaves are 'in shape like the leaves of sage, wherupon the vulgar people call it French Sage.' Ger. 625.
- Sage, Garlick. Teucrium Scorodonia, L. Ger.
- Sage, Jerusalem. See Jerusalem Sage.
- Sage, Mountain (S.-W. Cumb.), Wild (Lyte; Ches.; Irel. Co. Waterford) or Wood (Lyte; S.-W. Cumb.; E. Bord. Bot. E. Bord). Teucrium Scorodonia, L.—Prior, p. 200.
- Sage of Bethlem. (1) Pulmonaria officinalis, L .- Ger.
 - (2) 'Garden Mint,' N. Linc. (Winterton). Mentha viridis, L.
- Sage of Jerusalem. (1) Pulmonaria officinalis, L.—Lyte. Ger. See Jerusalem Sage.
 - (2) Phlomis fruticosa, L. Turn. Names.
- Saggan. Iris Pseudacorus, L.—N. of Irel. generally; Donegal; Kerry.
- Sailor's Knot. Geranium Robertianum, L.—Bucks (Wycombe).
- Sailor's Tobacco. Artemisia vulgaris, L.—Herts. (Hitchin, where boys collect and dry it for smoking).
- Sainfoin. See Sanfoin.
- St. Anthony's Nat. Bunium flexuosum, With .- Prior, p. 201.
- St. Anthony's Rape or Turnip. Ranunculus bulbosus, L.—Prior, p. 201.
- St. Audre's Lace. Cannabis sativa, L.—Bullein's Book of Simples, fol. 26.
- St. Barbara's Cress or Herb. Barbarea vulgaris, Br. See Barbara's (St.) Herb. Prior, p. 201.
- St. Barnaby's Thistle. Centaurea solstitialis, L.—Rural Cyclopædia. Prior, p. 201.
- St. Bennet's Herb. (1) Geum urbanum, L. Prior, p. 202.
 - (2) Conium maculatum, L.-Prior, p. 202.
 - (3) Valeriana officinalis, L.-Prior, p. 202.

- St. Catherine's Flower. Nigella damascena, L .- Prior, p. 202.
- St. Christopher's Herb. See Christopher, Herb.
- St. Dabeoc's Heath. See Heath, St. Dabeoc's.
- St. James's Wort. Senecio Jacobæa, L.-Lyte. Prior, p. 202.
- St. John's Grass. See John's (St.) Grass.
- St. John's Nut. See John's (St.) Nut.
- St. John's Wort. See John's (St.) Wort.
- St. Mary Garricke. 'Take the stalke of Saint Mary Garricke and burne it' (for use in cases of ringworm). Markham's English Housewife's Houshold Physicke, p. 27 (1637). We cannot explain this extraordinary name, or ascertain to what plant it was applied.
- St. Mary's Seed. Sonchus oleraceus, L.—'S. Maries seede is Southistle seede.' Ger. Appx.
- St. Mawe's Clover. See Clover, St. Mawe's.
- St. Patrick's Cabbage. See Cabbage, St. Patrick's.
- St. Peterwort, or St. Peter's Wort. (1) Primula vulgaris, L.—Grete Herball.
 - (2) Primula veris, L.—Prior, p. 202.
 - (3) Hypericum Elodes, L., and H. quadrangulum, L.—Lyte. Hudson, Flora Anglica, 1798. Prior, p. 202.
 - (4) Pyrethrum Parthenium, Sm.-Lyte.
- St. Timothy Grass or Seed. See Timothy Grass.

Salad, Corn. See Corn Salad.

Salad Burnet. Poterium Sanguisorba, L.—Prior, p. 202.

Saladine. Chelidonium majus, L.—Ches.; Cumb. E. D. S. Gloss. C. 8 (pronounced Salladin).

Salary. (1) Celery. Apium graveolens, L.—Ches.; Yks. (Holderness) E. D. S. Gloss. C. 7.

(2) Rumex Acetosa, L. Oxf.

[Salep. 'The plant from which Salep is made. Orchis latifolia, L.'—Prior, p. 202: extended in ed. 3 to O. mascula, L., and O. Morio, L. We have never met with the name applied to the plant, but only to the product so called.]

Salfern. Lithospermum arvense, L.-With. ed. iv.

Salghe. 'A salghe or saly, Salix. MS. Dict. (1540).' Hal.

Salladin. See Saladine.

Sallet. (1) Rumex Acetosa, L.—S. Bucks. The name is simply a pronunciation of salad.

(2) (Sallit) Salad; but also the lettuce plant (Lactuca sativa, L.) itself. Yks. (Holderness) E. D. S. C. 7.

Sallow. The genus Salix. Turn. Names (Sallow-tree). Ger. Suff. Moor. Prior, p. 203. Sallow-thorn. Hippophae rhamnoides, L.—Prior, p. 203.

Sally, or Sally-tree. A willow-tree, Salix. Wr. Kent, Holl.; Radnorsh. E. D. S. Gloss. C. 27; Sal.; E. Suss., Holl. Parish; West, Hal.; Worc, E. D. S. Gloss.; Irel. (Belfast) Flora Belfastiensis.

Sally, Black. Salix Caprea, L., 'from the very dark tint of its green foliage.' Sal. Shropshire Word-book.

Sally, Blooming. See Blooming Sally.

Sally, Red. Lythrum Salicaria, L. Lanc. (Southport), where it is much gathered for medicinal purposes.

Sally-withy. 'A willow. Wilts.' Hal.

Salomon's Seal. The old spelling (Ger. &c.) of Solomon's Seal (which see).

Salsafy, or Salsify. Tragopogon porrifolius, L. 'Commonly called Salsaffy or Sassafy.' Mill, Gard. Dict. ed. vi. (1752). 'Urinæ quoque stillicidio subvenire & calculum expellere [radices] creduntur; unde Sassifica seu Sassifrica quasi Saxifragæ Italis dictæ sunt.' Ray, Hist. Plant. i. 252. Prior (p. 203) gives a different, and we think a less correct, derivation.

Saltweed. 'Toad Rush, Suff.' Hal. Juneus bufonius, L.

Saltwort. Salicornia herbacea, L., and Salsola Kali, L.: a name invented for the latter by Turner (Herb.), who says, 'Kali as I remember hath no name in English. But lest this herbe shoulde be without a name / it may be called Saltwurt / because it is salt in taste." Prior, p. 203.

Saltwort, Black. Glaux maritima, L.-Ger. Prior, p. 23.

Sampere. Crithmum maritimum, L.—Turn. Names. Tusser (Five Hundred Points), E. D. S. ed., has Sampire amongst a list of herbs for salad or sauce, which are not grown in gardens, but require to be bought. It is classed amongst 'Capers, Lemmans, Oliues, Orengis,' and 'Rise,' all foreign productions; but probably the British plant Crithmum is intended. I. of Wight (Samper) E. D. S. Gloss.

Samphire. (1) The general name for Crithmum maritimum, L .-

Prior, p. 203.
(2) Salicornia herbacea, L.—Linc. 'Our salt marshes yield a great deal of Kali geniculatum, which, when pickled, is their Samphire, and very plentifully used, and far esteemed by them above Crithmum maritimum.' Phil. Trans. xix. 350. N. Yks. J. Wilson (Synopsis, 1744) mentions this plant as being used for pickle at Newcastle-on-Tyne. See also Marsh Samphire, Rock Samphire, and Sampion.

It may be noted that the word Samphire seems also to have had a somewhat general signification: thus Parkinson, speaking of Alchemilla arvensis, says, that those who employ it medicinally 'pickle it up as a Samphire to eate in winter.' Theatr. 449.

Samphire, Golden. See Golden Samphire.

Samphire, Marsh. See Marsh Samphire.

Samphire, Rock. See Rock Samphire.

- Sampier (Lyte), or Rock Sampier (Ger.) Crithmum maritimum, L.— Lyte, Sampire is another spelling: see under Marsh Samphire.
- Sampion. Salicornia herbacea, L.—A corruption of Samphire. Ches., about Runcorn, Helsby, and the neighbourhood, where it is hawked about by cart-loads for pickling.
- Sanctuary. (1) Erythraa Centaurium, L., a corruption of the common name Centaury. Ches.; Lanc.; Sal.; Yks. (W. Riding).
 (2) Bartsia Odontites, L.—Ches, (Sandbach).
- Sanctuary, Yellow. Chlora perfoliata, L.-Ches.
- [Sandever. Although entered in Ger. Index, this is not a plantname, but that of 'a kinde of scumme' produced in glass-making, which Parkinson (Theatr. 280) says the French call 'Suin de verre, the salt of glasse, and wee in Englishe much thereafter Sandiver.']
- Sand-weed. (1) Spergula arvensis, L.—Norf. Hal. E. D. S. Gloss. B. 3.
 - (2) A general book-name for the genus Arenaria, which is also called Sandwort. Prior, p. 203.
- Sandwort, Sea. A book-name for Honkeneya peploides, Ehrh.— Treas. Bot.
- Sanfoin. The general agricultural name for (1) Onobrychis sativa, L.—Lyte, who spells it Saint foin. It is also spelt Sainfoin, St. Foin, and Sainct-foin. In 1671, a 4to tract was published upon the plant, entitled 'St. Foine improved, a discourse shewing the utility and benefit which England hath and may receive by the grasse called St. Foine, Bucks.; Camb.; N. Ess.; Glouc. (Sanfin); Norf.; Oxf. See Prior, p. 200.
 - (2) Medicago sativa, L., so called in Surflet's Countrie Farme (1600), p. 697: 'called in French sainet foin, for that it may seeme to spring out of the earth, and as it were of a more speciall favour from God.' Prior (p. 201) quotes the name as thus applied in the Dictionary of Husbandry (1717). Osbeck in his Voyage to China (i. 77 (1771)) says that Hedysarum coronarium, L., was called Saintfoin by the French.
 - (3) Medicago lupulina, L.—N. Bucks.
- Sanguinary. (1) Polygonum Hydropiper, L. Grete Herball, 'Bycause it draweth blode in places that it is rubbed on.'
 - (2) Achillea Millefolium, L.—Grete Herball. Hal. Prior, p. 203.
 - (3) Capsella Bursa-pastoris, DC. 'Bursa pastoris is shepherdes purs, some call it sanguinary, because it stauncheth bledinge of the nose.' Grete Herball.
- Sanicle, Sanikle, or Sanikel. Sanicula europæa, L.—Lyte. Turn. Names. Prior, p. 204.
- Sanicle, Great. See Great Sanicle.
- Sanicle, Wood. A book-name for Sanicula europæa, L.
- Sanicle, Yorkshire. Pinguicula vulgaris, L.—A translation of its old Latin name. 'Some with us [call it] Sanicula Eboracensis, because the so plentifully in Yorkeshire.'—Park. Theatr., 534.

Sap-ball. 'A local name for those Polypori which grow on trees, but applied more especially to P. squamosus.' Treas. Bot.

Sap-Tree. Pyrus Aucuparia, Gærtn. - Yks., Cleveland Gloss.

Saponary. Saponaria officinalis, L.—'It is called saponary.'
Grete Herball.

Saracen's Comfrey (Lyte), Consound (Lyte), or Woundwort (Ger.).

Senecio sarracenicus, L.—Solidago sarracenica and Consolida sarracenica
were among its old Latin names.

Sarock. Rumex Acetosa, L .- Scotl. Jamieson.

Sassafy. See Salsafy.

Sassifax. 'The meadow saxifrage.' Hal. Saxifraga granulata, L., which is called Sassifrax in Som. The double-flowered variety is called Double Saxifer at Clifton, Oxf.

Sates. 'Quickset. Sal.' Hal. Shropshire Word-Book. Young plants of Crategus Oxyacantha, L.

Satin, or Satin-flower. Lunaria biennis, L.—'In Northfolke Sattin, or White Sattin:' 'the innermost skin [dissepiment of the pods] where on the seed doth hang or cleave, is thinne and cleere shining, like a peece of white Satten newly cut from the peece.' Ger. pp. 377, 378. Nhamp. (Satinflower). In Ches. Satin-leaves (Grindon's British and Garden Botany, p. 152). In Park. Parad. (265), White Satten.

Saturday's Pepper. Euphorbia Helioscopia, L .- Wilts.

Satyrion. A name given by Lyte to various species of Orchis. Prior, p. 205.

Sauce-alone. Alliaria officinalis, Andrzj. Turn. Lib. W. Ches.

'Divers eate the stamped leaves heerof with salt fish, for a sauce, as they do those of Ramsons.' Ger. 650. 'It is commonly used both in England and in Germany / to be put in sauces in the springe of the yeare / wherfore the English men call it Sauce alone / & ye Germanes Sauszkraut.' Turn. Herb. Prior, p. 205.

Sauch. The genus Salix. Ches. Wilbraham's Gloss.; Ayrsh.; Inv.; Moray, Fl. M. (S. pentandra, L.); Scotl. Jamieson; Early Lowland Scotch, E. D. S. Gloss. B. 13 (Sauch-tree).

Sauch-weed. Polygonum Persicaria, L.—Ayrsh. Sauch = willow. The name may be given to this plant from being shaped like those of a willow; but perhaps Polygonum amphibium, L., is the plant intended, of which the foliage much more resembles that of a willow. See Grass (Willow), also Ground Willow, and Willow-weed.

Sauf. Salix Caprea, L., and most probably other species of willow. 'The willow or sallow. Yks.' Hal.; E. Yks. E. D. S. Gloss, B. 2; (Whitby) E. D. S. Gloss, C. 4 (the willow or sallow-tree).

Saugh, Saugh-tree, or Saugh-bus (bush). The genus Salix. Turn. Names. Ches. Wilbraham's Gloss.; Cumb. E. D. S. Gloss. C. 8: N.-W. Linc. E. D. S. Gloss. C. 6; North, Turn. Hal.; E. Bord. (S. alba, L., S. Caprea, L.), Bot. E. Bord.; Scotl. Lightfoot, Fl. Scotica, ii. 607;

Stirlingsh.; Prior, p. 205 (S. Caprea, L.). A correspondent states that in Cumb. (Winderwath) this name was, fifty years ago, pronounced with the strongest guttural sound; but that it is now rapidly dropping to Saff.

Saugh, Grey, Salix cinerea, L .- E. Bord. Bot. E. Bord.

Saugh, Hoburn. Cytisus Laburnum, L.-Scotl. Jamieson.

Saugh, Privy. Ligustrum vulgare, L.—Scotl. (South), Lightfoot, Fl. Scot., ii. 1131.

Saugh, Red. See Red Saugh.

Savager, Wild. Lychnis Githago, Lam. -Ger. Appx. Hal.

Save. 'The herb sage.' Hal. Salvia officinalis, L.

Savin or Savine, or Savin-tree. The general name for (1) Juniperus Sabina, L.—Lyte. Ches.; S. W. Cumb.; Sal. (where it is also pron. Savurn-tre); Suff. Moor; Westm.; Wales. 'Ab anglis sauyn appellatur.' Turn. Lib. Prior, p. 205. Galloway (Saving-tree). Mactaggart's Gallovidian Encyclopædia: it takes its name, according to this writer, from its use in procuring abortion, 'as being able to save a young woman from shame'! The name is extended to Juniperus nana, to which Petiver (Mus. Pet. Cent. viii.) says it is applied in Westm. and Wales.

(2) Artemisia maritima, L.—Suss. (Chichester Harbour.) 'The Sea Wormwood, here called Savin, and used for deleterious purposes too generally known.' Science Gossip, 1875, p. 34.

laminum's Displace Charles I - - - - T Charles

Saviour's Blanket. Stachys lanata, L.—Suss. (gardens).

Saviour's (Our) Flannel. See Flannel, Our Lord's.

Savory, or Summer Savory. Satureja hortensis, L. — Winter Savory is Satureja montana, L. Prior, p. 205, spells it Savoury, and Tusser (Five Hundred Points. E. D. S. ed.) Saverie: in Turn. Lib. Savery.

Saw-wort. Serratula tinctoria, L. It has 'large leaves somewhat snipt about the edges like a sawe, whereof it tooke his name.' Ger. 576. Prior, p. 205. Applied by Holdich (Essay on Weeds) to Carduus arvensis, L.

Saxifer. See Sassifax.

Saxifrage. (1) The genus Saxifraga: S. granulata, L.-Turn.

Herb, : see (2). Prior, p. 205.

(2) Pimpinella Saxifraga, L.—'Some call this herbe Saxifrage / because it groweth amongest stones in many places / and cleveth them / and some call it Saxifrage / for the propertye that it hath in breaking of the stone in a mannis bodye / and it deserveth much better the name of Saxifrage / then our English saxifrage [Saxifraga granulata] doth.' Turn. Herb. Prior, p. 206.

(3) Silaus pratensis, Bess.—Turn. Names.

(4) Carum Carvi, L.—Line, 'Carum grows plentifully in our pastures; the seed they call Saxifrage, which they gather and send to London.' Phil. Trans. xviii-xix, p. 350 (1695-97).

(5) Asplenium Ceterach, L.-Grete Herball.

Saxifrage, Burnet. See Burnet Saxifrage.

Saxifrage, Golden. See Golden Saxifrage.

Saxifrage, Great. Pimpinella magna, L.-Lyte.

Saxifrage, Meadow, or Pepper. Silaus pratensis, Bess. With. ed. ii. Prior, p. 178.

Saxifrage, White. Saxifraga granulata, L.—Lyte. Jacob (Plantæ Favershamenses, 1777).

Scabgowks. Orchis mascula, L.—Durh. (Teesdale).

Scabby Hands. Bunium flexuosum, With. Cumb. E. D. S. Gloss. C. 8.

Scabby Head. Torilis Anthriscus, Gærtn. Ches. (Delamere).

Scabious. The general name for the various species of Scabiosa. Turn. Names. Prior, p. 206. Corrupted to Scabia in S. Cumb. Scabiosa arvensis, L.—Lyte. 'So named of old tyme, because it is given in drynke.... to heale scabbes.' Bullein, Book of Simples, fol. 16.

Scabious, Devil's Bit. See Devil's Bit Scabious.

Scabious, Sheep's. A book-name for Jasione montana, L.-Lyte.

Scabridge. 'The plant scabious.' Hal. Scabiosa arvensis, L., which in Ches. is called Scabril.

Scab-wort. Inula Helenium, L.—Grete Herball. Prior, p. 206.
'The roote of Enula boiled very soft maketh an excellent ointment against scabs.' Ger. 650.

Scad, or Scad-tree. Prunus institia, L., or P. domestica, L.—
Jacob (Plantæ Favershamenses, 1777); Kent, 'black bullace, or a
bastard damasin growing in hedges.' E. D. S. Gloss, C. 3; Linc,
'white bullace;' Suss. Hal. ('the wild black plum'). Parish, 'a
small black plum, which grows wild in the hedges.' Prior, p. 206.

Scaddie. Urtica dioica, L.-Forf.

Scala Celi. Polygonatum multiflorum, All. 'In englishe Scala celi.' Turn. Names, See Ladder-to-heaven.

Scalbegres. 'Herba Cristofori. List of plants in MS. Sloane 5 f. 5.' Hal. Actea spicata, L.

Scald. Cuscuta europæa, L.—In Camb. 'it is called Scald, it may be presumed on account of the scalded appearance which it gives to the bean-crops.' Phyt. i. 1140, O. S. In Treas. Bot. it is called Scald-weed.

Scald-berry. Fruit of Rubus fruticosus, L., so called 'from their supposed quality of giving scald heads to children.' Loudon, Arboretum. 'The fruit of the bramble is reputed infamous, for causing sore heads; whence it comes to pass that to scare children from eating of them, some call them Scaldberries.' Threlkeld. Prior, p. 206.

Scald-head. Cynoglossum officinale, L.-Suff.

Scalded Apple. Lychnis diurna, Sibth. Sal. (Pulverbatch).

Scaldricks. Sinapis arcensis, L.—'Bird seed, or wild mustard, called here Scaldricks,' Sinchair's Stat. Acc. of Scotland, i. 217, subvoce Cramond. Lothians, Jamieson. Cf. Scalies and Scallock.

Scald-weed. See Scald.

Scale Fern, or Scaly Fern. Asplenium Ceterach, L.—Lyte. Prior, p. 78.

Scalies. Sinapis arvensis, L .- Forfarsh.; Stirlingsh.

Scallock. Sinapis arvensis, L. - Stirlingsh. Cf. Scaldricks.

Scallewort. 'Centrum galli. List of herbs in MS. Sloane 5, f. 4.'
Hal. Salvia Sclarea, L.

Scallion. (1) Allium Porrum, L.—Suff.; Yks. (Mid.) E. D. S. Gloss. C. 5; (Whitby) E. D. S. Gloss. C. 4; Scotl. (Annandale) Jamieson.

(2) 'A thick-necked onion.' Cumb. E. D. S. Gloss. C. S. 'An onion that has not bulbed in proper form.' Irel. (Co. Donegal).

(3) Allium ascalonicum, L.—Sal. Prior, p. 206. The same plant is probably intended in each case. Holloway (Dict.) says the name is applied in Lanc. to 'a wild plant in taste like an onion'—probably A. ursinum, L. In Nhamp. last year's onions planted for spring salad are so called.

Scarb-tree. Pyrus Malus, L. 'In Englishe in y' Southe countre, a Crab tre, in y' North countre a Scarbtre,' Turn. Herb., pt. ii. p. 47.

Scaret-root. 'The herb skirwort.' Hal. Sium Sisarum, L.

Scarlet Cross. Lychnis chalcedonica, L.—Bradley's Family Dictionary, 1725.

Scarlet Cup. Peziza coccinea, L.-Dev.

Scarlet Lightning. (1) Centranthus ruber, DC. Hunts. N. & Q. 4th S. vi. 68.

(2) Lychnis chalcedonica, L.—S. Bucks.; Dev. E. D. S. Gloss.; Nhamp.; Oxf.; Suff. Holl. has Scarlet-Likeness. Lightning is probably a corruption of Lychnis, or rather the substitution of a word to which the popular mind attaches a meaning for one which is not understood.

Scaw. See Skaw.

Scaw Dower. See Skaw Dower.

Scawfell Pink. Armeria maritima, L.—Cumb. (neighbourhood of Scawfell).

Scented Fern. (1) Nephrodium Oreopteris, Desv. From the odour of its fronds when rubbed gently.

 Tanacetum vulgare, L. From its fern-like leaves and strong smell. Dev. Friend; Som.

Scented Hairhoof, or Sweet Hairhoof. Asperula odorata, L.— N. and E. Yks.

Schoolmaster. Arum maculatum, L.-E. Suss.

Sciatica Cress. See Cress, Sciatica.

Sciney. See Close Sciences.

Scoom. Nostoc commune, Vauch.—'A yellow gelatinous substance found about the roots of old Trees, tremella.' Wr.

Scoots. Cicuta virosa, L.-Linc.; Irel. where other Umbellifera frequenting wet places are included.

Scordium. Teucrium Scordium, L. 'In English Scordium.' Ger. 535, and included in his Table of English names.

Scorpion Grass. See Grass, Scorpion.

Scorpion-wort. Various species of Myosotis. Lyte.

Scotch Asphodel. A book-name for Tofieldia palustris, Huds. Prior, p. 207.

Scotch Bonnets. Agaricus oreades, Bolt. R. Syn. ed. ii. 13.

Scotch Camomile. See Camomile, Scotch.

Scotch Elm. See Elm, Scotch.

Scotch Fir. Pinus sylvestris, L.—Prior, pp. 79, 207.

Scotch Gale. Myrica Gale, L .- Scotl. Jamieson.

Scotch Geranium. Geranium Robertianum, L. Forf.

Scotch Mercury. Digitalis purpurea, L.—E. Bord. Bot. E. Bord.

Scotch Primrose. Primula farinosa, L. Prior, p. 189.

Scotch Rose. "A rose with small white flowers and insignificant leaves." Dev. Friend; Var. dial.

Scotch Scurvy-grass. See Grass, Scottish Scurvy.

Scotch Thistle. (1) Carduus lanceolatus, L.—Worc.

(2) Carduus nutans, L.—Prior, p. 207.
 (3) Onopordum Acanthium, L.—E. Bord. Bot. E. Bord. Prior, p. 207.

Scouring Rush. Equisetum hyemale, L., so called from its rush-like growth, and because 'women scowre their pewter and wooden things of the kitchen therewith.' Ger. 958. Prior, p. 207.

Scourwort. Saponaria officinalis, L.—Turn. Names (Skourwurt).

Scrab. Pyrus Malus, L.—North. Hal., Wr.; Scotl. Jamieson, who also has Screyb (Clydesdale) and Scribe (Clydesdale). In the Early Lowland-Scottish Gloss. (E. D. S. B. 13) is "Unedo, fructus arbutii, a scrab-apple:" but the Arbutus is not a native of Scotland, and the crab is probably meant.

Scrambling Rocket. Sisymbrium officinale, L. Prior, pp. 207, 56.

Scrape-clean. Senecio Jacobæa, L. Linc. (Boston).

Scratchbur. Ranunculus arvensis, L.—Beds. Batchelor.

Scratch Grass. (1) Galium Aparine, L.—Herts. In Camb. (I, of Elv) and Nhamp. (Nth. Gloss.) Scratch-weed. Prior, p. 207.

(2) Cynosurus cristatus, L.—Berks. (Clewer).

Screyb, or Scribe. See Scrab.

Scrog. Literally means a stunted bush, and is connected with the word scraggy. It is probably derived from Norse skrekka, to parch or shrivel up. Scrub has the same meaning, and both words enter into the names of places, as "Wormwood Scrubbs"; and Wilson in his Synopsis (1744) mentions "Cold Kale Scrogs" near Kendal. As meaning (1) Shrubs or brushwood generally, we have Scotland, Jamieson; N. W. Linc. E. D. S. Gloss. C. 6; N. of Eng. E. D. S. Gloss. B. 1; Yks. (E.) ("stunted shrubs") E. D. S. Gloss. B. 2, (Mid.) E. D. S. Gloss. C. 5, (Whitby) ("thorn bushes") E. D. S. Gloss. C. 4; Early Lowland Scotch ("a shrub") E. D. S. Gloss. B. 13, More definitely applied we find

(2) Prunus spinosa, L.—With. ed. iv. North, Hal. Ray; Notts.
 (3) Pyrus Malus, L. (or Scrog-apple). E. Bord. Bot. E. Bord.

Scrooby Grass. See Grass, Scrooby.

Scrotta. See Skrotta.

Scrub, or Scrubby Grass. See Grass, Scrub.

Scryle. Triticum repens, L .- West. Holl. Hal. Wr.

Scurvy Cress, or Scurvy Weed. Cochlearia officinalis, L.—Prior, p. 207. In Turn. Herb. Scurby-weed, or Scurbey-wort.

Scurvy Grass, See Grass, Scurvy.

Scutch. Triticum repens, L.—Ches.; Oxf. E. D. S. Gloss. C. 24; Sal.; West. Hal. A dialectal form of Quitch or Quick. Also called Scutch-grass, Ches.; Ireland (Antrim, Down, Fermanagh).

[Sea is applied as a qualifying adjective to a great many plant-names, for the most part not in actual use; we have not thought it worth while to mention these here, except where special circumstances seemed to render it necessary or desirable.

Sea Bells. Convolvulus Soldanella, L.-Ger.

Sea Belt. Laminaria saccharina, Lam. Turn. Names. Prior, p. 207.

Sea Bottle. Fucus vesiculosus, L., and other species, 'in consequence of the stalks having round or oval vesicles or pods in them.'—Hal. Som. Holl.

Sea Cushion. Armeria maritima, Willd.—Park. Parad. 318.

Sea Daisy. See Daisy, Sea.

Sea-fike. 'The name given to a marine plant, which when rubbed on the skin causes itchiness, Loth. It seems to have received this name because it fikes or disquiets the skin. Isl. fesk, Sw. fyk, Algamarina.' Scotl. Jamieson.

Sea Furbelow. See Furbelows.

Sea Gilliflower. Armeria maritima, Willd .- With. ed. vii.

Sea Girdle. See Girdle, Sea.

Sea Grass. See Grass, Sea.

Sea Hangers. Laminaria bulbosa, Lam.—R. Cat. 119.

Sea Holly, or Holme. Eryngium marilimum, L.-Lyte.

Sea Kale. See Kale, Sea.

Sea Laces. Chorda Filum, Lam.—Merrett, Pinax (1666). Prior, p. 208.

Sea Lettuce. A modern book-name for Ulva Lactuca, L.

Sea Oak, See Oak, Sea.

Sea Onion. Scilla verna, L.—I. of Man, Forbes. In Ger., &c., Scilla maritima, L.

Sea Pink. See Pink, Sea.

Sea Points. Chorda Filum, Lam.—Merrett, Pinax (1666).

Sea Rosemary. Suada fruticosa, Forsk.—Treas. Bot. (ed. ii.) 1034.

Sea Starwort. See Starwort.

Sea-thongs. Himanthalia lorea, Lyngb. Edinburgh Encyclopædia.

Sea Turf. Armeria maritima, Willd .- Dev.

Sea Wand. Laminaria digitata, Lam. - Scotl. Rural Cyclopædia.

Sea Ware. Fucus vesiculosus, L. 'Sea-weed, Nhumb.' Hal.; 'Sea-weed,' I. of Wight, E. D. S. Gloss.; Scotl. Lightfoot, Fl. Scot. ii. 904.
Also spelt Sea waur. 'Sea waur, from its waving to and fro on the top of the water at high tide;' Thanet.—Ann. Agric., xxvii. 523, but this explanation is incorrect.

Sea Weed. The general name for Algæ. Prior, p. 208.

Seaweed Fern. Scolopendrium vulgare, Sm. — Surr. (Cobham). Science Gossip, 1865, p. 190.

Sea Whipcord. Chorda Filum, Lam.-Prior, p. 208.

Sea Whistles. Fucus nodosus, L. 'Boys amuse themselves by cutting [the fronds] transversely near the end, and making whistles of them; hence the name Sea-whistles sometimes bestowed on the plant.' Edinburgh Encyclopædia.

Sea Wrack. Zostera marina, L.—Irel. (Belfast) Flora Belfastiensis. Also a general name for seaweeds thrown up by the tide.

Seag. See Seg (2).

Seale-tree. Salix vitellina, L.—Cumb. (Winderwath). 'Seale. The sallow. Yorks.' Hal.

Seal of Heaven. See Solomon's Seal.

Seal-wort. Polygonatum multiflorum, All. See Solomon's Seal. Prior, p. 208.

Seave, or Seaves. Rushes. Various species of the genus Juncus,
With, ed. iv. Ches. Wilbraham's Glossary; Cumb. E. D. S. Gloss. C. 8,
pronounced seeve in central part, and seeav in S.W.; North, Ray.
Grose; Yks. Ray, (Northallerton) Hallamsh. Gloss. (E.) E. D. S.
Gloss. B. 2, (Mid.) E. D. S. Gloss. C. 5, (Holderness) E. D. S. Gloss.
C. 7, (Swaledale) E. D. S. Gloss. C. 1, (W. Riding) E. D. S. Gloss.
B. 7, (Whitby) E. D. S. Gloss. C. 4; Var. dial. Hal. Prior, p. 208.

Seave, Clock. See Clock-seaves.

Sedge. (1) The common name for the various species of Carex. W. Ches. Prior, p. 208.

(2) Spartina alterniflora, Loisel.—Hants. Phyt. iii. 1096, O.S.

(3) Iris.—Prior, p. 208.

(4) Enteromorpha. Scilly Isles. Journ. R. Agr. Soc. 2nd S. vi. 384.

(5) Cladium Mariscus, L .- Camb. (Burwell Fen). The Fenland, Past and Present, p. 299.

Sedge, Bede. See Bede Sedge.

Sedge, Knop. Sparganium ramosum, L.—Turn. Herb.

Sedge, Myrtle. A book-name for Acorus Calamus, L.-Pratt.

Sedge, Sweet. Acorus Calamus, L.-East, Hal. (Sweet Segg). Prior, p. 228.

Sedge, Yellow. Iris Pseudacorus, L.-E. Bord. Bot. E. Bord.

Sedocke. Acanthus mollis, L.—Ger. Appx. Hal.

Seebright. Salvia Sclarea, L.—Prior, p. 208.

Seeder. The male plant of Humulus Lupulus, L .- Suss.

Seedling. Alyssum maritimum, L., and other plants used for borders. Dev. Friend.

Seeds, or Sids. Lolium perenne, L. - Oxf.; Suss.

Seel. The willow. E. Cumb. E. D. S. Gloss. C. S.

Seg, Segg, or Seggs. Sedges, which name includes many waterplants having long flag-like leaves. 'It occurs (spelt Segge) in a list of plants in MS. Sloane 5, f. 2,' Hal.; E. Anglia, E. D. S. Gloss. B. 20; N.-W. Linc. E. D. S. Gloss. C. 6; Sal. (See Shropshire Wordbook, p. 368.) Yks. (Mid.) ('a sedge or water rush') E. D. S. Gloss. C. 5, (Holderness) E. D. S. Gloss. C. 7, (Whitby) 'once applied to all sharp-pointed or rushlike plants growing in watery places,' E. D. S. Gloss. C. 4. Scotland, Jamieson. See also Seggin. The name is applied more especially to-

(1) The genus Carex. Turn. Herb. With. ed. iv; Bucks.; Glou. Cotswold Gloss., Grose (Zegs), (Vale of Glou.) E. D. S. Gloss. B. 4; Suff.; Worc.; E. Yks. E. D. S. Gloss. B. 2. Prior, p. 208.

(2) Iris Pseudacorus, L.—Nhamp. Turn. Lib. See Lug. N. Cumb. (Seag), E. D. S. Gloss. C. 8; North, Ger. Emac.; Sal.; E. Bord. Bot. E. Bord.; Scotl. (South) Lightfoot, Fl. Scotica, ii. 1078; Stirlingsh. Prior, p. 208.

(3) Sparganium ramosum, Huds.—E. Bord. Bot. E. Bord.

(4) Typha latifolia, L .- W. Worc.

Seg. Bull. See Bull Segg.

Seg. Pinky. See Pinky Seg.

weet. Acorus Calamus, L.—East. Hal.

iter. Iris Pseudacorus, L.—Yks. (Tadcaster).

Seggin, or Seggins. (1) Various species of Carex. Cumb.; Yks. (W. Riding).

(2) Iris Pseudacorus, L.—Cumb. E. D. S. Gloss, C. 8; Scott. Jamieson.

(3) Sparganium ramosum, L.—Cumb.

Seggin, Blue. Iris fætidissima, L.—Ayrsh. Jamieson.

Seggrom, Seggrum, or Seggrums. Senecio Jacobæa, L.—Hal. Yks. Cleveland Gloss. 'In Holdernesse in Yorke-shire, they call it Seggrum.' Ger. Emac., 281. E. D. S. Gloss. C. 7, B. 2. Prior, p. 209,

Seggy. (1) Acer Pseudo-platanus, L.—Yks. (Holderness) E. D. S. Gloss. C. 7.

(2) Senecio Jacobæa, L.—Yks. (Holderness) (occasionally), E. D. S. Gloss. C. 7.

Seife. 'A reed or bush [rush],' Hal., who also has 'Seive, a dwarf rush.' Cumb.

Sele (Salix), a willow, L.—Yks. N. & Q. I. x. 211.

Selendine. A spelling of Celandine. Chelidonium majus, L.— Turn, Names.

Self-heal. (1) Prunella vulgaris, L.—Turn. Prior, p. 209.

 (2) Sanicula europæa, L.—Treas. Bot. Prior, p. 209.
 (3) Pimpinella Saxifraga, L. Grete Herball. 'The herb pimpernel,' Hal., but Pimpinella is clearly intended.

Sel-green. Sempervivum tectorum, L.—Dev. Friend; Dors. Dors. Gloss. See Sen-green.

Selly. The genus Salix. Yks.; Cleveland Gloss.; 'the twig willow of the fences.' E. D. S. Gloss. C. 4.

Semper, or Rock Semper. Samphire. Crithmum maritimum, L .-Yks. (E. Holderness). E. D. S. Gloss. C. 7.

Sencion, Sension, or Senshon, a corruption of the Lat. senecio. Senecio vulgaris, L. Hal. E. Anglia, Forby; Ess.; Norf.; Suff. Also Sinsion. Science Gossip. 1882, p. 214.

Sen-green. (1) Sempervivum tectorum, L.—Lyte. Hal. Dev. Friend; Sal.; Warw. (Coventry) Phyt. iii. 286. N.S. In Turn. Names Syngrene. 'Seengreene in the South partes of England.' Bullein, Bk. of Simples, fol. 35. 'This plant is alwaies greene, neither is it hurte by the colde in winter.' Ger. 411. Prior, p. 209.

(2) Saxifraga granulata, L.—Jacob (Plantæ Favershamenses, 1777).

(3) Chrysosplenium.—With. ed. iv.
 (4) Vinca minor, L.—Wight. Fl. Vect.

Sengreen Water, or Knight's Water Sengreen. Stratiofes aloides, L.-Lyte, Ger.

Senvie, or Senvy. (French, Sénevé.) Sinapis nigra, L., S. alba, L., and S. arvensis, L. 'There be two sorts of Senvy, the tame and the wild, whereof also the tame or garden Senvy is of two sorts: the one with a great white seede, the other having a little browne seed.' Lyte. Som. Holl. In Lobel's Adversaria spelt Senbeye. Prior, p. 209.

Septfoil. Potentilla Tormentilla, Sibth. Ger. Also called Sevenleaves (Coles, A. in E., p. 76). Prior, p. 209.

Serbs. The fruit of Pyrus torminalis, Ehrh.—Suss. (Horsham).

Serge. (1) Various species of Carex. Ches. (2) Typha latifolia, L., and T. angustifolia, L.—Ches.

Serpell. Thymus Serpyllum, L.—Hal.

Serpent's Meat. Tamus communis, L.—Wales, Fl. Vect. An idea prevails that those reptiles are always lurking about places where this plant grows.

Serpent's Tongue. Ophioglossum vulgatum, L.-Lyte.

Service, Fowler's. See Fowler's Service.

Service, Maple. Pyrus torminalis, Sm.-Pratt.

Service, Wild. Pyrus Aucuparia, Gærtn.—Prior, p. 210. Rather P. torminalis, Sm.

Service-berry. Pyrus Aria, Sm.—Moray. Fl. M. The 'climbing service berries ripe and brown' of Clare's poem, 'The Last of Autumn,' can hardly be the same.

Service-tree, or Servise Tree. Pyrus domestica, Sm.—Turn. Names. Mentioned by Tusser (E. D. S. ed.) amongst cultivated fruits. Prior, p. 209.

Servoile. 'The wild honeysuckle.' Hal. Lonicera Periclymenum, L., a corruption of the French chèvre-feuille.

Setfoil. (1) Potentilla Tormentilla, Sibth. The leaves be . . . somtimes five, but commonly seven, whereupon it tooke his name Setfoile. Ger. 840. Prior, p. 209.

(2) Ægopodium Podagraria, L.—Lyte.

Setterwort. (1) Helleborus factidus, L.—Ger. 'If hoggs or other cattle be subject to the murraine it is usuall... to cut an hole in the ear or dewlap, and put therein a piece of the root of Bearsfoot, which some call pegging, some settering, and therefore the plant is by some called setterwort.' Coles, A. in E., p. 110. Also called Setter (Norf.), and Setter-grass (Yks.). Prior, p. 210.

(2) Helleborus viridis, L.—North, Ray, Grose.

Setwall. Valeriana pyrenaica, L.—Turn. Names. Hal. spells it Setewall. Ger. (p. 919) says this plant is called 'in English Setwall, but improperly; for that name belongeth to Zedoaria, which is not Valerian,' and the word is probably a corruption of Zedoaria. But it seems to have been generally applied to the Valerian in Gerard's time: he says, 'it hath beene had (and is to this day among the poore people of our northerne parts) in such veneration amongst them, that no brothes, pottages, or phisicall meates are woorthe anything, if Setwall were not at one end: wherupon some woman poet or other hath made these yerses:

They that will have their heale.

They that will have their heale, Must put Setwall in their keale.'

Parkinson (Theatr. 124) also assigns the name to the Valerian, but 'ds, 'Setwall is properly Zedoaria, an Out-landish roote in the Apo-

thecaries shops, which never was knowne to grow in any of these Christian Countries; and (p. 1612) refers to the Zedoaria as the Setwall that we have usually in our shops. The outlandish root is Curcuma longa, L.—Prior (p. 210) extends the name to Valeriana officinalis, L.—See Cetywall. Baxter in error assigns the name to Polemonium caruleum, L.

Seven-leaves. See Septfoil.

- Seven Sisters. Euphorbia Helioscopia, L., and E. Peplus, L., in allusion to the seven branches of the stem. Ireland (co. Donegal).
- Seven Years' Love. Dev. 'We have a plant called seven years' love.' Mrs. Bray, Borders of Tamar and Tavy, i. 274. Mr. Friend tells us that this is the garden form of Achillea Ptarmica, L., which is used in Glouc, by country brides in their posies.
- Seyny-tree. Cytisus Laburnum, L.—'The leaves are thought to resemble senna-leaves, whence the name.' Sal. Shropshire Wordbook.
- Shabub. Lunaria biennis, L. 'Some cal it Shabub.' Turn. Names. 'Some call this herbe Shawbubbe,' Turn. Herb. pt. iii. 52. We can suggest no explanation of this name, which we have not met with elsewhere.
- Shacklers. Fruit of (1) Fraxinus excelsior, L., and (2) Acer campestre, L. Dev. Friend. In the West to shackle = to rattle: hence the name.
- Shadow-grass. 'Gramen nemorosum is called in our toong Wood grasse, or Shadow grasse.' Ger. 8. Probably Luzula sylvatica, Bich., though Gerard's figure does not represent that plant.
- Shake Ladies. Briza media, L.—Lanc.
- Shakers. Briza media, L.—Ches. Ger.; Sal. (also Shaking-grass).
 Prior, p. 210, calls it Shaker. Also Hay Shakers (Ches.) and Silver Shakers (which see).
- Shaking Grass, or Shaky Grass. Briza media, L.—S. Bucks.; Dev. Friend. In Forf. Shakie Tremlie.
- Shalder. 'A kind of broad flat rush, growing in ditches.' Som. Jennings. Hal. Mr. Elworthy tells us the roots of Iris Pseuducorus, L., are so called in Som. Mr. Friend writes it Shelder.
- Shallot. The common name of Allium ascalonicum, L. Prior, p. 210.
- Shamerags. 'Shamrocks.' Hal. See Shamrock.
- Shampoon (Fr. champignon). Agaricus oreades, Bolt.—Oxf.
- Shamrock. The vexed question as to what was the original Shamrock is one which it would be impossible to decide. The well-known incident of its use by St. Patrick in illustration of the doctrine of the Blessed Trinity, although perhaps the most popularly known episode of his life, is purely traditional. At the present day Trifolium minus, I., is the plant most in repute as the true Shamrock; it is this species which forms most of the Shamrock sold in Covent Garden on St. Patrick's Day, and in Ireland it is used as such in the counties of Antrim,

Down, Meath, Fermanagh, Dublin, Wicklow, Carlow, Westmeath, Wexford, Limerick, Waterford, Cork, and Kerry. Medicago Inpulina, L., occasionally takes its place in London, and is also sold as such in Dublin (Cybele Hibernica, p. 73). Some have supposed that the Wood-sorrel (Oxalis Acetosella, L.) was the original Shamrock—it is so called in some parts of Oxf.—and some references to early writers rather support this notion. Thus Spenser says, speaking of the fearful destitution to which the Irish had been reduced by the wars of Munster—'If they found a plot of watercresses or shamrocks, there they flocked as to a feast for a time.' Holinshed (Chron, I. 45 (1577-87) has 'Water cresses, which they tearme Shamrocks'; Speed (Theat. Gt. Brit., 138 (1614?) says, 'Their diet is . . . mushromes, shamrofh and butter'; and Campion (Hist. Ireland, n. 1581) has 'Shamrotes, water-cresses, rootes.' Taylor, the Water Poet, spells it shame-rags. Wither (Abuses Stript and Whipt, 1613) has the lines:

'And for my cloathing in a mantle goe, And feed on *shamroots*, as the Irish doe.'

Sir Henry Piers (Description of Westmeath) says that 'butter, new cheese, and curds, and shamrocks, are the food of the meaner sort in all seasons.' In the 'Irish Hudibras' (1689) are the lines:

Within a wood, near to this place, There grows a bunch of three-leaved grass, Called by the boglanders shamroques.

In Moore's History of Ireland (iv. 217 (1835), we read that the Earl of Antrim, in reply to Strafford's question, 'Suppose Argyle should drive the cattle, carry off the corn, and lay waste the country, how were men, horses, and cows to find subsistence?'—made answer: 'They would do well enough; feed their horses with leaves of trees, and themselves with shamrocks.' We have received the Oxalis from Co. Waterford as one of the representatives of the Shamrock, and Moore's description of the colour of the 'triple grass'—

'As softly green as emeralds seen Through purest crystal gleaming'—

would seem to point in the same direction, the term 'emerald' being peculiarly appropriate to the green of the Wood-sorrel. The use of that plant in salads has no doubt given colour to the notion that in the above quotations the Oxalis was intended; but we can hardly suppose it to have formed the food of any people, however reduced. Trifolium pratense, L., is considered by Gerard to be the true Shamrock; and Tancred Robinson informed Ray to the same effect: 'Sunt Hiberni, qui suo Chambroch (quod est Trifolium purpureum pratense) aluntur, celeres, et robusti, ut nos monuit D. Tancredus Robinson' (Raii Hist. Plant. i. 944). Lhwyd, writing to Robinson, would seem to have rather intended T. repens. He says: 'Their Shamrug is the common clover' (Phil. Trans. xxvii. 506 (1712). Threlkeld (1727) says of this: 'This Plant is worn by the People in their Hats upon the 17. Day of March yearly (which is called St. Patrick's Day);' and Wade (Cat. Plant., p. 202 (1794)) assigns the name seamroy to the same species. In the 'Cybele Hibernica' it is written: 'This is the plant still worn as Shamrock on St. Patrick's Day.' These quotations—and it would be easy to multiply them—will serve to show the conflicting opinions which prevail upon the

subject. Steele (Spectator, No. 455 (1712)) has a different spelling: 'The Irish Shambrogue.'

Shampillion. Agaricus oreades, Bolt. Norf.; Surr. Grose ("a species of fungus").

Share. 'The sycamore tree. West.' Hal. Acer Pseudo-platanus, L.

Sharewort. Dr. Prior (p. 211), in common with other authors, assigns this name to Aster Tripolium, L. But a reference to Gerard's figure and description shows that Pallenis spinosa, Cass., is intended. The name is taken from one of its Latin equivalents, Inquinalis, from the use of the plant in disorders affecting 'the flanke or share' (Ger. 394).

Sharp Thistle. Carduus arvensis, Curt. Cumb. E. D. S. Gloss. C. 8.

Shar-thack. 'A kind of coarse grass, perhaps identical with Star-thack, q. v.' N.-W. Linc. E. D. S. Gloss. C. 6.

Shave Grass. See Grass, Shave.

Shaveweed. Equisetum hyemale, L. Aubrey in Ray's Correspondence, Ray Soc. edition, p. 237.

Shaving-brush. Centaurea nigra, L.—Sal. (Craven Arms).

Shawbubbe. See Shabub.

She Heather. See Heather, She.

She Holly. See Holly, She.

Shear Grass. See Grass, Shear; and add

'Long, coarse grass; twitch or couch-grass. Sheary, full of twitch or couch-grass.' Leic. E. D. S. Gloss, Triticum repens, L.

Sheep. Cones of Pinus sylvestris, L.-Yks. (Wensleydale).

Sheep-bine. Convolvulus arvensis, L. Ess. Journ. R. Agric, Soc. 1st S. v. 26.

Sheep Foot. Lotus corniculatus, L.-S.-W. Cumb.

Sheep-killing. Hydrocotyle vulgaris, L.—Ger. Appx. Hal. See Grass, Sheep-Killing Penny.

Sheep-root. Pinguicula vulgaris, L.—Roxh. 'Said to receive the name because, when turned up by the plough, the sheep greedily feed on it.' Jamieson.

Sheep-rot. From a supposition that it causes the liver-rot in sheep, which disease is often prevalent on wet land where the plant grows.

(1) Pinguicula vulgaris, L.—Moray; S. Scotl. Jamieson.

(2) Hydrocotyle vulgaris, L .- Cumb. E. D. S. Gloss. C. 8.

It is now ascertained that the liver fluke, which always accompanies rot in sheep, exists in one of its stages as a parasite in the bodies of small water snails which, in wet weather, creep upon the leaves of marsh plants and are eaten by the sheep with the herbage. It is therefore with some reason that such names as Flowkwort, Sheep-killing Penny-grass, and Sheep-rot have been given to these marsh plants.

Sheep-shearing Rose. Paonia officinalis, L.—Wore. 'Is called the "sheep-shearing rose" by many from the rough joke of filling the folds of its petals with pangent snuff or pepper at sheep-shearing feasts, in order to enjoy the torments of those who innocently smell it at that period.' N. & Q. 5th S. ix. p. 405.

Sheep Sorrel, or Sheep's Sorrel. (1) Rumex Acetosella, L.—Lyte. Dors.; E. Bord. Bot. E. Bord. Prior, p. 212.

(2) Oxalis Acetosella, L.—Irel. (Co. Fermanagh). Science Gossip, 1882, p. 43.

Sheep's-bane. Hydrocotyle vulgaris, L.—Ger. Prior, p. 212. See Sheep-rot.

Sheep's-bit, or Sheep's-bit Scabious. Jasione montana, L. Priot, p. 212.

Sheep's Brisken. Stachys palustris, L.—Ireland (Co. Donegal). This is doubtless a corruption of the Gaelic briosclan or brisgean, a name applied to an edible root which Mr. Cameron (Gaelic Names, p. 19) identifies with Potentilla Anserina, L., quoting from Armstrong, 'The brisgean is a succulent root not unfrequently used by the poorer people in some parts of the Highlands for bread,'

Sheep's Cheese, See Cheese, Sheep's.

Sheep's Gowan. Trifolium repens, L .- E. Bord. Bot. E. Bord.

Sheep's-head. Rhodymenia palmata, Grev.—Scott. Rural Cyclopædia,

Sheep's Knapperty. Potentilla Tormentilla, Sibth. Irel. (Belfast).

Sheep's Parsley. See Parsley, Sheep's.

Sheep's Scabious. A book-name for Jasione montana, L .- Lyte.

Sheep's Sorrel. See Sorrel, Sheep's.

Sheep's Sourack. (1) Rumex Acetosella, L.—Scotl. Jamieson. 'Sheep's Sowruck, Sc. aust.' Lightfoot's Fl. Scot., ii. 1131.

(2) Triticum repens, L .- Scotl. Jamieson.

Sheer-grass. See Grass, Sheer.

Shelder. See Shalder.

Shell-dillisk. Rhodymenia palmata, L.—Ireland. 'Dillisk of the Irish . . . That is preferred which grows on rocks near low-water mark . . . this is frequently covered with young mussel-shells, whence it is called by the hawkers Shell-dillisk.' Harvey, Manual Brit. Algae, 128 (1849).

Shelly Grass. Triticum repens, L.—Prior, p. 212. See Skally-grass.

Shepherd's Bag. Capsella Bursa-pastoris, DC. Turn. Names.

Shepherd's Bedstraw. Asperula cynanchica, L.-Glou.

Shepherd's Calendar. Anagallis arvensis, L.—Dev. Borders of Tamar and Tavy, i. 273.

Shepherd's Clock. See Clock, Shepherd's.

Shepherd's Club. See Club, Shepherd's.

Shepherd's Comb. Scandix Pecten, L .-- N. Yks.

Shepherd's Cress. Teesdalia nudicaulis, Br. Eng. Bot. ed. iii. vol. i. 209. Prior, p. 212.

Shepherd's Daisy. Bellis perennis, L .- Nhamp. Nth. Gloss.

Shepherd's Delight. Anagallis arvensis, L.—N.-W. Linc. E. D. S. Gloss. C. 6.

Shepherd's Glass. Anagallis arvensis, L.-Notts.; Rutl.

Shepherd's Knot. Potentilla Tormentilla, Sibth. Scotland (Edinb.).

Shepherd's Myrtle. Ruscus aculeatus L.- Wight. Fl. Vect.

Shepherd's Needle. (1) Scandix Pecten, L.-Lyte. Sal.

(2) Geranium. Bullein, Bk. of Simples, fol. 43.

Shepherd's Pouch. (1) Capsella Bursa-pastoris, DC.—'Called in some places of Englande shepherdes pouche of the likenes that the sede vessel hath unto a shepehardes pouch or skrippe.' Turn. Herb. In Bucks. (Wycombe) Shepherd's Pocket.

(2) Orobanche minor, Sutt. Wight. Fl. Vect.

Shepherd's Purse. A common name for Capsella Bursa-pastoris, DC.—'Because the seeds of it resemble the leathern bagge wherein Sheepherds put their victuals,' Coles, A. of S. p. 37. Lyte, who also gives Shepherd's Scrip and Shepherd's Pouch; Uhes.; Dev. (Teignmouth); Herts.; N.-W. Linc. E. D. S. Gloss. C. 6; N. Yks. Prior, p. 212.

Shepherd's Rod. In modern books, Dipsacus pilosus, L.—With. ed. ii. Prior, p. 212. But it would appear that D. sylvestris, L., was originally intended under this name, that being the Virga pastoris and Verge à bergier of Gerard (p. 1006).

Shepherd's Root. Potentilla Tormentilla, Sibth. Lammermuirs.

Shepherd's Scrip. See Shepherd's Purse.

Shepherd's Staff. (1) Dipsacus pilosus, L.—With. ed. ii. Prior, p. 212.

(2) Verbascum Thapsus, L.—Cumb. Trans. Cumb. Assoc. pt. vii. 142, (1883).

Shepherd's Sundial. Anagallis arvensis, L .- Suff. Moor. Hal.

Shepherd's Thyme. Thymus Serpyllum, L.—Bucks.; Oxf.; Warw.

Shepherd's Warning. Anagallis arvensis, L.-Linc.

Shepherd's Watch. Anagallis arvensis, L.—Cumb.; N. Ess.; Norf.

Shepherd's Weatherglass. (1) Anagallis arvensis, L.—Dev. Friend;
N.-W. Linc. E. D. S. Gloss, C. 6; Nhamp.; Notts.; N. Yks. Prior,
p. 213.

(2) Stellaria Holostea, L.-Lanc.

Sheregrass, or Shergres. See Grass, Shear.

Shield Fern. A book name for the genus Aspidium, Sw .- Prior, p. 78.

Shilling Grass. Hydrocotyle vulgaris, L.—Ayrsh.

Shillings. Lunaria biennis, L .- Warw. 'At Coventry I enquired the name of the dissepiments of this plant, and was told they were known as shillings.' Rev. H. Friend.

Shinlock. 'The herb rocket.' Hal. We do not know what is meant.

Shir. (1) Pyrus torminalis, Sm. Surr. E. D. S. Gloss. C. 3.

(2) 'The cherry-tree. North.' Hal. Prunus Avium, L.

Shirt, or Shirts. Seeds of Sinapis arvensis, L.-E. Bord. Bot. E. Bord.; Scott. Jamieson.

Shirt-buttons. Stellaria Holostea, L .- Camb.; Ess.; W. Kent, Monthly Packet, N. S. xxx. 409; Norf.

Shivering Grass (Warw.), or Shivering Jimmy (Suss.). Briza media, L.

Shoeless Horse. Botrychium Lunaria, L.-W. Cumb. E. D. S. Gloss. C. 8. See Unshoe-the-Horse.

Shoemakers' Heels. Chenopodium Bonus-Henricus, L.—Sal.

Shoes and Stockings. (1) Lotus corniculatus, L.—Bucks.; Dev.; Hants. Holl.; South, Wr.; Suss. Parish; also called Lady's Shoes and Stockings (S. Bucks.; Kent).

(2) Lathyrus Nissolia, L.—Suss.

(3) 'The variety of primrose and polyanthus which has one flower

sheathed within another.' E. Anglia, Forby; Norf. Holl. Wr.

(4) Cardamine pratensis, L.—'Bucks. (Great Marlow, Wycombe): I took special pains to verify this.' Rev. H. Friend.

Shore-grass, or Shore-weed. Book-names for Littorella lacustris, L.-Prior, p. 213.

Shoter. 'The yew-tree. (A. S.).' Hal. Taxus baccata, L.

Shot Star. See Starshot.

Show Peas. Lathyrus odoratus, L.-Norf.

Shunas. See Siunas.

Sickle-wort. Prunella vulgaris, L.—Ger. Prior, p. 213.

(2) Ajuga reptans, L.—Ger.

Sidfast. See Sit fast.

Sids. See Seeds.

Siethes. Chives, Allium Schenoprasum, L.—Mentioned by Tusser amongst herbs for the kitchen. Hal. gives Sieves, from Hollyband's Dictionarie (1593). Pulman has Sithes. Prior, p. 213.

uns. Psamma arenaria, R. & S .- Linc.

Sigrim. (1) 'The herb segrum.' Hal. Senecio Jacobæa, L. See Seggrom.

(2) Sempervivum tectorum, L.-Wr. Cf. Sengreen.

Sil-green. Sempervivum tectorum, L.—Pulman. Dev. Friend; Oxf. Science Gossip, 1882, 165; West. Hal.

Silken Cislie. See Cislie, Silken.

Silk Ling. Polytrichum commune, L.—Yks. (Cleveland). Cfr. Silk-wood.

Silk-weed. A name sometimes given to Confervæ. Treas. Bot. See Crow-silk.

Silk-wood. Polytrichum commune, L. — Hants (New Forest).
"Neat little besoms which our foresters make from the stalk of politrichum commune, or great golden maiden-hair, which they call silkwood, and find plenty in the bogs."—White's Natural History of Selborne, Letter xxvi.

Silks and Satins. Lunaria biennis, L .- Dev. Friend.

Sillar Shakle. Briza media, L.-S. Scotland.

'The sillar shakle wags its pow,
Upon the brae, my deary,
The zephyr round the wunnelstrae,
Is whistling never weary.'

'Auld Song.' Mactaggart's Scottish Gallovidian Encyclopædia. See Silver Shakers. In Bot. E. Bord (*Lammermuirs*), Siller Tassels.

Silver Bennet. 'Black and Silver Bennets.' Herts. Ellis, Modern Husbandman, vol. i. pt. 2. p. 79.

Silver Bush. Clematis Vitalba, L.—Jersey.

Silver-Chain. 'The white laburnum.' Hal. Robinia Pseudacacia, L.—A name invented in imitation of Golden Chain, by which the allied Cytisus Laburnum is known.

Silver Feather. Potentilla Anserina, L.—Oxf. Science Gossip, 1882, 165.

Silver Fir. See Fir. Silver.

Silver Ginglers. Briza media, L.—Roxb. (Kelso). Science Gossip, 1876, p. 39.

Silver Grass. See Grass, Silver.

Silver Heather. Polytrichum commune, L.-E. Bord. Bot. E. Bord.

Silver Lavender. Santolina incana, L.-Sal. (Pulverbatch).

Silver Moss. Cerastium tomentosum, L.-Warw. (Birmingham).

Silver Penny. Bellis perennis, L.—Nhamp. Nth. Gloss.

Silver Plate. Lunaria biennis, L .- Buddle MS.

Silver Shakers. Briza media, L.—Dumfr. Roxb. (Kelso). Science Gossip, 1876, p. 39; Kirkendbrightsh., Stat. Acct. of Scotland (1845), ii. 67. See Sillar Shakle. Silver Thistle. Onopordum Acanthium, L.-Lyte.

Silver-weed. Potentilla Anserina, L.—Lyte. Suff.; N. Yks.; E. Bord. Bot. E. Bord.; Irel. (Co. Louth). Ofr. Argentina. Prior, p. 213.

Simgreen. Sempervivum tectorum, L.-S. Bucks. See Sengreen.

Simmeren. 'A primrose' (Primula vulgaris, L.), Yks. (Swaledale).
E. D. S. Gloss. C. 1.

Simpler's Joy. Verbena officinalis, L.—With. Cornw. Prior, p. 213.

Simson, or Simpson. Senecio vulgaris, L.—East, Ray. Hal.; Ess.; South, Ray; Suff. Ray. Corrupted from Sencion, which see. Prior, p. 213.

Sincles, White. 'White sincles are very bad for sheep in pastures and in fallows,' Ellis (Shep. Guide, p. 144) quotes this from 'an old but good author, J. B.' We do not know what plant is meant.

Sinewey. (Fr. senéré.) Seed of Sinapis nigra, L.— Mustard seed.

As hath the corn of synewey.' Gesta Romanorum. Hal.

Siney. (1) 'The bladder-nut tree.' Staphylea pinnata, L.—Hal. who quotes it from Hollyband's Dictionarie.

Hesperis matronalis, L.—Dev. (Plymouth). Flora of Plymouth,
 See Close Sciences.

Single Castle. Orchis mascula, L., and O. Morio, L.—Dors. N. & Q. 6th S. vi. 198.

Single-guss. Orchis mascula, L.—Som. Holl.; N. & Q. 5th S. viii. 358 (Singlegus); West. Hal. Wr.

Single-leaf. Maianthemum bifolium, DC .- Lyte.

Singreen. Sempervivum tectorum, L.—Turn. Bucks., Hants., Monthly Packet, N. S. xxx. 409; Wight, E. D. Soc. Gloss.

Sinicle. Sanicula europæa, L.-Ches. See Sanicle.

Sinjin-wort. A corruption of St. John's Wort. Various species of Hypericum, Herts.; Oxf. (Sinjonswort).

Sinkfield. A corruption of Cinquefoil, from its quinate leaves. Potentilla reptans, L.—Ger. Prior, p. 213.

Sinna-green. Sempervivum tectorum, L.-Sal. (Pulverbatch).

Sinsion. See Sencion.

Sion (from Lat. Sium). Helosciadium nodiflorum, L.-Turn. Herb.

Sissel, or Sissle. The usual pronunciation of thistle in Suss. Parish. Hul.

Sisters, or Four Sisters. Polygala vulgaris, L. (P. depressa, Wand.). in allusion to the four colours—white, pink, blue, and purple flowers upon different plants. Ireland (Co. Waterford).

- Sitfast. (1) Ranunculus repens, L.—From the tenacity with which its roots cling to the ground, rendering the plant difficult to eradicate. Lanarksh. Jamieson; Belfast and North of Irel. Flora Belfastiensis (Antrim, Down). E. D. S. Gloss.
 - (2) Ononis arvensis, L., for the same reason. Scotl. Moray, Jamieson, who also has Sidfast.
- Sit-sicker. Ranunculus repens, L., in allusion to its close adherence to the ground by its rooting stems. Cfr. Sit-fast. Aberdeensh., Stat. Acct. Scotl. xii. 965; Edinb.; Moray. Jamieson assigns the name in Mearns and Clydesdale to R. acris, L., and in Stirlingsh. to R. arvensis, L.; but it is probable that R. repens is intended in each case.
- Sithes. Allium Schenoprasum, L.—Pulman. See Siethes.
- Siunas, or Shunas (Gael.). Ligusticum scoticum, L.—Isle of Skye, Lightfoot, Fl. Scotica, i. 159.
- Siv. Various species of Juncus. Yks. N. & Q. 1st S. vii. 231.
- Sives. Allium Schenoprasum, L.—Cornw. (Truro); Dors. Dors. Gloss.; Pulman.
- Sivven. Rubus Idœus, L.—Scotl. Jamieson. A Gaelic name, applied also to a disease which resembles a raspberry.
- Six-o'clock Flower. Ornithogalum umbellatum, L.—From the early closing of its flowers. Midland Counties. Cornhill Magazine, July 1865. In Bucks. Six o'clock.
- Skally Grass. Triticum repens, L.—Ireland. 'By the vulgar Skally-grass.' Threlkeld. We suspect Shelley grass in Prior (212) to be a misprint for Skelley-grass, as he suggests that the name is 'perhaps the Sc. skellie,' in which case it would be a form of Skally-grass.
- Skaw. Sambucus nigra, L.—Cornw. Hal. (Scaw). 'Old Cornish words still in common use, as skaw for the elder-tree; skaw-dower, water-elder.' W. Bottrell, Stories and Folk-lore of W. Cornwall, 3rd Ser. 196 (1880).
- Skaw-coo. Solanum Dulcamara, L.—Cornw. Given among 'old Cornish words still in common use' in Max Müller's Chips. iii, 273.
- Skaw-dower. In the passage cited above (under Skaw) Viburnum Opulus, L., would seem to be intended; but in the same work (p. 66) the name is referred to Scrophularia aquatica, L. in a foot-note to the following passage:—'made better skaw dower ointment than one could get any where else.' Perhaps both plants are so called: the former is thus named in Max Müller's Chips (iii. 273).
- Skeat-legs. Orchis mascula, L., and less generally to other orchids. Kent. From A.S. scæt or sceat, meaning any description of wrapping or swathing, the stem or 'leg' of the plant being partially enveloped in a sheathing leaf.
- Skedge, or Skedgwith. Ligustrum vulgare, L.—Cornw., the old Cornish name still in use. Bottrell, Stories of W. Cornwall, 3rd Ser. 196 (1880).

Skeg, or Skeggs. (1) Prunus spinosa, or P. insititia, I .- A wild plum, Nhamp,' Hal. 'The wild damson.' Sternberg; Warne, Prior, p. 213.

(2) Iris Pseudacorus, L.-E. Yks.; in Scott. Water Skegs. Monthly

Packet, N. S. xxx. 409.

(3) A kind of oat, 'Skegs appear to be the Avena stipiformis of Linnaeus,' Agric. Surv. Notts. 64.

Skeldock, Skeldick, Skelloch, Skellie, or Skillock. (1) Raphanus Raphanistrum, L.-S. Scotl, Jamieson.

(2) Sinapis arvensis, L.—Scotl. Jamieson; Edinb.; Renfr. Jamieson.

Skerret. See Skirret.

Skerrish. Ligustrum vulgare, L.-Cornw.

Skewer-wood. (1) Euonymus europæus, L.-S. Dev. (or Skiverwood). 'About Plymouth the wood of this shrub is that most commonly employed for butchers' skewers.' Fl. of Plymouth, p. 78; Dors. (or Skiverwood) Dors. Gloss.; Glou.; Wight. Fl. Vect. Prior, p. 213.

(2) Cornus sanguinea, L.—Loudon, Arboretum, ii. 497. N. Bucks.; Pulman (Skiver-wood) 'usually elderwood.' Shropshire Word Book; I. of Wight (Skiverwood), E. D. S. Gloss.

Fruit of Cratagus Oxyacantha, L.—Moray, Jamieson. Gael, sciog, a hawthorn.

kirret. Sium Sisarum, L.—Ger. (who has also Skirwoort), &c. Prior, p. 214. In Hal, and the E. D. S. ed. of Tusser this name is Skirret. erroneously assigned to 'the water-parsnip.' This may have arisen from the fact that With. (ed. ii.) has adopted Skerret as the English equivalent for the genus Sium, to which both the true Skirret and the water-parsnip belong.

Skiver, or Skiver-timber. Euonymus europæus, L.-Som.

Skiver-wood. See Skewer-wood.

Triticum repens, L.—Cornw. (Truro); also applied to weeds generally. See Stroil.

Skrotta, or Skrottyee. Parmelia saxatilis, Ach. Shetland, Jamieson.

Skullcap. A book-name for the genus Scutellaria. Prior, p. 214.

Skyrwort, or Skyrwyt. (Spellings of Skirret.) Sium Sisarum, L.—Prior, p. 214.

Skytes. 'Hemlock, from being used as skyters, i. e. shooters.' Scotland, Jamieson. Angelica sylvestris, L., or Heradeum Sphondylium, L., or both. Cfr. Ait-skeiters and Bear-skeiters.

Slaa-thorn (Yks. Hallamsh. Gloss.); Slae (E. Bord. Bot. E. Bord.; Scotland, Jamieson); Slags (Westm., Hal.), or Slaigh (Lanc. Hal.). Prunus spinosa, L.

Slacen-bush. Prunus spinosa, L.-Nhamp. Wr.

Slain. 'Smut in corn. Cumb.' Hal. Yks. (Whitby, spelt Slane and Sleean) E. D. S. Gloss. C. 4. 'Smut ball, coal-brand, bunts, dain-ears, blacks, &c.' in wheat,-Ann. Agric. xxi. 410.

- Slake, Slauke, Sloke, or Sluke. Names given to various species of Algre, for the most part confined to marine edible species, but also extended to freshwater ones. (1) Ulva Lactuca, L., and U. latissima, L.—Lyte. Nhumb.; 'A northūbriensibus vocatur Slauke.' Turn. Lib.; Ireland. 'Some use it for food in that old English colony of Colerain in this kingdom, and that by this name.' Threlkeld. Lightfoot (Fl. Scotica ii. 970) calls this Green Sloke, as distinguished from the next.
 - (2) Porphyra laciniata, Ag. 'Sloke or Slake. Scotis.' Lightfoot. FI. Scotica, ii. 967. 'Sometimes brought to table . . . in Scotland and Ireland under [the name] of sloke, slouk, or sloukawn.' Harvey, Phyc. Brit. t. 92. Ireland (Antrim and Down), E. D. S. Gloss. 'This is that substance, stewed with a little water, which is sold about our [Dublin] streets by the name of sloke.' Wade, Pl. rar. Hibern., 161 (1804).
 - (3) Species of Enteromorpha. E. Bord. 'The Enteromorphæ fill the bed of the lower part of the Tweed during the summer, and are well known to our fishermen under the name of Slake, for, by clogging his nets, they offer a serious obstacle to his work.' Bot. E. Bord. 287.
 - (4) Scotl. 'A slimy plant which grows in burns and springs.' (Slawk). Jamieson. Some Conferva is probably here intended.

Slake Kale. See Kale, Slake.

Slan, or Slans. Fruit of Prunus spinosa, L.—Dev. (Slane) Hal.;
Glou.; Nhamp. Sternb.; Oxf. E. D. S. Gloss. C. 3; Sal. Hartshorne;
Warw. (S.) E. D. S. Gloss. C. 3; Wills. E. D. S. Gloss, B. 19.

Slane. See Slan and Slean.

Slanlas. Plantago major, L.—Ireland (Antrim, Down); 'evidently from the Irish slan = health, or healthy.'

Slatenhara. Laminaria digitata, Lam.—Scotl. Rural Cyclopædia.

Slath. Fruit of the Sloe, Prunus institita, L.—Lanc. (Preston), where a conserve is made from it which is in high repute amongst the country people as an astringent medicine. Science Gossip, 1882, p. 164.

Slauke. See Slake.

Slaun-bush, or Slaun-tree. Prunus spinosa, L.-Leic. E. D. S. Gloss.

Slea, or Sleas, in many of the Glossaries spelt Sleea or Sleeah. Fruit of Prunus spinosa, L.—Cumb. E. D. S. Gloss. C. 8 (S.-W.) (Sleatree, or Slea-thorn), (N.) (Slee-tree); Yks. (Holderness) E. D. S. Gloss. C. 7, (Swaledale) E. D. S. Gloss. C. 1, (Wensleydale), (Whitby) E. D. S. Gloss. C. 4. In Turn. Names Sle-tree.

Sleech, or Sleech Grass, Zostera marina, L.—Irel. (Antrim, Down)
E. D. S. Gloss.

Sleep-at-Noon. Tragopogon pratensis, L.—Treas. Bot.

Sleepies. Bromus secalinus, L.—Kincardineshire, Stat. Acct. Scotland, xi. 155. 'Field brome grass, from its supposed soporific qualities.' Jamieson.

Sleeping Beauty. (1) Oxalis Acetosella, L.—Dors. (Bournemouth).
(2) Oxalis 'biloba'; Sal. (Pulverbatch).

Sleeping Clover. Oxalis Acetosella, L .- Oxf.

Sleeping Maggie. Trifolium pratense, L.-Nhumb.

Sleeping Nightshade. See Nightshade, Sleeping.

Sleepwort. Lactuca sativa, L.—Ger. Appx. Hal. 'It causeth sleepe.' Ger. 241. Prior (p. 214) transfers the name to L. virosa, L.

Sleepy Dick. Ornithogalum umbellatum, L. From the early closing of its flowers. Lanc. (Ormskirk).

Slite. 'The herb cidamum.' Hal.

Sloak. See Slake.

Sloe. The fruit of Prunus spinosa, L., sometimes extended to the tree itself. Tusser, who recommends them as a remedy for the 'flixe' (Five Hundred Points), E. D. S. ed. p. 52; Cornw. (Sloan); Cumb.; Dev. E. D. S. Gloss.; Dors. (Sloe-tree); Glou. (Sloe-tree); Norf. (Sloe-tree); Wight. Fl. Vect.; Wilts. (Sloe-tree); N. Yks.; E. Bord. (or Slae) Bot. E. Bord. Lyte calls the fruit Catte Slose (Cat-sloes). Prior, p. 214.

Sloke. See Slake.

Sloke, Green. Ulva Lactuca, L .- Scotl. Lightfoot, Fl. Scotica.

Slon. Prunus spinosa, L.—Leic. E. D. S. Gloss.; Nhamp. Nth. Gloss.; Sal. 'The fruit called sloes, and by the country people slons.' With. ed. ii. Hal. has Slone, West.

Slone-bloom. Blossoms of Prunus spinosa, L.—Dev. Friend.

Sloo-bush, the fruit Sloos. Prunus spinosa, L., and Prunus insititia, L. In Suff., Sloon. Lyte (Sloo-tree, the fruit Slose). Dors. Dors. Gloss.

Slough-heal. Prunella vulgaris, L.- Prior, p. 214.

Sloukawn. See Slake.

Sloven-wood. Artemisia Abrotanum, L.—East. Forby. Hal.; Norf.

Sluies. Sloes. Prunus spinosa, L.—N.-W. Linc. E. D. S. Gloss. C. 6.

Sluke, or Slukane. See Slake.

Smair-dock. Rumex obtusifolius, L .- Scotland. Prior, p. 35.

Smallache. Apium graveolens, L.—Lyte. Tusser (E. D. S. ed.) in a list of 'Necessarie herbes to growe in the garden for Physick' has Smalach 'for swellings.' In Turn. Lib., and more usually Smallage.

Smartass. Polygonum Hydropiper, L.—Dev. Friend. See Arsesmart.

Smart-weed. Polygonum Hydropiper, L.—E. Norf. E. D. S. Gloss. B. 3. Hal.

Smeardock. Chenopodium Bonus-Henricus, L.—Jamieson. Moray.
Cfr. More Smerewort. The name seems to refer to the use of the plant in the preparation of an ointment, as mentioned in Bot. E. Bord., p. 171.

Smell Foxes. Anemone nemorosa, L.—Hants. Monthly Packet, N. S. xxx. 409.

Smell Smock. (1) Cardamine pratensis, L.—Bucks.; Glou.; Kent (Folkestone); Oxf.; Suss. E. D. S. Gloss. C. 3; Warw. See Smick Smock.

(2) Anemone nemorosa, L.—Herts (Hitchin).

Smelling-wood. Artemisia Abrotanum, L.—Oxf.

Smerwort. Aristolochia rotunda, I., in allusion to its use in ointments. Ger. Appx. Hal, has Smereworth.

Smick Smock. Cardamine pratensis, L.—Glou.; Hants. (Andover), Monthly Packet, N. S. xxx. 409); Oxf. See Smell Smock.

Smiddy Leaves. Chenopodium Bonus-Henricus, L. 'Indicates the observation of one of its favourite habitations, viz. the nigh vicinity of the blacksmith's workshop.' Berw. Bot, E. Bord. p. 171.

Smock, Smell. See Smell Smock.

Smock, Lady's. See Lady's Smock.

Smocks, or Smock-frock. Stellaria Holostea, L.-S. Bucks.

Smock, White. Convolvulus sepium, L.—Dev. (Plymouth). Fl. of Plymouth, p. 229.

Smoke-wood. Clematis Vitalba, L.—'Our village boys smoke pieces of the wood as they do of rattan cane; hence it is sometimes called Smoke-wood and Smoking-cane.' English Botany (ed. iii.), i. p. 3. Prior, p. 215. The latter name is in use in Herts. and Dev. (Friend).

Smotherwood (a corruption of Southernwood). Artemisia vulgaris, L.—Linc. (Boston).

Smooth Cadlock. See Cadlock.

Smut. (1) The general book-name for the parasitic fungus Ustilago carbo, Tul. N.-W. Linc. E. D. S. Gloss. C. 6; E. Bord. Bot. E. Bord. (2) Tilletia caries, Tul. Ches.; Ess.; E. Bord. Bot. E. Bord. Prior, p. 215.

Smut-balls. (1) Lycoperdon Bovista, L.—Nhamp. Nth. Gloss.
(2) Tilletia caries, Tul. Treas. Bot.

Smuts. Luzula campestris, Willd. Bucks. In allusion to the black appearance of the flower heads; cfr. Chimney-sweeper.

Snaffles. Rhinanthus Crista-galli, L.—Kent, Pratt.

Snag-bush, the fruit Snags. Prunus spinosa, L.—Lyte. Dors. Dors. Gloss.; Som.; South, Hal.; Wilts. Miss Plues. Skinner has Snag-tree, and his explanation is too characteristic to be omitted: 'nescio an sic dicta quasi snake-tree, fort. quia fibræ radicum con-

tortă suă figură Anguium convolutiones aliquo modo referre videntur. In some parts of Som. the fruit is called snag, but the tree is black-thorn. Prior, p. 215.

Snail Clover. Medicago sativa, L., in Surflet's Countrie Farm, p. 698. Prior (p. 215) extends the name to the genus. It belongs more properly, however, to Medicago scutellata, L., to which it is assigned in Turn. Names (Snail Trifoly) and the earlier writers, from the shape of the pods, which Gerard says are 'like the water-snaile or the fish called Periwinck' (p. 1029).

Snake-berry. (1) Bryonia dioica, L .- Suff.

- (2) Tamus communis, L.—Suff.
- (3) Solanum Dulcamara, L .- Suff.

Snake Fern. See Fern, Snake.

Snake Flower. (1) Stellaria Holostea, L.-Notts.; Worc.

- (2) Pulmonaria angustifolia, L.-Hants. (New Forest).
- (3) Lamium album, L.—Camb.; N. Ess.; Norf.
- (4) Echium vulgare, L.-Wight. Fl. Vect.
- (5) Orchis mascula, L.-S.-W. Cumb.
- (6) Fritillaria Meleagris, L .- 'Herb of the Field,' 160.
- (7) Lychnis vespertina, Sibth.—Oxf. Science Gossip, 1882, p. 165.

Snake Grass. See Grass, Snake.

Snake-leaves. Scolopendrium vulgare, Sm. - Som.

Snake Pipes. Various species of Equisetum, but more especially E. arvense, L., and E. palustre, L.—Camb.; N. Ess.; Norf.; Som.

Snake-skin Willow. South. 'The snake-skin willow, so called because it sheds its bark.' Round about a Great Estate, p. 87.

Snake-tail, Snake's-tail. Lepturus incurvatus, Trin. Baxter. Prior, p. 215.

Snake-weed. Polygonum Fagopyrum, L.-With. ed. iv.

- Polygonum Bistorta, L.—Lyte. Ches. Ger.; also Snake-wort. Prior, p. 215.
 - (2) Mercurialis perennis, L.—Sal. (Pulverbatch).

Snake's Bit. Mercurialis perennis, L.-E. Suss.

Snake's Bugloss. See Bugloss, Viper's.

Snake's Fiddles. Iris fætidissima, L.-Wight.

Snake's-food, or Snake's-meat. (1) Fruit of Arum maculatum, L.—Dev.

- (2) Fruit of Iris fætidissima, L. Dev.
- (3) Tamus communis, L.—Dev. Friend.

Snake's-head. Fritillaria Meleagris, L.—Berks.; Herts. Phyt. vi. 149 N. S.; Middx. Blackstone (Specimen Botanicum, 1746); Surr. Phyt. O.S. i. 580. Prior, p. 215. Also called Snake's-head Lily; Bucks. and Oxf. N. & Q. 4th S. iv. 66.

Snake's Poison. Iris feetidissima, L .- Dev.

Snake's Poison-food. Solanum Dulcamara, L.—Bucks. (Great Marlow).

Snake's-tongue. Ranunculus Flammula, L. — E. Bord. Bot. E. Bord.

Snake's Victuals. (1) Fruit of Arum maculatum, L.—Glou. (Fairford); South. 'This noisome fruit of clustering berries. . . . was snake's victuals, and to be avoided; for, bright as was its colour, it was only fit for a reptile's food.' Round about a Great Estate, p. 24.
(2) Mercurialis perennis, L.—E. Suss.

Snap-crackers. Stellaria Holostea, L.-Ess.

Snapdragon. Various species of Linaria and of Antirrhinum.

(1) Linaria vulgaris, L.—N. and E. Yks,; in W. Ches. and S. Dev. Yellow Snapdragon. The flowers are 'fashioned like a frog's mouth, or rather a dragon's mouth; from whence the women have taken the name Snapdragon.' Ger. 438.

(2) Antirrhinum majus, L.-Lyte. Great Snapdragon, Ches.;

S. Dev. Prior, p. 215.

(3) Digitalis purpurea, L.—Dev. Friend.
 (4) Aquilegia vulgaris, L.—N. Dev. Friend.

(5) Fumaria officinalis, L.—Nhamp.

Snap Grass. See Grass, Snap.

Snap Jack. Stellaria Holostea, L.—Dev.; Dors.; Som. (general).
Pulman.

Snappers. (1) Silene inflata, L.—Kent (Folkestone); Suss.

(2) Stellaria Holostea, L.—Suss.: also Snapper-flower.

Snaps. Digitalis purpurea, L .- Som.

Snapsen. Populus tremula, L.-Wight. Hal.

Snap-stalks. Stellaria Holostea, L.—Ches.

Snap-willow. Salix fragilis, L.—South. 'The snap-willow, which is so brittle that every gale breaks off its feeble twigs.' Round about a Great Estate, p. 87.

Snapwort. Stellaria Holostea, L.-Kent.

Snat-berries. The fruit of Taxus baccata, L., from their sliminess. Nhamp. Sternb. Ofr. Snottergall and Snottle-berries.

Sneezewort. (1) A common book-name for Achillea Ptarmica, L., from its old name Sternutamentoria, 'bicause it procureth sneesing.' Ger. 484. 'Some call [the "double" form] Sneezewort, but Elleborus albus is usually so called, and I would not things should be called by the name for the mistaking and mis-using of them.' Park. Parad. 288. The plant Parkinson here refers to (Veratrum album) is more usually referred to under another form of the same name—i. e. Neesewort, which see. Prior, p. 215.

(2) Achillea Millefolium, L.-Glou.

Sniddle. (1) Various species of Carex. Ches.; Yks. *Long coarse grass. West.' Hal.

(2) Poa aquatica, L.—Sal. Hartshorne. Also Sniddle-grass.

Sniddle Flocks. See Flocks, Sniddle.

Sniggle. (1) Leaves of Eriophorum vaginatum, L.—Sal. (Whitchurch).
(2) 'Any kind of long tangled floating waterweed.' Sal. (Severn Valley) Shropshire Word-Book.

Sniggle-grass, or Snizzle-grass. Aira cœspitosa, L.-Sal.

Snottergall. Fruit of Taxus baccata, L.—Berks.; Wilts.: in Suss. Snotty-gogs.

Snottle-berries. Fruit of Taxus baccata.-L. Yks. (West Riding).

Snow. Stellaria Holostea, L.—E. Suss.

Snowball, or Snowball-tree. The barren garden form of Viburnum Opulus, L.—Ches.; Dev. Friend; Lanc.; N.-W. Linc. E. D. S. Gloss. C. 6; Sal.; Som.; Yks. (Wakefield) where the wild plant is also included; Var. dial. Hal. Prior, p. 215.

(2) Fruit of Symphoricarpus racemosus, Mich.—Dev. 'From the pretty white fruit it is sometimes called snowball.' Snowberry is its common garden name. Fl. of Plymouth, p. 180.

Snowberry. See Snowball (2).

Snowdon Rose. Sedum Rhodiola, DC.: so called by the Snowdon guides. Science Gossip, 1880, p. 62.

Snow-drift. 'Alyssum maritimum, L.' Dev. Friend; but evidently Arabis alpina, L., is intended.

Snowdrop. (1) The general name in England for Galanthus nivalis, L. E. Bord, Bot, E. Bord. In S. Bucks. Snowdropper. Prior, p. 215.

(2) The white variety of Fritillaria Meleagris, L.—Hants. Strathfieldsaye). Phyt. O.S. iii. 965.

Snowdrop, Mountain or Summer. Leucojum æstivum, L.—Warw. Snowdrop-berry. Symphoricarpus racemosus, Mich.—Ches.

Snowflake, also Summer Snowflake. (1) Leucojum æstivum, L.— Prior, p. 216.

(2) Ornithogalum umbellatum, L.—Dev. Friend.

(3) Stellaria Holostea, L.-E. Suss.

Snowflower. Galanthus nivalis, L.—'Some term this the snow-flower.' Holmes, Acad. of Armory, ii. 66.

Snow-in-harvest. (1) Cerastium tomentosum, L.—Leic. E. D. S. Gloss.

(2) Clematis Vitalba, L.—Nhamp.

(3) Alyssum maritimum, L.—Nhamp.

Snow-on-the-mountain. (1) Arabis alpina, L.—Glou.; Heref.; Suss. (also Snow-in-summer); Worc.

(2) Cerastium tomentosum, L.—Som,

Snoxuns. Digitalis purpurea, L.—Glou. (Forest of Dean) N. & Q. 5th S. x. 48. 'A went a-buz'n away like a dumbley dory in a snoxun,' is a phrase by which the Forest-folk sometimes express their opinion of a humdrum preacher,' ibid. Snock is used in the West of England to signify a smart blow; the name snoxuns may be applied to foxgloves because of children using the flowers as crackers, and exploding them by a 'snock' on the ball of the thumb.' N. & Q. 5th S. x. 179.

Snuff-mill, The Devil's. Lycoperdon Bovista, L.—'A species of fungus, called the Devil's snuff-mill, which, when rotten and dried, goes to dust as soon as touched.' Scotl. Jamieson (sub v. Pluff. [5]).

Soafs. Willows; the genus Salix. Yks. (Wensleydale).

Soapwort. Saponaria officinalis, L.—Lyte, who also calls it Soapwort Gentian. 'The leaves... yeelde out of themselves a certaine inice when they are brused, which scowreth almost as well as sope.' Ger. 360. Prior, p. 216.

Sod-apple. Epilobium hirsutum, L.—South. 'The country folk call it the sod-apple, and say the leaves crushed in the fingers have something of the scent of apple-pie.' Round about a Great Estate, p. 35.

Soft-grass. Holcus mollis, L., and H. lanatus, L.-With. ed. ii.

Soft-leaf. An old name for a variety of the garden Anemone (A. coronaria, L.). Rea (Flora [1676] p. 117) speaks of two varieties called 'by the Walloons about London, that bring them over out of France and Flanders to sell, Hard-leaf and Soft-leaf;' the flower, he says, is 'a little hard in handling, and therefore by some called Hard-leaf.'

Soldier, Freshwater. Stratiotes aloides, L.—Ger. Prior, p. 85.

Soldiers. (1) Lychnis diurna, Sibth.—W. Ches.; North (also Red Soldiers).

(2) Anemone nemorosa, L.—S. Bucks. (or White Soldiers).

(3) Lythrum Salicaria, L.-Norf.

(4) Papaver Rheas, L.-Norf.

(5) Plantago lanceolata, L.—Notts.; Som.; Scotl. Jamieson; Clack-mannansh. (Sodgers); Dumfriessh.

(6) Fruit of Rosa canina, L.—Kent (Canterbury).

Soldiers-and-Sailors. Pulmonaria officinalis, L., in allusion to its flowers of two colours—red and blue. Suff. (Halesworth).

Soldiers' Buttons. (1) Geranium Robertianum, L.—S. Bucks. (Wycombe).

(2) Galium Aparine, L.—Cumb. E. D. S. Gloss. C. 8.

(3) Caltha palustris, L.—Som. (Soldier Buttons).

Soldiers' Buttons, Lousy. See Lousy Soldiers' Buttons.

Soldiers' Cap. Aconitum Napellus, L.—Nhamp. Nth. Gloss.

Soldiers' Feathers. Phleum pratense, L.-E. Bord. Bot. E. Bord.

Soldiers' Jackets. Orchis mascula, L.—Dors. Science-Gossip, 1882, p. 45.

Soldiers' Tappie. Plantago lanceolata, L .- Forf.

Soldiers' Yarrow. Stratiotes aloides, L.-Ger.

Sole-leather, or Sole-leather Kelp. A name given to the thicker Laminariæ, as Laminaria digitata, Lam., L. bulbosa, Lam., &c. Treas. Bot.

Sol-flower. Helianthemum vulgare, Gærtn.-Moray.

Sollendine (a corruption of Celandine). Chelidonium majus, L.—
Ireland (Co. Donegal), where it is 'in great request for sore eyes.'
Journal of Botany, 1881, p. 234.

Solomon's Puzzles. Sedum Telephium, L. — Middx. (London). Sometimes sold under this name by itinerant flower-sellers.

Solomon's Seal. (1) A general name for Polygonatum multiflorum, All.—Grete Herball. Ger. Hal. 'Dioscorides writeth, that the rootes are excellent good for to seale or close up greene wounds, being stamped and laide thereon: whereupon it was called Sigillum Salomonis. . . . Some have thought it tooke the name Sigillum of the markes upon the rootes; but the first reason seemeth to me more probable.' Ger. 758. Coles, A. of S., p. 26. Holme (Acad. of Armory, ii. 100) calls it St. John's Seal, or S. Marie's Seal, or the Seal of Heaven. Prior, p. 216.

(2) Hypericum calycinum, L.—Nhamp. (Harlesden) Journ. North-

ampton Nat. Hist. Soc.

Solsekille. 'The plant solsequium. It is mentioned in MS. Linc. Med. f. 283.' Hal.

Somerwort. Aristolochia. Ger. Appx.

Son-before-the-father. (1) Petasites vulgaris, Desf. Because the flowers appear before the leaves. Scotland, Clackmannansh.

(2) Tussilago Farfara, L.—For the same reason. Cumb. E. D. S. Gloss, C. 8 (Son afoor t'fadder); Scotland, N. & Q. 4th S. iii. 35. Clackmannansh.

(3) Filago germanica, L.—This plant receives the name from its method of growth, the older flowers being seated in the forks of the younger branches. Thus the young flowers overtop the older ones, as if a son should take precedence of his father. See N. & Q. 4th S. iii. 91. Ofr. Herb Impious.

(4) Colchicum autumnale, L.—Holme, Acad. of Armory, ii. 65; * because the flowers come up before the leaves, the one in autumn and

the other in winter.'

(5) Epilobium hirsutum, L.—'Is called of some, in Latine, Filius ante Patrem, that is to say, the sonne before the father, bycause y' has long huskes in which the seede is coteined do come forth, and waxe great, before that the floure openeth.' Lyte, 74.

Son's Brow. 'The Great Rush, or Bull Rush, called of some the Son's Brow.' Holme, Acad. of Armory, ii. 57.

Sookies, or Soukies, or Souks. Trifolium pratense, L.—E. Bord., Bot. E. Bord.; Scott. (Clydesdale, Wigton), Jamieson; N.-E. Bord. T. repens, L., is called White Sookies, and T. medium Wild Sookies. Bot. E. Bord. Sooracks, or Soorocks, or Sourocks. Rumex Acetosa, L., and R. Acetosella, L.—E. Bord. Bot. E. Bord.; Scotl. Jamieson; Clack-mannansh.; Dumfr.; Edinb.; Fifesh.; Forf.

Sootipillies. S. Scotland. 'A moss plant, which grows on a thick stalk, like a willow wand—the head is about half a foot long, and of a sootie colour.' Mactaggart's Gallovidian Encyclopædia. Typha latifolia, L.

Sops-in-wine. Dianthus plumarius, L.—Lyte. 'Pinks.' Hal. Tusser. Prior, p. 216, assigns the name to Dianthus Caryophyllus, L.

Sorb. 'Sorbe a kynde of frute, sorbe, Palsgrave, 1530.' Hal.; also Sorb Apple, Pyrus domestica, L.—Lyte; Ger., who includes P. torminalis, L., under the name. The fruit of this latter was, according to Fl. Vect. (1856), sold at Ryde (Wight) under the name of Sorbus-berries. Prior, p. 216.

Sorrel. (1) A general name for Rumex Acetosa, L.—Lyte. Prior, p. 216.

(2) Oxalis Acetosella, L.—Ches.

Sorrell, Cock. Rumex Acetosa, L.-Yks.

Sorrel, Cuckoo. See Cuckoo-sorrel.

Sorrel, French. Oxalis Acetosella, L.-Prior, p. 85.

Sorrel, Green. Rumex Acetosa, L.-Bucks.

Sorrel, Horse. See Horse Sorrel.

Sorrel, Mountain. Oxyria reniformis, Hook.—With. ed. ii. Treas. Bot. Prior, p. 159.

Sorrel, Sheep's. Rumex Acetosella, L.—Lyte. Dors.; E. Bord. Bot. E. Bord. Prior, p. 216.

Sorrel, Sow. Rumex Acetosa, L.—Herts. Probably a corruption of Sour Sorrel.

Sorrel, Water. Rumex Hydrolapathum, Huds.-Lyte.

Sorrel, Wood. A common name for Oxalis Acetosella, L.—Grete Herball. Ger. gives Sorrell du Bois as an English name for the plant. Prior, p. 254.

Sorrow, i. e. Sorrel. Rumex Acetosa, L.—Wight, E. D. S. Gloss.; Glou. (Fairford); South, Hal. Suss.

Sothernwood. See Southernwood.

Soukie Clover. Trifolium pratense, L .- Scotl. Jamieson.

Souks, or Soukies. See Sookies.

Sourack. Rumex Acetosa, L.—Pharmaco-pinax (1625). Scotland. Lightfoot, Fl. Scot. ii, 1131.

Sourack, Sheep's. See Sheep's Sourack.

Sour Clover. Oxalis Acetosella, L.-E. Bord. Bot. E. Bord.

Sour Dock, or Docken. See Dock, or Docken, Sour.

Sour Grass. See Grass, Sour.

Sour Leek. See Leek, Sour.

Sour-sabs, Sour-suds. (1) Rumex Acetosa, L.—Dev. Friend. (2) Oxalis Acetosella, L.—Dev. Friend.

Sour Sauce. Rumex Acetosa, L.—Linc.; Sal.; Yks. In Bucks. Sour Sodge.

Sour Sodge. See Sour Sauce.

Sourocks. Rumex Acetosa, L.—N. of Irel.; Scotland, Mactaggart's Gallovidian Encyclopædia. 'The Sowruck, Sc. Aust.' Lightfoot's Fl. Scot., ii. 1131, where R. Acetosella, I., is called Sheep's Sowruck. In Complaynt of Scotland (1549) Sourakkis.

Sourocks, Lammie. Rumex Acetosella, L .- Teviotdale. Jamieson.

Sou-soell. Rhodymenia palmata, Grev. - Scotl. Rural Cyclopædia.

Southern-wood. A common name for Artemisia Abrotanum, L.— Turn, Names. Ches.; Ess. Prior, p. 217. Extended to many allied species, and often spelt Sothernwood by old writers (Ger., &c.); pronounced Söldernwood and Sow-thernwood in Nhamp.: in Catholicon Anglicum Sothren wod.

Sovereign Flower. Kerria japonica, L.-N. Linc. (Bottesford).

Sowbane. Chenopodium hybridum, L.—'In base Almaigne Schweinsztod, and Seutod, that is to say, Swinesbane, because the hogs eating of this herbe, are immediatly baned, or taken with the murren, so that within short space they die.' Lyte. With. (ed. iii.) and Prior (p. 217) incorrectly refer the name to C. rubrum, L.

Sow-bread. Cyclamen europæum, L .- Lyte. Prior, p. 217.

Sow-dingle. Sow thistle, Sonchus oleraceus, L., and other plants not much dissimilar in appearance. N.-W. Linc. E. D. S. Gloss. C. 6.

Sow Fennel. Peucedanum officinale, L.—Lyte. In Grete Herball Swynefenel.

Sow Foot. Tussilago Farfara, L.—Yks. (Cleveland).

Sow Grass. Senebiera Coronopus, Poir.—N. Yks.

Sow Sorrel. See Sorrel, Sow.

Sow Thistle. A general name for Sonchus oleraceus, L.—Lyte. Turn. Lib. Ches.; Glou. (Zow Thistle); Herts.; E. Bord. Bot. E. Bord. including S. arvensis, L. Prior, p. 217. 'When sowes have piggs, they do most greedily desire it, because they know by a certain natural instinct, wherewith most brutes are indued, that it doth very much increase their milk; and for that reason I conceive it is called by the name of sow-thistle.' Coles, A. in E. p. 64.

Sowdwort. (1) Aquilegia vulgaris, L.—Ger. Appx. Hal. (2) Salsola Kali, L.—Prior, p. 217.

[Sowen. Scotland. 'Put sowens in your gun. Sowens, it will be understood, is an edible moss, rather popular in the country, but wholly destitute of any explosive qualities.' N. & Q. 4th S. iv. 274. It seems more likely, however, that the refuse of oatmeal, from which

a jelly-like edible is prepared, is here intended. See Sowens in Hal., and Sowen-seeds in Jamieson.]

Sowlers. 'Wild oats.' Hal. Avena fatua, L.

Spades. Polygonum Convolvulus, L.—'From the shape of the leaf.' E. Bord. Bot. E. Bord.

Spanish Ash. Syringa vulgaris, L.-Glou. (Fairford).

Spanish Chestnut. The general name for Castanea vesca, L.

Spanish Marigold. See Robin Hood.

Spanish Marjoram. Urtica pilulifera, L., var. Dodartii. 'Many gardiners call this plant Spanish Marjoram, inducing unwary people to sting their noses by smelling to it.' Phil. Trans. xxviii. 56 (1713).

Spanish Root. Ononis arvensis, L., from its resemblance to Liquorice, which is frequently called 'Spanish.' Cfr. Liquorice, Wild. Cumb. E. D. S. Gloss, C. 8.

Spanish Tufts. Thalictrum aquilegifolium, L.—Park. Parad. 274.

Sparagus. Asparagus officinalis, L.—Culpeper. Prior, p. 217.

Sparewort. See Spearwort.

Sparked Grass. The striped garden variety of Phalaris arundinacea, L., Som., where sparked = striped, speckled, or variegated.

Sparked Holm. Variegated Holly, Ilex Aquifolium, L., var.—Som.

Sparrow-grass. See Grass, Sparrow.

Sparrow-grass, French. Ornithogalum pyrenaicum, L. Prior, p. 85. See Asparagus (Bath) and Sperage.

Sparrow-tongue. Polygonum aviculare, L.—Grete Herball. Ger. Index. Hal. Prior, p. 217. In Hal. (Arch. xxx. 413) Sparwistungge.

Sparrow-weed. Ranunculus Lingua, L.—Ireland (Co. Derry).

Spart. Juneus articulatus, L.—Durh., Winch., Bot. Guide; Nhumb.; 'the dwarf rush. North.' Hal.

Spart Grass. Spartina stricta, Sm.-Prior, p. 218.

Spatling Poppy. See Frothy Poppy.

[Spatmore. See Squatmore.]

Speaks, Hedge. See Hedge Speaks.

Spear Crowfoot. Ranunculus Lingua, L., and R. Flammula, L.—Ger.

Spear Grass, See Grass, Spear.

Spear Mint. See Mint.

Spear-wort. Ranunculus Flammula, L.—'Ther is a grasse called sperewort, and hath a long narowe leafe, lyke a spere-heed, and it wyll growe a fote hyghe, and beareth a yelowe flowre.' Fitzherbert, Husbandry. Ger. includes R. Lingua, L., and R. sceleratus, L., under

this name. In Langham's Garden of Health (ed. ii. p. 614), spelt Sparewort.

Speedwell. A general name for Veronica Chamadrys, L.— S. Cumb.; Linc. Prior, p. 218. Often extended to other species of Veronica (Ger., &c.): Lyte figures Linaria Elatine, Mill. (which was formerly classed with Veronica) under this name.

Speedwell, Corn. See Corn Speedwell.

Speedwell, Garden. See Garden Speedwell.

Speedwell, Germander. See Germander Speedwell.

Speerhawk. A synonym of Hawkweed, and, like it, applied to the species of *Hieracium* in general. Skinner spells it as above: Ger. (Index) has 'Sperhauke, that is Haukeweede,' and at p. 236 says, 'These herbes tooke their name from a Hauke . . . for they are reported to cleere their sight by conveying the inice heereof into their eies.'

Speke. See Spike.

Speknel. See Spignel.

Spelt, Spelt-corn, or Spelt Wheat. (1) Triticum Spelta, L.—Lyte. Prior, p. 218.

(2) 'Vetches, Dev.' Hal. (Spelt-corn).

Sperage. (1) Asparagus officinalis, L. — Grete Herball. Hal. Glou. Prior, p. 218.

(2) Ornithogalum pyrenaicum, L.—'In Appleton meadows about two miles from Bristol, where the country people do gather the buds or young shoots, and sell them in the market at Bristol, much cheaper than our garden kind is sold in London.' Camden (Britannia) p. 290.

(3) Phaseolus vulgaris, L.-Lyte.

Sperte. A variety of Salix viminalis, L.—'The better sort thereof is called red sperte.' Lyte (p. 744), who calls another Salix 'the Sperte, or twigge Withy.'

Spider Plant. Saxifraga sarmentosa, L.—Dev. Friend.

Spiderwort. The general garden name for Tradescantia virginica, L. Spier. See Spire (3).

Spignel. Meum athamanticum, Jacq.—Ger. (also Spicknell). 'I neuer sawe thys herbe in Englande sauynge once at saynte Oswarldes where as the inhabiters called it Speknel.' Turn. Names. Prior (p. 218) has also Spikenel.

Spike. Lavandula Spica, DC.—Lyte. Pulman (who also has Speke). Hal. Dors. N. & Q. 5th S. vii. p. 45 (Spik). Also called Lavender Spike: Markham's Country Housewife's Garden, p. 92. Tusser (Five Hundred Points), E. D. S. ed., p. 334. 'Lavender and spike-leaves,' Ellis's Modern Husbandman, iii. pt. i. p. 178.

Spike, Water. A book-name for Potamogeton naturs, L., and allied species, 'In Latine of some Spicata; in English Water-spyke in French Espi deaue,' Lyte, p. 106.

Spikenard. Sison Amomum, L.—Hants. (Petersfield). Fl. Vect.

Spikenard, Ploughman's. See Ploughman's Spikenard.

Spinach, or Spinage. Spinacia oleracea, L.—Lyte. 'So called because his seed is prickly.' Surflet's Countrie Farme, p. 226. Prior, p. 218.

 Spinach, French. Chenopodium rubrum, L.—Deering. (Cat. Stirp.)
 Spinach, Wild. (1) Chenopodium Bonus-Henricus, L.—With. Hants.; Wilts. Phyt. O.S. iii, 753.

(2) Chenopodium album, L.—Holdich, Essay on Weeds, who also calls it Mountain Spinach, 'The herb goosefoot,' Hal, Beds.

Batchelor,

- (3) Beta maritima, L.—Wight. Fl. Vect.; Ireland, 'This species is especially common on the Rock Island, northwest of Great Aran. The natives send their sheep there from the other islands when sick, believing that the wild spinach, as they call it, cures them. Mr. More informs me that the leaves form an excellent vegetable when cooked like spinach.' H. C. Hart, List of Plants found in Aran, Galway Bay (1875).
- (4) Campanula latifolia, L.—Yks. (W. Riding), where the young shoots are boiled and eaten.
- Spindle Tree. Euonymus europæus, L.—'In Latine Fusaria and Fusanum... in Englishe, Spindeltree, bycause the timber of this tree serveth well to the making of... Spindles; in Frenche, fusain; in high Douch Spindelbaum.' Lyte, p. 760. In Glou. Spindle-wood. Prior, p. 219.

Spingel. 'Fennel. Som,' Hal. Faniculum vulgare, Gertn.

- Spink (Pink). (1) The garden polyanthus, Primula vulgaris, L., var. Clackmannansh.
 - (2) Cardamine pratensis, L.—E. Bord. Bot. E. Bord. (also Bogspinks).

'Or can our flowers at ten hours bell,
The Gowan or the Spink excell'—R. Ferguson,

Prior, p. 219.

(3) Dianthus deltoides, L.-Edinb.

Spink, May. Primula vulgaris, L.—Aberdeensh.; Mearns, Jamieson.

Spink, Meadow. Lychnis Flos-cuculi, L .- Stirlingsh.

Spire, or Spires. (1) Psamma arenaria, R. & S.—Wight. 'Known only as spire, a term applied by the islanders to all the larger-spiked and closer-panicled grasses, carices and Typhæ.' Fl. Vect. p. 583.

(2) Phalaris arundinacea, L.—Hants, (New Forest). 'The phrase 'spire-bed' or 'spear-bed' is very common, meaning a particular field, near where the 'spires' grow, which are used by thatchers and plasterers in their work.' Wise, New Forest, 287.

(3) Phragmites communis, Trin, 'The common Reede or Spier.' Lyte, p. 514. Dev. ('Arundo, a reed') E. D. S. Gloss. B. 6. Prior, p. 219. This is possibly the Spire Grass of Sternberg's Nhamp. Gloss. See Grass, Spire.

Spittle of the Stars. Nosloc commune, Vauch.— Amongst ourselves, when any such matter is found in the fields, the very countrymen cry, it fell from heav'n and the starres; and, as I remember, call it the spittle of the starres. White's Peripateticall Institutions, p. 148 (1656).

Spleenwort. Asplenium Ceterach, L.—Ger. Extended to other species of the genus Asplenium. Prior, p. 220.

Spoke-wood. Euonymus europæus, L.—Archæologia, xlii. 126, but the locality is not specified.

Sponge Heather. Polytrichum commune, L .- E. Bord. Bot. E. Bord.

Spoonwort. Cochlearia officinalis, L.—Lyte. 'His leaves be broade and thicke, and somewhat hollow above like to a little spoone.' Lyte, p. 117. Prior, p. 220.

Spotted Clover. Medicago maculata, L.—Cornw.

Spotted Comfrey. Pulmonaria officinalis, L.—Ger. Prior, p. 51.

Spotted Mary. Pulmonaria officinalis, L.—Radnor (Borders of Heref.). In Heref. Spotted Virgin. In allusion to a legend referred to under Lady's Milk Sile (2).

Sprat. This, in its various forms, is a common north-country name for Rushes, being assigned indiscriminately to J. lamprocarpus, Ehrh., J. acutiflorus, Ehrh., and J. obtusiflorus, Ehrh. Jamieson has Sprat, Spreat, Spreat, Sprit, and Sprot. Sprit is used in N. of Ireland ('that sort of rushes here called sprits,' Phil. Trans. xxix. 368); Sprat and Sprot are given in Bot. E. Bord.; and the last form is in Moray applied to J. squarrosus, L.

Sprat-barley. 'The species of barley with very long beards or awms, or awns. The Hordeum vulgare of Linn. Moor.' Hal.

Spreat. See Sprat.

Spreesprinkle (a corruption of Priest's Pintle). Orchis mascula, L. Ches., Leigh.

Sprett. See Sprat.

Spreusidany. 'Corruptum à Lat. Peucedanum.' Skinner. Peucedanum officinale, L.—Prior, p. 220.

Spring. 'Young white-thorn quick, perhaps from the usual season of planting it for quick-fences.' Suff. Moor.

Spring Flower. The Polyanthus, Primula vulgaris, L., var. Hants. Monthly Packet, N. S. xxx. 411.

Spring Grass. Anthoxanthum odoratum, L.-With. ed. ii.

Spring Violet. Gentiana verna, L.—Durh. (Teesdale). With.

Sprit. See Sprat.

Sprot. See Sprat.

Spruce, or Spruce Fir. Abies excelsa, Poir. Prior, p. 220.

Spunk. Polyporus igniarius, L.—' Touchwood or Spunk.' R. Syn. ed. ii, 18.

Spurge. The various species of Euphorbia.—Lyte. The Caper Spurge is E. Lathyris, L.; Cypress Spurge, E. Cyparissias, L. (Lyte); Flax Spurge, E. Paralias, L. (See Ger. 1216); Myrtle Spurge, E. Lathyris, L., a name invented by Turner (Herb.); Petty Spurge, E. Peplus, L. (Lyte); Sea Spurge, E. Paralias, L. (Turn. Herb.); Sun, or Sun-following, Spurge, E. Helioscopia, L. (Turn. Herb.); Wood Spurge, E. amygdaloides, L. (Turn. Herb.). All are mere book-names. Prior, p. 220.

Spurge Laurel. Daphne Laureola, L.—Ger. Prior, p. 220.

Spurge Olive. Daphne Mezereum, L.-Prior, p. 220.

Spurge-wort. Iris fætidissima, L.—'This herbe is called in the yle of Purbek, Spourgewort, because the iuyce of it purgeth.' Turn. Herb. ii, 172.

Spurrey, or Spurry. Spergula arvensis, L. 'On the stalk are set at distances, or joints, small narrow leaves, waving or bending in manner of a star or spur rowel of many points,' Holme's Acad. of Armory, ii. 98. Prior, p. 220.

Spurt Grass. See Grass, Spurt.

Spurwood. Ranunculus Flammula, L.—At Sidbury, Dev., 'they have a weed called Spurwood, or Spearwort, that they say runs up like a pike, and as sheep feed in their low grounds there, they eat this weed, and it tends much to the rotting of them.' Ellis, Shepherd's Guide (1749), p. 144.

Spurwort. Sherardia arvensis, L.—Prior, p. 220.

Squabs. See Squatmore.

Squatmore. Glaucium luteum, Scop. 'Vulgarly called in Hampshire and Dorsetshire, Squatmore, or Bruseroot, as I was there informed, where they use it against bruises external and internal.' James Newton in Phil. Trans. xx. 263 (1698), where there is a sufficiently remarkable account of the properties of the plant. Aubrey (Royal Soc. MS., p. 127) gives a similar account, and adds, 'In our western language squat is a bruise, and a roote we call a more.' In the south of England the plant is still known as Squat (Eng. Bot. [ed. iii.] i. p. 98). Lady Wilkinson has Squabs; a misprint? Coles (A. in E.) misprints the name Spatmore.

Squill. The general name for the various species of Scilla. Prior, p. 221.

Squinancy, or Squinancy-wort. Asperula cynanchica, L.—Prior, p. 221.

Squinancy-berry. Ribes nigrum, L.—Hal. Lanc., where drink made from the fruit is used in quinsy (which was formerly called squinancy) and other chest complaints. Prior, p. 221.

Squirrel Tail. Hordeum maritimum, L.—See Grass, Squirrel-Tail. Prior, p. 222.

Squitch. Triticum repens, L.—N. Bucks.; Glou. Grose; Leic. E. D. S. Gloss.; Nhamp. Nth. Gloss.; Sal. (Lichfield) Annals of Agriculture, iv. 415; Worc. Ib. xvii. 38. Also Squitch Grass. With.

ed. ii.; Warw.; Ireland.—Sometimes extended to other grasses with similar habit and creeping rhizomes, as Agrostis vulgaris, I. (Word. Ann. Agric. xvii. 38), A. alba, L. (With. ed. iv. Glou., Staff.), A. stolonifera, L. (also Squitch Grass), Poa compressa, I. (Glou.). Prior, p. 222.

Squitch Grass, Black, See Black Squitch Grass.

Stab-wort. Oxalis Acetosella, L.—Park. Theatr., 747, where it is said to be 'singular good in wounds, punctures, thrusts, and stables into the body.' Prior, p. 222.

Staff Rush. Juncus conglomeratus, L.— The round-headed rush. Hal. Yks. Hallamsh, Gloss.

Stagger-wort. Senecio Jacobæa, L.—'The countrey people do call it Staggerwoort and Stauerwoort.' Ger. 219. Park. (Theatr. 671) says 'it is held to be a certaine remedie to helpe the staggers in horses;' and Coles (A. in E. p. 144) adds, 'indeed it is not without a signature thereof: the unevennesse of the edges of the leaves being like unto those uneven motions which horses make in that disease. Prior, p. 222.

Stag Horn, or Stag's Horn. Lycopodium clavatum, L. - W. Cumb.;
Stirlingsh.

Stags-horn Moss. (1) Lycopodium clavatum, L.—E. Bord. Bot. E. Bord.

(2) Hypnum purum, L.— 'Nitidus & purus est Muscus, a terra & aliis sordibus liber, tener item & mollis, quam ob causam piscatores Lancastrienses eo utuntur ad purgandos vermes, hisque notus est nomine Stags-Horn Moss, ut me certiorem fecit Guil. Harrison.' Dillenius, Hist. Muscorum (1741), 310.

Stainch. 'A root like liquorice.' North. Hal. Ononis arvensis, L.

Stallions (Yks. W. Riding), or Stallions and Mares. Yks. (Wensleydale). Arum maculatum, L.

Stanch Girs. See Girs, Stanch.

Stancroppes. 'The herb crassula minor. See MS. Sloane, 5, f. 4, xv. Cent.' Hal. Sedum acre, L.

Standelwort, or Standergrass. The species of Orchis and allied plants. 'Standelworte, or Standergrass' (Lyte, p. 217), from the German Standelcruyt. Ger. (Appx.) has Standelwelks for Orchis mascula, L.—Prior (p. 222) has Standerwort. All these names refer to certain supposed properties of the plants. Cfr. Dog Standard.

'Therefore, foul standergrass, from me and mine I banish thee, with lustful turpentine.'

Beaumont and Fletcher, 'Faithful Shepherdess,' Act ii. sc. 2.

Stane-bark. 'Liverwort.' Roxb. Jamieson. This should be Marchantia polymorpha, L., but more likely some lichen, perhaps Parmelia saxatilis is meant.

Stane-raw. Parmetia saxatilis, Ach.—N. Scotland and Orkneys.

Jamieson. 'A.S. stan, Isl. stein, stone, and rawe, hair.'

Staner-wort. See Staverwort.

Stanmarch. Smyrnium Olusatrum, L.—Ger. Appx. Prior, p. 222.

Stannen-gusses. Orchis mascula, L.—Som. (Weston-super-mare). Science-Gossip, 1881, p. 258.

Juncus squarrosus, L .- N.-E. Scotl. 'A bunch of stars or bruckles to redd the tobacco pipes.' Gregor's Folklore of North-east of Scotland, p. 51. In Cumb. Star Bent. E. D. S. Gloss, C. S. See Stare.

Star Flower. (1) Borrago officinalis, L.—Dev.

(2) Various species of Stellaria. - N. Linc. : S. Holostea, L. - E. Suss.

(3) Ornithogalum umbellatum, L.—Bucks.

Star-fruit. Actinocarpus Damasonium, Br. Prior, p. 222.

Star Grass. See Grass, Star: and add

(5) Asperula odorata, L.—'The pensantry of Cumberland frequently dry the pretty whorled leaves, which they call, not inaptly, Star-gers.' Trans. Cumb. Assoc. pt. vii. p. 137 (1883).

Star-falling. See Star-shot.

Star-jelly. See Star-shot.

Star-lights. Geranium molle, L.—S. Bucks.

Star of Bethlehem. (1) Ornithogalum umbellatum, L.-Ger., who includes other species under the name. Tusser (Five Hundred Points) E. D. S. ed.; Bucks.; Ches.; Dev.; and a very general name for the

plant. Prior, p. 223.

(2) Stellaria Holostea, L. - West, Friend; Notts.; Dumfriesh. 'The Blessed Sacrament blossoms as it were, and the product is not a passion-flower, but the little slender white ornament of our hedgerows, which the peasants in the North of England call the Star of Bethlehem.' F. W. Faber, The Blessed Sacrament, ed. iii. p. 219.

(3) Hypericum calycinum, L.—'Goes very improperly under the name of the Bethlehem Star.'—Purton, Midland Flora, 232.

Star of Jerusalem. Tragopogon pratensis, L.—Lyte. Prior (p. 223)

assigns the name to T. porrifolius, L.

Tusser (Five Hundred Points) E. D. S. ed., gives the name in a list of 'herbes, branches, and flowers, for windowes and pots.' It is probable he meant some more showy flower than either of the above.

Star of the Earth. Under this name a plant was referred to in 'A Receipt to cure Mad Dogs . . . communicated to the Royal Society by Sir Rob. Gordon' (Phil. Trans. xvi. 298), and is there identified with Silene Otites, L.—Ray (Hist. Plant. ii. 1895) says of this Silene, 'Haec herba vulgo Suffolciensi Stella terræ dicitur, estque in magna existimatione ad morsum Canis rabidi.' He subsequently, however, 'concluded that the plant meant was the Coronopus [Plantago Coronopus, L.]' (Phil. Trans. xl. 453). In E. Suss. Senebiera Coronopus, Poir. is so called. Pratt erroneously assigns the name to Geum urbanum, L.

Star-shot. Nostoc commune, Vauch. Applied to it in the belief that it was the remains of a fallen star. For a full account of this belief, see Britten's Popular British Fungi, pp. 82-84. N.-W. Line, E. D. S. Gloss. C. 6; Nhamp. Sternb. Other names implying a similar notion, are Star Falling and Star Jelly (Nhamp. Sternberg). Star-slime (Palsgrave, Hal.); Star-slough and Star-slubber (Carr, Hal.); Star-slutch (Ches.); and Shot-star (History of Carrickfergus, 1811); Forf. Jamieson; Ireland (Cos. Derry and Donegal). See also Fallen Stars and Spittle.

Star-thack. 'A coarse grass which grows on sandy soil.' N.-W. Linc. E. D. S. Gloss. C. 6. See Stare (1).

Star Thistle. Centaurea Calcitrapa, L.—Lyte. Centaurea solstitialis, L.—Prior, p. 222.

Star-wort. (1) Although assigned by Prior (p. 223) and other authors to Aster Tripolium, L., the plant intended by Gerard is Pallenu spinosa, Cass. See Sharewort. Sea Starwort is a common modern book-name for A. Tripolium (Ger. 333).

(2) Stellaria Holostea, L., and S. graminea, L.—Glou.

Starwort, Water. A book-name for Callitriche. Prior, p. 246.

Stars, Fallen. See Fallen Stars.

Starch-root (I. of Portland), or Starch-wort (Ger.). Arum maculatum, L.—'Because formerly linen was starched with it, and pure and white starch is made of the root of it, but such as is hurtful to the hands of the landresse that useth it.' Coles, A. in E., p. 64. Prior, p. 223.

Stare, or Starr. (1) Psamma arenaria, R. & S.—Lanc. Prior, p. 223.

(2) Curex vulgaris, Fr.—Scotl.: 'Starr: perhaps a corruption of Sture, signifying rough or harsh.' Lightfoot, Fl. Scotica, ii. 560.

(3) Carex arenaria, L.—Prior, p. 223.

(4) 'Sedge, grass of the fens.' Hal. From the context it seems likely that (1) is intended.

Starveacre. Ranunculus arvensis, L.—From its impoverishing the soil, or being indicative of poor land. Several other names of a like character have been given to the plant. See Hungerweed (1). N. Bucks.; Ess.; Nhamp.; Oxf. Journ. R. Agric. Soc. 1st S. xv. 207.

Staunch. Anthyllis Vulneraria, L.—Pratt gives this as an 'old name,' but we have not met with it elsewhere.

Staverwort. Sonecio Jacobæa, L.—Hal. Ger. 219. In Ger. Emac. 281, misprinted Stanerwort. Prior, p. 223. See Staggerwort.

Staves-aker. Commonly spelt Stavesacre. The seeds of a larkspur, Delphinium Staphisagria, L.—Topsell (Four-footed Beasts, p. 181) speaks of it as a purgative medicine for dogs. At the present day the seeds are sold under the same name to kill vermin in cattle. Hal. Prior, p. 223.

Stay-plough. Ononis arvensis, L.—A mere adaptation of Restharrow. Prior, p. 223.

Steckado. See Stickadoue.

j

Stedfast. Ricinus communis, L.-Ger. Appx. Hal.

Steep-grass, Steep-weed, or Steep-wort. Pinguicula vulgaris, L.—
Ireland (co. Antrim); Scotl. (South), Lightfoot, Fl. Scotica, ii. 1131.
See Grass, Steep.

Steeple Bells. Campanula pyramidalis, L .- Dev.

Stein-raw. Parmelia saxatilis, Ach.—Orkneys. Jamieson. See Stane-raw.

Stench Girs. See Girs, Stench.

Stepmother. Viola tricolor, L.—Gardens. Yks. (Northallerton, York; also Step-daughters); North, Hal., ('The flower of the Violet,' but no doubt the garden pansy is intended). Miss Alcott, in Little Men, refers to 'The story of the panzy (sic)—how the stepmother leaf sat up in her green chair in purple and gold; how the two own children in gay yellow had each its little seat, while the step-children, in dull colours, both sat on one small stool, and the poor little father, in his red night-cap, was kept out of sight in the middle of the flower.' We have not met with this in English literature.

Stichewort. 'The herb lingua avis. It occurs in MS. Sloane, 5, f. 5.' Hal. Stellaria Holostea, L. See Bird's-tongue (1).

Stick-a-back. Galium Aparine, L.—Ches. (about Lymm Stickle-back); Cumb. (Sticky-back) E. D. S. Gloss. C. 8. It is a common amusement with children to put long pieces of the plant on each other's backs, where it clings to the clothes.

Stickadoue. Lavandula Stechas, L. — A corruption of the old Latin name. 'The apothecaries do cal the flower Stoccados....in English Steckado, Stickadoue,' Ger. 470. Prior prints it Stickadove (p. 224).

Stickle-back. See Stick-a-back.

Sticky Buttons. Heads of Arctium Lappa, L.—Dev.

Sticky Grass. See Grass, Sticky.

Stik pile. Erodium cicutarium, L'Her.-Ger. Appx. Hal.

Stikpyle. 'The herb acus demenys' (sic). Hal. This would be Scandix Pecten, L., but we suspect the preceding is intended.

Stinging Nettle. (1) A general name for Urtica dioica, L.—E. Bord. Bot. E. Bord. In E. Yks., Tenging Nettle.

(2) (Sting Nettle) Galeopsis Tetrahit, L.—Ireland (Co. Derry). See Deye Nettle.

Stingy Nettle. (1) Urtica dioica, L.—Dev. Friend. Nhamp. and Oxf., where the q is soft.

(2) Lamium album, L., and other species. Dev. Friend.

Stink Davie. Leontodon Taraxacum, L.—Clackmannansh.

Stink-horn. Phallus impudicus, L.—'This is known to all our Country People by the name of Stinkhorns; Dr. Richardson,' R. Syn. ed. iii, 12. Hal. Yks. Hallamsh. Gloss, Prior, p. 224.

Stink Plant. Allium ursinum, L .- N. Linc, (Bottesford).

Stink Tree. Viburnum Opulus, L.—Wight. Fl. Vect. 'The fruit which is intensely acrid and bitter finally becomes disgusting from its odour, and hence the plant is sometimes called stink tree in this island.' Bromfield in Phyt. O.S. iii. 421. The wood when green participates in the same unpleasant smell to an almost equal degree.

Stinkweed. Diplotaxis muralis, DC.—'Imported about four years ago by means of a vessel laden with oats that was shipwrecked on the rocks here. . . . The farmers here (Kingsgate, Kent), not knowing what to call it, have, on account of its very offensive smell, given it the name of stink-weed.' Annals of Agriculture, xix. 82. Thanet, Phyt. v. 51. N. S.

Stinking Alisander. Scnecio Jacobwa, L.—Stirlingsh. In Rural Cyclopædia, Stinking Elshinder.

Stinking Billy. Senecio Jacobea, L.-Linc.

Stinking Bob. Geranium Robertianum, L.—Bucks. (Wycombe); Cumb. (Stinkin' Bobby) E. D. S. Gloss. C. 8; N. Herts.; Suss. (Hastings).

Stinking Camomile. Anthemis Cotula, L.-Lyte. N.-E. Yks.

Stinking Christopher. Scrophularia nodosa, L.—Cumb. E. D. S. Gloss, C. S.

Stinking Davie. Senecio Jacobæa, L .- Scott. (Fife). Jamieson.

Stinking Elshinder. See Stinking Alisander.

Stinking Gladdon, or Gladwyn. Iris foetidissima, L.-Ger.

Stinking Horehound. Ballota nigra, L.-Lyte, Turn. Names.

Stinking Nancy. Scabiosa Succisa, L.-Ches.

Stinking Roger. (1) Scrophularia nodosa, L., and S. aquatica, L. Ches, ; Cumb. E. D. S. Gloss. C. 8; Ayrsh.; Irel. (Belfast) Flora Belfastionsis; Ulster.

(2) Rhamnus Frangula, L.—Ches.

(3) Ballota nigra, L.-Sal. (Ellesmere).

(4) Hyoscyamus niger.—Cumb. E. D. S. Gloss. C. 8.

Stinking Tam. Ononis arvensis, L.—E. Bord. 'The smell of the root is very disagreeable, and hence, in our district, the plant gets the name of Stinking Tam.' Bot. E. Bord., p. 52.

Stinking Weed (S. Scotland, Lightfoot's Fl. Scot. ii. 1132), or Stinking Willie; Moray, Fl. M.; Jamieson. Senecio Jacobwa, L.

Stinking Willow. Myrica Gale, L.—' In some places.' Phyt. O.S. iv. 103.

Stitch Hyssop. Genista anglica, L.—Hants.

Stitchwort. Stellaria Holostea, L.—Lyte. Hal. (Stichewort).

'They are woont to drinke it in wine with the powder of acornes, against the paine in the side, stitches, E. Suss., and such like.'

Governormal Grant Street, Suss., and such like.'

Stitson. Hypericum Androsæmum, L.—Dev. A corruption of Tutsan, which see.

Stob-wort. Oxalis Acetosella, L.-Ger. App. Hal.

Stock. (1) Matthiola incana, Br. (gardens). Prior, p. 224. A contraction of Stock Gilliflower, which see.

(2) Trollius europœus, L.—E. Bord. 'The common people call it stocks—a name which has the same meaning as its synonym cabbage daisy, and both are derived from the resemblance of the flower to a close cabbage-stock.' Bot. E. Bord.

Stock-bill. Geranium Robertianum, L.—With. ed. iv. Grose (Stocksbill); North, Ray (Stocksbill).

Stock Gilliflower. See Gilliflower, Stock.

Stockings and Shoes. Lotus corniculatus, L.-Dev. Friend.

Stone-break. Saxifraga granulata, L. — Lyte. Ger. calls this White Stone-break, and Chrysosplenium oppositifolium, L., Golden Stonebreak. Prior, p. 224.

Stone-crop. Sedum acre, L.—Lyte. Hal. (Stonerop). Cumb.; N. and E. Yks.; Pulman (Stwone-crop); E. Bord. Bot. E. Bord. Also called Little Stonecrop (Turn. Herb.) and Yellow Stonecrop (N. Yks.). Prior, p. 224.

Stonecrop, Great. (1) Cotyledon Umbilicus, L.—Turn. Herb.
(2) Sedum album, L.—Lyte.

Stone Bramble. Rubus saxatilis, L.—Wilson's Synopsis (1744).

Stonecrop, Shrub. Suæda fruticosa, Forsk. With. ed. iv.

Stone Crottles. Parmelia suxatilis, Ach.—N. of Ireland.

Stone Fern. Asplenium Ceterach, L.-Lyte. Prior, p. 224.

Stone Fir. Allosorus crispus, Bernh .- Pratt says Southey so calls it.

Stone-hore. (1) Sedum acre, L.-Lyte. Ger.

(2) Sedum reflexum, L.—Prior, p. 224. Park.

Stone-hot. (1) Sedum acre, L.—Baxter.
(2) Sedum reflexum, L.—Prior, p. 224.

Stone Liverwort. See Liverwort, Stone.

Division and the state of the s

Stone Parsley. Sison Amomum, L.-Lyte.

Stone Rag, or Stone Raw. Parmelia saxatilis, Ach.—E. Bord. Bot, E. Bord.

Stone-weed. Polygonum aviculare, L.—Hants., Bromfield's MS.; Suff. Hal.

Stone-wort. A book-name for the species of Chara. Prior, p. 224.

Stonnord. Sedum acre, L.-Ger. Appx. Hal. Prior, p. 224.

Stony-hard. Lithospermum officinale, L .- North, Grose. Hal.

Stool Bent. Juneus squarrosus, L.—E. Bord. Bot. E. Bord.; Scotl. (South), Lightfoot's Fl. Scot. ii. 1131. 'Stool, a cluster of rushes,' Nhamp. Sternberg.

Stopwour. 'The herb Alleluja.' Hal. Oxalis Acetosella, L.—A corruption of Stobwort, or Stubwort.

Stork's-bill. A name usually applied in books to the genus Erodium, but in Turn. Herb. to Geranium Robertianum, L.—North, Ray. Lyte assigns it to Erodium moschatum, L'Her.

Stortioner. (A corruption of Nasturtium, its common name in gardens.) Tropwolum majus, L.—Yks. (E. and N. Holderness), E. D. S. Gloss, C. 7.

Stover Nut. Castanea vesca, L. Dev. (Newton Abbot). *On account of the abundance of chestnuts in Stover Park.* Friend.

Strangle-tare. Orobanche. In Ger. Index. Also applied by Ger. and Park. (Theatr. 1072) to Vicia hirsuta, L., and by Prior (p. 225) to Vicia lathyroides, L., and Cuscuta europæa, L.

Strangle-weed. (1) Cuscuta. Is said to be so called 'by country people' in Gard. Chron. Jan. 29th, 1870.
(2) A book-name for Orobanche. Lyte.

Strap, Black. Polygonum aviculare, L.-Hants.

Strap-wort. A book-name for Corrigiola littoralis, L .- Prior, p. 225.

Strawbed. Galium verum, L., Dev. 'By transposition for Bedstraw.'

Strawberry. The general name for Fragaria vesca, L., and the garden varieties of F. elatior, Ehrh. Turner (Names) calls the plant 'a strawberry leafe,' and the fruit 'a strawberry.' F. elatior is 'called by the people of Godalmine (Surr.) the Wild Strawberry, to distinguish it from the Wood Strawberry.' Note on English Botany drawing of F. elatior, in the British Museum. Grete Herball (also Strabery); Ger. (Appx.) has Strawberries. The runners are called Straberry Wires in Sal., see Shropshire Word-Book, p. 416. Lydgate, writing in 1483, spells it Strawberry, as it is now spelt. Also commonly called Wild Strawberry. Hal. has 'Strebery, the Strawberry tree,' but from the context it is plain that the Fragaria is intended. Prior, p. 225.

Strawberry, Barren. A book-name for Potentilla Fraguriastrum, L.

Strawberry, Bog. Comarum palustre, L .- I. of Man.

Strawberry Clover. A book-name for Trifolium fragiferum, L.— Prior, p. 225.

Strawberry Plant. (1) A garden species of Potentilla.—N. Linc. (Bottesford).

(2) Potentilla Fragariastrum, L.—Dev. Friend. (3) Saxifraga surmentosa, L.—Dev. Friend.

Strawberry-tree. A common garden name for Arbutus Unedo, I.—
Liyte; from the appearance of the fruit. Prior, p. 225. In With.
(ed. iv.) erroneously applied to Arctostaphylos Uva-ursi, Spr.

Strawberry Ware. Fucus vesiculosus, L., 'when the receptacles are large and swollen.' Scotland, Edinburgh Encyclopædia.

Strebery. See Strawberry.

Streeds. Phragmites communis, Trin.-Moray, Fl. M.

Strike. Ustilago carbo, Tul. -- Ches.

Strings of Sovereigns. Lysimachia Nummularia, L.—Ireland (Co. Antrim).

Strit. Juncus lamprocarpus, Ehrh. - Irel. (Belfast). Flora Belfastiensis.

Stroil, or Stroyl. Triticum repens, L.—Pratt. Cornw.; Dev.; in W. Dev. it is applied to other weeds as well, E. D. S. Gloss, B. 6.; Som. ('Most commonly applied to the white worm-like roots which are turned up by the plough; couch is used for the plant generally.'); West, Hal.

Stub-apple. 'The wild apple. East.' Hal. Pyrus Malus, L.

Stubblewort. Perhaps a mistake for Stubwort. Markham's Eng. Housewife (1660), p. 35.

Stubwort. Oxalis Acetosella, L.—Lyte, 'doubtless from its growing upon the rootes of great olde trees.' Prior, p. 225.

Sturdy. Lolium temulentum, L.—' Near the sea-coast a sort of Poyson, I take it, called darnell, rises in the oats and other grain, very offensive to the brain, and cannot be cleaned out of the corn; ye country people call it sturdy, from the effects of making people light-headed.'—Description of the co. of Antrim, by Richard Dobbs, 1683. Irel. (Belfast); Scotland, Mactaggart's Gallovidian Encyclopædia. The seeds of the plant cause giddiness, and as there is a sort of vertigo disease in sheep known as sturdy or staggers, it is not improbable that darnel has received the name from this circumstance. Meal is said to be sturdied when it has much darnel.

Sturdy Lowries. Daphne Laureola, L.—Durh. (Castle Eden).

Sturtion. A corruption of Nasturtium. Tropwolum majus, L.— Prior, p. 225.

Succamore. Acer Pseudo-platanus, L.—Sul.

Succory. Cichorium Intybus, L.—'Hodie vocat Suckery,' Turn. Lib. Tusser (Five Hundred Points) E. D. S. ed., spells it Suckerie, or Suckery. Prior, p. 225.

Succory, Swine's. A book-name for Arnoseris pusilla, Gærtn.

Succory Dock Cress. See Cress, Dock.

Suck-bottle. (1) Lamium album, L .- Nhamp. Sternb.

(2) Flowers of Trifolium pratense, L.—Nhamp. Nth. Gloss.

Suckies. (1) Pedicularis palustris, L.—Ayrsh.

(2) Flowers of Trifolium pratense, L.

Suckie Sue. Lamium album, L.—Berwicksh.

Suckle-bush. Lonicera Periclymenum, L .- Norf.

Sucklers. (1) Trifolium repens, L .- Nhumb.

(2) Trifolium pratense, L.— The flowered heads are called by the common people sookies, or sucklers—a name which occurs in the Gentle Shepherd of Allan Ramsay:—

"Under that tree, and on the suckler brae, Where oft we wont, when bairns, to run and play."

E. Bord. Bot. E. Bord., p. 54.

Suckles. Trifolium pratense, L .- Ger.

Suckling. (1) Trifolium repens, L.—E. Norf. E. D. S. Gloss, B. 3; Sal.; Suff. Moor. Hal.

(2) Trifolium pratense, L .- Norf. Forby. Hal.

(3) Lonicera Periclymenum, L.—East, Forby, Hal.; Suff. Moor.

Suckling, Lamb's. See Lamb's Suckling.

Suckling, Yellow. An agricultural name for Trifolium minus, Sm.

Suffolk Grass. See Grass, Suffolk.

Sugar plums. Trifolium pratense, L.-Bucks.

Suisilk. Briza media, L.-Notts. (Mansfield).

Sullen Lady. A species of Fritillaria. Holme's Acad. of Armory, ii. 74.

Sulphur-wort. Peucedanum officinale, L.-Lyte. Prior, p. 225.

Sumac, Wild. Myrica Gale, L .- Lyte.

Summer Farewell. Aster 'divergens.'-Som. See Farewell Summer.

Summer Lilac. Hesperis matronalis, L. (both single and double). Som.

Summerlocks. Primula vulgaris, L. var. (the oxlip). Fks. (Cleveland).

Summer Rose. Kerria japonica, L.—Dev. Friend.

Summer Snowflake. Leucojum æstivum, L.-Prior, p. 216.

Sun Daisy. Helianthemum vulgare, Gaertn.-Linc.

Sun-dew. The general name for Drosera rotundifolia, L., and other species.—'This herbe is of a very strange nature and maruellous: for although that the Sunne doe shine hot, and a long time thereon, yet you shall finde it alwaies moist and be-dewed, and the small baires thereof alwaies full of litle drops of water: and the hotter the Sun shineth upon this herbe, so much the moystier it is, and the more be-dewed, and for that cause it was called Ros Solis in Latine, which is to say in English, the dewe of the Sun, or Sundewe.' Lyte. We agree however with Dr. Prior (p. 226) that 'the Germ. name, sindau, leads us to suspect that the proper meaning of the word was 'ever-dewy,' from A.S., O.S., and Fris. sin, ever, rather than from sun. We find sin as a prefix with this meaning in Singreen;' and in another form of the word, Syndaw, applied to Alchemilla vulgaris, L. In this latter case there is no reference to the sun, but the name is 'from the Germane name Sinnaw, because the hollow crumplings and the edges also of the leaves, will containe the dew in droppes like pearles, that the night.' Park. Theatr. 538.

Sunflower. (1) The common name for Helianthus annuus, L.— Prior, p. 226.

(2) Chrysanthemum segetum, L.—Nhamp. Nth. Gloss.

(3) Inula Helenium, L.—Stirlingsh. Called Wild Sunflower in I. of Wight (Fl. Vect.).

(4) Anagallis arvensis, L.-S.-W. Cumb.

(5) Helianthemum vulgare, Gærtn.—R. Cat. 66. With calls it the Little Sunflower.

(6) Calendula officinalis, L.—Treas. Bot.

(7) Ornithogalum umbellatum, L.—Dev. Friend. The flower 'openeth it selfe at the rising of the sunne, and shutteth agains at the sunnes setting, whereof it hath beene called of some Bulbus Solsequius.' Ger. 133.

Sun-green. Sempervivum tectorum, L.-Suss.; Wilts. (Devizes). See Sengreen.

Sun Rose. A book-name for Helianthemum vulgare, Gærtn.-Pratt.

Sun Spurge, or Sun-following Spurge. A book-name for Euphorbia Helioscopia, L.—Turn. Herb. Prior, p. 220.

Surface Twitch. See Twitch.

Swaggering Grass. Briza media, L.-Lanc.

Swallow Pear. 'The service apple.' Hal. Pyrus torminalis, Sm. Prior, p. 227.

Swallow-wort. Chelidonium majus, L.-Lyte. Prior, p. 227.

Swans-ball. Polyporus squamosus, L.—'In Surrey, Swans-ball, hoc ludunt pueri loco pilæ palmariæ.' Merrett, Pinax, 42.

Swappis. 'Perhaps sedges. Teut. schelp, carex.' Scotland, Jamieson.

Swarms. Alliaria officinalis, Andrzj. - Yks. (York).

Sweeps. (1) Luzula campestris, Willd.—Sal. (Shrewsbury). Cfr. Chimney-sweeper.

(2) Centaurea nigra, L.—Derb.

(3) The dark red garden variety of Bellis perennis, L. Yks. (Cleveland).

Sweeps' Brushes. (1) Dipsacus sylvestris, L.—Dev. (2) Luzula campestris, Willd.—Sal. (Shrewsbury).

Sweet Alice. Arabis alpina, L.—Dev. A corruption of Sweet Alison, which name belongs more properly to Alyssum maritimum, L.

Sweet Amber. Hypericum Androsæmum, L.—Probably from its resinous odour. Suss.

Sweet Archangel. See Archangel, Sweet.

Sweet Ash. Anthricus sylvestris, L .- Glou.

Sweet Bent. Luzula campestris, Willd .- Ayrsh.

Sweet Betsy. Centranthus ruber, DC.—Kent (Thanet). Gard. Chron., July 16th, 1881, p. 80.

Sweet Biller. Heracleum Sphondylium, L.—Dev. (Barnstaple).

Sweet Bitter (Suyt bitter). Solanum Dulcamara, L.—This form of the common name Bitter-sweet is given by Lobel (Observationes, p. 136).

Sweet Bracken. See Bracken, Sweet.

Sweet Briar, or Brier. The general name for Rosa rubiginosa, L.—
'Vulgus vocat swete brere': Turn. Lib. E. Bord. Bot. E. Bord. 'In
the neighbourhood of Plymouth (Dev.) R. micrantha, not R. rubiginosa,
sometimes constitutes the sweetbriar of cottage gardens.' Fl. of
Plymouth, p. 136.

Sweet Chervil. Myrrhis odorata, L.—Ger. Prior, p. 228.

Sweet Chestnut. A common name for Castanea vesca, L.

Sweet Cicely. Myrrhis odorata, L.—Ger. Emac. Cumb. (Winderwath); N. 17s. In Markham's Country Housewife's Garden (spelt Sweet Sicilly. In 17s. Sweet Ciss. (Curtis, Cat. of Settle Plants, 17s2). Prior, p. 228.

Sweet Covey. Erodium moschatum, L'Her.—Skinner.

Sweet Fern. See Fern, Sweet.

Sweet Flag. Acorus Calamus, L.-W. Ches. Prior, p. 79.

Sweet Gale. See Gale, Sweet.

Sweet Grass. See Grass, Sweet: and add—
(3) Zostera marina, L.—Ireland (Co. Donegal).

Sweet Hairhoof. Asperula odorata, L.—N. and E. Yks.

Sweet Hay. Spirae Ulmaria, L.—Suss. Monthly Packet, N. S. xxx. 410.

Sweethearts. Galium Aparine, L.—Dev. Friend; Yks. (York).

Sweet Humlock. Myrrhis odorata, L.—Berwicksh. Bot, E. Bord.

Sweet John. Dianthus burbatus, L.—Tusser (Five Hundred Points)
E. D. S. ed. Prior, p. 228.

Sweet Leaf. Hypericum Androsæmum, L.—Dev. (Plympton). Friend.

Sweet Mace. Achillea servata, L.—Notts. 'I enclose a specimen of what is called Sweet Mace, a herb very much used in this part of Nottinghamshire (Newark). Loudon's Gardener's Mag., i. 470 (1826).

Sweet Mary. Centranthus ruber, DC .-- Bucks.

Sweet Nancy, in gardens. The double-flowered variety of Nurcissus poeticus, L.—Ches.; Hants.; Norf.

Sweet Rush. Acorus Culamus, L.—Baxter.

Sweet Sedge. See Sedge, Sweet.

Sweet Vernal Grass. See Grass, Sweet Vernal.

Sweet Violet. The general name of Viola odorata, L.—Lyte.

Sweet William. (1) The general name for Dianthus barbatus, L.—
Prior, p. 228.

"nthus Cheiri, L.—E. Linc. Bullein, Book of Simples,

Sweet Willow. (1) Myrica Gale, L.—Ger. Suss.; Wight, Sweet Withy (Fl. Vect.). Prior, p. 228.

(2) Salix pentandra, L. (Sweet Willy) Cumb. E. D. S. Gloss. C. 8.

Sweets. Myrrhis odorata, L .- North, Hal.; Yks. (Craven) Holl.

Sweth. Allium Schænoprasum, L.—Lyte, who says Turner calls it so. Prior, p. 228.

Swichen. Senecio vulgaris, L.-Ger. Appx. Hal. Wr.

Swimming Herb. Lemna minor, L.-Ger. Index.

Swine Arnut. (1) Stachys palustris, L.—Banffsh. Jamieson.
(2) Arrhenatherum avenaceum, Beauv. Scotland. Jamieson.

Swine-bread. Bunium flexuosum, With.—Invernessh.

Swine-carse. Polygonum aviculare, L.—Ger. Appx. Hal.

Swine Fennel. See Sow Fennel.

Swine Thistle. (1) Sonchus oleraceus, L.—Hal. Cumb. E. D. S. Gloss. C. 8; Yks. (Northallerton); (E.) E. D. S. Gloss. B. 2; E. Bord. Bot. E. Bord. In Mactaggart's Gallovidian Encyclopædia, Swine-thristle. (2) Sonchus arvensis, L.—S.-W. Cumb.

Swine Weed. Heracleum Sphondylium, L.-Nhamp.

Swine's bane. See Sowbane.

Swine's Cress. See Cress, Swine's.

Swine's Grass, and Swine's Skir. See Grass, Swine's.

Swine's Maskert, or Mosscort. Stachys palustris, L .- Scotl. Jamieson.

Swine's Snout. Leontodon Taraxacum, L.—Prior, p. 229.

Swine's Succory. A mere book-name for Arnoseris pusilla, Gaertn.— Prior, p. 229.

Swinies. Sonchus oleraceus, L.-E. Bord. Bot. E. Bord.

Sword Flag. Iris Pseudacorus, L.—Prior, p. 229.

Sword Grass. See Grass, Sword.

Swy. 'The herb glasswort.' Hal. Salicornia herbacea, L.

Sybie, or Sybow. Allium fistulosum, L.—'In the old poets we find it Chasbollis; in Ballentinus Livy Chesbollis; in some of the early works on gardening, Shibols; in our modern works, Cibaule; until it arrives at the Scotch Sybie, or Sybow.' Gard. Chron. 1869, p. 8.

Sycamine. 'In old authors the woodbine' (Prior, p. 229). Lonicera Periolymenum, L.—We have not met with it so used.

Sycamore. Acer Pseudo-platanus, L.—E. Bord. Bot. E. Bord. Grose calls the fruit Sycamore Chats. Prior, p. 229.

Syndaw. Alchemilla vulgaris, L.—Turn. Names (Syndow). Lyte, Prior, p. 230. See Sundew.

Synkefoyle (Cinque-foil). Potentilla reptans, L.—From its five leaflets. Grete Herball. Ger, has Sinkfield.

Syphelt. Sempervivum tectorum, L.—Cumb. Trans. Cumb. Assoc. pt. vii. 161 (1883). Cfr. Cyphel.

Syves. Allium Schenoprasum, L. - Scotland. Jamieson.

Tacker-grass. Polygonum aviculare, L.—Dev. Friend; Som. (the usual name).

Tad-broom. Various species of *Equisetum*. Som. Tad = toed: cfr. Tadpole.

Tade-stool. See Toadstool.

Tad-pipes. See Toadpipe.

Tags. A species of Nurcissus. Cornw.

Tailor's Needles. Scandix Pecten, L.—Cornw.; N. Dev. From its long, beaked fruits. In E. Cornw. also Tailders. E. D. S. Gloss.

Talewort. 'Wilde borage.' Ger. Appx. Hal. Wr.

Tamarisk. The general book name for Tamarix gallica, L.—Lyte.

Tam Furze. Ulex nanus, Forst.—Cornw. (Tam = dwarf.)

Tame Withy. Epilobium angustifolium, L.—Wight. Fl. Vect. From its frequent growth in gardens, and its willow-like leaves.

Tang. Various large kinds of Fuci, but especially

(1) Fucus nodosus, L.—Lanc. (Lytham); North. Hal. Wr.; Yla. (Mid.) E. D. S. Gloss. C. 5 ('Tangles or frondent sea-weed'); Orkney and Shetland, Jamieson. Prior, p. 230.

(2) Laminaria digitata, Lam. Yks. (Whitby) E. D. S. Gloss. c. 13.

Tang, Black. Fucus vesiculosus, L.—Scotl. Jamieson.

Tang, Prick. Fucus serratus, L.—Scotl.

Tang, Sea. Laminaria digitata, Lam. Yks. (Whitby) E. D. S. Gloss. C. 4.

Tangle. Laminaria digitata, Lam. North. Hal. Wr.; Cumb. (probably including various species of seaweed); Lanc.; Yks. (Whitby). Lam. E. D. S. Gloss, C. 4; E. Bord. Bot. E. Bord. Also Ware Tangle. Prior, p. 230.

Tangle, Cairn, or Carn. Laminaria digitata, Lam. Aberd.; Mearns, Jamieson, who has also Carl-tangle (Mearns).

Tangle, Red. Cuscuta Epithymum, L.—Norf.

Tank. (1) Pastinaca sativa, L.—Ger. Appx. Hal. Wr.

(2) 'Brydswete or tank. Hit hath leves lyke to hemlok, and a quite flower.' MS. Arundel 272, f. 46. Hal. We do not know what is here meant,

Tanners' Apron. Primula Auricula, L.—Glou. The name appears to be confined to the yellow variety.

Tansy. (1) The general name of Tanacetum vulgare, L.—Lyte. Turn. Lib.—W. Ches.; S. Cumb.; N. Yks., the name being there con-

- fined to the leaves, the flowers being called *Buttons*. See **Buttons** (1). Prior, p. 230.
- (2) Achillea Millefolium, L.—From the finely cut leaves resembling those of the true Tansy. Ches.
- (3) Potentilla Anserina, L.—Cumb.; Nhamp.; N. Yks. See Tansy, Wild.
- (4) Senecio Jacobæa, L.—Aberdeensh. 'Tansy, or ragwort.' Stat. Acct. of Scotland, xii. 965.
- Tansy, Dog's (Scotl. Jamieson), or Goose. Potentilla Anserina, L. See Goose Tansy.
- Tansy, White. (1) Achillea Ptarmica, L.—Lyte.
 - (2) Agrimonia Eupatoria, L.-Holme, Acad. of Armory, ii. 97.
- Tansy, Wild. Potentilla Anserina, L. Lyte. Turn. Names. S. Bucks.; Cumb. E. D. S. Gloss. C. 8; Nhamp. 'The leaves are long, made up of many smaller leaves, like vnto those of the garden Tansie, but lesser.' Ger. 841. Prior, p. 231.
 - (2) Agrimonia Eupatoria, L.—Holme, Acad. of Armory, ii. 97.
- Taper. Verbascum Thapsus, L.—Cockayne, iii. 331. See Hagtaper, Hig-taper, and Hedge-taper.
- Tar (tare). Vicia sativa, L.—N.-W. Linc. E. D. S. Gloss. C. 6; Yks. (Holderness) E. D. S. Gloss. C. 7.
- Tarbottle. Centaurea nigra, L.—Oxf. Cfr. Darbottle.
- Tar-fitch (Tare-vetch). Vicia hirouta, L.—Sal. (Wem.). 'Tare-fytche, a corne lupyn, Palsgrave, subst. f. 69.' Hal. Wr. See Tar-vetch.
- Tar-fitch, Blue. Vicia Cracca, L.—Ches.
- Tar-fitch, Yellow. Lathyrus pratensis, L.—Ches.
- Tar Grass. Vicia hirsuta, L., or, perhaps, V. Cracca, L.—'The wild vetch.' Kent, Pegge, E. D. S. Gloss. C. 3; Staff. Hal. Plot's Staffordsh., p. 347 (E. D. S. Gloss. C. 3).
- Tar Vetch (or Tar-Vatch). Vicia hirsuta, L.—Dors. Hal. has 'Tar-vetches. Tares. South.' [V. sativa, L.?]; Wight, E. D. S. Gloss. See Tar-fitch.
- Tare, or Tares. A frequent agricultural name for (1) Vicia sativa, L. Ess.; Middx.; Suff.; E. Bord. Bot. E. Bord.; Moray. Fl. M.
 - (2) Vicia sepium, L.—Suff.
 - (3) Vicia hirsuta, L.—Ches. Fitzherbert has Terre, and says, 'It groweth lyke fitches, but it is muche smaller,'
 - (4) Lathyrus Aphaca, L.—Lyte. Prior, p. 231.
- Tare, Tine. See Tine Tare.
- Tare, Wild. Vicia sepium, L. and V. Cracca, L.—E. Bord. Bot. E. Bord.
- Tare-tyne, a synonym for Vetch. At Hendon, Middx., 'they have the blue [Vicia Cracca, L.], the red [V. sativa, L.?] and the yellow [Lathyrus pratensis, L.] Tare-tyne, or wild sort of Thetch,

which is accounted an excellent sort of Grass.' W. Ellis, 'Modern Husbandman,' vol. iv. pt. 2, p. 77.

Tarragon. The general name for Artemisia Dracunculus, L.—Prix, p. 231.

Tarrify. Erysimum cheiranthoides, Br. Camb. 'An extremely common weed in the Fens, popularly known by the name of Tarrifs, because, I suppose, it terrifies the farmer and weeder.' The Fenland, Past and Present, p. 299.

Tassel. (1) A teazel. Dipeacus fullonum, L.—'Cardo, a thystelle or a tassell,' Nominale MS. Hal. In Turn. Lib. Tasyll. In Turn. Names Tasell. In Moorfields there is 'a large close, called Tasl. Close sometime, for that there were tassels planted for the use of cloth-workers.'... Stow's Survey of London (1598). Cfr. Tassis. (2) Centaurea nigra, L.—E. Bord. Bot. E. Bord.

Tassel, Milky. See Milky Dashell.

Tassel, Purple. Muscari comosum, Mill. Park. Parad. 118.

Tassel-bur. 'A thistle. Palsgrave.' Hal. Wr.

Tassel Grass, or Tassel Pond weed. Book names for Ruppia maritima, L.—Prior, p. 231.

Tassel Rags. See Rag, Tassel.

Tassels, Siller. Briza media, L.-Lammermuirs, Rot. E. Bord.

Tazzle. (1) A teazle. Dipeacus sylvestris, L.—N.-W. Linc. E. D. S. Gloss. C. 6; Yks. (Cleveland).

(2) Carduus heterophyllus, L.—Yks. (Cleveland).

Tea Scent. Nephrodium Oreopteris, Desv. W. Cumb.

Teasel. The general name of Dipsacus sylvestris, L., and D. fullonum, L.—Turn. (Tasil). North. Grose. (spelt Teezle), E. Bord. Bot. E. Bord. Prior, p. 231.

Teasel, Card. See Carde Thistle.

Teasel, Draper's. Dipsucus fullonum, L.—Nemnich.

Teasel, Fuller's. See Fuller's Teasel.

Tea Tree. A common garden name for Lycium barbarum, L.

Tecadsteeals. Toadstools. Yks. (Whitby) E. D. S. Gloss. C. 4.

Teile. 'The birch-tree (Lat.). According to Junius, the lime-tree was so called.' Hal. Wr. Prior, p. 232, assigns the name Teil-tree to Tilia curopæa, L., to which it no doubt belongs, being derived from the Latin name. Other spellings of the word are Teyl-tree, Tile-tree, Tilet-tree. Prior, p. 232.

Tench weed. Potamogeton natuns, L. — Hal. Wr. E. Anglia, Forby. Prior, p. 231.

Tenging Nettle. See Nettle, Stinging.

Teng-tongues. 'Water-cresses, as being pungent to the taste.' I'ks. (Whitby) E. D. S. Gloss. C. 4. Nasturtium officinale, Br.

Tentes. The catkins of Juglans regia, L.-Lyte.

Tent-wort. Asplenium Ruta-muraria, L.—Merret (Pinax). 'It is . . . a Specifick against the Rickets. For this Reason, our Ancestors gave it the Name of Tentwort, deeming it a sovereign Remedy against Narrowness of children's Breasts, or the Tabes Pectorea, as Dr. Boot calls it . . . who observes that, according to the various Symptoms of the same Distemper, the English called it the Taint, swelling of the Joints, and in a more general Word, Rickets.' Threlkeld. Prior, p. 231.

Tere. Tares (Vicia sativa, L.). Tusser, E. D. S. Series D, p. 51.

'But rather sowe otes, or else bullimong there, Gray peason, or runciuals, fitches, or tere.'

It is probable, however, that Tusser merely spelt the word thus to rhyme with 'there,' as one of his great peculiarities was the spelling of rhyming words with the same vowels or consonants, so as to make them *look* alike. See Biographical Sketch of Tusser in same edition, p. xxii. See Tare (3).

Terrididdle, or Terrydivle. Solanum Dulcamara, L.—Ches. (Frodsham), where children chew the roots, and say they are like 'stick liquorice.' Probably corrupted from Tether-Devil.

Tether Devil. Solanum Dulcamara, L.—Hal. Wr. Ches. Wilbraham.

Tether-Toad. Ranunculus repens, L.—Yks. (Huddersfield) E. D. S. Gloss.

Tetrifol. 'The plant trefoil.' Hal.

Tetter-berry. The berries of Bryonia dioica, L., which 'are good against all fretting and running cankers, gangrænes, and tetters, and therefore the berries [are] usually called of the country people, Tetter-berries.' Park. Theatr. 181. Hants., where children have an idea that the juice of the fruit will, if it touches the skin, produce tetter. (Land and Water, Sept. 28, 1872.) Wr. Prior, p. 232.

Tetter-wort. Chelidonium majus, L.—Lyte. Ger. Hal. Wr. 'The juice often applyed to tetters will quickly kill their sharpnesse, and heale them also.' Park. Theatr. p. 618. Prior, p. 232.

Teyl-tree. See Teile.

Thale-cress. Arabis Thaliana, L.—Lightf. i. 358. A mere bookname adapted from the Latin, the latter being bestowed on the plant by Linnæus in commemoration of Thal (1542—1583), who included the plant in his Sylva Hercynica. Prior, p. 232.

Thapes. Fruit of Ribes Grossularia, L.—E. Anglia. Forby; Norf. (also Thebes and Thepes, Ray, and Theabes and Thepes, Hal.); E. Yks. E. D. S. Gloss. B. 3. A dialectal form of Fabes, which see. Prior, p. 75.

Thatch. See Thetch.

Theabes, or Thebes. See Thapes.

Thepes. See Thapes.

Thetch, or Thatch, but more frequently used in the plural. (1) Vicia sativa, L.—S. Bucks.; Herts. 'In Hertfordshire we call them thetches.'

Ellis; by whom a large variety is called Go Wort, Pulman; Wore.

(2) Vocio sepium, L.-Buchs.

(3) Lathyrus macrorrhirus, Wimm.-Bucks.

Thetch-grass, Wild. (1) Vicia Cracca, L.; (Ellis, Modern Husbandman.

Thethorne, See Thief,

Theve-Thorn. See Thief.

Thickening Grass. See Grass, Thickening.

Thief Rubus fruticesus, L.-Leic. E. D. S. G. Rible (Judg. ix. 14; Ps. lvii. 10) is Theve-th Prior (p. 232) understands R. ozeius, L. : we this A fratiques was meant. Cfr. Lawyers. Hal. "Thethorne tre, Ramons."

Thimble. (1) Digitalis purpurea, L.—Cumb. I Iroland (Co. Waterford).

(2) Silone maritima, I.-E. Bord. Bot. E. Bord

Thimble, Fairy. Digitalis purpurea, L. - Cam-

Thimble, Lady's. See Lady's Thimble.

Thimble, Witches. See Witches' Thimble.

Thiretelle. 'The herb apium risus.' sceleratus, L.

Thirlstane Grass. See Grass, Thirlstane, Thirlestane.

Thistle. (1) The general name for the genus (Tistle, E. D. S. Gloss.

(2) Arctium Lappa, L.-Dev., 'sometimes so

Friend. Prior, p. 233. See under their respective headings 'Argentin Thistle, Ball Thistle, Bank Thistle, Barnal Thistle (in Appendix), Bird Thistle, Blessed T tle, Boar Thistle, Bow Thistle, Buck This Bur Thistle, Carde Thistle, Carline Thistle, ton Thistle, Cursed Thistle, Dog Thistle, Gentle Thistle, Hare's Thistle, Horse Thistle Thistle, Hundred Thistle, Lady's Thistle, M. Milk Thistle, Musk Thistle, Oat Thistle, I Appendix), Queen Ann's Thistle, Red Thist Thistle, Sharp Thistle, Silver Thistle, Sow Thi Swine Thistle, Virgin Mary's Thistle, Water Street Thistle, Wavy Thistle, Wool Thistle.

Thistle Hemp. 'A kind of early hemp.' Ha ention, L.

Thlaspi. Given by Lyte as an English name pestre, L.

- Thongs. Himanthalia lorea, Lyngb. Scilly Isles, Journal Royal Agr. Soc. 1870, part ii. p. 384. Also Sea Thongs. R. Cat. 119.
- Thormantle. 'The Thormantle, excellent as a medicine in fevers.'

 Dev. Mrs. Bray, Borders of Tamar and Tavy, i. 274. Mr. Friend sees in this name a dedication to Thor: it is, however, doubtless only a corruption of tormentil. Potentilla Tormentilla, L.
- Thorn. Cratagus Oxyacantha, L.—Yks. Prior, p. 234.

 See under their respective headings Blackthorn, Buckthorn, Buckthorn (Sea), Christ's Thorn, Dangle Thorn, Egyptian Thorn, Glastonbury Thorn, Hawthorn, Sallow, or Willow Thorn, Waythorn, Whitethorn.
- Thorn Apple. The common name for Datura Stramonium, L.—Lyte (Thornie Apple). Ches. Prior, p. 234.
- Thornberries. Fruit of Cratagus Oxyacantha, L.—Ches.
- Thorn Broom. (1) Ulex europœus, L.—Ger. Prior, p. 234. (2) Genista anglica, L.—Lyte.
- Thorn-tree. 'The medlar tree.' Hal. Wr. Mespilus germanica, L.
- Thorowaxe. Bupleurum rotundifolium, L.—Lyte has Throwaxe and Thorowleafe. 'It may be called in englishe Thorowwax, because the stalke waxeth thorow the leaves.' Turn. Names. Also Throughwort (Ger. Index). Prior, p. 234.
- Thousand Flower. Linaria Cymbalaria, Mill. 'One of the many names of the Toadflax.' Ches., Leigh. Cfr. Mother of Thousands (1).
- Thousand-leaf. Achillea Millefolium, L.—Culpeper. Ches., erroneously applied by Col. Leigh in his Glossary to A. Ptarmica. Also called Thousand-leaved Clover; E. Bord. Bot. E. Bord.
- Thowthystylle, i.e. sowthistle, Sonchus oleraceus, L., quoted by Hal. from Pr. Parv. Cfr. Suss. Thowthistle, or Thowsisle.
- Thrash, or Thrashers. Various species of Juncus. E. Bord, Bot. E. Bord.; Loth.; Ayrsh., Jamieson. In Fife, Threshie; Jamieson has also Thrush and Thrush-bush.
- Thread-of-life. Saxifraga sarmentosa, L., the threadlike runners giving rise to new plants having suggested the name. Nhamp.
- Three Faces in a Hood. Viola tricolor, L.—Ger. In Bulleyne's Book of Simples Three Faces in one Hoode. In Turn. Names Two faces in a hoode. Sal. and Yks. (Three Faces under a Hood). Warner (1771) also gives this form of the name. Prior, p. 234.
- Threefold. Menyanthes trifoliata, L.—Hal. Wr. Yks. (Whitby)
 E. D. S. Gloss. C. 4; (East.) E. D. S. Gloss. B. 2.
- Three-leaved Grass. A book equivalent for *Trifolium*. 'There be divers sortes of three-leafed grasses.' Ger. 1017. . . . 'the flowers of *Three-leav'd grasse*.' Roxburghe Ballads, i. 261 (ed. Chappell). In *Cornw.*, *T. repens*, L.
- Threshie. See Thrash.

Thrift. (1) Armeria maritima, Willd. Ger. Hal. Ess.; E. Bord. Bot. E. Bord. It is commonly so called in gardens. Prior, p. 234.

(2) Sedum reflexum, L.—' Thryft aut stonecrop.' Turn. Lib. and Herb.

Thrift, Lavender. See Lavender Thrift.

Thrift, Sea. Salsola Kali, L.—Turn.

Thrimlin-jockies. Briza media, L.—Yks. (Holderness) E. D. S. Gloss. C. 7.

Thrisle, or Thrissel. A thistle. E. Bord. Bot. E. Bord., where several species are included; Scotl. Jamieson. The Horse-thristle seems to be Carduus lanceolatus, L.—Mactaggart, Gallovidian Encycl, p. 104.

Thrissel, Bur. See Bur Thistle.

Throatwort. (1) Campanula Trachelium, L.; also extended to other species of Campanula. It was thought 'soveraigne to cure the paine and inflammation of the necke and inside of the throte.' Lyte. Hal. Prior, p. 234. Cfr. Haskwort.

(2) Digitalis purpurea, L.—Treas. Bot.

(3) Scrophularia nodosa, L.—Culpeper.

Throck-needle. 'A kind of herb mentioned in MS. Linc. A. 1. 17, f. 286.' Hal. (Spelt Throc-nedils.) Scandix Pecten, L.?

Throughwort. See Thoroughwort.

Thrum-wort. (1) Amaranthus caudatus, L. Prior, p. 234.

(2) A book-name for Actinocarpus Damasonium, Br.—Treas. Bot.

Thrum-wort, Great. Alisma Plantago, L.—Pratt.

Thrush, or Thrush-bush. See Thrash.

Thumble. (1) Centaurea Cyanus, L.—Edinb.

(2) Campanula rotundifolia, L.—Scotl. Jamieson.

Thumble, Witches. See Witches' Thimble.

Thunder Bolts. (1) Lychnis vespertina, Sibth. Rutl.

(2) Papaver Rhæas, L.—W. Ches.; Sal. (Thunder-bowt); West. Hal.
(3) Silene inflata, L.—Kent (Higham), where the children snap the calyxes, which explode with a slight report.

Thunder Daisy. Chrysanthemum Leucanthemum, L.—Som. Friend.

Thunder-flower. (1) Stellaria Holostea, L.—W. Cumb. (Thunner-flower). A correspondent suggests that the name may have arisen from the fact that the immature capsule contains air, and when pressed between the finger and thumb bursts with a slight report. Children amuse themselves with it.

(2) Papaver Rhoas, L.—E. Bord. Bot. E. Bord. (See Lightnings);

* respertina, Sibth.—W. Cumb.

 Thyme, Bank. Thymus Serpyllum, L.—Berks.

Thyme, Basil. A modern book-name for Calamintha Acinos, Clairv.

Thyme, Creeping or Running. Thymus Serpyllum, L.—Lyte. Ger.

Thyme, Horse. See Horse Thyme.

Thyme, Laced. Thyme upon which dodder (Cuscuta) grows is so called by Turner.

Thyme, Mother of. See Mother of Thyme.

Thyme, Shepherd's. See Shepherd's Thyme.

Thyme, Water. This name first occurs in Walton's Complete Angler, chap. vi. 'Some think that he (the umber or grayling) feeds on water-thyme, and smells of it at his first taking out of the water.' What plant is here intended we are unable to determine; perhaps is is the water-moss, Fontinalis antipyretica, L. At present the near is applied to a plant which had not been introduced to this country in Walton's time, viz. Anacharis Alsinastrum, Bab. Camb.; Yks., where it is 'so called by bargemen on the Foxton Canal.' Miss Plues (Rambles in Search of Wild Plants). Prior, p. 246.

Thyme, Wild. The general name for Thymus Serpyllum, L.—Turn. Cumb. E. D. S. Gloss. C. 8; Nhumb. Turn.; E. Bord. Bot. E. Bord.

Thyme-weed. Anacharis Alsinastrum, Bab. 'Throughout the Fens.'
The Fen land, Past and Present, p. 307.

Tick. A variety of Faba vulgaris, L., well known to farmers, a little longer and broader than the common horse-bean. Herts. 'Here they call the small common field horse-bean small ticks, and the larger sort great ticks.' Ellis, Modern Husbandman, vol. i. pt. 2, p. 24.

Tickle my Fancy. Viola tricolor, L.—Hal. Tittle my Fancy. Norf. Holl.

Tickler, or Tickling Tommy. The seeds of Rosa canina, L.—N. Dev.

'Boys put them down one another's backs, when the tickling sensation is very vexatious.' Friend.

Tidy-pipe. Equisetum sp.—N. Dev.

Tiger, or Tiger's Mouth. (1) Digitalis purpurea, L.—Suss.

- (2) Antirrhinum majus, L.—Suff.; Suss.
- (3) Various species of Linaria. Suss.

Tile, Tilet-tree, Tillet, or Tillet-tree. Tilia europæa, L.—Hal. Prior, p. 232, 235. Hal. has also 'Tilleul, a kynde of frute, tilleul. Palsgrave, 1530, subst. f. 70.'

Tills. Ervum Lens, L.—'Pulse, lentils. Var. dial.' Hal. 'Wee in English [call it] Lentills, but the country people in Hampshire, and other countries, where they sow it in their fields for their Cattles foode, call it Tills, leaving out the Lent, as thinking that word agreeth not with the matter.' Park. Theatr., p. 1058. Prior, p. 235.

Til-tree. See Teile.

Time. An old spelling of Thyme.

- Timothy Grass. Phleum pratense, L.—See Grass, Timothy. W. Ellis, writing in 1750, calls it St. Timothy Grass and St. Timothy Seed. It is sometimes simply Timothy (Som.).
- Tine. 'Wild vetch or tare.' Hal. (1) Vicia hirsuta, Koch.

'From wheat go and rake out the titters or tine.'

Tusser (Five Hundred Points, E. D. S. ed., p. 113).

- (2) Vicia Cracca, L. Ellis, Modern Husbandman (Tyne).
- Tine-grass. (1) Vicia Cracca, L.
 - (2) V. nirsuta, Koch. Ellis, Modern Husbandman. (Tyne-grass.)
- Tine-tare. (1) Vicia hirsuta, Koch. Annals of Agriculture, i. 315 (1784).
 - (2) Lathyrus tuberosus, L.—Ess. (Ongar) Journ. Linn. Soc. (Botany), v. 188.
- Tine-weed. Vicia hirsuta, Koch. Ellis, Modern Husbandman (Tyne-weed).
- Tinker-tailor Grass. (1) Plantago lanceolata, L.—Som. 'So called from a game played by girls.' Mr. Elworthy.
 - (2) Lolium perenne, L.—Dev. (Tinker Tailor), 'from the game played by means of it.' Friend.
- Tipsen-leaves. Hypericum Androsæmum, L. A corruption of Tutsan, which see; Bucks.; N. Dev. (Titsy-leaf, or Tipsy-leaf); Cornw. (Titzen).
- Tisty-tosty. Cfr. Paddock-pipe. Friend.
 - (1) Kerria japonica, L.—Dev. Friend.
- (2) Viburnum Opulus, L. (garden form) Dev. Friend. The flowers of each form a ball, thus recalling the cowslip balls used by children, which are called a tosty or a tisty-tosty. See Hal.
- Tithymall. Euphorbia. Prior, p. 235. Hal. has Titimall.

Titson. See Tutsan.

Titsy-leaf. See Tipsen-leaves.

- Titters. 'A kind of weed.' Hal. Wr. In Tusser (Five Hundred Points, E. D. S. ed.) it is synonymous with Tine (which see), and probably refers to Vicia hirsuta, Koch.
- Tittle my Fancy. Viola tricolor, L.—Norf. Holl.
- Tivers. Galium Aparine, L.—S. Bucks. A corruption of Clivers.
- Toad Flax. A common book-name for (1) Linaria vulgaris, Mill.

 Lyte. Prior, p. 235. Coles (A. in E. 313) hazards the conjecture that
 it was given 'because toads will sometimes shelter themselves amongst
 | branches of it.' (!)
 - Spergula arvensis, L.—Ches. See Flax, Toad.
 - **E. Bastard.** Thesium linophyllum, L.—Prior, p. 235.
 - Yellow. Linaria vulgaris, Mill.—N. and E. Yks.
 - t. Stachys sylvatica, L.—Yks.

Toad Grass. See Grass, Toad.

Toad Paddock. A toadstool. Lanc. Hal.

Toad Pipe, or more frequently Toad Pipes. Various species of Equisetum, Hal., 'the herb Horsetail.' Lyte (Toadpipes), E. arvense, L.—Cumb. E. D. S. Gloss. C. 8 (pronounced Teadd-pipes); Lanc. (Preston) Science Gossip, 1882, p. 164; (N.-W. Linc.) E. D. S. Gloss. C. 6; (E. limosum, L.) Nhumb.; Yks. Prior (p. 235) confines the name to E. limosum, L.

Toads-cap. 'Toadstool. East.' Hal.; Norf. Holl., who also has 'Toad-skep, fungus on old trees.' In Prompt. Parv., Todyshatte: 'lewede folkys callyn it tode hat.' MS. Arundel, 42, f. 3.

Toads Cheeses. 'Rank fungi.' Oxf. Science Gossip, 1882, p. 165.

Toads-heads. Fritillaria Meleagris, L.—Wilts. (Minety) pronounced Tooad's Yeds.

Toad-skep. 'Fungus on old trees.' Hal. Wr. Probably Polyporus giganteus, Pers. Cfr. Toads-cap.

Toad's-meat. Toadstool. Wight; Hal., Dors. Dors. Gloss. (Tuoad's Meat).

Toad's Mouth. Antirrhinum majus, L.—Pratt.

Toadspit. Lemna minor, L.—Linc.

Toadstool. The general name for fungi—more especially the species of Agaricus, but extended to Polyporus and Boletus—as distinguished from the edible mushroom. Grete Herball. (Tode stoles); Hants. Holl.; Suss. Holl.; Yks. (Northallerton, Wensleydale, Cleveland). Tade-stool (Bot. E. Bord.), or Taid-stule (Jamieson) is the Scottish form, See Paddock Stool.

Toad-tether. Ranunculus repens, L.—Yks. Baines (Flora of Yorkshire).

Tobacco. Nicotiana Tabacum, L.—Prior, p. 236.

Tods-tail, or Tods-tails (i. e. Foxes' Tails). Lycopodium clavatum, L.—E. Bord. Bot. E. Bord.; Scotl. Jamieson; Elgin; Forf.; Moray.

Todyshatte. A toadstool. Pr. Parv. Hal

Tolmeiner. Dianthus barbatus, L.—'Sweete Williams, Tolmeiners, and London Tufts.' Ger. 480. Park. Parad. Prior, p. 236; who also spells it Tolmeneer. See Colmenier.

Tom Thumb. Lathyrus pratensis, L.—Berks. (Reading); Suss.

Tom Thumb's thousand Fingers. Rumex Acetosa, L. — Kent (Upnor).

Tom-bacca. Clematis Vitalba, L. — 'Also called boys'-bacca, because the boys cut the small wood in pieces to smoke like cigars.'
Suss. Parish.

Tom-pimpernowl. Anagallis arvensis, L. — Mid.-Yks. E. D. S. Gloss. C. 5; (Huddersfield), E. D. S. Gloss. (Tompimpernel).

Tommy Toad. A toadstool. Lanc. (Oldham).

Tommy Tottles. Lotus corniculatus, L.—N. Yks. The name is sent us as 'Tommy Tottles broke his mother's brandy bottles;' but we hardly suppose that the whole phrase is in general use.

Tommy Twa-sorts. Valeriana Phu, L., variety with yellow leaves.

17ks. (Thorpe Perrow); Westm. Gard. Chron. xvii. 601 (1882).

Tongue-bleeder. Galium Aparine, L.—Leic. (Belgrade); Suf. (Tongue-bleed); E. Bord. (Tongue-bluiders) Bot. E. Bord. See Bluid-tongue.

Tongue Grass. See Grass, Tongue.

Tonup. A turnip. Hal. N.-W. Linc. E. D. S. Gloss. C. 6.

Tooth Cress, or Tooth Violet. Book-names for Dentaria bulbifera, L.—Prior, p. 236.

Tooth-wort. (1) Lathræa Squamaria, L.—Ger., who says it 'riseth foorth of the grounde... having a tender, thicke, tuberous, or misshapen bodie, consisting as it were of scales' like teeth, whereof it tooke his name' (p. 1388). Usually considered to refer to the tooth-like scales of the root; but Mr. E. Lees says, 'After flowering, when the capsules are half-ripe, in form as well as in colour they simulate human teeth in a most remarkable manner.' Pictures of Nature, p. 45. Prior, p. 236.

(2) Dentaria bulbifera, L.—Treas. Bot.

(3) Capsella Bursa-pastoris, L.—Ger. Appx. Hal.

Torches. Verbascum Thapsus, L.—Lyte, who says, 'The whole toppe, with his pleasant yellow floures, sheweth like to a Waxecandle, a Taper, cunningly wrought' (p. 83, ed. 1619). Coles (A. in E.) says, 'The elder age used the stalks dipped in suct to burn, whether at funerals or for private uses.' Cockayne (iii. 331) says it is still so called. Wr. has Torch-herb. Prior, p. 236.

Torfitch. Wild vetch. West. Hal

Tormentil. (1) Potentilla Tormentilla, Sibth. (and P. reptans, L.).
Turn. Names (where it is also spelt Tormerik). Lyte. Hal. 'The herb setfoil'; Ches.; S.-W. Cumb.; Suff. In Antrim and Down Tormenting-root, E. D. S. Gloss. Hal. has the spelling Turmentille.

(2) Lamium purpureum, L.—Sal. (Craven Arms). Prior, p. 236.

Torrets. See Turrits.

Tory-tops. Fruit of Pinus sylvestris, L.—Ireland (Co. Cork).

Totsane. 'The herb agnus castris.' (sic) Hal. No doubt a mere spelling of Tutsan, which see.

Tottard. 'The herb nascorium.' Hal. We do not know this.

Totter Grass, or Tottering Grass. See Grass, Totter.

Touch and heal. (1) Hypericum Androsæmum, L.—Bucks.

(2) Hypericum perforatum, L., and (3) Prunella vulgaris, L.—Ireland (Antrim and Down) E. D. S. Gloss. (Touch an' hail).

- Hypericum Androsæmum, L. 'The still-prevailing Welsh custom, taught by mothers to their children, of placing its leaves—under the name of touch-leaf or touching-leaf—between the leaves of their bibles.' Wilkinson, p. 101. Hants. (Touchan-leaves).
- Touch-me-not. (1) Ageneral name for Impatiens Noli-me-tangere, L.— Glou. 'A plant called Noli-me-tangere, neer which if you put your hand, the seed will spurtle forth suddenly, in so much that the unexpectednesse of it made the valiant Lord Fairfax to start, as Mister Robert [Bobart] at the Physick Garden in Oxford can tell you.' Coles, A. of S. 39. Prior, p. 237.

 (2) Cardamine hirsuta, L.—Ches. (Mobberley). This plant also

shoots out its seeds when touched.

- Touch-wood. Boletus ignarius, L.—Ger. This is 'German tinder,' which used to be used for fusees. Is it not more likely that the name is derived because it ignites with a touch, as it were, like 'touch string,' and 'touch paper,' than for the reason Prior gives? Touch string, &c. was known before German tinder became an article of commerce. Prior, p. 237.
- Tower Cress. Arabis Turrita, L.—Prior, p. 237.
- Tower (or Towers) Mustard (in reference to its habit of growth). Turritis glabra, L.—Ger., who also calls it Towers Treacle. With. (ed. i.) calls it Towerer. The name has been transferred in modern books (Treas. Bot. &c.) to Arabis Turrita, L.
- Tower-wort. A book-name for Turritis glabra, L.—Treas. Bot.
- Lepidium sativum, L.-Lyte, who has also Town Town Cress. Kars. Prior, p. 237.
- Town-weed. Mercurialis perennis, L .- From the growth of the plant in towns and town gardens, it is sometimes called Town-weed." Pratt. It would seem more probable that M. annua, L. is intended.
- Capsella Bursa-pastoris, L .- 'In the North part of England Toywoort.' Ger. 215. Prior, p. 237.
- Trail, The. Male catkins of the oak. Quercus Robur, L.-Hants. (New Forest).
- Traleen Grass. See Traneen.
- Trancen, or Trancen-grass. Cynosurus cristatus, L., an Irish name for the plant, written Trathnín (cfr. J. White's Essay on Grasses of Ireland (1808), 154), which is often met with in Irish general literature; not worth a trancen being equivalent to the English 'not worth a rush.' Traleen-grass, given at p. 230, is probably a mistaken rendering of the same name.
- Traveller's Ease. Potentilla Anserina, L.-Warw. So called because applied to galled feet.
- Traveller's Joy. (1) Clematis Vitalba, L.—Seems to have been invented by Gerard, who speaks of its 'decking and adorning waies and hedges, where people trauell, and thereupon I have named it the Traueilers Ioie. Ger. 739. Cornw.; Dev.; Oxf.; Wilts. Prior, p. 237.

(2) Lycopodium clavatum, L.—Yks. (Cleveland) Cleveland Gloss.

Treacle, Churl's. See Churl's Treacle.

Treacle, Countryman's. (1) Ruta graveolens, L.—'Rue, or the Country Man's Treacle.' Short, Medicina Britannica, p. 246 (1846).
(2) Valeriana officinalis, L.—'It is called the Countryman's Treacle.'
Ib. p. 295.

(3) Allium sativum, L.—Cornw. 'The Country men in Cornwall are great eaters of Garlick for healths sake, whence they call it there, the Country mans Treacle.' Childrey, Britannica Baconica (1661), 23.

Treacle, English. Teucrium Scordium, L.—'Angliæ germander aut englysche Triacle dicitur.' Turn. Lib. Ger. Index. 'Heec plants in agro Cantabrigiensi English Treacle dicitur.' R. Cat. p. 67.

Treacle, Poor Man's. See Poor Man's Treacle.

Treacle, Towers. See Tower Mustard.

Treacle Mustard. See Mustard, Treacle, and add (3) Thlaspi arvense, L.—Turn. Names.

Treacle Wormseed. Erysimum cheiranthoides, Br. Ger. See Wormseed. Park. Theatr. 870.

Treaclewort. Thlaspi arvense, L.—Ger. Index.

Tree Fern. Osmunda regalis, L.-Wales.

Tree Moss. (1) Usnea plicata, Ach., from its growth on trees. Ger. (2) Lycopodium Selago, L., from its tree-like growth. Cumb.

Tree Sow-thistle. Sonchus arvensis, L.-With. ed. iv.; Sal.

Trefoil. A general name for various species of clover (Trifolium), (often spelt Treyfoil in Ellis's Modern Husbandman); applied more especially amongst agriculturists and seedsmen to (1) Medicago lupulina, L.—Cumb.; Nhamp. (Morton, who says, 'Trefoil as they call it by way of pre-eminence'); Norf. (Black Trefoil); E. Yks., including M. maculata, L.

(2) Trifolium minus, Sm. Ches.; Warw. Prior, p. 239.

See under their respective headings, Bean Trefoil, Bird's-foot (1), Bog Trefoil, Burgundy Hay, Clover (Heart), Herb Trefoil, Honeysuckle Trefoil, Hop Trefoil, Marsh Trefoil, Melilot Trefoil, Sour Trefoil.

Trefoil, Black. Medicago lupulina, L.—Norf.

Trefoil, Great. Medicago sativa, L.—Surflet's Country Farm, p. 648.

Trefoil, Water. Menyanthes trifoliata, L.—With. Warw.; Elgin; Moray (Water Triffle).

Trefoil, Wild. Trifolium minus, Sm. S.-W. Cumb.

Trembling Jockies. Briza media, L.—Yks. (Whitby):

'A trimmling-jock i' t' house An you weeant hev a mouse':

It is believed to be obnoxious to mice. E. D. S. Gloss. C. 4 (Trimmling Jockies). Also called Trembling Grass: Lanc.; Suff.; Yks. (Tadcaster); E. Bord. Bot. E. Bord.

Trewelufe (Truelove). Paris quadrifolia, L.-Hal.

Trick madam. See Trip Madam.

Triffoly. A trefoil. Prior, p. 239.

Trifolium. This is becoming a general agricultural name for Trifolium incarnatum, L.—Cornw.; Yks. (W. Riding).

Trifoly, Sea. Glaux maritima, L.—Lyte, who says it is so named by Turner.

Trifoly, Sour. Oxalis Acetosella, L.-Lyte.

Trimmling Jock. See Trembling Jockies.

Trinity. Tradescantia virginica, L.—Kent (Higham). 'Given the name about Lee, because they say it blossoms all the Trinity.' Rev. C. H. Fielding: no doubt suggested by the three petals of the flower. See also Herb Trinity.

Trinity Violet. Viola tricolor, L.-Yks.

Triple Grass, See Grass, Triple.

Trip Madam. Sedum reflexum, L.—Wr. In Surflet's Country Farm, p. 223 (1600), Trick madame; in Holme's Acad. of Armory (ii. 99), Trick-madam. Prior, p. 239.

Tristram's Knot, The. Cannabis sativa, L.—Bullein, Book of Simples, fol. 26.

Troll-flower. Trollius europœus, L.—Lyte. Ger. 'From Sw. troll, Da. trold, Fris. trol, a malignant supernatural being.' Prior, p. 239. 'Nomen vernaculum ex monte Pilato, ubi Troll Blume dicitur.' F. J. Ruprecht, Flora Ingrica, i. 37.

True-love, or Herb True-love. Paris quadrifolia, L.—At the top of the stalk 'come foorth fower leaves directly set one against another, in maner of a Burgunnion crosse or a true love knot; for which cause among the auncients it hath beene called herbe Truelove.' Ger. 328. Herts. Phyt. iii. 146, N. S.; Perthsh. Hal. has Trewelufe. In Cumb. True Love's Knot, E. D. S. Gloss, C. 8. Prior, p. 234.

Truffle. (1) The general name for Tuber cibarium, L.—'In French Truffes and Truffles.' Park. Theatr, p. 1319. Prior, p. 239.

(2) Bunium flexuosum, With. Invernessh.

Trumpet Flower. Lonicera Periclymenum, L.-N. and E. Yks.

Trumpet Keck. See Keck, Trumpet.

Tube Root. Colchicum autumnale, L.—With. Baxter has Tuber Root, which is of course the true meaning of the name.

Tudnoore. Nepeta Glechoma, Benth. Coles, A. in E., p. 53.

Tulip. Tulipa Gesneriana, L.—Prior, p. 239. Jamieson gives Tulipase as a Scottish form.

Tulip, Chequered (With. ed. iv.), Drooping (Ches.), or Wild (Nhamp.; Warw.). Fritillaria Meleagris, L.

Tulip, Yellow. Meconopsis cambrica, Vig. - Som.

Tunbridge Goldilocks. See Goldilocks, Tunbridge.

Tunhoof. Nepeta Glechoma, Benth. Pr. Parv. (Tunhoue) Hal.; Ger. (Tune-hoofe); Camb.; N. Ess.; Norf.; Suff. Prior, p. 239. See Ale-hoof. Hal. has 'Tunnif, the forget-me-not. East.' But we have little doubt but that the above, to which Wr. refers the same name, is intended.

Turkey Eggs. Fritillaria Meleagris, L.—Berks.

Turkey Feather. A book-name for Padina Pavonia, L., adapted from its old Latin name: 'Fucus maritimus gallopavonis pensas referens. The Turkeys Feather.' R. Cat.

Turkey Gilliflower. Tagetes erecta, L.—Ger. p. 609.

Turkey Grass. See Grass, Turkey.

Turkey-hen Flower. Fritillaria Meleagris, L.—Ger.

Turkey Pod. Sisymbrium Thaliana, Hook. A name applied—we do not know why—by With. (ed. iv.) to the plant, or rather to the genus, Arabis, of which he gives it as the sole representative.

Turk's Cap. (1) Lilium Martagon, L.—Surr. Baxter. In gardens frequently called Turk's-cap Lily. Prior, p. 240. See Park. Parad., Tulip.

(2) Aconitum Napellus, L.—Nhamp. Wr.; Som.

Turk's Head (a corruption of Turkey-hen). Fritillaria Meleagris, L.—Warw.

Turmentille. See Tormentil.

Turmit. A very common mispronunciation of Turnip. Brassica Rapa, L.—Ches.; N.-W. Cumb. E. D. S. Gloss. C. 8; Hants.; Oxf. E. D. S. Gloss. C. 3. (Turmut); Som. Holl.; Suss. Parish (Turmut); Yks. (Craven) Holl.; (Mid) E. D. S. Gloss. C. 5; Var. dial. Hal.

Turn again Gentleman. Lilium Martagon, L.—Bucks.; Glou.; Heref.; Nhamp.; W. Worc. E. D. S. Gloss.

Turncap. Lilium Martagon, L.—Holme, Acad. of Armory, ii. 65.

Turnip. By old writers spelt Turnep. (1) Brassica Rapa, L.— Lyte. 'I haue hearde some cal it in englishe a turnepe.' Turn. Names. Prior, p. 240.

(2) Sinapis arvensis, L.—Bucks. (Great Marlow).

Turnsole, or Torn sole. Euphorbia Helioscopia, L.—Prior, p. 240.

Turr. Ulex europæus, L.—Crosby Records: A Cavalier's Note Book, ed. by T. E. Gibson, p. 187.

Turrets. Carex caspitosa, Sm. Hants. In White's Natural History of Selborne, a 'clumpy sedge' is spoken of under the name Torrets, probably this species.

Tushalan. Tussilago Farfara, L.—Nhumb.

Tushylucky Gowan. Tussilago Farfara, L.—Dumfr.

Tussock Grass. See Grass, Tussock.

Tussocks. Agrostis vulgaris, L., and A. alba, L.-Glou.

Tutsan. Hypericum Androsæmum, L.—Lyte. 'The leaves laide upon broken shins and scabbed legs, healeth them, and many other hurtes and griefes, whereof it tooke his name Tout saine or Tutsane, of healing all things.' Ger. 435. S. Bucks. (Tutsan-leaf); Dev. (Teignmouth); also Titson. See also Tipsen-leaves. Hal. has 'Tutson, the periwinkle. East,' no doubt meaning the same plant. Prior, p. 240.

Tutties. Flowers of Prunus Cerasus, L .- Dors.

Tuzzy muzzy. Muscari comosum, Mill. Norf. Park. Parad. 281.

Twadgers. (1) Vicia sepium, L., perhaps confined to the seeds. Yks. (Northallerton).

(2) Vicia sativa, L .- Yks.

Tway-blade. The general name for Listera ovata, L.—Lyte. Hal. 'Twa-blade, a plant with two leaves;' Yks. Hallamsh. Gloss.; E. Bord. Bot. E. Bord. Holme (Acad. of Armory, ii. 58) has Twy-foil. Prior, p. 240.

Twelve o'clock. Ornithogalum umbellatum, L.—Som. Cfr. Eleven o'clock Lady.

Twice-writhen. A name invented by Turner for Polygonum Bistorta, L., a mere translation of the specific name. Prior, p. 240.

Twick-bine. Pyrus Aucuparia, Gaertn. N. Dev.

Twig Rush. Cladium Mariscus, L.—Treas. Bot. Prior, p. 24.

Twig Withy. Salix viminalis, L.—Lyte. Osiers are still called twigs in Ches., and an osier-bed a twiggery.

Twike. Triticum repens, L .- Linc. Brogden.

Twine-grass. 'Wild Thetch.' Ellis, Modern Husbandman, vi. pt. 2, p. 48. Vicia Cracca, L., or V. hirsuta, Koch.

Twiny Leg. Bartsia viscosa, L.—N. Dev. (Barnstaple).

Twist-wood. Viburnum Lantana, L.—Hants. Used by ploughboys to twist into handles for their whips, which are called 'twists.' (See Whip-crop (2).)

Twitch. Triticum repens, L., and often Agrostis vulgaris, L.—Beds.; Camb.; Ches.; Cumb.; Derb.; Leic. E. D. Gloss.; N. Ess.; N.-W. Linc. E. D. S. Gloss. C. 6; Norf. Holl. (Twitch Grass); Nhamp. Nth. Gloss., Sternb. Som.; Worc. Prior, p. 240.

Twitch, Black. (1) Festuca duriuscula, L.—Cumb. Hutchinson's-Hist, Cumb. Midland Counties, E. D. S. Gloss, B. 5.

(2) F. ovina, L.—Beds. Batchelor's Gen. View of Agric. of Beds. (1808), p. 323.

Twitch, Butter, or Button. Avena elatior, L.—Cumb. E. D. S. Gloss, C. 8.

Twitch, Running. Agrostis alba, L.—Midland Counties, E. D. S. Gloss. B. 5.

Twitch, Surface. '(1) Polygonum aviculare, L., and (2) Agrostis stolonifera angustifolia, are indifferently called surface twitch or red robin by farmers.' Holdich, Essay on Weeds.

Twitch, Water. Agrostis vulgaris, L.—Cumb. E. D. S. Gloss. C. 8.

Twitch-grass. See Grass, Twitch.

Two Faces under a Hat. Aquilegia vulgaris, L.—Suss.

Two-faces-under-the-sun. Viola tricolor, L.—Sal. (Worthen). In Turn. Names, Two-faces-in-a-hoode.

Twopence. Lysimachia Nummularia, L. (Prior, p. 240), or Twopenny Grass (Turn. Names).

Twopenny Grass. See Grass, Twopenny.

Twyfoil. See Twayblade.

Tyne. See Tine.

Umbrella Leaves. Petasites vulgaris, Desf.—Yks.

Uncorn. Avena fatua, L.—N. Scotl. Jamieson.

Undergrounds. 'Anemones. Dev.' Hal.

Unifoil. Maianthemum bifolium, D.C. Holme, Acad. Armoury, ii. 58.

Unshoe-the-Horse. Botrychium Lunaria, L.—'Moonwort is an herb which they say wil open locks, and unshoo such horses as tread upon it; this some laugh to scorn, and those no smal fools neither; but country people that I know, cal it Unshoo the Horse; besides I have heard commanders say, that on White Down in Devon-shire near Tiverton, there was found thirty hors-shoos, pulled off from the feet of the Earl of Essex his horses being there drawn up in a body, many of them being but newly shod, and no reason known, which caused much admiration; and the herb described usually grows upon heaths.' Culpeper, ed. 1653. Prior (p. 241), who also assigns the name to Hippocrepis comosa, L.

Upright Bur. Lycopodium Selago, L.—Scotl. Jamieson.

Upstart. Colchicum autumnale, L.—Baxter. Prior, p. 241.

Urchin. 'The key of the ash-tree.' Hal. This would be Frazinus excelsior, L: We suspect, however, that the fruit of the Horsechestnut (Esculus Hippocastanum, L.) is intended.

Urchin Crowfoot. See Crowfoot, Urchin.

Urles. 'Tares.' Hal. Vicia sativa, L.

Uvula-wort. Campanula Trachelium, L.—'In English... Uvula woort, of the vertue it hath against the paine and swelling thereof.' Ger. 366. See Throatwort.

Valara. Valeriana officinalis, L.-S. W. Cumb. Cfr. Villera.

Valerian. (1) The general name for the genus Valeriana, especially

V. officinalis, L. Lyte calls it Great Wild Valerian, to distinguish it from V. dioica, L., which he calls Small Wild Valerian. Prior, p. 241.
(2) Polemonium caruleum, L.—Turner, Names.

Valerian, Greek. See Greek Valerian.

Valerian, Red. Centranthus ruber, D.C. 'Red Valerian hath been so called of the likenesse of the flowers and spoked rundles with Valerian, by which name we had rather have it called, then rashly to laie upon it an unproper name.' Ger. 551.

Valleys. The leaves of Convallaria majalis, L.; near Woburn (Beds.) and Bletchley (Bucks.) the plant being known as Lilies and Valleys.

Vane, or Vearn. Fern. Pulman.

Variegated Nettle. See Nettle, Variegated.

Vatch (a pronunciation of Vetch). Vicia sativa, L .- Glou.

Vatch, Tar. See Tar-Vetch.

Vearn. A spelling of Fern. Pulman. In N. Dev. Veerdons is applied to ferns generally.

Velvet Dock. See Dock, Velvet.

Velvet-flower. (1) Tagetes patula, L.—Turn. Names.

(2) Amaranthus caudatus, L.—Prior, p. 241.

Velvet-leaf. Lavatera arborea, L.—Prior, p. 241.

Venus' Bath, or Venus' Basin. Book-name for Dipsacus sylvestris, L., and D. fullonum, L.—Lyte. 'It is termed Labrum Veneris, and Laver Lavacrum, of the forme of the leaves made up in fashion of a bason, which is never without water.' Ger. 1006. Prior, p. 241. Also Venus' Cap. Pratt.

Venus' Comb. Scandix Pecten, L., from the Lat. Pecten Veneris.
'After [the flowers] come uppe long seedes, very like unto packneedles, orderlie set one by another like the great teeth of a combe.'
Ger. 884. Prior, p. 241.

Venus's Chariot drawn by two doves. Aconitum Napellus, L.— Ess. (Chelmsford). The two long-stalked upper petals are concealed in the hooded sepal. When the hood is pushed back, these petals protrude, and are supposed to resemble doves, the flower representing the chariot. In Dev. the plant is called Venus's Doves.

Venus' Hair. Adiantum Capillus-Veneris, L.—A name given by Turner: 'it may be named in English Venus heir.' Turn. Names. Prior, p. 242.

Venus's Looking Glass. The garden-name for Campanula Speculum, L., from its old Lat. name Speculum Veneris, Ger. Prior (p. 242) erroneously assigns the name to C. hybrida, L.

Venus' Navelwort. See Navelwort, Venus'.

Venus' Needle. Scandix Pecten, L.-Ger.

Vernal Grass, Sweet. See Grass, Sweet Vernal.

Vervain. Verlent finitudis. L.—Lyte (also Varveya). Glos.; North N. Fox. Proc. p. 242.

Vervain. Base in Flat. Verinica Chamodrys, L.—Lyte. See Flat Vervain.

Vetch. The general name for the genus Vicia, especially (1) V. sation. L. which is the species cultivated under this name. Lyte, trias. in Vatch: Saf. Prior. p. 242.

2 Time resum, L.-Lyte, who calls it Wild Vetch. S.-W. Cant.: Suf.

See 1.30 Bitter Vetch. Corn Vetch. Brs-bitter Vetch, Horse-shoe-Vetch. Kidney Vetch, Liquorice Vetch, Milk Vetch, Tare Vetch.

Vetch. Grass. Lichyrus Nisollis. L., 'a Vetch with grassy leaves.' Prier, 7, 97.

Vetch, r Fitch. Wild. (1) Vicia sepium, L-Lyte.

2 Vinis Prices, L.—S.-W. Cumb.; Scott. (Clackmannansh.) (Wild Petch.)

Vetchling. A book-name for Lathyrus pratensis, L.—Prior, p. 242.

Vethervoo Featherfew: Pyrethrum Parthenium, L.-Pulman.

Vetoyn. 'The herb betony.' Hal. Stuchys Betonica, Benth.

Vew. or View. Turus bucents, L.—Ches. (Hal. gives Vewe); Cruven, Holl.; North, Grose View Tree); Fis. Holl.

Vilip. A pronunciation of Violet. Viola odorata, L.—Dev. Pulman has Vylip.

Villera (a corruption of Valerian). Valeriana officinalis, L.—Ireland (Antrim and Down), E. D. S. Gloss. See Filsers in Appx. and Valara.

Vine. 'Any trailing plant bearing fruit.'—Hal.

See also Blood Vine, Hedge Vine, Isle of Wight Vine, Land Vine.

Vine, Irish. Lonicera Periclymenum, L.—Ireland (Co. Donegal).

Vine, White. (1) Bryonia dioica, L.—Ger.

(2) Clematis Vitalba, L.—Rural Cyclopædia.

Vine, Wild. (1) Bryonia dicica, L.—Hants. Bromfield MS.; Worc. Prior (p. 249) gives this as White Wild Vine.

(2) Tamus communis, L.-Lyte. W. Ches.; Wight, Fl. Vect.

(3) Clematis Vitalba, L.—Lyte.

Vine, Wood. Bryonia divica, L.—Pratt.

Vinegar Plant. A kind of mould, Penicillium glaucum, formed during acetous fermentation, and used for accelerating the manufacture of vinegar. Treas. Bot.

Violet. (1) The general name for the various species of Viola, especially V. odorata, L. Lyte, who also calls it Garden Violet and Sweet Violet. Cumb.; E. Yks.; E. Bord. Bot. E. Bord. Prior, p. 242.
(2) Viola tricolor, L.—Warw.

Violet, Autumn. See Autumn Bellflower.

See also Blue Violet, Calathian Violet, Corn Violet, Damask Violet, Dame's Violet, Dog Violet, Garnesie Violet, Hedge Violet, Horse Violet, March Violet, Marian's Violet, Mercury's Violet, Pig Violet, Spring Violet, Tooth Violet, Trinity Violet, Water Violet.

Violet, English. Viola odorata, L.—Scotl. Miss Plues.

Violet, Marsh. Pinguicula vulgaris, L.—Yks. (W. Riding).

Violet, Spanish. Lupinus luteus, L.—Coles, A. in E. 393.

Violet, Summer. Viola canina, L., and V. sylvatica, Fries. - Warw.

Violet, Sweet. A very general name for Viola odorata, L.

Violet, Water. Hottonia palustris, L., from its general resemblance to the Stock (Matthiola), which was formerly called Violet. 'Water Violet... [hath] small white flowers like unto stocke Gilloflowers... [It] is called in Dutch Water Violieren, that is to saie, Viola aquatilis: in English water Gilloflower, or water Violet: in French Gyroflees d'eaue.' Ger. 678, 679.

Violet, Yellow. Viola lutea, L .- Cumb.

Viper's Bugloss. See Bugloss, Viper's.

Viper's Grass. See Grass, Viper's.

Viper's Herb. Echium vulgare, L .- Lyte. See Bugloss, Viper's.

Vippe. Pinus sylvestris, L.—Hal., quoted from MS. Cantab. Ff. i. 6, f. 25.

Virgin Mary's Candle. Verbascum Thapsus, L.—Ireland (co. Limerick).

Virgin Mary's Cowslip. Pulmonaria officinalis, L. -Sal.; W. Worc.

Virgin Mary's Honeysuckle. Pulmonaria officinalis, L.—Ches.; Sal., in which county a legend similar to the following is still current.

Virgin Mary's Milk-drops. Pulmonaria officinalis, L.—Monmouthsh. The tradition that the spots on the leaves were caused by drops of the Blessed Virgin's milk is very widespread. Dr. T. W. N. Smart writes from Salisbury: 'I had an old woman weeding in my garden, and proposed to her to turn out a plant or two of it, to which she strongly objected, and said, "Do ee know, Sir, what they white spots be?" "No, I don't." "Why, they be the Virgin Mary's Milk! so don't ee turn 'em out, for it would be very unlucky!" See also Lady's Milksile. At Weymouth (Dors.) the plant is called Mary's Tears, 'so called,' writes Miss S. M. Payne, 'from a legend, that some tears from the Virgin Mary, falling on the leaves of that plant, occasioned the white blotches on them; and that from her excessive weeping, one eye (which before was blue) became red, in consequence of which the plant has since borne flowers of the two colors.'

Virgin Mary's Pinch. Polygonum Persicaria, L.—Berks. (Maidenhead), 'from a tradition that the Blessed Virgin once pressed it with her thumb.' N. & Q. 4th S. iii. 414; x. 156. This is the plant referred to by Mr. Friend in 'Academy,' Aug. 11, 1883, p. 92, who thus ex-

plains the name: 'In Oxon and Northants there is a flower ... which is said to have been stigmatised by the Virgin, and condemned to a life of inutility. She used to employ it for the manufacture of an ointment, but on one occasion

"She could not find it in time of need, And so she pinched it for a weed."

... Every leaf has a dark spot in the centre, just as though it had been pinched, on which account it goes by the name of pinch-weed.'

Virgin Mary's Thistle. Carduus Marianus, L.—Bucks.; Ches.; Hants.; Norf. (Virgin's Thistle). Hal. (Carduus benedictus).

Virgin's Bower. Clematis Vitalba, L.—With. ed. iv. Irel. Prior, p. 243. Various species of Clematis, especially C. Flammula, L.—Ger.

Virginia Rose. Lupinus luteus, L.—Coles, A. in E. 333.

Vlix (Flax). Linum usitatissimum, L.—Dors.

Vuss, or Vuz. A West country pronunciation of Furze. Ulex europæus, L.—Pulman. Also Vuzzen. Dors. Gloss.
Vylip. See Vilip.

Waar. Scawced. See Ware.

Waberan Leaf, and Wabert Leaf. See Waybread.

Wad. Isatis tinctoria, L.—Turn. Libellus.

Waggering Grass. Briza media, L.—N. Yks. Pulman has Waggin Grass.

Wag Wanton. Briza media, L.—Wade, Cat. Pl. (1794), 22. Hal. Bucks.; also (at Wycombe) Wig-wag Wanton; Dors. Dors. Gloss. (also Wagwant); Som. Prior, p. 244 (Wagwant).

Wake-at-noon. Ornithogalum umbellatum, L.—Wight, Phyt. iii. 971, O.S.

Wake-pintle. Arum maculatum, L.—Prior, p. 244.

Wake Robin. Arum maculatum, L.—Lyte. Ches.; N. and E. Yks.; Suss.; Scotland, Jamieson. Prior, p. 244.

Wale-Wort. See Wall-wort.

[Wall, Water, White, and Wood are applied, as distinguishing adjectives (especially in books), to many plant-names, for the most part not in actual use: we have not given these a separate entry unless circumstances seemed to require it.]

Wall Barley. See Barley, Wild.

Wallflower. (1) A frequent name for *Cheiranthus Cheiri*, L., which 'groweth upon bricke and stone wals'. Lyte. *E. Bord*. Bot. E. Bord. Ger. 371. Prior, p. 245.

(2) Helianthus annuus, L.—Sal. In answer to an inquiry, Miss Jackson writes: 'I am quite sure about Wallflower being Helianthus annuus; it struck me as so odd that I made every inquiry about it.'

Wallflower, White. The white Stock, Matthiola incana, Br., var. alba. Mart. Mill.

Wall Grass. Sedum acre, L .- Dev. Friend.

Wall-ink. Veronica Beccabunga, L.—Dumfriessh. Stat. Acc. Scotl. ii. 464. Stirlingsh.; Irel. (Antrim, Down), also Well-ink.

Wall Moss. Sedum acre, L .- N. and E. Yks.

Wall Pepper. Sedum acre, L.—Lyte. Glou. (Fairford). Prior, pp. 178, 245.

Wallwort. (1) Parietaria officinalis, L.-Grete Herball.

(2) Sedum acre, L.—Yks. (Wakefield).

(3) Sambucus Ebulus, L.—Turn. Names. Ger. Appx. Sal. (Much Wenlock) Shropsh. Wordbook. Baxter has Walewort. Prior, p. 244.

(4) Cotyledon Umbilicus, L.-Holme, Acad. of Armory, ii. 101.

(5) 'The Walwort is an herb grows commonly about two cubits high; his leaf is rifted like Bugloss, the root outwardly is black, but within white and oyly.' Holme, Acad. of Armory, ii. 73. We do not know what is meant.

Waller. A willow. Staff. Poole.

Wallow, or Wullow. Alnus glutinosa, L.-Hal. Sal.

Walnut. The general name for Juglans regia, L.—Lyte. Heref. E. D. S. Gloss. B. 12, where it is explained as 'the tree or fruit of the double walnut only;' West. Hal. 'A.S. wealh-hnut, from wealh, foreign, G. wälsch.' Lyte has Walshe nut, and Ger. 'Walnut, and of some Walsh Nut.' Prior, p. 244.

Walwort. 'The herb filipendula.' Hal.

Waly, or Walysprig. 'A small flower.' Scotland, Jamieson. We do not know what is meant,

Wandering Jenny. Lysimachia Nummularia, L.—Cumb. E. D. S. Gloss, C. 8.

Wandering Jew. Linaria Cymbalaria, Mill. Suss.

Wandering Sailor. (1) Lysimachia Nummularia, L.—Dev. Friend;
Dors.

(2) Linaria Cymbalaria, Mill.—Dev. Friend; Som.

Wans. The shrubby kinds of willow.—N.-W. Cumb. E. D. S. Gloss, C. S.

Warba Leaves. Plantago major, L.-Moray.

Ward-seed. Capsella Bursa-pastoris, L.—Dev.

Ware. Various species of seaweed. Kent (Thanet). Grose. Hal.; Scott. Jamieson. See also Bellware, Eelware, Honeyware, Kelpware. Prior, p. 245. Other spellings are Waar (North, Ray), Waur (which see), Weir (Nhumb., Grose; North, Ray).

Ware, Red. (1) Laminaria digitata, Lam.—Scotl. Rural Cyclopædia.
(2) Porphyræ, Scotl. Jamieson.

Ware, Sea. Alaria esculenta, Grev.—Scotl. Jamieson.

Ware, Strawberry. Fucus vesiculosus, L.—Scott. Rural Cyclopedia.

Ware Tangle. Laminaria. E. Bord. Bot. E. Bord.

Ware-wassel. 'A stem of seaweed.' Hal.

Warence. Rubia tinctorum, L.—Ger. Appx. Hal. Prior, p. 245.

Warlock. (1) Sinapis nigra, L.—Wight. Fl. Vect.

(2) 'Raphanus Raphanistrum?' Suff. Ann. of Agriculture, v. 250.

Warmot. Artemisia Absinthium, L.—Ger. Appx. Hal.

Wart Cress. See Cress, Wart.

Wart-flower. Chelidonium majus, L.—Dev. Friend.

Wart Grass. Euphorbia Helioscopia, L.—(Cumb.; Derb.) and E. Peplus, L. (Linc.; Yks.), the acrid milky juice of which is used as a cure for warts. Prior (p. 245) calls the former Wart Spurge. See also Wartweed and Wartwort.

Wartweed. (1) Euphorbia Helioscopia. L.—Camb.; Cumb. E. D. S. Gloss, C. 8; N. Ess.; Glou. (Fairford); Norf.; Suff.; E. Yks. Prior, p. 245.

(2) Euphorbia Peplus, L.-E. Yks.

(3) Chelidonium majus, L.—Suff. Wretweed is an E. Anglian form.

Wartwort. (1) Euphorbia Helioscopia, L.—Turn. Lyte, who includes E. Peplus, L.—Sal.

(2) Chelidonium majus, L.—Glov.

(3) Senebiera Coronopus, Poir. Grete Herball.

(4) Gnaphalium uliginosum, L.—Ches.

Waster Ledges. Polygonum Bistorta, L.—Cumb. E. D. S. Gloss. C. 8. Cfr. Easter-ledges.

Watch Guards. A gurden name for Cytisus Laburnum, L.—Ches. (Frodsham).

[Water. See Wall.]

Water Bells. Nymphæa alba, L.—'Northern counties.' Cornhill Magazine, July, 1865.

Water Blinks. Montia fontana, L.—Prior, p. 245.

Water Blob. (1) Caltha palustris, L.—Leic.; Nhamp. Wr. Sternb.; Notts.; Yks. (Wakefield) (Watter Blob).

(2) Nymphæa alba, L.—Nhamp. Sternb.; Yks. (Wakefield).

(3) Nuphar lutea, Sm.; Dors.; Nhamp. Sternb. See Blob.

Water Can. Nuphar lutea, Sm., and Nymphæa alba, L.—With. Ed. iv. Prior, p. 245, restricts the name to Nuphar.

Water-cress. See Cress, Water.

Water-cup. Hydrocotyle vulgaris, L.—Baxter. A mere translation. Water Fennel. (1) Callitriche verna, L.—Park. Theatr.

(2) Enanthe Phellandrium, L.—Prior, p. 246.

Water flower. Geum rivale, L.—'This is of some called a Water-flower.' Holme, Acad. of Armory, ii. 74.

Water Grass. See Grass, Water, and add-

(3) Holcus lanatus, L.—Glou. (Andoversford). The name appears to be extended to several other grasses which come up as natural weeds of the district amongst second years' 'seeds'; but the Holcus, which is extremely plentiful, is the grass to which the name is especially given.

Water Lily. See Lily, Water, and add-

(3) Calla palustris, L.—Ches.

(4) Iris Pseudacorus, L.—Dev. Friend.

Walton in 'Complete Angler,' chapter ii., alludes to water-lilies as if they grew on dry land. 'Look down at the bottom of the hill there in that meadow, chequered with water-lilies and lady-smocks.' It would seem as if some plant other than any of these we have enumerated were so called in Walton's time.

Water-lyngke. 'The herb fabria minor.' Hal. We do not know this.

Water Pine. Stratiotes aloides, L .- Ches.

Water Poppies. Lychnis diurna, Sibth. Linc. (Boston).

Water Poplar. Populus fastigiata, Desf. Som.

Water Purpy. Veronica Beccabunga, L.—Scotl. Pratt; Sutherlandsh. Hortus Medicus, 1683. In Cumb. Water Purple, E. D. S. Gloss, C. S.

Water Socks. Nymphæa alba, L.-With. Ed. iv.

Water Soldier. A book-name for Stratiotes aloides, L.—Prior, p. 246.

Water Rose. Nymphwa alba, L., and Nuphar lutea, Sm. Turn. Names.

Water Rot. Hydrocotyle vulgaris, L.-W. Ches.

Water Sallow. A species of willow. Suff. Moor.

Water Thistle. Carduus palustris, L.—Cumb. E. D. S. Gloss. C. 8.

Water Torch. Typha latifolia, L.-Lyte. Prior, p. 246.

Water Violet. Hottonia palustris, L.—Ger. Prior, p. 246.

Waterweed, American. Anacharis Alsinastrum, Bab. Prior (p. 247) calls it American Riverweed.

Water Willow. Salix rubra, Huds. E. Bord. Bot. E. Bord.

Water-wort. (1) Asplenium Trichomanes, L. — 'Waterwort is Maidenbayre.' Ger. Appx. Hal.

(2) Elatine Hydropiper, L.-Prior, p. 246. A mere book-name.

Water Yarrow. Hottonia palustris, L.—Yks. Baines (Flora of Yorkshire). The leaves are finely divided like those of the Yarrow.

Watling Street Thistle. Eryngium campestre, L., from its place of growth. Nhamp. Nth. Gloss.

Waur, or Waure. Various kinds of Sea-weed. 'Sea-woor, or Sea-wrack.' Kent (Thanet), E. D. S. Gloss. B. 11, C. 3. Hal. See Ware, Woore, Ore.

Wave-wine. Convolvulus sepium, L., and C. arvensis, L.—Morton's Cyclopædia of Agriculture.

Wax Dolls. Fumaria officinalis, L.—Herts; Kent, Pratt.

Way Barley. See Barley, Way.

Way Bent. Hordeum murinum, L.—'Called in Cabridgshire Way bent.' Turn. Names. See Bennet. Prior, p. 247.

Waybread, or Waybred. Plantago major, L.—A widely-extended name, spelt in many ways, and with numerous variations. Grete Herball (Weybrede); North, Turn. (Waybrede); Ger. (Weybred); Appx. (Waybread); Ches. (Waybred) (Wilbraham gives also Waybrid and Wybrow); W. Ches. (Wayberry); North, Grose; Witts. (Wayside Bread); E. Bord. (Waybrede, Wayborn, Waybret. E. Bord.; Scotl. (Wabran-leaves, Waberan-leaf and Wabertleaf), Jamieson. Hal. erroneously has 'the plantain tree.' Prior, p. 247.

Wayfaring Tree. Viburnum Lantana, L.—A name invented by Gerard, who calls it Wayfaring Man's Tree, of which Parkinson says (Theatr. 1449): 'Gerard calleth it in English the Waifaring tree, but I know no travailer doth take either pleasure or profit by it, more then by any other hedge trees.' Prior (p. 247) gives also Wayfarer Tree. In Aubrey's Nat. Hist. of Wilts (p. 56), probably by a mistake, Pyrus Aucuparia, Gaertn.

Wayfron. Plantago major, L.-E. Bord. Bot. E. Bord.

Way Grass. 'Knot grass.' Hal. Polygonum aviculare, L.

Wayside Bread. Plantago major, L.-Wilts.

Way Thistle. Carduus arvensis, L.—Dr. J. Hill (Herb. Brit. 1769). Prior, p. 233.

Waythorn. Rhamnus catharticus, L.-Lyte. Sal. Prior, p. 247.

Waywind. Convolvulus arvensis, L., and C. sepium, L. — Oxf. (C. sepium); Warw.

Way-wort. Anagallis arvensis, L.—Hal. 'Wey wort is Ipia maior.' Ger. Appx.: this would appear to be Stellaria aquatica.

Weasel Snout. Lamium Galeobdolon, Cr. Glou. 'The flower of the dead nettle is like a Weasells face, and is called Galeopsis, which in Greek signifies the same.' Coles, A. of S., 35.

Weather Glass. Anagallis arvensis, L.—S. Bucks. See Poor Man's Weather-glass and Shepherd's Weather-glass.

Weather-wind. Convolvulus sepium, L. Cfr. Withwind. Hal.

Weather-wind, Cow's. See Cow's Weather-wind.

Weeby. Senecio Jacobæa, L.—Clackmannansh.; Forfarsh.

Weedbind. Convolvulus arvensis, L., and C. sepium, L.—Turn.

Weedwind. (1) Polygonum Convolvulus, L.—Lyte.

(2) Convolvulus arvensis, L.—Ger. Index. Prior, p. 247.

Weeping Widow. Fritillaria Meleagris, L.—Nhamp.; Staff.

Weeping Willow. (1) The general name for Salix babylonica, L. (2) Cytisus Laburnum, L.—N. Dev. Friend. Prior, p. 247.

Weieworth. 'The herb pimpernel.' Hal.

Weir. Seaweed. See Ware.

Welchnut. See Welsh-nut.

Welch-parsley. Cannabis sativa, L.-Hal.

Welcome Home Husband. Euphorbia Cyparissias, L.—Hal. Yks.
Hallamshire Gloss.

Welcome-to-our-house. Euphorbia Cyparissias, L.—'Among women, Welcome to our house.' Ger. 407. Prior, p. 247.

Weld. Reseda Luteola, L.—Ger. Prior, p. 247.

Weld, Dyers Greening. Genista tinctoria, L.—Ger.

Well Grass. Nasturtium officinale, Br.—Scotl. Jamieson. See also Horse-Well-Grass.

Well-ink. Veronica Beccabunga, L.—Cumb. E. D. S. Gloss. C. 8; Irel. (Antrim, Down) also Wall-ink. One correspondent spells it Well-link.

Well Kerse. Nasturtium officinale, L.—Scotl. Jamieson.

Welogh. The willow. Hal.

Welsh-nut. Juglans regia, L.—Dors. Dors. Gloss.; Wilts. Hal. spelt Welch-nut. Pulman.

Welsh Poppy. A common book-name for Meconopsis cambrica, Vig. Prior, pp. 186, 248.

Weremod. Wormwood. Hal.

Wethewynde. The plant woodbine. Hal.

Weybred. Plantago major, L.--Ger. Emac.

Weyl Esh, i. e. wild ash. Ægopodium Podagraria, L.—N.-W. Cumb. E. D. S. Gloss. C. 8.

Weythernoy. Pyrethrum Parthenium, L.—Ger. Appx. Hal.

Weywort. 'The herb ipia major.' Hal. See Way-wort.

Whacker or Whackering, Gerse. See Gerse, Whacker or Whackering.

Wharre. Pyrus Malus, L.—Ches. Wilbraham. Ray, E. D. S. Gloss. B. 15. Hal. Prior, p. 248.

What's your Sweetheart. Lolium perenne, L., from its use in rustic divination.—Suss.

Wheat. The general name for Triticum sativum, L.—Prior, p. 248.

The named varieties of wheat are very numero amongst the most distinctive and important miled also Clog Wheat (E. Anglio, Forby generally), and Durgan Wheat (Kent, Hal. also Durk Wheat (Aced, Hall Wr.); White V kinds from the colour of the grain); Spring V Lyte March Wheat and Summer Whea South L. See also Black Corn, Block W Cow Wheat, Duck Wheat, Durgan Whe Indian Wheat.

Wheat Barley. See Barley, Bare.

Wheat-bennet. At Hendon, Middx., 'they ha beamet, which, when ripe, shows their grass is f a Enle they often go by. W. Ellis, Modern I pt. 2, p. 77 (1750). This grass we cannot identif

Wheat Sine. Compolement arpensis, L.-Herts,

Whicken. Pyras Ascaparia, Gaertn.-Hal. Hullamsh Gloss, Ger. has Whicken-tree.

Whirkenins. Trofficem repens, L.—Camb. (Wi

Whickens, or Wickens. Trilicum repens, L .lund Gloss, L

Whicks, or Wicks. (1) Triticum repens, L.-C. (spelt Whicks); N.-W. Linc., E. D. S. Gloss, Fiz. (Wakefield, Hallamsh, Gloss.), (E), E. (Holderness) E. D. S. Gloss, C. 7.

(2) Agressia, various species, Ika., also Wicker

(3) Thorn plants for hedges. Cratagus Ozyacas

Whimberries. Bilberries. Lanc. Hal. Prior

Whin, or Whins. (1) Ulex europeus, L., and Lyte. E. Anglia, Forby; Cumb. E. D. S. Gloss, E. D. S. Gloss, C. 6; North, E. D. S. Gloss, B., Whin-bloom); Var. dial. Hal.; Suff.; Yk. (or R. D. S. Gloss, B. 2; (W. Riding) E. D. S. G. dale) E. D. S. Gloss, C. 1; (Whitby) E. D. S. G. Bot. E. Bord.; Aurah.; Dumfriessh.; Inverse. (Antrim, Down), also Whims, Hal, has ' Whine Fermanagh, Prior, p. 248.

(2) Onemis arrensis, L.—'Anonis is called it solume.' Turn Lib. See Cammock Whin, Co Whin, Lady Whin, Land Whin, Moor W Needle Whin, Petty Whin.

Whin-berry. A common name for Vaccinium A p. 248.

Whin-wrack. Holous mollis, L.-E. Bord. So is found to occupy places where whins have been Bord. p. 215.

Whip-beam. Pyrus Aria, Sm.—Herts.? 'When it grows in coppies it serves the plough-boy to make himself a horse-whip.' Ellis, Modern Husbandry, vii. pt. 2, p. 91.

Whiperop. (1) Pyrus Aria, Sm.—Hal. Wight, Fl. Vect.

(2) Viburnum Lantana, L.—Wight, Fl. Vect. The long, straight, and very tough shoots of both these species are cut for whip-handles by waggoners.

(3) Viburnum Opulus, L.-Wight, Phyt. O. S. iii, 420.

Whip-tongue. Galium Mollugo, L.—(Prior, p. 248), but G. Aparine is no doubt intended. Cfr. Bluid-tongue. Prior, p. 248.

Whipultre. The name of some tree mentioned by Chaucer (Canterbury Tales; Knight's Tale). The quotation is as follows:

But how the fire was maken up on height, And eke the names, how the trees height, As oke, firre, beche, asp, elder, elme, popelere, Willow, Holme, Plane, Boxe, Chesten, laure, Maple, thorne, berche, ewe, hasel, whipultre, How they were felde, shall not be told for me.'

In several counties a whipple-tree is the cross bar to which plough horses are yoked, and it is usually made of ash. It is possible that the ash may be the tree intended, as it is not otherwise mentioned in the list, though almost all other British trees are enumerated.

Whirl Bent. Juncus squarrosus, L.—Cumb. E. D. S. Gloss. C. 8.

Whistle-wood. (1) Pyrus Aucuparia, Gaertn.—Yks. (Wakefield).

(2) Acer campestre, L., and A. Pseudo-platanus, L.—Clackmannansh.

Whit-aller. Sambucus nigra, L.—Som. See Black Aller in Appx.

Whit Sunday. Narcissus biflorus, L.—Dev. See Friend.

Whitsun-boss. The cultivated form of Viburnum Opulus, L.—Glou.

Whitsun Gilliflower, See Gilliflower, Whitsun.

[White. See Water.]

White Ash. (1) Pyrus Aucuparia, Gaertn.—Lyte.

(2) Egopodium Podagraria, L .- Som. ('the only name').

White-ash Herb. Egopodium Podagraria, L.? 'A herb which grows amongst grass.' Ellis' Country Housewife's Companion (1750), p. 128. 'White-ash is much rejected by cattle.' Ib. p. 318.

White-back. Populus alba, L.—Hal. Norf. Holl., in allusion to the white underside of the leaves.

White-beam. Pyrus Aria, Sm.—Johnson in Ger. Emac, who calls it White-beam Tree. Prior, p. 248.

White Blow. (In Ger. Index Whitblow.) (1) Saxifraga tridactylites, L.—Ger.

(2) Draba verna, L.—Ger. Cfr. Grass, Whitlow. Prior, p. 249.

White-caps. Agaricus campestris, Schaeff.—Ess. 'At Stapleford Abbot, in Essex, the people call them White-caps, laughing at those

mekneys who take them for muskrooms.' Sower t. 304.

Whiteheads. 'Spikes of Typha billyolia, L., matter has ripened and last the colour which lead Blockheads.' Dev. Friend.

White Ladies. This name is given to the smo misslie, I.) in 'Strathmore,' a novel by 'Ouisin actual use we do not know. It has the ring of plant-name.

White-leaf-tree. Pyrus Aris, Sm.—Evelyn (S allvery under-surface of the leaves.

White Nancy. See Nancy, Sweet.

White Rice. See Rice, White.

White-root. Polygonatum multiflorum, All. "T and thicke." Ger. 755. Lyte. Print, p. 249. G signs the name also to Pinguicula vulgaria, L.—"In is called White roote, but that name belongeth in Salomons scale;" but this was an error on his part.

White Rot. (1) Pinguicula rulgaris, L.— They and not white roote, as Gerard saith, for the Country their sheepe will eatch the rot, if for hunger they and therefore call it the white rot, of the colour of have another they call the red rot, which is Pelii Park. Theatr. 534.

(2) Hydrocotyle vulgarie, L .- W. Chez, ; Sal. Pr

White Tansy. Achillea Ptarmica, L.-Lyte.

White-thorn. Crategus Ozyacantha, L.—Lyte. Cornw.; Dev.; Warw.; Yhs. Prior, p. 249.

White-weed. (1) Achillea Ptarmica, L.—Irel. (I fastiensis.

(2) Anthriscus sylvestris, Hoffm. E. Yhs.

White-wood. (1) Tilia europæa, L.—Hal. W.

(2) Viburnum Lantana, L.—Dors. See Whitte all other kinds of timber besides oak are distinguis

Whitewort. (1) Pyrethrum Parthenium, L.—Ly Fl. Vect.

(2) Polygonatum multiflorum, All. Turn. Pric

Whitlow Grass. See Grass, Whitlow.

Whitten-tree. This name is assigned by Lyte to L; he says, 'I take this to be a shrub that is Whittentree, whereof are two kinds, one in all po Sambucus palustris [V. Opulus], the other altered leaves be like to Elme or Witch Hasell, and this and flexible.' This second tree is V. Lantana, L. white underside of its leaves, seems to be the right

the actual, claimant of the name in Berks (Prior), and of similar names elsewhere. Gerard, however, follows Lyte in assigning it to V. Opulus. V. Lantana, Mr. Akerman writes in 'Archeologia,' xlii. 125, 'is universally known by the rustic population of the Southern, Midland, and Western counties by the name Whiten-tree or Whiten-beam;' and Aubrey (Royal Soc. Ms. fol. 137) says, 'In and about Cranbourn chace growes naturally a tree with a white leafe; it is no bigger than a cherry tree; they call it Whiting or Whitewood.' Mr. Friend gives Whitney as a Dev. name for the shrub, and says, 'In Devonshire they have a saying, "as tough as a Whitney stick," and farm lads always used to seek this wood for their rustic whips,' &c. Hal, has Whitten.

Whitty. (1) A willow. Pulman. Hal.

(2) Pyrus domestica, Sm. Worc. (Bewdley Forest) Phyt. O. S. iv. 1102. See Whitty Pear.

- Whitty Pear. (1) Pyrus domestica, Sm. Worc. (Bewdley Forest). 'There was an undoubted feeling of superstitious protection attached to the tree, whose fruit was commonly said in the vicinity "to keep out the witch" from their habitations, and for this reason they hung up the hard fruit, which would remain for a long time without decaying, in their houses. The tree is commonly called by the foresters Whitty, or Whitty Pear; perhaps derived from the old English word "witten," to know, meaning the wise tree. They distinguish it from the mountain ash, which they simply call Witchen; and though a protective power is attributed to a stick of that tree, yet the "whitty pear," they say, is stronger.' Phyt. O. S. iv. 1102.
 - (2) Pyrus torminalis, Sm. Worc.

Whitty-tree. Pyrus Aucuparia, Gaertn.-West, Hal.

Whooping Cups. Peziza coccinea, L.—Suss., where the fungus is boiled as a cure for whooping-cough.

Whortleberry. (1) Vaccinium Myrtillus, L.—Lyte. S. Dev. (the fruit Whorts); Kent (Whirtleberry), E. D. S. Gloss. C. 3; N. Yks. Prior, p. 249.

(2) Vaccinium Vitis-Idea, L.-Lyte.

Whorts, or Worts. (1) Vaccinium Myrtillus, L.—Lyte. S. Dev. (the fruit only); W. Suss. Holl.; West, Grose. See also Black Whorts. Prior, p. 249.

(2) Vaccinium Vitis-Idea, L.-Lyte. (Red Whorts.)

(3) 'A small blackberry.' Hal. probably means a small, black, berry, in which case no doubt Vaccinium Myrtillus, and not Rubus, is intended.

Whorts, Marsh. See Marsh Worts.

Whuns. Ulex europœus, L.—Irel. (Antrim, Down).

Whusselwood. 'The alder, of which whistles are made.' Hal. Is not this rather the elder, Sambucus nigra, L.?

Whuttle Grass. Melilotus officinalis, Willd .- Roxb. Jamieson.

Whya-tree. Robinia Pseudacacia, L.-Mr. R. Wood writes from

Manchester, 'In the neighbourhood where I was brought up, in the East Riding of Yorkshire, the Acacia was frequently called the Waya tree, and in fact nearly all old people know it best by that name. When I was first told of [trees] being found in the bogs, my informant told me of them as Whya trees.'

Wibrow. Plantago major, L.—Ches. Hal.

Wich-elm. Hal. See Elm, Witch.

- Wick. (1) A plant of hawthorn, Cratægus Oxyacantha, L.—Yks. Also Wickwood.
 - (2) Triticum repens, L.—Yks. (W. Riding). Cfr. Whicks.
- Wicken, or Wicken Tree. Pyrus Aucuparia, Gaertn.—Hal. Turn. Ches.; N.-W. Linc. E. D. S. Gloss. C. 6; Nhumb. Turn.; Sal. Shrop. Word-book. Prior, p. 191. Cfr. Whicken.
- Wicken Grass. Triticum repens, L.—Yks. Cleveland Gloss.
- Wickens. (1) Triticum repens, L.—North, Grose; Yks.
 - (2) Hedge thorns (Cratægus Oxyacantha, L.). Yks. (Whitby) E. D. S. Gloss. C. 4; also Wicks, Wickthoorns, or Wickwood.
- Wickey. Pyrus Aucuparia, Gaertn.—Hal. (Wicky), Ches. Leigh's Gloss.; Derb.; Sal. Shropsh. Word-book.
- Widbin. (1) Cornus sanguinea, L.—Bucks.
 - (2) Lonicera Periclymenum, L.—A Scotch form of Woodbine.
 'The rawn-tree in [and] the widd-bin Haud the witches on cum in.'
 Gregor's Folk-lore of North-East of Scotland, p. 188.
- Widbin Pear-tree. Pyrus Aria, Sm.—Bucks.
- Widdy. Various species of Salix. Dev. (or Withy); Yks. (Mid.) E. D. S. Gloss. C. 5, explained as a twig of the sucker kind, and including twigs of hazel.
- Widgeon Grass. Zostera marina, L.—Ireland (co. Dublin).
- Widow Wail. Fritillaria Meleagris, L.—Sal. By early writers the name was applied to Cneorum tricoccos, L.: 'it is called in English Widow Wayle quia facit viduas.' Ger. 1215.
- Widow Wisse. Genista tinctoria, L.—'Widow Wisse, y' is greening weed.' Ger. Index.
- Wiffs. Withies (Salix sp.). Kent, Hal.
- Wiggin, or Wiggen Tree. Pyrus Aucuparia, Gaertn.—Cumb. Hal.; Westm. Phyt. N. S. ii. 251; Yks. (Wakefield), (Hallamsh. Gloss. spelt Wigan); Wales, Miss Plues.
- Wiggle-waggles (Suss.), Wig-wag Wanton (S. Bucks), or Wiggle-waggle-wantons (Berks). Briza media, L.
- Will-fire (wild fire). (1) Ranunculus Flammula, L.—Mearnsh.;
 - Coltha palustris, L.—Scotland (Mearnsh.), Jamieson.

 L. marsh marigold shines like fire.'—Tennyson, May Queen.

Wild Lily. Arum maculatum, L .- Dev. Friend.

Wild Williams. Lychnis Flos-cuculi, L.—Lyte. Prior (p. 250) has Wild Sweet Williams.

Wilding, or Wilding Tree. Pyrus Malus, L.—Lyte. Hal. Sal. Prior, p. 250.

Wilf. A willow. North, Hal.; Yks. Cleveland Gloss. (E.) E. D. S. Gloss. B. 2; (Whitby) E. D. S. Gloss. C. 4; (Holderness) E. D. S. Gloss, C. 7.

Wilgers. Salix viminalis, L.—Dev. (Barnstaple). Hal. gives Wilghe as an A.S. form.

Willey, or Willy, or Willies. The genus Salix. Cumb. The shrubby species are so called, the tree species being distinguished as Willy-trees. E. D. S. Gloss. C. 8; North, Hal.; Scotl. (Willie and Willan), Jamieson. Halliwell gives Willy-beer, a plantation of willow.

Williams. Dianthus barbatus, L.—'In the trade we hear only of "Williams," without the pleasant prefix which has so long been associated with this plant.' Garden, Jan. 22, 1881, p. 102.

Willie-run-hedge. Galium Aparine, L .- Stirlingsh. Jamieson.

Will Kail (Wild Kail). Sinapis arvensis, L.—S. Lanarksh. Jamieson.

Will-of-the-wisp. Nostoc commune, Vauch. Prior, p. 250.

Willow, or Willow Tree. The general name for the various species of Salix. Turn. Ayrsh. (occasionally). Prior, p. 250. Salix viminalis, L.—S.-W. Cumb. (Willow Tree); N. Yks. Salix alba, L.—E. Bord. Bot. E. Bord.

See Bay Willow, Bleeding Willow, Crack Willow, French Willow, Goat Willow, Ground Willow, Herb Willow, Kit Willow, Mock Willow, Stinking Willow, Sweet Willow, Water Willow,

Weeping Willow.

Willow, Black. Salix pentandra, L.—Sal. 'This species is much sought after by the Irish harvest-men, who call it the black willow, and cut it for their shillelahs.' Leighton, Flora of Shropshire, p. 485 (1841).

Willow, Blooming. Epilobium angustifolium, L.—Ireland (Donegal).

Journal of Botany, 1881, p. 235. Cfr. Blooming Sally.

Willow, Drooping. (1) Salix babylonica, L.—Dev. Friend.
(2) Cytisus Laburnum, L.—Dev. Friend.

Willow, Duck. Salix alba, L.-N. and Q. 1st S. ix. 571.

Willow, Rose-bay. A book name for Epilobium angustifolium, L.

Willow, Snake-skin. See Snake-skin Willow.

Willow, White. Salix alba, L.—Prior, p. 250.

Willow, Wild. Epilobium hirsutum, L.—South. 'By the bank the wild willow, with its woody stem, willow shaped leaves, and pale red flowers, grows thickly.' R. Jeffries, Round about a Great Estate, p. 34.

Willow Bays. See Bays, Willow.

Willow Blossom. Phlox. Dev. Friend.

Willow Grass. See Grass, Willow.

Willow-gull. Male catkins of Salix Caprea, L.—Kent. E. D. S. Gloss, C. 3.

Willow Herb. (1) A common book-name for the various species of Epilobium. Prior, p. 251. E. hirsutum, L.—Dr. J. Hill, Herb. Britt. 1769. W. Ches.; Yks.

(2) Lysimachia vulgaris, L.—Ger.

Willow Herb, Bay. See Bay Willow.

Willow Herb, Golden or Yellow. Lysimachia vulgaris, L.-Lyte.

Willow Herb, Hooded. See Hooded Willow Herb.

Willow Herb, Spiked. Lythrum Salicaria, L.—Prior, p. 251.

Willow Poplar. Populus nigra, L.—Camb. Loudon's Arboretum.

Willow-thorn. Hippophae rhamnoides, L.—Baxter.

Willow-weed. The land form of Polygonum amphibium, L.—E. Yks. Polygonum Persicaria, L.—N. Yks. Polygonum lapathifolium, L.—. Fens. With. ed. vii.; N. Yks. 'Polygonum pensylvanicum, &c.; persicaria; smartweed.' Midland Counties, E. D. S. Gloss. B. 5.

Willow-wort. Lysimachia vulgaris, L.—Prior, p. 251.

Willy. A willow. Yks. (Cleveland).

Willy, Sweet. Salix pentandra, L., from its pleasant, aromatic smell. Cumb. E. D. S. Gloss. C. 8.

Wilt. 'A sort of rush or sedge.' East, Hal.

Wimanis Medewort. See Medewort, Wimanis.

Wimberry. Vaccinium Myrtillus, L.- Ches.; Lanc. Hal.

Wimble-bent, A long tall grass. Hal. Cpr. Bent.

Wimblestraw. Cynosurus cristatus, L.—Nhamp. Sternb.

Wimot. 'The herb ibiscus.' Hal. Althoca officinalis, L.

Winberry. Vaccinium Myrtillus, L.—Ger. Emac. Hal. Ches.; North, Ray, Grose; Sal. Prior, p. 251.

Wincopipe. Anagallis arvensis, L.—See Wink-a-peep.

Wind. Convolvulus arvensis, L.—'Anglis the comon bynde aut the lytell wynde.' Turn. Lib.

Wind-berry. Vaccinium Myrtillus, L.—North, Ray, E. D. S. Gloss. B. 15. With. ed. vii.

Wind Flower. Anemone nemorosa, L.—Used by Ger., &c. as a for the genus Anemone. S. Bucks.; Ches.; Dev.; Glou. and A. Pulsatilla, L.); N. and E. Yks.; Pulman.

Wind Plant. Anemone nemorosa, L.—Linc. (Bottesford), pronounced as if rhyming to bind.

Wind Rose. Papaver Argemone, L.-Ger. Prior, p. 251.

Windweede. Polygonum Convolvulus, L.-Lyte.

Windles. Plantago lanceolata, L.—A general name for the dry stalks of many grasses and several other pasture plants. Ches. 'The straw of wild grass. North.' Hal.

Windlestraws. The old stalks of various species of grass. Grose. North ('Bents'), Ray, E. D. S. Gloss. B. 15; Yks. (Mid.) E. D. S. Gloss. C. 5, (Holderness) E. D. S. Gloss, C. 7 (Winnlesthreea), (Whitby) E. D. S. Gloss, C. 4 (Windlestreea); Irel. (Antrim, Down) (Winnelstroe). (1) Aira caspitosa, L.—E. Bord. (Winnelstrea) Bot. E. Bord.; Ayrsh. (Winnelstraw).

(2) Phragmites communis, Trin. Pratt (probably an error).

- (3) Apera Spica-Venti, Beauv. 'Some in English, much agreeable to the Latine name, call these Windle-strawes. Now I take this to be the Grasse with which we in London do usually adorne our chimneys in Sommer time: and we commonly call the bundle of it handsomely made up for our use, by the name of Bents.' Johnson in Ger. Emac., 6. The second part of this quotation is erroneously referred by us at p. 37 to Phalaris arundinacea, L. See also Park. Theatr. 1159. Prior, p. 251.
- (4) Cynosurus cristatus, L. North, Grose; E. Yks. E. D. S. Gloss. B. 2; Scotl. Jamieson (Windlestrae, and Wyndelstrae); Irel. (Fermanagh, Tyrone). Prior, p. 251.

(5) Triticum repens, L.—Cumb. (Winnelstrea) E. D. S. Gloss. C. 8.

Windlestraw Grass. See Grass, Windlestraw.

Wine-Berry. (1) Ribes rubrum, L.—Cumb. E. D. S. Gloss. C. 8;
Fks. Hull, Hallamsh. Gloss.; N. Scotl, Jamieson. Prior, p. 251.

(2) Ribes Grossularia, L.—Coles, A. in E. 271. Culpeper. Thoresby (Letter to Ray), E. D. S. Gloss. B. 17.

(3) Ribes nigrum, L.-N. Scotl. Jamieson.

(4) Vaccinium Vitis-Idaa, L .- 'Wyneberris is Vaccinia.' Ger. Appx.

Wink-a-peep. Anagallis arvensis, L.—Ches.; Sal.; Staff. (Wink and Peep), Science Gossip, 1876, p. 70: 'from the habit the flower possesses of closing and winking in damp, and opening or peeping again in fine weather.' Bacon calls it Wincopipe.

Winlin-berries. Fruit of Sambucus nigra, L.—Bot. E. Bord., p. 97.

Winnelstraw. See Windlestraw.

Winter Aconite. Eranthis hyemalis, L.—Prior, p. 2.

Winter Barley. See Barley, Beare.

Winter Cherry. The garden name of Physalis Alkakengi, L.—Lyte. Prior, p. 251.

Winter Crack. 'A small green plum, the fruit of which ripens very late.' N.-W. Line, E. D. S. Gloss. C. 6. 'A kind of bullace.' Hal.

Winter-cress. See Cress, Winter.

Winter Geranium. Dev. Friend.

Winter Gilliflower. See Gilliflower, Winter.

Winter-green. Pyrola minor, L.—Turn. Prior, p. 251.

Winter Hellebore. Eranthis hyemalis, L.—Prior, p. 108.

Winter Kecksies. See Kecksies, Winter.

Winter-picks. Fruit of Prunus spinosa, L.—Suss. Parish.

Winter Rose. Helleborus niger, L.—Dev. Friend.

Winter-weed. (1) Veronica agrestis, L.—Sal.

(2) Veronica hederifolia, L.—Beds. Batchelor's Gloss.; E. Norf. E. D. S. Gloss. B. 3; Sal. Prior, p. 252.
(3) Stellaria media, L.—Hal.

Wire Bent. Nardus stricta, L.—E. Bord. Bot. E. Bord. Prior, p. 252.

Wire Grass. Polygonum aviculare, L.-Glou.

Wire Ling. Empetrum nigrum, L.—Yks. Cleveland Gloss.

Wire Rush. Juncus glaucus, L.—Yks. Cleveland Gloss.

Wire Thorn. Taxus baccata, L.—N.-W. Linc. E. D. S. Gloss. C. 6, where it is explained as 'the wood of the yew-tree when found buried under the peat.' North, Hal. Cfr. Whya tree.

Wireweed. Polygonum aviculare, L.—Norf.; Suff.; Wight, Fl. Vect.

Wirmsed. 'The herb feniculus porcus.' Hal.

Wirwivvle, or Wyrvivle. Hippophae rhamnoides, L.—Norf.

Wisdom of Surgeons. Sisymbrium Sophia, L.—A mere translation of its old name Sophia chirurgorum. Prior, p. 252.

Wish me well. Veronica Chamædrys, L.-W. Ches.

Wit. 'Wit is Hyoscyamus luteus.' Ger. Appx. Hal. Nicotiana rustica, L.

Witch. Ulmus montana, Sm. Lyte.

Witch-bells, or Witch's Bells. See Bells, Witch.

Witch Elm, or Wych Elm. See Elm, Witch.

Witch Gowan. See Gowan, Witch.

Witch Hazel. See Hazel, Witch. Witch Halse. Dev. Friend.

Witch-wood. (1) Euonymus europæus, L.—Suff.

(2) Pyrus Aucuparia, L.—Hal. S.-W. Cumb. From its supposed efficacy against witchcraft.

. Exidia glandulosa, Bull.—Prior, p. 252.

Hippuris vulgaris, L.—Lanc. (Southport); Scotl.

Witches' Pouches. Capsella Bursa-pastoris, DC.—Moray; Elgin. Flora M.

Witches' Thimble. (1) Campanula rotundifolia, L.—Lanarksh. Jamieson.

(2) Silene maritima, L.-Prior, p. 252.

(3) Digitalis purpurea, L.—Nhumb. Henderson, Folk-lore of the Northern Counties; E. Bord. Bot. E. Bord.; Edinburgsh.; Forfarsh. Jamieson.

(4) Centaurea Cyanus, L.—North, Jamieson.

With. A twig of willow. Hal.

Withers. Poa aquatica, L.—Dev. Friend.

Witherspail. Galium Aparine, L.—Roxburghsh. Jamieson.

Wither-wine. Convolvulus sepium, L., and C. arvensis, L.—Morton's Cyclopædia of Agriculture.

Withe-tree. Salix aurita, L .- S.- W. Cumb.

Withiwind, Black. Polygonum Convolvulus, L.-Lyte.

Withiwind, Small. Convolvulus arvensis, L.-Lyte.

Withwind, or Withwine, sometimes Withywind, or Withywine.
(1) Convolvulus arvensis, L.—Turn. Dev.; Dors.; Glou.; Som.; Wilts; West generally. Prior, p. 252.

(2) Convolvulus sepium, L.—Turn. Dev. (Withywind); Som. Holl. (Withywine); Wilts, E. D. S. Gloss. B. 19; West generally; Hal. (the wild convolvulus').

(3) Polygonum Convolvulus, L.—Culpeper.

(4) Clematis Vitalba, L.—Glou. (Cotswolds) Cotswold Gloss. (Withywind).

(5) Myrica Gale, L .- Hants, Pratt (Withywind).

Withwind, Sea. Convolvulus Soldanella, L.—Ger. Prior, p. 207.

Withy, Wythy, or Wythies. Various species of Salix. Lyte. S. Bucks; Ches.; Dev. (also Widdy); Glou. Grose, E. D. S. Gloss. B. 3; Hunts, Holl.; Suss. Parish; var. dial. Hal.; Wilts, E. D. S. Gloss, B. 19; Yks. (Wakefield). Salix viminalis, L.—Cornw. Prior, p. 252.

Withy, Cane. A species of Saliz mentioned by Lyte; perhaps S. vitellina, L.

Withy, Dun. A species of Salix mentioned by Lyte; probably S. Caprea, L.—See also Gold Withy, Hoar Withy, Mouser Withy, Osier Withy, Sweet Withy.

Withy, Red. A species of Salix mentioned by Lyte.

Withy, Twig. Salix viminalis, L.—Lyte. Still known as 'twigs' in Ches.

Withy-herb, Red. Epilobium hirsutum, L.-Lyte.

Withywind. See Withwind. Ger. calls Convolvulus sepium, L., Great Withywind, and C. Soldanella, L., Sea Withywind.

Withywind, Cow's See Cow's Weatherwind.

Witten Pear. Pyrus domestica, Sm. Worc. (Bewdley) Phyt. 0.8. iv. 1102.

Witty-tree. Pyrus Aucuparia, Gaertn.—Worc. Phyt. N. S. ii. 567.

Wizzards. Triticum repens, L.—Moray, Jamieson.

Woad. (1) Genista tinctoria, L.—Yks.

(2) Resedu Luterla, L.—With. (ed. iv.) calls this Wild Wood. N. Ta.

(3) Isatis tinctoria, L.-Lyte. Prior, p. 252.

Woare. Seaweed. Hal. Nhumb. Grose. Cfr. Ore and Ware.

Woats. Arena sativa, L.—Cumb. E. D. S. Gloss. C. 8.

Wocks. Oaks. West, Hal.

Wode-whistle. Conium muculatum, L.—Hal.

Woldman's Beard. 'The herb marestail.' Hal. Probably some Equivatum.

Wolds, or Woulds. Reseda Luteola, L.-With. ed. iv.

Wolfs-bane. (1) Aconitum Napellus, L.—Lyte, who calls it Blue Wolfs-bane. Staff.

(2) Eranthis hyemalis, L.—Ger. Prior, p. 253.

Wolf s-claws. Lycopodium claratum, L.—Lyte. 'In English Woolfes foot or Woolfes clawe.' Ger. 1374, a translated name. Prior, p. 253.

Wolfs-fists. Lycoperdon Bovista, L.—'In Latine Lupi crepitus, or Woolfes Fistes.' Ger. 1386.

Wolf's Milk. Euphorbia Helioscopia, L.—Pratt. Prior, p. 253.

Wolves'-thistle. 'The plant camalion.' Hal. Carlina acaulis, L. 'Wooluisthistle is chamæleon.' Ger. Appx.

[Wood. See Water.]

Woodbind. (1) Lonicera Periclymenum, L.—Grete Herball (Woodbynde). Turn. has Wodbynde. N.-W. Linc. E. D. S. Gloss. C. 6.
(2) Hedera Helix, L.—Scotland. Pharmaco-pinax (1625).

Woodbind, Bell. Convolvulus sepium, L.—Bullein, fol. 21.

Wood-bine. Lonicera Periclymenum, L.—Lyte. S.-W. Cumb.; Clou.; Oxf.; Yks. (Craven) (Woodbinn). Prior, p. 253.

Wood-blades. Luzula sylvatica, Bich. Prior, p. 253.

Wood-broney. Fraxinus excelsior, L.—Ger. Appx. Hal.

Wood Grass. See Grass, Wood, and Shadow Grass.

Wood-nep. 'Ameos.' Ger. Appx. Hal. This would be Ammi majns, L.; but we doubt the correctness of the application.

Wood Pea. Lathyrus macrorrhizus, Wimm. Pratt. Prior, p. 176.

Wood Reed. A book-name for the genus Calamagrostis. Prior, p. 254.

Woodrip. Asperula odoratu, L.—Scotl. Jamieson.

Wood rowe (Lyte), or Wood rowel (Turn.). Asperula odorata, L.

Woodruff. The general name for Asperula odorata, L.—Spelt in various ways. Turn. (Woodrofe); S.-W. Cumb. (Woodroof); N. Yks. (Woodie-ruffie); E. Bord. Bot. E. Bord.; Jamieson has Woodrip, Prior, p. 254.

Wood Rush. A book-name for the genus Luzula. Treas. Bot. Luzula sylvatica, Bich. Prior, p. 254.

Woodsore, Woodsour, or Woodsower (Ger. Appx.). (1) Oxalis Acetosella, L.—Turn. Hal. (2) Berberis vulgaris, L.—Oxf.

Wood Waxen, or Wood wex. Genista tinctoria, L.—Lyte. Hal. (Wood-wex). 'Hath many tough branches proceeding from a woodie roote.' Ger. 1134. Prior, p. 254. Another form is Wood Wesh (North, Holl.; Yks. (E) E. D. S. Gloss, B. 2, (Whitby) E. D. S. Gloss, C. 4.); and another, Wudwise (S. Scotland). Mactaggart's Scottish Gallovidian Encyclopædia.

Woodman's Rose. Rubus spectabilis, Pursh. Kent (near Hythe, where it has been naturalized in a wood for about thirty years).

Journal of Botany, 1881, p. 251.

Woold. Reseda Luteola, L.—'So called by the Dyers in London,' Martyn, Flora Rustica, 1793. Prior, p. 248.

Wool Thistle. Carduus eriophorus, L.-Dr. J. Hill, Herb. Brit. 1769.

Woollen. Verbascum Thapsus, L.—'In English Mullein, or rather Woolen.' Ger. 630. Prior, p. 254.

Woolly Hardhead. Scabiosa Succisa, L.-Cornw.

Woore. Various species of seaweed. Kent (Thanet). Grose; South and East, Ray, E. D. S. Gloss. B. 16. Also Wore.

Worm-grass. See Grass, Worm.

Wormit. Wormwood, North, Hal.

Worm-seed. Erysimum cheiranthoides, Br. 'Called in many places Worme seede, and I thereupon calling it English Worme seede, but by Gerard Treakle Worme seede, is much used by the country people where it groweth to kill the wormes in children.' Park. Theatr. 870. The qualifying adjectives were added to distinguish the plant from Artemisia Santonica, Lam., which was more generally known as Worm-seed. Prior, p. 255.

Wormwood. Artemisia vulgaris, L.—S. Bucks. Artemisia Absinthium, L.—N. Yks. Prior, p. 255.

Wormwood, Sea. Artemisia maritima, L.-E. Bord. Bot. E. Bord.

Worts, Irish. Dabeocia polifolia, Don. With. ed. iv.

Wots. Oats. Avena sativa, L.—N.-W. Linc. E. D. S. Gloss. C. 6;
Yks. (E.) E. D. S. Gloss. B. 2; (Whitby) E. D. S. Gloss. C. 4. Var. dial. Hal.

Wound Rocket. Barbarea vulgaris, Br. 'Wound rocket, for it is good for a wounde,' Turn. Names.

- Woundwort. (1) The species of Stachys. See Clown's Allheal.
 - (2) Anthyllis Vulneraria, L .- Pratt. Prior, p. 255.
 - (3) Solidago Virgaurea, L.-With. ed. iv.
 - (4 & 5) 'Woundwoort i. Consownd.' Ger. Index, with references to Chrystathemum Leucanthemum, L., and Symphytum officinale, L.
- Woundwort, Clown's. See Clown's Allheal.
- Woundwort. Knight's. Stratiotes aloides, L.—Lyte. Prior, p. 255 (Knight's Water Woundwort).
- Wrack. Various species of Fuci. Scotl. Jamieson (also Wraik and Wreck'.
 - (1' Uva latissima, L.-Lyte, who spells it Wrake.
 - (2) Fucus serratus, L., and F. vesiculosus, L.—E. Bord. Bot. E. Bord. 'Sea weed thrown ashore.' Prior, p. 256.
 - 3' Triticum repens, L.-E. Bord. Bot. E. Bord.; Roxb. Jamieson.
- Wrack, Cart. Alpr. Scotland. 'The Algre which under the general name of Cart-wracks are rolled ashore by the gales.' Engl. Fl. v. 268.
- Wrack, Grass. See Grass Wrack.
- Wrack, Kelp. See Kelp Wrack.
- Wrack, Lady. Fucus vesiculosus, L.—Scott. 'They [the people of Jura] take a quantity of lady-cruck and red fog and boil them in water.' Martin, 'Western Isles,'
- Wrack, Sea. (1) A synonym of Seaweed: 'Sea wrake or Sea weede.' Park. Theatr.
 - (2) Zostera marina, L.—Irel. (Belfast). Fl. Belfastiensis.
- Wrack, Whin. See Whin-Wrack.
- Wrack-box. The vesicles on some species of seaweeds. Galloway, Jamieson.
- Wraik. See Wrack.
- Wreck. Sea-weeds. 11ks. (Cleveland), E. D. S. Gloss. C. 2. Appx.; Scotl. Jamieson. Hal. has Wreke.
- Wren's Flower. Geranium Robertianum, L.—Dev. (Plymouth).
- Wretweed. (1) Norf. Hal. (E). E. D. S. Gloss. B. 3; Suff.
 - (2) See Wartweed; wret = wart in E. Counties.
- Wringle-straw, or Wringle-strea. The old stalks of various species of grasses. Grose. Hal. North, Ray, E. D. S. Gloss. B. 15; Yks. (Holderness), E. D. S. Gloss. C. 7.
- Wudwise. See Woodwax
- Wuk. Oak. Quercus Robur, L.—Glou. Cotswold Gloss. Pulman 'Wucks').
 - us glutinosa, L.—Sal. Hal.
 - sativa, L.—Ches.; Glou. (Cotswolds) Cotsish; Pulman.

Wybrow. Plantago major, L.—Ches. Wilbraham. Wybrae (Leigh), who in his Glossary also gives Wibrow Worrow. We suspect Worrow to be a misprint; Wilbraham, from whom Leigh apparently quotes, has Wibrow, Wybrow.

Wych Elm. See Elm, Witch.

Wych Hazel, or Wych Halse (Som.). Ulmus montana, With. See Hazel, Wych. Prior, p. 256.

Wych-wood. Ulmus montana, With. S.-W. Cumb.

Wychen. Pyrus Aucuparia, Gaertn.—Ches. Leigh's Gloss.

Wymot. Althea officinalis, L.—Ger. Appx.

Wythan, Moss. Myrica Gale, L .- Cumb. E. D. S. Gloss. C. 8.

Wythe or Wythes. Various species of Salix. Cumb. E. D. S. Gloss. C. 8.

Yackrans, or Yackrons. Acorns. North, Grose; E. Yhs. E. D. S. Gloss. B. 2, (Mid.) E. D. S. Gloss. C. 5, (Whitby) E. D. S. Gloss. C. 4.

Yack-yard. Senecio Jacobæa, L.—N. Linc. (Bottesford). (N. W.)
Yack-yar. 'A plant, possibly oak-herb.' E. D. S. Gloss. C. 6.

Yaits. Oats. Avena sativa, L .- Cumb. Hal.

Yak. Quercus Robur, L., and Q. sessiliflora, Sm. Cumb. (Centre and S. W.) Yaak, E. D. S. Gloss, C. 8; North, Grose, Hal.; Yks. Cleveland Gloss, (E), E. D. S. Gloss, B. 2, (Mid.) E. D. S. Gloss, C. 5; (Holderness) E. D. S. Gloss, C. 7, (Swaledale) E. D. S. Gloss, C. 1, (Whitby) E. D. S. Gloss, C. 4. Yak-berries, acorns. Yks.

Yakker. Acorns. Dors. Dors. Gloss.; Hants, in New Forest, Yeaker; West, Hal. In Yks. Yakkorns, E. D. S. Gloss. C. 7.

Yallow. Achillea Millefolium, L.-Lanc.

Yannut. Bunium flexuosum, With. Yks. (Holderness, E. and W.) E. D. S. Gloss. C. 7. See Yennet.

Yark-rod. S. Jacobæa, L. 'Ragwort; Senecio.' N.-W. Linc. E. D. S. Gloss. C. 6. Cfr. Yack-yard.

Yar Nut. Bunium flexuosum, With. Yks. (Craven) Holl.; North, Hal. Jamieson; Linc.

Yarr. Spergula arvensis, L.—S. Lanc.; Banffsh. Jamieson; Stirlingsh. Prior, p. 256.

Yarrel. 'A weed. Suff.' Hal. Probably Spergula arvensis, L.

Yarrow. A general name for Achillea Millefolium, L.—Grete Herball; W. Ches.; S.-W. Cumb.; Herts.; Oxf.; E. Yks.; E. Bord. Bot. E. Bord. Prior, p. 256.

Yarrow, Soldier's. Stratiotes aloides, L.-Lyte.

Yarrow, Water. See Water Yarrow.

Yarroway. Achillea Millefolium, L.-Hal. Norf. Holl.

Yawl. Triticum repens, L.—Scilly Islands. Journ. Royal Agric. Soc., 1870, Part ii. p. 384.

Yawr. Spergula arcensis, L.—Cumb.; E. Bord. Bot. E. Bord.

Yeaker. Acorns. Hants (New Forest).

Yedwark. Papaver Rhoas, L., and P. dubium, L.—Derb. See Headache.

Yek. Quercus Robur, L.—N. Cumb. E. D. S. Gloss, C. 8. See Yak and Yik; North, Hal.

[Yellow. As in the case of Water, etc., this adjective is prefixed (especially in books) to many names; we have not given these a separate entry, except where circumstances seemed to require it.]

Yellow Blobs. Caltha palustris, L.—Leic.

Yellow Caul. Ranunculus acris, L., R. bulbosus, L., and R. repens, L.-Wight, Fl. Vect.

Yellow Centaury. Chlora perfoliata, L.—Ger. Ykz. (Wakefield).

Yellow Crane. Ranunculus Flammula, L.—Nhamp. Nth. Gloss.

Yellow Cups. Ranunculus bulbosus, L., R. acris, L., and R. repens, L.—Bucks.

Yellow Elshinders. Senecio Jacobæa, L.—E. Bord. Bot. E. Bord.

Yellow Flower. Brassica Napus, L., and Sinapis arvensis, L.— Ches.

Yellow Jack. Narcissus Jonquilla, L.—Surr. (Bletchingley).

Yellow Rattle. Rhinanthus Crista-galli, L.—Lyte. N. Bucks.; W. Ches.; N. Yks.; E. Bord. Bot. E. Bord. Prior, pp. 194, 257.

Yellow Rocket. (1) Barbarea vulgaris, Br. Warw. Prior, p. 196.

(2) Reseda Luteola, L.—E. Bord. Bot. E. Bord.

(3) Lysimachia vulgaris, L., in gardens. Bucks. Prior, p. 257.

Yellow (or Yaller) Rod. Linaria vulgaris, L.—Ches. (Delamere).

Yellow Rose. Kerria japonica, DC. Dev. Friend.

Yellow Sanctuary. Chlora perfoliata, L.—Chesh.

Yellow Tang. Fucus nodosus, L.—Orkney. Rural Encyclopædia.

Yellow Tar Fitch. Lathyrus pratensis, L.—Ches.

Yellow-weed. (1) Brassica Napus, L.—W. Ches.

(2) Reseda Luteola, L.—E. Bord. Bot. E. Bord. With. Ed. . . calls it Dyers Yellow-weed.

(3) Senecio Jacobara, L.—E. Bord. Bot. E. Bord.

Yellow-wort. Chlora perfoliata, L.

Yellows. (1) Reseda Luteola, L.—Nhamp. Sternb.

(2) Brassica campestris, L.—Notts. Deering (Cat. Stirp. 1738).

(3) Genista tinctoria, L.-Midland Counties. E. D. S. Gloss. B. 2.

Yennet. See Yennut.

Yennut, or Yenut. Bunium flexuosum, With. Yks. (Holderness, N.) E. D. S. Gloss. C. 7. Yennet (Mid.), E. D. S. Gloss. C. 5, (Northallerton), (Whitby), E. D. S. Gloss. C. 4.

Yerb-a-grass. Ruta graveolens, L.—The pronunciation 'in some parts of England' of Herb of Grace (which see). The Gardener, 1871, p. 306.

Yer-nut. Bunium flexuosum, With. Ches. Wilbraham; North, Grose; Yks. (Mid.) E. D. S. C. 5, (Whitby) E. D. S. C. 4.

Yerrow. Achillea Millefolium, L.—Lyte.

Yets, or Yetts. Avena sativa, L.—Cumb.; Dur.; Nhumb. Grose; E. Bord. Bot. E. Bord.; Var. dial. Hal.

Yeugh. An old spelling of Yew.

Yew, or Yew Tree. The general name for Taxus baccata, L.—Lyte. S.-W. Cumb. Prior, p. 257.

Yew-brimmle. Rosa canina, L.—Pulman.

Yik. Quercus Robur, L.—N. Cumb. E. D. S. Gloss. C. 8. See Yak and Yek.

Yoke Elm. See Elm, Yoke.

Yorkshire Fog. Holcus lanatus, L.—Yks.

Yorkshire Sanicle. Pinguicula vulgaris, L.—With. Prior, p. 259.

Yorkshire Whites. Holcus lanatus, L.—Pratt.

Yor nut. Bunium flexuosum, With. Prior, p. 259.

Youth wort. Drosera rotundifolia, L.—Ger. 1367. Prior, p. 259.

Yowe Yorlings. Bunium flexuosum, With. Cumb., in the central part Yowe-yornals, E. D. S. Gloss. C. 8.

Yronhard. Centaurea nigra, L.—Ger. Appx. Hal.

Yur. Spergula arvensis, L.—W. Cumb.

Zedge-mocks. Aira cæspitosa, L.—Dors. Dors. Gloss.

Zeg. Various species of Curex. Glou. (Cotswold) Cots. Glou.

APPENDIX.

Names which have not previously appeared in the body of the work are printed in Clarendon type; those upon which only additional information is given are printed in small capitals. When * is affixed in cross references it means that the name is only to be found in the Appendix.

AARON'S BEARD. add (5) Dev. Friend.; Aberdeensh.

Abel. In W. Ellis' Modern Husbandman, vol. vii. pt. 1, p. 107, apparently *Populus alba*, L., though the author seems to regard it as different.

Adder-and-Snake plant. Silene inflata, L .- N. Dev.

ACHARNE. add This is the pronunciation at Beechingly, Surr.

Acorn-tree. Quercus Robur, L.-N. Linc. E. D. S. Gloss.

ADDER'S MEAT. add (1) Dev. Friend.

(3) Stellaria Holostea, L .- Cornw.

(4) 'Fern, commonly known as Adder's meat, and accordingly feared and avoided by country children.' West. Pulman.

(5) Tamus communis, L .- Dev. Friend.

Adder's Poison. Tamus communis, L.—Dev. (Barnstaple.)

Adder's Spit. Stellaria Holostea, L .- Cornw.

Adder's tongue. (1) Dev. Friend.

(3) add Som.

(5) add Dev. Friend.

(7) Scolopendrium vulgare, Sm. Dev.

(8) Achillea Ptarmica, L.-Aberdeensh. Friend.

ADONIS-FLOWER. add 'We usually call it Adonis-flower.' Park. Parad. 293.

AFFADIL. There is some confusion in our note on this. The quotation from Turn. Lib. refers to Asphodelus ramosus, L.; but in his Herbal (1551) Turner says, speaking of this plant, 'I could never se thys herb in England but ones, for the herbe that the people calleth here Affodil or daffodill is a kynd of narcissus' [misprinted 'Narassus' in the 1568 ed.]. Earlier authorities (Prompt. Parv., &c.) certainly intend the Asphodelus; but it is evident from Turner's remark that Narcissus Pseudo-narcissus was known as Affodil in his time. See New English Dict. for further illustrative quotations.

Agald. Fruit of Cratagus Oxyacantha, L.-Wilts.

Aggles. Fruit of Cratagus Oxyacantha, L.—Dev. (Barnstaple.)

Agreen. Senecio Jacobæa, L.-N.-E. Cumb. E. D. S. Gloss. C. 8.

Arrang, will The herries are called Attracks in N. Scotland. See also Enough-berries.

Albert Anima, N. Huan, E. D. S. Gloss,

Arrana. uši T. Turz, viene "Sound as an akkera" is a local

Aider, Death See Death Aider.

Algar. That medes See Weed called Algar.' Childrey, Britannia amounts 1981. 47. Probably used for see weeds in general, like the Land Alga.

Affect a minimum of Alexanders Surgratum Obsertrum, L.— And Invest where our informant writes men, women and children, makers and numery-falls, all call it by one name.—Alick').

Aligorane. A Soutish eterrytica of Elecampane), Inula Helenium, L.—July, Life of Julia Dumman, 250.

Attan all Der. El Plymouth.

Attan. Frank. odd (2) Alasa gludisom. L.—Som. Often so called to distinguish in from the Whit-Aller or Elder. Mr. Ewirthy.

All-Heal. I will Take the Flowers and Stems of the herb Allheal (the flowers are white and very small). Bradley, Fam. Dict. 1725, a.v. Cancer.

All-heart. United extension, Earth "The Elme . . . is called of some dillicated" Maylet, Greene Forest, 416 [1567].

Allow-tree. Use the greater's, L.—The juice of the bank of this tree is extracted by boiling it, and applied to sprained limbs.' Machaggart, Soutish Galley, Encycl.

Amber. of it 2 Hayevirum Andrewsmum, L.—S. Kent. Because of its smell.

Ambrose. Fill wing Dr. Prior, and, like him, led astray by the varying use of the Lat. Archronia, we have assigned this name to Chempolia. Betrys. L.—But in Lyte and Turn. Names there can be no doubt that Tracritor Specienia, L., is meant. The former says, 'It is called in English Wood Sage, Wilde Sage, and Ambros.' We do not find that Ambrose as an English name was ever applied otherwise.

American Lilac. Centranthus ruber, DC. Der. Friend.

AMERICAN WATERWEED. add Glou.

Amouret. Briza media, L.—'Each squamose head resembling those of the common Amourets.' Petiver in Phil. Trans. xxiii, 1257 (1702).

ANISE. add (3) Koniga maritima, Br. Dec. Friend.

Anthill Grass. add W. Ellis (Modern Husbandman, vol. i. pt. i. 43) says, 'Anthill Grass is certainly an unwholesome sort, made so by the dung of the ants.' It is not quite clear, however, whether any species in particular is intended.

APPLE, CANE. add 'In the rocky parts of the county of Kerry about Loughlane, and in the islands of the same Lough, the people of the country call it the Cane Apple.' Phil. Trans. xix. 510. The name occurs in 'An Appendix to the Legacie of Husbandry relating . . . to the natural history of Ireland' (1652). 'Cane-Apples. Where any grow, what store?'

APPLE, FIR. add Surr.

APPLE-PIE. add (1) Dev. Friend. (Apple-pie flower.) N. Hants, E. D. S. Gloss.

Arb-rabbit. (A corruption of Herb Robert.) Geranium Robertianum, L.—Dev. Friend.

ARBEAL. add See Dutch Arbel.*

Arbell. A spelling of Abele, Populus alba, L.—'The Abele or Arbell.' Modern Husbandman, VII. ii. 181; also Arbele, p. 182. Mr. Elworthy writes it Arbale, and says, 'the only name for the timber in Som.; the tree is often Silver Poplar.'

ARCHANGEL. Lamium album, L .- add Dev. Friend.

ARCHANGEL, RED. add Norf.

ARGOL. See Orchal.

ARN. add Aberdeen.

ARNUT. add Ireland (Antrim; Down; Donegal).

Arpent, or Arpent-weed. Sedum Telephium, L.—Hants. A corruption of Orpine. Ellis (Modern Husbandman, iii, pt. 2, pp. 177—181) speaks of this as a most destructive weed, especially to cornerops, because of its 'quick and great increase': his animadversions upon its 'pestiferous' and 'horrid' nature are amusingly energetic.

ARSMART. Usually applied to Polygonum Hydropiper, L., but Ellis (Mod. Husbandman, III. i. 47) seems to intend the land form of P. amphibium, L., under the nme.

add (2) Pyrethrum Parthenium, Yks. (Ripon).

ASARABACCA. add 'Azarabaccara is given as an English name for the plant by Lobel' (Obs. p. 328).

Ash, French. Cytisus Laburnum, L .- Derb.

ASH, GROUND. (1) add Warw.

ASH-KEYS. add Dev. Friend. Leic. E. D. S. Gloss.

ASH, QUAKING. add N.-E. Scotland.

Asp. add Worc. (Upton-on-Severn) E. D. S. Gloss.

AULD WIVES' TONGUES. The poems to which Gerard alludes are noticed in N, and Q, 6th S, i. 272.

Aul' man's Bell. Campanula rotundifolia, L.—N.-E. Scotl. (Buchan), where it is 'regarded with a sort of dread, and commonly left unpulled.' Gregor's Folk-lore of North-East of Scotland, p. 148.

Authoneys. This spelling of Anemones is found in Phil. Trans. xiv. 775 (1684.

Aunt Mary's Tree. Rex Aquifolium, L.—S. Cornu. 'Aunt being a term of endearment in that locality, therefore they call the Virgin "Aunt Mary." Science Gossip, 1881, p. 267.

Ayver. Lilium perenne, L.—Cornio. (Looe); Dev. (Torquay). Trans. Dev. Assoc., vii. 473.

BACHELOR'S BUTTONS. add

- (1) Leic. E. D. S. Gloss.; N. Linc. E. D. S. Gloss.
- (8) Der.; Som. Friend.
- (9) Hants, E. D. S. Gloss,
- (12) Nerf.; West, common. Friend.
- (14 Denegal.
- (16) N. Linc, E. D. S. Gloss,
- [17] Der. Friend.
- (15) Gerunium lucidum, L.—Lanc. (Preston). Science Gossip, 1882, p. 164.
- (19) Geranium Robertianum, L. (Little Bachelor Button), Sun. Friend.
 - (20) Cotyledon Umbilicus, L.-Der. Friend.
- (21) 'A small rose, not much bigger than a daisy.' N. Linc. E. D. S. Gloss. 'A beautiful red button-shaped flower.' Mactaggart, Scottish Gallovidian Encycl.
- BAD MAN'S OATMEAL. add Mr. W. G. Piper writes, 'In Durham, Conium maculatum, L.; at Hartlepool. Cochlearia officinalis, L., but also less frequently applied to other plants with inconspicuous white flowers, as Copsella Bursa-pastoris.'
- Baldberry. Orchis muculata, L., and O. latifolia, L. West Lowlands of Scotland. Science Gossip, 1881, p. 277. Cf. Balderry, which is probably the correct word.
- Baldmoner. add! An herb having the same qualities as the "saving tree." Mactaggart, Scot. Gallov. Encycl.
- Balsam Herb. Tanacetum Balsamita, L.—Culpeper.
- BAME (Balm). Melissa officinalis, L.—Som. (the only name). See Sir Ferumbras, l. 511, E. E. T. S.
- BANNUT. add. Wore. (Upton-on-Severn) 'a small kind of walnut.' E. D. S. Gloss.
- Barnacle-grass. Zostera marina, L.—Ireland (Derry).
- BASAM. add Mr. Pengelly says, 'The word bazzam, or bassam, was applied primarily to the flower of the heather, and secondarily to anything having a colour more or less resembling that of the heather bloom.' Trans. Devon. Ass., vii. 440, which see for illustrative quotations.
 - m. add Yks. (Cleveland).

Bawsey Fern. Lastrea cristata, Presl. Bawsey, Norf., where it grows.

Bazzies. Flowerheads of Arctium Lappa, L.—Kent.

Bead-bind. Tamus communis, L.—Hants. E. D. S. Gloss.

Beanweed. Pinguicula vulgaris, L.—Herts. A farmer living near William Ellis 'observed that his sheep were so much in love with a certain weed called Beanweed, that when they had an opportunity they would run greedily in quest of it. It grows in the moory ground of vales, comes up about a finger's length, in the spring time of the year, like a bean, and most of all in wet weather; the leaf of this beanweed is of so sammy a nature that it feels, on being squeezed, as if it was greased, and being thick withal, it contains much sap in it, and thereafter it presently breeds the rot in the bodies of the sheep.'—Shepherd's Guide, p. 164.

BEARBINE. add (1) Worc. (Upton-on-Severn).

- (2) Kent; Middx. (Brentford). In Ellis' Country Housewife (p. 266), Bearbind: 'apply the rough part of the leaf bearbind to a green wound.'
 - (3) Kent.
 - (5) Clematis Vitalba, L.—Kent.

Bear Moss. Polytrichum commune, L.—Ootheca Wooleyana, p. 102.

BEAR'S BREECH. add Mr. Boulger writes: 'The name occurs in a vernacular list of names of indigenous plants in Rudder's Hist. of Gloucestershire. I am inclined to think a Helleborus is meant.'

BEARS' EARS. add Yks. (Almondbury). E. D. S. Gloss.

Becky-leaves. Veronica Beccabunga, L.—Dev. (Torquay). Friend.

BEDWINE. (2) add 'Vine is a common term in the South of England generally for any twining or scandent plant: thus Clematis Vitalba is called Bed-vine, or corruptly Bed-wine; Tamus communis, wild vine, &c.' Gard. Chron. 1843, p. 756.

BEE-FLOWER. (1) add Kent.

Beech, Hay. See Hay Beech.

Beef and Greens. A variety of Primula vulgaris, L., having a red and green calyx. Yks. Gard. Chron., Mar. 24, 1883, p. 372.

BEET. add With respect to the resemblance of its seeds to the Greek β not being very apparent, it has been suggested that the likeness is to the old form of the letter (6). Chenopods are remarkable for the horseshoe shape of the embryo of the seed.

BEGGARWEED. add (6) Cuscuta europæa, L.—Dors. (Sherborne).
Ann. Agric., xii. 553 (1789).

BEGGAR LICE. add Glou. (Cotswolds).

Beldairy. add Ayrsh. (Belldera). Stat. Acc. Scotl., i. 747.

Bell, Aul' man's. See Aul' man's Bell.*

Bell, Dead Man's. (1) add Caithness. Stat. Acc. Scotl. xv. 128.

A DICTIONARY OF

: I- m.I (co. Derry).

Fair Earner >- Harvest Bella

.. .. Sath, Hal

Broadwindsor).

F. ____ L-Flx. (Cleveland).

2 . Cleveland).

Branch San & Desimara, L. See Friend, Devinshire

is crased; it is not a plant-name.

Saish—Ches. (Delamere). Cf. Bent.

From a letter from a Scotch farmer printed linebandman, iii, pt. ii. 161 (1750). This is was the Consolida minor of old writers. See

1775

Reiter West L.—Herts. The black Bennet Ellis, Modern Husbandman, iv.,

Schoss. As to the use of the worl in Schoss the writes: 'Especially Luzula competition, and the world are writes and the world are writes by the school of Pannina arenaria.' In Reds., and the lolium persone. The reference with the lolium persone is an error. See Management has Benty grass, coarse grass which

Bent Fine S. Cheviots. Ann. Agric., xxvii. 179.

Bent Fly > Fly Bent *

1 Fi. Plymouth.

Besom Heath. S.: Heath, Besom.*

Besom Moss. P. J. C. L. Commune, L.—Cumb. Hutchinson (1794).

Beswin, Beswind. 'Convolution major.' Hants, E. D. S. Gless, Perhaps C. sepinon, L., is intended.

BITHLEM STAR. add (2) Hypericum calycinum, L., 'goes very improperly under the name of the Bethlehem Star.' Purton, Midland Flora, 352.

BETONY, WATER. add Kent (Maidstone). Science Gossip, 1881, p. 211.

Betony, Wild. Dryas octopetala, L.—Ireland (Burren Mountains, Vilaro). Wade, Plant. rar. Hibern. (1804), 41.

BETONY, WOOD. add (2) Ajuga reptans, L.—Ireland. 'The herb women sell by the name of Wood Betony.' Threlkeld.

Bigg. add Norf.

BILBERRY. add Derb. Reliquary, v. 157; Leic. Phil. Trans., xlix. 829.

BILLER. (3) add Antrim and Down.

(4) Enanthe crocata, L.-N. Dev.

Billy Bright-eye. Veronica Chamædrys, L.—Ireland (Antrim and Down).

BILLY BUTTON. add (5) Lychnis diurna, Sibth. Ess.

(6) Flowerheads of Arctium Lappa, L.—Dev. Friend.

Billy-come-home soon. Garden Candy-tuft (Iberis sp.). Sal.

BIND. add Yks. (Craven). Cfr. Craven Gloss., Ed. II. i. 35.

Binder. Clematis Vitalba, L.—Hants.

BINDWEED. (2) add Surr.

(7) Vicia hirsuta, L.—Herts. Ellis, Modern Husbandman, iii. pt. i. 48.

BINDWEED, BLUE. add Cfr. Parkinson, 'Campana carulea Blew Bindweed.'

BINE. (2) add Hants. E. D. S. Gloss.

BINNWOOD. add S. Scotl. Mactaggart, Gallov. Encycl. (Binweed).

Birch-ball. Polyporus squamosus, L.—'In plaga boreali Birch-ball... hoc ludunt pueri loco pilæ palmariæ.' Morrett, Pinax. 42.

Bird-in-a-bush, or Bird-on-a-thorn. Corydalis solida, L.—Nhamp. (Brackley).

BIRDSEED. (1) add Dev. Friend; Aberdeensh.

(4) Sinapis arvensis, L., is called 'bird seed or wild mustard' in Sinclair's Statist. Account of Scotland, i. 217.

BIRD'S EYE. add (1) Hants. E. D. S. Gloss.; Som.

- (4) and (5) Hants. E. D. S. Gloss.
- (9) Nhamp.; Oxf.
- (10) Derb.; Yks. (Cleveland).
- (14) Lychnis diurna, Sibth. Dev. Friend.
- (15) Saxifraga umbrosa, L.—Dev. Friend.

Bird's Meat. add (2) Plantago major, L.—Aberdeensh.

Biscuit. The root of Potentilla Tormentilla, Sibth. Ireland (Antrim and Down). E. D. S. Gloss.

BISHOP'S WEED. add (3) Mentha aquatica, L.—Hants. E. D. S. Gloss.

BISHOP'S WORT. add (2) Camb. Ger. 926.

(3) 'Bishop-wort (biscoop-wyrt), one of the mints, from which the peasant makes his "hum-water." J. R. Wise's New Forest (Ed. iii.),

- p. 166; this is further identified at p. 283 as Mentha aquatics. Hunta (New Forest).
- BITTERSWEET. (1) add 'If you tast [the berries] you shal find them just as the crabs which we in Sussex call Bittersweet, viz sweet at first and bitter afterwards.' Culpeper.
 - (2) add Hants, E. D. S. Gloss.
- BLACKBERRY. (1) and (2). add N. Linc. E. D. S. Gloss. 6.
- Blackberry Token. Rubus cæsius, L.— Wilts.
- Black bides. Fruit of Rubus fruiticosus, L.— This term for that fruit not very common.' Mactaggart, Gallov. Encycl.
- Black cap. add (2) Phallus impudicus, L.—Cumb. Hutchinson (1794).
- BLACK GRASS. (1) add Beds. Batchelor.
 - (5) Agrostis stolonifera, L.—Ess. (Laindon). Ann. Agric. xxi. 71.
- BLACK-HEADS. add Aberdeensh; Dev. Friend; Irel. (Co. Fermanagh). Science Gossip, 1882, p. 43.
- Black jacks. Heads of Plantago lanceolata, L.—Sal. Shropsh. Word-book.
- Black Oak. See Oak, Black.
- Black Soap. (1) Scabiosa arvensis, L.—S. Dev. Friend. Probably Scabiosa atropurpurea, L., is the plant intended.
 - (2) Centaurea nigra, L.—Dev. Friend.
- Black Twitch. Festuca ovina, L.—Beds. Batchelor. Gen. View. Agric. Beds. (1808), p. 323.
- Black Willow. See Willow, Black.
- Blacksmith's Apron. Ramalina evernioides, Nyl. Dillenius, Hist. Muscorum, p. 163.
- Bladder-lock. Alaria esculenta, Grev. Kincardinesh. (Nigg). Stat. Acc. Scotl., xi. 200.
- Bladder Wrack. Fucus vesiculosus, L.—Ireland (Donegal).
- Blaebows. Linum usitatissimum, L.—'Blue flax bells; the flowers of flax.' Mactaggart, Gallovid. Encycl.
- Blags. Fruit of Rubus fruticosus, L.—Yks. (Almondbury). E. D. S. Gloss.
- BLANKET-LEAF. (1) add Dev. Friend. (2) Stachys lanata, L.—Der. Friend.
- BLEABERRY. (1) add Cumb. Hutchinson (1794).
- **BLEEDING HEART. add (3) Dielytra spectabilis, DC. Dev. Friend.

 (4) Viola tricolor, L.—Hants. E. D. S. Gloss.
 - vart. Rumex sanguineus, L.—'Bloodwort.' Derb. Reliquary, i7.
 - (1) add Yks. (Almondbury). E. D. S. Gloss.

BLOOD WALL, BLOODY WALLFLOWER. A 'variety with double blood-coloured flowers.... is called the Old Bloody Wallflower.' Miller's Gard. Dict., Ed. VIII. (1768).

Bloodwort. (2) add Pharmaco-pinax (1625).

(7) Polygonum aviculare, L.—Lisle's Husbandry, p. 388.

BLOODY BUTCHERS. add Oxf. (Standlake); W. Worc.

BLOODY FINGERS. add (2) Orchis mascula, L.—Glou. (Chedworth).

BLOODY WARRIOR. add Hants. E. D. S. Gloss.

Blooming Willow. See Willow, Blooming.

Blossom Withy. Phlox acutifolia, L.—Dev. Friend.

Blue Ash. Syringa vulgaris, L.—Glou. (Chedworth). The white variety is called White Ash.

Blue-Bell. add (1) Derb.

(2) Scilla nutans, Sm. add Cornw.; Derb.; Durh.; Kent; N.-E. Lanc.; Nhumb.; Rutl.; Surr.

(3) Vinca major, L.—Dev. Friend.

Blueberry. add Ireland (Donegal).

BLUE BLAWORT. add Aberdeensh.

BLUE BUTTONS. add (1) In Agric. Surv. the name is assigned to 'Centaureas of sorts' (Staff.), but Scabiosa Succisa, L., is probably intended.

(4) Vinca major, L.—Dev. (Chudleigh), and V. minor, L.—Dev. (Wybridge). Friend.

Blue Cat's tail. See Cat's tail, Blue.*

Blue Daisy. add (2) Jusione montana, L.—Ches. (Delamere).

Blue Gramfer Greygles. Supply 'Dors.' before N. & Q.

Blue Grass. add Carex panicea, L.—Renfrewsh. Stat. Acc. Scotl., vii. 518.

Blue jacket. Polemonium cæruleum, L.—Ireland (co. Antrim).

Blue men. Scaliosa arvensis, L.—N. Bucks.

BLUE ROCKET. add A. Napellus, L.—Ireland. Taylor on Poisons, p. 816. (2) Scilla nutuns, Sm. Irel. (co. Fermanagh). Science Gossip, 1882, p. 43.

Blue Violet. (2) add Dev. Friend (also V. odorata, L.).

Blue Weed. Echium vulgare, L.—Herts.? W. Ellis, Modern Husbandman, vol. vi. pt. III. p. 39 (1750).

BOAR-THISTLE. add (1) Som.; Herts., Ellis; and still in use in Suff. In an extract from a letter by Cotton Mather in Phil. Trans., xxix. 64 (1714), we find mention of 'A thistle call'd the Boar-thistle; very short and prickly, with a large and long root.'

BogBean. add S. Scotl. Mactaggart's Gallovidian Encyclopædia.

(2) Primula furinosa, L.—'Called by the people of Craven [Yk.]
Bog-bean.' Naturalist, i. 249.

Bog-Berry. add 'They are usually called in this Country [Ireland]
Bog-berries.' Threlkeld. Miss Edgeworth uses the name in Eton
Montem.

Bog-hop. Menyanthes trifoliata, L.—'In the North.' Gard. Chron, Nov. 8, 1879, p. 586.

Bog Onion. add Ireland. Mart. Mill. See Onion. Bog.

Bonfire. ? A plant-name.

Lilly, germander, and sops-in-wine, with sweet-bryer and bon-fire, and strawberry-wyer, and collumbine.

Refrain of a song in Robin Goodfellow. Percy Soc. reprint of 1628 ed., pp. 19, 20.

[Bongrace Moss. This is a mere book-name, and should be omitted: it is adapted from the description of a moss in Petiver's Museum, cert. i. no. 70, which has 'a scarlet cap.... with its leaves turned downwards, resembling a small umbrella or Bongrace.' Ph. Tr., xix. 397.]

Bonnets, Blue. See Blue Bonnets.

Boor Tree. add Irel. (Co. Fermanagh). Science Gossip, 1882, p. 43.

Boots. add Sal. (Wellington). Shropsb. Word-book. See Barnefield's App. Shep., p. 15, Roxb. Club.

BOOTS AND SHOES. (1) add Dev. Friend.

Borage, Wild. Echium vulgare, L.—Surr. Ellis, Modern Husbandman, iii. 1, 44 (1750). Wild Burrage-root. Ib., iv. 1, 77.

Bore-thistle. (Aubrey.) See Boar-thistle.

Boretree. (1) add Co. Donegal.

Boswell. Chrysanthemum segetum, L.—Herts.? Ellis, Modern Husbandman, vol. ii. pt. I. p. 18.

Botherum. add (2) Veronica hederifolia, L.—Ches. (Bunbury). Also Dotherum.

Bottle. add Centaurea Cyanus, L.

'Gay Lark-heels soon, and Bottles will o'er-run The fields with num'rous crops, tho' never sown.'

Rapin on Gardens, Ed. iii. p. 30 (1728). English'd by Mr. Gardiner.

**Tottle-ore. Fucus nodosus, L.—'There are several sorts of this **1lga-marina; the gross Bottle-ore, which has hollow nobs, or pusales, in it, is reckoned to make the best kelp.' Borlase, Observans on the Islands of Scilly,1756, p. 120.

BOTTLE BRUSH. add (4) Spergula arvensis, L.—Yks. (Almondbury). E. D. S. Gloss,

Bouncing Bess. Centranthus ruber, DC. Dev. Friend.

Bovisand Soldier. Centranthus ruber, DC. Dev. (Bovisand, where the plant is very abundant.) Friend.

Bow Bells. Anemone nemorosa, L.-W. Worc.

[Box, Prickly. Delete this.]

Box-wrack. A kind of sea-wrack.

BOYS LOVE. add Hants. E. D. S. Gloss.

Bragge. Lolium temulentum, L.—Cfr. Dragge.

'But Bragge amongst the corne aspires proudlio On emptie eare lookinge above the reste, Advancinge his highe creste presumptuouslie Even to the stars as though he were the beste, Whoe, beinge lyhte, and fruitlesse of all grayne, For want of weight, showes all pride is vayne.'

Thynne's Emblemes and Epigrames (E. E. Text Society), p. 22.

BRAKE. add Hants. E. D. S. Gloss.

Bramble, Hawk's bill. See Hawk's bill Bramble.

Bramble, Mulberry. See Mulberry Bramble.*

Brandy-bottle. add Berks. 'The flowers are so called about Reading.'

Brandy Mazzard. A variety of Prunus Avium, L.—Dev. (Plymouth). Fl. Plymouth.

BREAD-AND-CHEESE. add (1) Dev. Friend; Kent; Linc.; Sal. Ireland (Antrim and Down).

- (2) add Oxf. (Standlake); Sal.
- (5) Agrostis vulgaris, L.—Suss.

Bread-And-Milk. add Glamorgansh. (Swansea).

Breckon. add S. Scotl. Mactaggart's Gallovidian Encyclopædia.

Brennet. Scrophularia nodosa, L.—Som. (Yeovil). Cfr. Brown Net.

Bride-weed. Linaria vulgaris, Mill. Sal. (Shrewsbury). Shropsh. Word-book.

Bridget-in-her-bravery. Lychnis chalcedonica, L.—Linc. Journ. Hort. Ap., 4, 1878.

Bright-eye. Ranunculus Ficaria, L.—'Bright-eye with its glossy leaves.' Borders of Tamar and Tavy, i. 274.

Brighten. A species of lichen. *Hants*. (New Forest). 'For weak eyes, *brighten*, another lichen, is recommended.' J. R. Wise's New Forest (Ed. iii.), p. 176.

Brimbles. add Sal.

Bringean See Sheep's Brisken.

Bread weed. Scabiosa arrensis, L.-N. Dev.

Broom grass. An unusual spelling of Brome-grass in Ann. Agric,

Brownt. The is communis, L.—Montgomerysh. It is used to rub on the joints of animals, especially of pigs that are lame from a linear which is there called broyant. Botanical Studies at Wilmski, w. by John Slater.

Bruise-root. See Squatmore.

Prive (1) (2) Surfaminus scoparius, Wimm. Sal. Shropsh. Wirel-look.

Buck-breet. Reserviors, L-Ireland (Antrim and Down).

Buckie Lice. See Lice, Buckie.

Backie Briar. Rest cinimi, L.—Ireland (co. Fermanagh). Science G. ssip. 1882. p. 43. Antrim and Down.

RUNKIPS, will Individ (Co. Fermanagh). Science Gossip, 1882, p. 43, S. Sed. Mactaggart, Gallov. Encycl.

Bull-buttercup. Califor polustris, L.—Ess.

Build Daisy. And The (Cleveland).

Bullerist. If in actual use in Suff.

Bull-flower. Calther palasteis, L.—Dev. Friend.

Bull jumpling. Tredlius curopicus, L.—N. Yks. N. & Q. 6th S., n. 412.

BULL-PATES. all Set. Shropsh. Word-book (Bull's-pates).

Bullipits of Bullpeats. Tufts of coarse grass very blunting to the scythe. Were (Upton-on-Severn), E. D. S. Gloss.

Bullpoll. Air recepitose, L.—'The bullpoll sends up tall slender stalks with graceful feathery heads.' Round about a Great Estate, p. 37.

Bullrush. (1) add Ger. Oxf.

(2) add Sal: Som. Friend; Surr. Mr. Friend also gives it for 'Juneus, the common rush which grows in ditches and pools.'

Bulls-And-Cows. add Warr. Midland Naturalist, 1883, p. 84.

Bull Toppin, add 'A tuft of rough grass in sedgy places, Derb. Reliquary, vi. 94.

Bull's Eye. (1) Lychnis diurna, Sibth. Dev. Friend. (2) Caltha palastris, L.—Dors. (Broadwindsor).

Bumble bees. Prunclla vulgaris, L.—Yks. (Cleveland).

Bumblekites. add Durh.

Bummkll. add Hants. E. D. S. Gloss.

Bun. Anthriscus sylvestris, Hoffm. Mid. Yks. E. D. S. Gloss., C. 5, p. 68.

Bungelberry. Rubus saxatilis, L.—Cumb. Hutchinson (1794).

Bunk. (1) add Suff. N. and Q., 6th S. iv. 256.

Bunnerts. add Also Bunnun. Yks. (Cleveland).

BUNNY MOUTH. add Kent (Rochester).

Bunny Rabbit. Antirrhinum majus, L.—Dev. Friend. Cfr. Bonny Rabbit.

Bur, Hedge. See Hedge Burs.

Burgundy Hay. add Ellis (Pract. Farmer, 85) calls it Burgundy Fodder.

Burn-blades. 'A large broad-leaved plant which is found growing on the banks of burns.' Mactaggart, Gallov. Encycl. Petasites vulgaris, Desf.

BURNET. (1) add Derb.

Burnt-ear. Ustilago segetum, Tul.—Hants. Lisle, Observations on Husbandry (1757), p. 150.

BURNT WEED. For 'W. Meath' read 'Westmeath,'

Burren Myrtle. See Myrtle, Burren.

Bur Thistle. add S. Scotl. (Bur-thistle). Mactaggart, Gallov. Encycl.

Burstwort. add Ger.

Burweed. (1) add Herts. Modern Husbandman, IV. ii. 4. Burr, the fruit of the same plant. Ed. VI. ii. 71.

BUTCHER'S BROOM. add Ess.

BUTTER-AND-EGGS. (2) add Kent; Yks.

BUTTER-BLOB. add (2) Buttercups. Yks. (Almondbury). E. D. S. Gloss.

BUTTERCUP. add (1) The popular belief that buttercups give butter its yellow hue is accepted by Ellis (Mod. Husb. v. 2, 91), who says, 'Cows feed in summer on grass mixt with yellow flower, that causes butter to look of the same colour.'

(5) Caltha palustris, L.—Dev. In Som. Big Buttercup. Friend.

Buttercup, Bull. Caltha palustris, L.—Ess.

BUTTERCUP, WATER. add Dev.

BUTTER DOCK. add Lake district (Butter Dockin) as also R. alpinus, L., for the same reason. Cumb. Trans. Cumb. Assoc., pt. vii. 167.

BUTTERLEAVES. add 'In Sal. the name is applied to various leaves used in packing the butter for market sometimes the Sicilian Beet (Beta cicla) is cultivated expressly for the sake of its long, cool, green butter-leaves.' Shropsh. Word-book.

Brisgean. See Sheep's Brisken.

Scabiosa arvensis, L.—N. J. Broad weed.

.: (Preston). er is made up 164.

Broom-grass. An unusual spelling of xxi. 77.

Stat. Acc. Scotl.,

Eroyant. Tunnes communis, L.on the joints of animals, espedisease which is there called slow, by John Slater.

d other 'Buttercups.'

Bruise-root. See Squatr

L, which is occasionally onails or Buttons.' Rea's Flora

BRUM. add (2) Surof Word-book.

Jentleman's Buttons.

٠d.

Buck-breer. Rose

Buckie Lice. F

Buckie Briar Trollius europeus, L.—E. Bord., from the resem-Gossip, 18' he flower to a close cabbage stock. Bot. E. Bord.

Cabbage. Houts, E. D. S. Gloss.

Bull- and (2) Achillea Millefolium, L.—Dev.

Br profes (Thorne one transcaled Lotus corniculatus, L.—N. Dev. Cfr. Cammock. 'There are two sorts of this stinking weed; the one has honey-suckle head, the other spires up with a sort of grassy leaf bove a foot high, and smells strongest.' Ellis, Modern Husbandman. ii. 1, 45. The first is Ononis arcensis, L.; the second we cannot identify.

CANDLE GOSTES. Under this heading for Gandle gosses read Gander gosses.

CANDLE WICK. add (2) Typha latifolia, L.—Lake District. Flora of Lake district.

CANKER. (3) ad l Hants. E. D. S. Gloss.

Canker Rose. (1) add Suff.

Cap-dockin. Petusites vulgaris, Desf. 17ks. (Cleveland).

Caper, Mount. See Meadow Rocket.

Captain-over the-garden. (Capt'n-ower-t'-gardin). Acoustum Napellus, L.—Yks. (Cleveland).

Cardies. Scabiosa arvensis, L.—Irel. (Co. Antrim). Science Gassip. 1881, p. 278.

CARL-DODDIE. add Scabiosa Succisa, L.—Ireland (Co. Donegal).

CARNATION-GRASS. add Also other species of Carex.: C. panicra, L.-W. Suss. (Science Gossip, 1880, 189); C. glauca, L.-Sal. ib. 213; C. hirta, L.-Som.

Carsons. Nasturtium officinale, Br. Mactaggart, Gallov. Encycl. Castle Gilliflower. See Gilliflower, Castle.

'Cassock (from cassuc), any kind of binding weed.' New Forest). J. R. Wise's New Forest (ed. 3), p. 166.

'entranthus ruber, DC. N. Linc. (Kirton-in-Lindsey).

'd (2) Antirchinum majus, L.-N. Linc. E. D. S.

ulus repens, L.—Lanc. (Preston). Science Gossip,



"lus nigra, L.—S. Lanc. This name is in makers, and refers to the dark knots in the st to resemble the marks of cat's feet.

.11.S. add (2) Catkins of Corylus Avellana, L.—Dev.

.086. Rosa arvensis, L.- Ches. As a distinction from Rosa canina, I., the dog rose.

Catrash or Catrush. Euonymus europæus, L.—' Perhaps from its having a green bark like a rush.' Archæologia, xlii. 126 (locality not specified.' Cfr. Catty tree.*

CATS AND KEYS. add Dev. Friend. (2) Fruit of Acer Pseudo-platanus, L.—Dev. Friend.

CAT'S-EYES. (1) add Hants. E. D. S. Gloss.; Kent (Rochester).

CAT'S-HEADS. add (2) A kind of apple. Hants. E. D. S. Gloss.

CAT'S TAIL. (2) add Hants. E. D. S. Gloss.; E. maximum, L.— Berks. (Sunningwell). N. & Q., 5th S., xi. 337. (6) add Herts. Ellis, Mod. Husbandman.

CAT'S TAILS. add (1) Som. (Willow).

(3) Anacharis Alsinastrum, Bab. Irel. (Co. Fermanagh). Science Gossip, 1882, p. 43.
(7) Dev. Friend.

Cat's tail, Blue. Echium vulgare, L.—Herts. Ellis, Modern Husbandman, vol. viii. p. 296.

Cat's tail. Green. Herts. Ellis, Modern Husbandman, vol. viii. p. 297. We cannot identify the plant from the description given: 'The green sort grows in wettish, flat, loamy land, where it mats, branches, and hangs together like Twitch grass, and choaks the corn.'

CAT-TREE. add (2) Cornus sanguinea, L.—Sal. (Wellington). Shropsh. Word-book.

Caten-aroes. Chrysanthenum Leucanthenum, L.—Lanc. (Preston). Science Gossip, 1882, p. 164.

Catty-tree. Euonymus europœus, L.—Sal. (Pulverbatch). 'Theer's a piece o' Catty-tree o' the fire, it stinks enough to pison a body, jest like as if a tum-cat 'ad bin about.' Shropshire Word-book. Cfr. Cat-tree, (1) and Foul-rush.

CAT WHIN. add (6) Ononis arvensis, L.—Yks. (Cleveland).

'A low-growing fenny species of whin, good coverts for the Scotch wild beasts.' Mactaggart, Gallov. Encycl. (Cat whinns). Is this (3)? CENTURY. (1) add Dev. Friend.

Chaff. 'The Newhaven fishermen denominate all the finer seaweeds chaff.' Landsborough's Pop. Hist. of British Seaweeds, p. 1 (1849).

CHALICE-FLOWER. add Parkinson (Parad. 68) says, 'The cup doth very well resemble the chalice, that in former days with us, and beyond the Seas, is still used to hold the Sacramentall Wine, that is with a narrower bottome and a wide mouth.' N. incomparabilis is the species referred to.

Champion. A spelling of Campion, not uncommon in old books. 'Champions are of several sorts, and many plants are called Lychnis.' Flora, by John Rea (1676), p. 149. Perhaps Lychnis chalcedonica was more particularly so called—'Flower of Bristol, Champion, or Nonsuch.' The Flower Garden, by Wm. Hughes (1683), ed. iii. p. 23.

Chaney Ash. Cytisus Laburnum, L.—Ches. (Delamere).

Chariot and Horses. Aconitum Napellus, L.—Herts. (Hitchin). See Venus' Chariot drawn by two doves.

Charlick. Sinapis arvensis, L.—Hants. E. D. S. Gloss.

Chase-the-devil. Given as a name for Nigella damascena, in Cameron's Gaelic Names of Plants, p. 3.

CHEAT. (2) Camelina sativa, L.—Nhamp. 'In this Countrey 'tis call'd Dutch Flax and Cheat.' Morton, Nat. Hist. Nhamp.

CHEESE. add Kent.

(2) The receptacle of Carduus lanceolatus, L.—Dumfries (Moffat).

Cheese-and-bread. Young shoots of Cratagus Oxyacantha, L.—Yks. (Almondbury). E. D. S. Gloss. Cfr. Bread-and-Cheese.

CHEESE-CAKE. (2) add Yks. (Cleveland).

CHEESE-RENNET. add Ireland (Co. Donegal).

Cheiper. Iris Pseudacorus, L., 'so called, because children make a shrill noise with its leaves.' Roxb. Jamieson.

Cherry, Hog. See Hog-Cherry.

Ches-seed Weed. Bromus secalinus, L.—Herts. Ellis, Modern Husbandman, iii. 1. 50. Chess, Ib. viii. 304. Chess-grass, New Experiments, 71.

Chibbals. add Worc. (Upton-on-Severn), E. D. S. Gloss. 'Onions grown from bulbs.'

Chickens. Saxifraga umbrosa, L.—Dev. Friend. Cfr. Hen-and-Chickens.

CHICKWEED. (2) Given as a name for Galium Aparine, L.—(Herts?) in Ellis, Modern Husbandman, viii. p. 302.

(3) Lamium amplexicaule, L.—'It is thought to be wholesome for sick birds, whence called Chickweed.' Threlkeld.

Chick-weed, Germander. See Germander Chickweed.

CHILDREN OF ISBAEL. add (3) Malcolmia maritima, Br. Dev. Friend.

(4) Pulmonaria officinalis, L.—Dors.

Chirms. Caltha palustris, L.—Nhamp. (Brackley). Perhaps from some confusion with Nuphar luteum, the flowers of which resemble those of Caltha. Cfr. Churn (2).

Christ's Eye. Salvia Verbenaca, L.—'Wild Clary is most blasphemously called Christ's Eye, because it cures diseases of the eyes.' Culpeper.

CHRISTMAS. add Dev. Friend. Kent; Leic. E. D. S. Gloss.

CHURL, add W. Worc.

Cicely. add Derb. Reliquary, vi. 95.

CINQUEFOIL. (2) add On the South Downs of Sussex 'Sainfoin is unknown but by the name of cinquefoil.' Annals of Agriculture, iii. 133 (1785).

(3) Medicago lupulina, L.— Trefoil with us is vulgarly and erroneously called cinquefoil. New Experiments, 74.

Clapweed. Silene inflata, L.—Herts. 'Bears a white blossom and branches out in great numbers of stalks, draws a great deal of the ground's goodness to maintain its growth, and takes up much room, to the killing of the corn that grows near it.' Ellis, Modern Husbandman, iii. 2, 53.

CLAVER. Lotus corniculatus, L.—Irel. (Co. Antrim). Science Gossip, 1881, p. 278.

Claver Sorrell, Oxalis Acetosella, L.—Langham's Garden of Health (ed. 2), p. 12.

Clay Pea. A variety of field pea grown in Som. Lisle, Observations on Husbandry (1757), p. 193.

Cliden. Galium Aparine, L .- West. Friend.

Clitch-button. (1) Galium Aparine, L .- Dev. Friend.

(2) Arctium Lappa, L.-Dev. Friend.

CLIVER. add (2) Galium verum, L.—Herts. Ellis, Modern Husbandman, iii. 1, 110.

Clobweed. Centaurea nigra, L.—Herts. W. Ellis, Modern Husbendman, iii. 1, 111.

CLOCK. (1) add Leic. E. D. S. Gloss.; Som.; Ireland (Antrim and Down).

(3) Rhinanthus Crista-galli, L.—Scotch Borders.

CLOT. add (3) Verbascum Thapsus, L.—In Aubrey's Wilts MS. (Royal Soc.), 'Clote or torch-flower' (fol. 125); 'Hedgetaper clote (fol. 124).

CLOVER, HEART. In second line, for 'Clover' read 'Trefoil.'

Clover, Lady's. See Lady's Clover.

CLOVEWORT. add (2) Mr. Friend tells us that Ranunculus acris is still so called at Brackley (Nhamp.).

CLOW. add In actual use in Suff.

Cluster-berries. Vaccinium Vitis-Idaa, L.—Derb. (Kinder).

Clyders. Galium Aparine, L.—Hants. E. D. S. Gloss.

Coach and Horses. 'Tall "coach and horses" (aconite) with fringed leaves with blue flowers, the sheath eagerly drawn from the stamens by our child-hands, to reveal the prancing steeds for the state-coach.' Ingleside and Wayside Musings, by Rev. J. R. Vernon, pp. 214, 215 (1878).

COB-NUT. add Hants. E. D. S. Gloss.

Cock-flowers. Orchis mascula, L.—Hants.

Cock foot. Dactylis glomerata, L.—Yks. (Cleveland). See Cock's foot.

Cock grass. add (3) Plantago lanceoluta, L.—Som. See Grass, Cock.

COCKLE. add (4) Vinca major, L., 'by a curious confusion of the flower Periwinkle with the fish, and of periwinkles with cockles.' Glou.? Friend,

COCKLE. (2) add Hants. E. D. S. Gloss.

COCK ROBIN. add N. Dev. Friend.

Cocks. add Durh.; Sal.

Cock sorrell. Rumex Acetosa, L.—Yks.

Cockspire. 'An herb or grass by [the farmers] called cockspire (cocks foot), which is said to produce a relaxation of the shoulder' in sheep. Cumb. 157, 189. Cocksfoot is Dactylis glomerata, L., but possibly some other plant is here meant. Agric. Surv.

CODLINS-AND-CREAM. add Berks.; Surr.; E. Suss.

Coe-grass. Juncus bufonius, L.—Som. Said to be the cause of cos or sheeprot.

Collar bags. Smut in wheat. 'Collar bags, or smut.' Kent.—xvi. 311. Ann. Agric.

Collier, Far. A variety of Primula Auricula, L.—'The Collie as the French call it, or the farre Collier as we in English, hath a pale greenish leafe without dents, and somewhat a large flower, and of a dainty violet purple colour, somewhat sad, but very lively.' Park. Theatr., 537.

Colt's tail. Equisetum arvense, L.—Dev. Friend.

COMB, LADY'S. See p. 130: it should have been on page 116.

Comfer Knitbeen. See Knitbeen, Comfer.

Cones or Cone Wheat. Bearded wheat. Worc. (Upton-on-Severn), E. D. S. Gloss.

COPPER-ROSE. add In actual use in Suff.

Corn-grass. See Grass, corn.

Corn-thistle. add S. Scotl. (corn-thristle). Mactaggart, Gallov. Encycl.

Cottagers. Digitalis purpurea, L.—Ireland (Co. Waterford), 'because they belong to the poor people.'

COUCH. Triticum repens, L.—add Suff. (Ipswich). Dactylis glomerata, L., and Holcus lanatus, L.—'The farmer calls them both couch.' Ann. Agric., xxxviii. 455.

Cough-grass. See Grass, Cough.

Country Lawyers. Rubus fruticosus, L.—Leic. E. D. S. Gloss. Cfr. Lawyers.

Coventry Marians. Campanula medium, L.—A variant of the names Coventry Rapes and Marians Violet (which see). 'Like the Belfloures, or Coventry Marians the Coventry Marians Violet.' Lyte (1619 ed.), 123.

COWBERRY. (1) add Cumb.; N. Derb.; S. Yks.

Cowbind. Bryonia dioica, L.

'And in the warm hedge grew lush eglantine, Green cowbind and the moonlight-coloured May.' Shelley, The Question.

Cow-cranes. Caltha palustris, L.—Nhamp. (Brackley).

Cow-garlic. See Garlic, Cow.

Cow GRASS. add (4) Ranunculus Flammula, L.—Ireland (Co. Derry).

Cow-itch. See Itching-berries.

COWMACK. add Perhaps the allied Silene inflata, L., is intended, which was supposed to have the property indicated: 'I had a maid (said one), lately used to the dairy-countries, who, when I had a cow not apt to take bull, went into the grounds and gathered a large handful of spattling-poppy, and held it to the cow, and she eating it readily went to bull in two days after, and this, she said, in their country seldom failed.' Lisle's Observations in Husbandry, ed. 2. (1777), vol. ii. p. 106.

Cow-mumble. (2) In actual use in Suff.

Cow-paigle. Primula veris, L.—Herts.

COWS AND CALVES. add Glou. (Chedworth), where it is called Cow and Calf. add Dev. Friend.

Cows' Eyes. Chrysanthemum Leucanthemum, L.—Cornw.

Cows' Grass. 'In some parts of Norfolk it [Dactylis glomerata, L.] is called cows' grass, from their being very fond of it.'—Ann. Agric., xxxvii. 454.

COW-PARSLEY. add Cumb.

COW-PARSNIP. add 'An old woman in the parish gives her cows a creel-full of this plant in the season for supper, and she says that the milk-pail next morning bears testimony to its virtues.' Aberdeensh. (St. Fergus). Stat. Acct. Scotland, xii. 192.

Cow Sinkin. Primula 'elatior.' Cumb., Hutchinson (1794). Cfr. Cow-stripling.

Cow's Lick. add Burnett (Med. Botany, ii.) says it is a common practice to give small quantities to horses in their corn, to make their coats glossy and fine; and that a decoction made with 1 lb. of the fresh root is the best physic for horned cattle.

COWSLIP. add (7) Digitalis purpurea, L.—Dev. Friend.

- (8) Ranunculus acris, L.—Dev. Friend.
- (9) Primula Auricula, L.—Dev. Friend.

Cowslip, Virgin Mary's. Pulmonaria officinalis, L.—Sal. Shropsh. Word-book.

Cowslop. add Sal.: also Cowslop, Shropsh. Word-book. add (2) Digitalis purpurea, L.—Dev.

COW-WEED. (1) add Ess. Ray, in Phil. Trans., xix. 625.

(2) Ranunculus fluitans, L.—Hants. (Ringwood), where 'their cows are fed night and morning on a weed procured out of the river Avon.'—xl. 555.

Crack-nut. Fruit of Corylus Avellana, L.—Dev. Friend.

Cradle-dock. Senecio Jacobera, L.—Ches. (Newton by Daresbury).

CRANBERRY. (1) add Also Cranberry Wire. Cumb. Trans. Cumb. Assoc., pt. vii. 140 (1883).

Cranes. Vaccinium Oxycoccos, L.—Cumb. Hutchinson (1794). Cfr. Crones.

CRAW-TAES. add (1) Scilla nutans, Sm. W. and S. Scotl.

CRAWFOOT. add (2) Orchis mascula, L., and O. maculata, L.—Yks. (W. Riding).

CRAZY. (1) add Worc. (Upton-on-Severn) E. D. S. Gloss.

Crazy Bet. Caltha palustris, L.—Wilts. (Salisbury). 'She knew where to find the first "crazy Betties."' Round about a Great Estate, p. 24.

Creed. Lemna minor, L.—'The pond all green with creed or duckweed.' Round about a Great Estate, p. 26. Cfr. Greeds.

Creeping Charlie. Sedum acre, L.—Dev. Friend.

CREEPING JENNY. (1) add Dev. Friend.

- (4) Sedum reflexum, L.—Heref.
- (5) Sedum acre, L.—Dev. Friend.
- (6) Linaria Cymbalaria, Mill. Dev. Friend.

Creesy-creesy. 'A buttercup.' Glou.

CREES, YELLOW. (2) Ranunculus arvensis, L.—Herts. 'The Horse-gold Weed, or, as some call it, the Yellow Creese.' Ellis, Modern Husbandman, iv. (pt. i.) 56. (1750).

Cress, Garth. See Garth Cress.

Cress, Horse. See Horse Cress.

Cressel, or Cresset. Scrophularia aquatica, L. 'The leaves of the square-stemmed figwort, which they called cresset or cressel.' Round about a Great Estate, p. 80.

CRESS, MEADOW. add Dale, Pharmacologia.

CREWEL. add Dors. (Broadwindsor).

CROCODILE. add (2) Ilex Aquifolium, L. A small variety which grows in hedgerows, and is exceedingly bristly. Som. Friend.

Crowdy-kit. Scrophularia aquatica, L.—Dev. Gloss. Friend, which see, and cfr. Fiddle-wood.

Crowdy Kit o' the Wall. Sedum acre, L.—Dev. Gloss. Friend, which see.

CROSS-FLOWER. add (5) Scilla nutans, Sm. Dev. Friend. (6) Orchis mascula, L.—Dev. Friend.

Chowfoot. (3) Orchis mascula, L.—add Lanc. (Preston). Science Gossip, 1882, p. 164.

(6) Plantago Coronopus, L. Lobel, Obs. Stirp. 239.

Crowfoot, White. Ranunculus aquatilis, L.—Sal. (Clun, Ludlow). Shropsh. Word-book.

Crow Gall. Fucus vesiculosus, L. Ger. 1377.

Crow-ling. (2) Erica Tetralix, L.—Yks. (Cleveland). Cfr. Ling, Crow.

CROW-PEAS. add (2) The pods of Vicia sepium, L., and other Vetches. Cumb. Cfr. Craw peas.

CROWPECK. add 'There is a common saying in the New Forest that "two crow-pecks are as good as an oat for a horse"; to which the reply is, "that a crow-peck and a barley-corn may be."' J. R. Wise's New Forest (ed. 3), p. 281.

Crow-pightle. add (2) Ranunculus Ficaria, L.—Beds.

CROW-TOES. (2) Ireland (Co. Down).

Crumple Lily. Lilium Martagon, L., and L. tigrinum, L., from the turning back of the petals. Dev. Friend.

Cucklemoors. Arctium Lappa, L.—Dors. Pulteney MS.

CUCKOLD. add Som. (Cuckold Dock).

Cuckoo. add (1) Cornw.

(2) Dev.; Rutl. N. and Q., 6th S., iii. 406.

(4) Dev. Friend.

```
7 James of Fiera mirestria. L. En.; The (W. Riding).
```

- Selfa reconcil—Der. Friend.
- " Ligaria francia, Shith. Ben. Friend.
- Lytina Francisco, L.—Iva. Friend.

Compagnic diff

From its stug retreat was torn.' Clare.

We many say what is mean! Perhaps Arum maculatum?

Cucked-button. Anglis a taling, Schkuhr. N. Der.

Communication versus of a sold Hands, E. D. S. Gloss, Wight (O. 1807) of Lat.

- 71 H. Lake, E. D. S. Gloss.
- 13 and Peris Lebi, E. D. S. Gloss.

CTCEON-MEAT. (1) ald Sd.; E. Suss.

4: Runex Acetosella, L.—Ches. (Delamere).

CTCKOO-PINT. (1) add Leie, E. D. S. Gloss.

add '3 Cardonine pratensis, L.—Leic. E. D. S. Gloss.; E. Suss. (also Cuckoo-pintle).

Cuckoo's beads. Fruit of Cratægus Oxyacantha, L.—Sal. (Ellesmere). Shropsh. Word-book.

CCCKOO'S BREAD. (1) add Dev. Friend.

CUCKOO'S BREAD AND CHEESE. (1) add Leic. E. D. S. Gloss.

(2) add W. Worc.

Cuckoo's Caps. add Aconitum Napellus, L.—Shropsh. Word-book. Cuckoo's Eye. add Kent (Rochester).

Сискоо's Sorrel. (1) add Ireland (Co. Derry).

- (2) Rumex Acetosella, L.—Irel. (Co. Fermanagh). Science Gossip, 1882, p. 43.
- Cuckoo's Sour. add 'Trifolium, geaces-sure vel pri-lefe, occurs in Abp. Ælfric's Vocabulary, x cent.; and Mr. Wright says in a footnote, "Geaces-sure or gaces-sure, literally cuckoo's sour, was the plant we now know by the name of woodsorrel, which is still called in some parts of the country cuckoo sorrel." See Vocab., vol. i. p. 30. Shropsh. Word-book.
- Cuckoo-spit. add (3) Anemone nemorosa, L.-W. Worc.
- Cuckoo's Stockings. add (3) Viola 'canina' (sylvatica, Fr.).
 Curmarthensh.

Cucumbers. The seed-vessels of Iris Pseudocorus, L., which, when green, bear a close resemblance to young cucumbers. Per. Friend.

CUDWEED AMERICAN. Correct this entry to 'Cudweed, American.'

CUPS-AND-SAUCERS. add (2) Colyledon Unillicus, L. — Dev. Friend.

Curdwort. Galium verum, L.—Herts. Ellis, Modern Husbandman, III. i. 110. . . . 'It is pernicious in curdling milk in the cow's bag; but they seldom eat it.'

CURL DODDY. (1) Children twist the stalk of this flower, and as it slowly untwists in the hand, say to it:

'Curl doddy on the midden
Turn round an' tak' my biddin.'

Antrim and Down. E. D. S. Gloss.

Curlock. Raphanus Raphanistrum, L.—(White C.). Sinapis arvensis, L. (Yellow C.). Ellis, Modern Husbandman, II. i. 16.

Cushion. Armeria maritima, Willd. Dev. Friend.

Cushion, Lady's. (1) add Ches. Leigh's Glossary. Lyte, p. 504. (2) add Beds. (in cultivation).

Cutfinger. add (3) Scrophularia nodosa, L.—Surr. 'Country children and indeed olde folk, call the foliage of the knotted figwort cut finger leaves, as they are believed to assist the cure of a cut or sore.' R. Jeffries in Standard, Nov. 26, 1880.

(4) Cotyledon Umbilicus, L.—W. Worc.

DAFFADOWNDILLY. (1) add Derb. Reliquary, vi. 96; Leic. E. D. S. Gloss.; S. Scotland, Mactaggart's Gallovidian Encyclopædia; Ireland (Antrim and Down). E. D. S. Gloss. (Daffydowndillies).

DAGGERS. add (2) Iris Pseudacorus, L.—Dev.; Lanc. (Preston). Science Gossip, 1882, p. 164.

Da-ho. Anthriscus sylvestris, Hoffm. See Hi-how. Antrim and Down. E. D. S. Gloss.

Daily Bread. The stout young shoots (suckers) of Rosa canina, L., which are eaten by children. Yks. (W. Riding). Cfr. Bullbeef.

Daisy, Cabbage. See Cabbage Daisy.

DAISY, Dog. (1) add Durh.

(5) Matricaria inodora, L.—Ireland (Co. Donegal).

Daisy, Field. Chrysanthemum Leucanthemum, I..—Dev. Friend.

Daisy, Horse. add Heref.; Som.

Daisy, Michaelmas. add (2) Pyrethrum Parthenium, L.—Dev. Friend.

Daisy, Midsummer. add (2) Pyrethrum Parthenium, L.—Dev. Friend.

DAISY, MOON. add Surr.

Daisy, Poison. Anthemis Cotula, L.—Suss.

Daisy, Thunder. Chrysanthemum Leucanthemum, L.—Dev. Friend.

Dame's Violet. add 'The ladies in Germany have pots of it [H. tristis] placed in their apartments, whence it obtained the name of Dame's Violet.' Mart. Mill.

DAMSEL. add Damsdils is another Yks. (Cleveland) form.

Dandy goshen. Orchis Morio, L.—Wilts. (Salisbury).

DANE'S BLOOD. (2) add N. Herts.

DANEWORT. add 'This place (Gatton, Surrey) is renowned also for a great slaughter committed on the plundering Danes by the women; and, as a confirmation of this tradition, the vulgar shew the herb called the *Danewort* in great plenty, which they fancy to have sprang from Danish blood.' Aubrey, Nat. Hist. of Surrey, iv. 217 (1718).

Darciell. 'A herb mentioned by Palsgrave, but without the French term for it.' Hal.

Darn-grass. Anemone nemorosa, L.—'In Kincardine, Moray, and Aberdeenshire the farmers call it Darn-grass. They say it gives rise to a disease called darn or black water, and also a dysentery among their cattle which eat it... Mr. Gamgee (Trans. Highland Soc.) does not consider the disease attributable to such a cause. In Sweden, however, the people blame the Anemone for a disease attended with precisely similar symptoms.' Jas. Hardy in Border Mag., Nov. 1863, p. 286.

Darning Needles. Scandix Pecten, L.—Yks. (Cleveland).

DAVIE-DRAP. add Mactaggart says they mark out 'the circle in which it is hid with the forefinger,' which explains the first line.

Davy white-yeads [heads]. Eriophorum vaginatum, and E. polystachyon. Sal. (Whixal Moss.). Science Gossip, 1880, p. 213.

Dawmson plume. A damson.

Day flower. Cistus ladaniferus, L.—N. Linc. (Bottesford).

DAY-NETTLE. add 'The Day-nettle, by which the reapers are so severely stung, is the Galeopsis, including more than one species of it, and not the dead-nettle or Lamium, as stated by Dr. Jamieson. The severity of the wound is caused by a poisonous liquid contained in the plant.' Fifeshire. Stat. Acct. Scotl., ix. 563.

DEAD MAN'S FINGERS. (1) add Kent; Dev. Friend; Sal. Shrop-shire Word-book.

DEADLY NIGHTSHADE. add Ger.

DEAF NETTLE. (1) and (2) add Dev. Friend.

Death Alder. Euonymus europæus, L.—N. Bucks, where it is thought unlucky to bring it into the house.

DEATHIN. add (2) Cicuta virosa, L.—'Provincially called deaffin or deathin, peculiarly obnoxious to cows.' Fife (Abdie), Stat. Acct. Scotland, ix. 48.

Death's Herb. add 'Dwale or nightshade, which is also called Death's herb.' Topsell, Hist. Fourfooted Beasts, 99.

De-nettles. 'A kind of nettle, common in cornfields, and hurtful to the reaper's hands.' Mactaggart, Gallov. Encycl. = Deyenettle (1).

Deil's Flower. Veronica Chamædrys, L.—Dumfr. (Moffat).

Deil's Milk. 'The white milky sap of many plants, called so because of its bitter taste.' Mactaggart, Gallov. Encycl. Cfr. Devil's Milk.

Delicate Bess. The white variety of Centranthus ruber, DC. Dev. Friend.

DEVIL-IN-A-BUSH. (1) add E. Suss.

Devil on all sides. Ranunculus arvensis, L.—Yks. (Almondbury). E. D. S. Gloss. Cfr. Devil on both sides.

Devil's fingers. add (2) The catkins of Populus nigra, L.—
Nhamp. (Brackley), Mr. Friend, who has been told it was considered
unlucky to pick them up.

DEVIL'S GUTS. (1) add Hants. E. D. S. Gloss.

(2) add Beds. (Woburn); Linc. Journ. Hort., Sept. 4, 1878, p. 263.

(4) Ranunculus repens, L.—E. Bord. 'Indicating its troublesomeness, and its habit of throwing out long runners.' Bot. E. Bord.

DEVIL'S MEN AND WOMEN. add 'The red berries are men, the green women.' Shropsh. Word-book.

Devil's Poker. Tritoma Uvaria, L.—Dev. Friend.

Devil's root. Orobanche minor, L.—Kent. 'From its destructiveness to clover.' Rochester Naturalist, i. 39.

DEVIL'S SNUFFBOX. add Suss.

Devil's Snuff-mill. See Snuff-mill, The Devil's.

Devil's Tether. Polygonum Convolvulus, L.—Ches. (Delamere).

Devil's Wood. Sambucus nigra, L.—Derb.

Dewberry-brier. Rubus cæsius, L.—Ellis, Modern Husbandman, iv. 1. 77.

DEW CUP. add 'In the night it closeth itself together lyke a purse, and in ye morning it is found ful of dewe.' Turn. Herb., iii. 24.

DEWTRY. add Dale (Pharmacologia, 1737) has Dutroy.

DEY, or DEYE NETTLE. See **Deye Nettle**. To the localities given under the various forms of this name may be added *Roxb*. (Kelso). Science Gossip, 1876, p. 39. The writer also includes *Galeopsis* versicolor, L.

DICKY-DILVER. add Is still in actual use in Suff.

Dig-meat. Lemna minor, L.—W. Ches. Dig is the W. Ches. name for a duck.

Dill-cup. Ranunculus arvensis, L.—Hants. E. D. S. Gloss.

Dilse. Rhodymenia palmata, Grev. Shetland. Edmonston's Fl. of Shetland.

Dirty John. add Also Chenopodium album, L.—W. Ches. More frequently called Dirty Jack.

Dock. add (3) Rumex sanguineus, L.—Hants. E. D. S. Gloss.

Dock, Sour. add Sal.

DOCKAN. add 'When a boy gets stung by a nettle he searches for a dock-leaf and rubs it on the wounded part, repeating the charm, Dockan, Dockan, in: Nettle, Nettle, out.' Antrim and Down. E. D. S. Gloss.

Dockin, Cap. See Cap Dockin.*

Dop. add Dev. Friend.

Dodder. In Lyte doder: he gives 'high Douch . . Todtern' (p. 398). Cfr. Germ. todten, to kill, to destroy.

DODDERING GRASS. add Yks. (W. Riding).

Dodger. 'Sherardia arvensis, creeping plume-thistle. Corve Dale.' Shropsh. Word-book. This is a mistake for Serratula (= Carduns arvensis, Curt.).

Dodjell-reepan. See Meadow Rocket.

Dogberry. (2) add Ches.

(4) add Hants. E. D. S. Gloss.

(5) Pyrus Aucuparia, Gaertn. Cumb. (Winderwath).

Dogbreer. Rosa canina, L.—Yks. (Cleveland).

Dog Eller. add (2) Egopodium Podagraria, L.—Ches. (Frodsham). From the superficial resemblance of its leaves to those of the true elder. Here again 'dog' undoubtedly means spurious.

Dogfoot. Dactylis glomerata, L.—Derb. (Buxton).

Dog-Mercury. Mercurialis perennis, L.—E. Suss.

Dog OAK. add Notts. N. and Q., 1st S., viii. 490.

Dog-Parsley. Anthriscus sylvestris, Hoffm. Ellis, Mod. Husbandman, iv. 4, 78.

Dog-spear. Arum maculatum. L.—Som. (very common).

Dog-Timber. Cornus sanguinea, L.—Dev.; Som. (usual name).

Dog-tooth Berry. Fruit of Enonymus europeus, L.—Surr. (Epsom).

Dog-tooth Violet. A common book-name. Erythronium Dens-canis, L.—Ches.; Lanc.

Dog-tree. add (1) Oxf. Science Gossip, 1882, 165.

(5) Viburnum Opulus, I.—Warw. Loudon's Gardener's Magnzine, vii. 234 (1831), where there is a description and figure of the watch-maker's skewers made from it.

Dog's Dibble. Arum maculatum, L.—N. Dev. (Barnstaple), where there is a rhyme—

' Dog's Dibble, Thick in the middle.'

Dog's Mouth. add Oxf. (Standlake).

Dog's Myrrh. 'Corn Parsley (Petroselinum segetum), called locally Dog's Myrrh.' Aberdeensh. Jolly's Life of John Duncan, p. 325. We suspect Myrrhis odorata, L., was intended. See Myrrh.

Dog's tausle (tassel). Arum maculatum, L.—Som. (very common).

Dog's TAIL. 'Fescue (dog's tail).' Camb. Agric. Surv. The grass usually called Dog's tail is Cynosurus cristatus, L.

Dog's-toe. Geranium Robertianum, L.—Ireland (Co. Donegal), 'in allusion to the fruit-carpels.' H. C. Hart.

Donkey's Ear. Stachys lanata, L.—Dev. Friend.

Donkey's Oats. Rumex acetosa, L.—Dev. Friend.

Doon-head-clock. Leontodon Taraxacum, L.— 'Rustics, to know the time of the day, pull the plant and puff away at its downy head, and the puffs it takes to blow the down from off it is reckoned by them the time of the day.' Mactaggart, Gallov. Encyl.

Dotherum. Veronica hederifolia, L.—Ches. (Bunbury).

Doyer Grass. See Grass, Dover.

Double Sciney. See Close Sciences.

Dragon-flower. Iris Pseuducorus, L., and I. feetidissima, L.—Dev. Friend.

Drake's feet. Orchis mascula, L.—N. Linc.

Drawling. add (2) E. polystachyon, L.—Peebles, Stat. Acc. Scotl., iii. 61. Leaves of E. vaginatum, L.—Cheviots. Ann. Agric., xxvii. 182.

DREW. add (2) Zostera marina, L.—Shetland. Edmonston's Flora, p. 15.

Droke. add (2) Kent. Gard. Chron. 1843, 571.

Drooping Willow. (1) Salix babylonica, L.—Dev. Friend. (2) Cytisus Laburnum, L.—Dev. Friend.

Drops of Snow. Anemone nemorosa, L.—E. Suss.

Drunkard. Caltha palustris, L.—S. Dev. Rev. H. Friend, who says, 'I asked, "Why do you call them drunkards?" Reply, "Because they say if you gather them you will become a drunkard." Of course the true reason is their fondness for drink.'

Drunken Plant. Lolium temulentum, L.—Dev. (North Tawton). Gard. Chron., p. 661, 1843.

Drunken Slots. Valeriana officinalis, L.—Som.

Drunken Sailor. Centranthus ruber, DC. Dev. Friend.

Drunken Willies. Centranthus ruber, DC. Som. (Dunster).

Dryland Scout. Heracleum Sphondylium, L.—Ireland, Co. Tyrone, 'in the neighbourhood of the Roch.' Science Gossip, 1880, p. 255.

DUCK-MEAT. add Derb.; Nhamp. (Brackley).

Duck's bills. Syringa vulgaris, L.—Dev. Friend.

DUFFEL Grass. add 'The grasses chiefly cultivated are rye and duffil grass.' Durh. Agric. Surv.—33. 'Provincially duffeld grass.' W. Yks. 48.

Dulse. Rhodymenia palmata, Grev. add Orkneys. N. and Q., 6th S., viii. 83.

Dullis, Dullisk. Rhodymenia palmata, Grev. Eaten or rather chewed after having been dried for a few days in the sun. Antrim and Down. E. D. S. Gloss.

DUMB NETTLE. add Glou. (Shipton Oliffe); Worc. (Upton-on-Severn) E. D. S. Gloss.

Dumble Dor. Ophrys apifera, L.—Surr. (Cheam).

Dummy Nettle. Lamium album, L.—Oxf. (Standlake).

Dun Daisy, or Dunder Daisy. Chrysanthemum Leucanthemum, L. — Dev. Friend.

Dummy Weed. Tussilago Farfara, L.—Herts. W. Ellis, Modern Husbandman, vol. iii. pt. 2, p. 175 (1750). Later on (iv. 1, 71) he calls it Dummy-leaf Weed, and in iii. pt. 1, 48, Dummy-leaves.

DUSTY MILLER. add (1) Yks. (Cleveland).

(2) Cerastium tomentosum, L.—Linc. (Bottesford).

Dutch Arbel. Populus alba, L.—'The low country-men sometimes call it Dutch Arbel.' W. Ellis, Modern Husbandman, vol. vii. pt. 2, p. 104 (1750).

Dutch Flax. Camelina sativa, L.—Nhamp.

DWALE. add 'The Dwale Bluth is a Devonian name for Deadly Nightshade. Oliver Madox Brown, p. 179. By John H. Ingram (1883).

DWARF ELDER. add Dev. Friend.

Eardrops. Flowers of garden Fuchsia. Dev.; Suss. Friend. Also Lady's Ear-drops.

Ear-rings. Cytisus Laburnum, L.—Ches. (Frodsham).

Earth-bark. Potentilla Tormentilla, L.—Shetland. 'The large præmorse root (termed Earth bark) is used as a substitute for oak bark in tanning, for which purpose its intense astringency well fits it.' Edmonston's Flora of Shetland, p. 35.

Earthbind. 'Headache of rheume, put in the iuyce of white Earthbinde into the nose.' Langham, Gard. of Health, (ed. 2), 205. We do not know what is meant.

Easter Flower. Stellaria Holostea, L.—E. Suss.

Easter Lily. Narcissus Pseudo-narcissus, L.—Dev. Friend.

EAVER. add Som.

(2) Lolium temulentum, L.—Dev. (North Tawton). Gard. Chron. 1843, p. 661.

EBBLE. add Suff.

Ecric (a corruption of *Yarrow*). Achillea Millefolium, L.—Scott. (Aberdeensh.). 'Lasses used to take it and put it in their breasts as a charm, repeating this rhyme:

Eerie, eerie, I do pluck And in my bosom I do put; The first young lad that speaks to me, The same shall my true lover be.

Jolly's Life of John Duncan, p. 351.

Eggs and Bacon. (1) add Dev. Friend; Rutl. N. and Q., 6th S., vi. 237.

Eglet-bloom. Flower of Cratagus Oxyacantha, L.—Dev. Friend.

EILEBER. add This is an A.S. name. See Cockayne, ii. 65.

ELDER. Alnus glutinosa, L.—add Irel. (co. Fermanagh). Science Gossip, 1882, p. 43. (Co. Donegal, the general name.)

Elder, Feathered. Sambucus nigra, L., var. laciniata.—'It is found about Charlbury in Oxfordshire, and there called Feathered Elder.' Blackstone, Specimen Botanicum.

ELDER, GROUND. (3) add Warw.

Elder, Red. Viburnum Opulus, L.—Scotland (Lanarksh.) Jamieson.

Elder, Royal. See Royal Elder.

ELDERN. add Hants. E. D. S. Gloss.

Elisha's Tears. Leycesteria formosa, DC.—Dors. (Weymouth), a corruption of the Latin generic name.

Elf-grass. 'A kind of grass yerbwives find, and give to cattle they conceive injured by elves.' Mactaggart, Gallov. Encycl. We do not know what is meant.

ELL-DOCKEN. add Nhumb.

Eller. (2) add Derb.

ELLERN-TREE. Ellern. add Sal.; Worc. (Upton-on-Severn), E. D. S. Gloss.

ELLET. add Kent (Romney Marsh).

Ellum. Ulmus. Hants. E. D. S. Gloss.

ELM. add Also Ulmus montana, Sm. 'In Yorkshire is plenty of trees which they call elmes; but they are wich-hazells.' Aubrey, Nat. Hist. Wilts., p. 54.

Elshinder. See Alshinder.

Empy-grass. Phalaris arundinacea, L.—Ireland (Cos. Limerick and Tipperary).

Endive, Green. See Green Endive.

ERIFF. add Leic. E. D. S. Gloss.; Staff. Agric. Surv.

Ern Fern. add i. e. eagle-fern : ern = eagle.

Everlasting-grass. Onobrychis sativa, L. 'Commonly called Sainct-foin or Everlasting-grass.' Oxf. Plot, Nat. Hist. Oxfordsh. 156.

EVEROCKS. add In Kincardinsh. EVERNON. Stat. Acc. Scotland, xi. 235.

Everwhite. Antennaria margaritacea, L.—Nhamp. (Brackley).

Ewe-bramble. Rubus fruticosus, L.—Som., 'the usual name in the dialect.' Mr. Elworthy.

EYEBRIGHT. (2) add Ireland (Antrim and Down).

FAIR MAIDS OF KENT. add A variety of the Carnation was also so called. Park. Parad., 301.

FAIRY BELL. add Scotl. (Morayshire).

FAIRY BUTTER. add Hunts. E. D. S. Gloss.

FAIRY CUPS. add (2) Peziza coccinea, L.—Durh. (Castle Eden).

FAIRY FINGERS. add Durh.; Ireland (Co. Fermanagh). Science Gossip, 1882, p. 43.

Fairy Grass. Briza media, L.—Ireland (Co. Limerick).

Far Collier. See Collier, Far.*

Farmer's Ruin. Spergula arvensis, L.—Yks. (Almondbury). E. D.S. Gloss., s. v. Bottlebrush.

FAT HEN. add (1) Beds. Batchelor; Leic. E. D. S. Gloss.

(2) Kent.

(3) Yks. (Cleveland).

FAY BERRY. (1) add Derb. (Feberry).

Feather. A species of Equisetum. Oxf. (Standlake). Science Gossip, 1882, p. 165.

Feathered Elder. See Elder, Feathered.*

FEATHERFEW. add Kent.

Featherfowl. See Featherfew, and add Heref.

Feberry. See Fayberry.

Fellon-grass. Transfer Westm. Wilson's Synopsis (1744) from (1) to (2) (II. viridis, L.).

(3) Geranium Robertianum, L.—Yks. (Cleveland).

Fellon-wood. (1) add Lanc. E. D. S. Gloss.

Fellon-wort. add (4) Geranium Robertianum, L.—Yks. (Cleveland).

Fern, Bawsey. See Bawsey Fern.*

Fern, Foxes'. See Foxes' Fern.*

Fern, Herrin-bone. See Herrin-bone Fern.

Fern, Parsley. add (2) Tanacetum vulgare, L.—Dev. Friend.

Fern, Royal. Osmunda regalis, L.

FERN, Scented. add (2) Tanacetum vulgare, L.—Dev. Friend.

FERN, SWEET. add Coles, A. in E. 168.

FIDDLES. add Dev. Friend.

Field Daisy. Chrysanthemum Leucanthemum, L.—Dev. Friend.

Fig. (2) add Hants. E. D. S. Gloss.

FILAERA. add (2) Valeriana officinalis, L. 'Fillaira, a plant, valerian. Also called Villera.' Ireland (Antrim and Down), E. D. S. Gloss. The name is thus a corruption of Valerian, and was probably transferred to (1) from its similar habitat and casual resemblance.

Fillaira. See above.

FILBEARD. add Worc. (Upton-on-Severn), E. D. S. Gloss.

FILBERT. add In the Sussex Archeological Collections (vi. 46), in a paper on the Visit of King Edward to the Second Battle, &c., in 1324, there is mentioned among the presents 'a basket of filbert nuts, (nuces de Sancto Philiberto),' and again (p. 49), 'William de la Zouche sent for the royal table 16 nuts of St. Philibert.' On this it is remarked, 'It is probable that these filberts were imported from one of the many villages or towns in Normandy and Brittany, bearing the name of St. Philibert, where the climate may have been propitious to their growth. There was a family of the name in England.

FINGER FERN. add (2) Scolopendrium vulgare, Sm., var. multifidum. 'Finger-ferne in some places.' Park. Theatr., 1047.

FINGERS AND THUMBS. add Dev. Friend; Oxf.; Rutl. Friend. N. and Q., 6th S., vi. 237.

Finnows. Mould. Hants. Lisle, Observations on Husbandry (1757), p. 241.

FIR-BOB. add Lanc. E. D. S. Gloss.

Fir-top. Fruit of Pinus sylvestris, L.—Lowlands of Scotland.

FISH LEAVES. add Warw.

Five-Finger Grass. (1) add Glou. (Chedworth).

FIVE-FINGERS. add (5) Primula elatior, Jacq. And probably also 'oxlips' generally. Suff.

FIVE-FINGERED ROOT. add 'Grows in great plenty over all this Country, is called by the Inhabitants five-finger'd Root, and is much used by them in Cataplasms for the Fellon, or worst Kind of Whitlow.' Glam. (Haverfordwest). Phil. Trans., xliv. 228 (1746).

FIVE-LEAF, line 3, for oncorage read oucoroge.

Fizz gigs. Senecio Jacobæa, L.—E. Bord. Bot. E. Bord.

Flagons. Iris Pseudacorus, L.—Irel. (Co. Fermanagh). Co. Derry

(Flagon). Science Gossip, 1882, p. 43. Cfr. Flaggan.
FLANNEL, OUR LORD'S. add (2) Verbascum Thapsus, L.—Kent (Faversham).

FLAPPER DOCK. add (2) 'The large leaves of the Colt's foot.' Science Gossip, 1882, p. 164. Probably Petasites vulgaris, Desf., is meant.

Flax, Dutch. Camelina satira, L.—Nhamp.

FLAX, MOUNTAIN. (1) add Derb.

(3) add Spergula arwasis, L.—Dors.; Sal. (Wellington). Shropsh. Word-book: 17ss. (Cleveland).

(4) Brizz media, L.—Kirkcudbrightsh., where it is used medicinally. Scottish Nat., April 1871.

Flirtwort. Pyrethrum Parthenium, L.—Dev. Friend.

Floss. add (2) Juncus effusus, L. — Shetland. Edmonston's Flora, p. 13.

Flowan. 'The bog-cotton. Anthemis Cotula.' Ireland (Antrim and Down). The Latin name is misapplied: Eriophorum is intended.

FLOWER OF BRISTOW. add 'Single Nonsuch, Flower of Constantinople, or as it is most commonly called, Flower of Bristol.' Bes (Flora, 1676, p. 148). This would seem to have been a very general name for the plant; it is so used in W. Hughes's Flower Garden (1683, ed. iii.).

Flyam. 'Those large tangle sea-weeds which grow round shores.'
Mactaggart, Gallov. Encycl.

Flying-bent. Molinia carulea, L.—S. Scotland. 'A long tough grass called Flying-Bent.' Sutherlandsh. Stat. Acc. Scotl. (1845), xv. 70; Selkirksh., ib. iii. 62.

Fog. add 'All dry mountain moss.' Ireland (Co. Donegal).

FOG, YORKSHIRE. add Cumb.

FORTUNE-TELLER. add The name occurs in Francis' Little English Flora.

Four o'clock. Enothera biennis, L.—N. Dev. From its time of opening.

Four Sisters. See Sisters.

Fox and leaves. Digitalis purpurea, L.—Ireland (Co. Donegal).

Foxes' Fern. Blechnum boreale, Sm. 'Is called Foxes Fern in many places of this land.' Park. Theatr, 1043. See Corresp. of John Ray, p. 291.

Foxulovk, line 5, for Ellyllyn read Ellyllon.

Fox poison. Duphne Laureola, L.—Linc. Journ. Hort., April 4, 1878, p. 263.

Fourish (1) add—

'That plant which in our dale We call Stag's-horn or Fox's tail.' Wordsworth.

Cowd Trans Cumb Assoc., pt. vii. 153.

Fox tangue. Science drium vulque, L.—Irel. (Co. Fermanagh). Simula though 1822, p. 43.

Futtree Property Isonate purposes, L.—Scotland. 'The Kirk session of the Cuthere's 1600, examined Heleine Profest, whether she had

given her child "ane drink of fox tree leaves or not." Dalzell's Darker Superstitions of Scotland, p. 113.

Fraghan. See Frughans.

Free holly. Ilex Aquifolium, L.—Dev. 'The smooth-leaved, or, as some call it, the Free Holly.' Ellis, Modern Husbandman, VII. ii. 93; Sul. Shropsh. Word-book.

French Ash. Cytisus Laburnum, L.—Derb.

FRENCH GRASS. (1) add Hants. Lisle, Observations on Husbandry, (1757), p. 518.

FRENCH HONEYSUCKLE. add after 'use,' applied to Galega officinalis, L.

FRENCH NUT. (2) Fruit of Castanea vesca, L.—Dev. Friend.

French Pink. Armeria maritima, Willd. Dev.

FRENCH WHEAT. add Staff. (Stafford). Agric. Surv.

FRENCH WILLOW. add Cumb.

Fringed Water-lilies. Limnanthemum nymphæoides, Link. A common book-name for the plant. Hants. E. D. S. Gloss.

Frits. (A shortened form of Fritillaria.) Fritillaria Meleagris, L. —Berks. (Reading).

Frog pipes. Equisetum arvense, L.—Yks. (W. Riding).

FRUGHANS. add In Dublin and in S. of Ireland Fraghan.

FROG-STOOLS. add Sal.

Frying-pans. The cups of acorns. Hants. E. D. S. Gloss.

Funk. '[In Suffolk] they gather an excrescence growing plentifully upon oaks, and call it Funk.' Phil. Trans. 1754, 817.

Fur. Ulex europœus, L.—N. Linc. E. D. S. Gloss. C, sub v. Turment.

Furze. add Hants. E. D. S. Gloss.

Fuzzball. add Derb. Reliquary, v. 159; Leic. E. D. S. Gloss.

Gallon. add This is the Gaelic name of the plant, still retained in use. Threlkeld gives it as the Ulster name; and Cameron ('Gaelic Names') says, 'Gaelic and Irish, gallan mor, the big branch, possibly referring to its large leaf.'

GARDEN GATE. add (3) Saxifraga umbrosa, L.—Dev. Friend.; Glou. (Shipton Oliffe).

Garkin (Scotch). Apargia autumnalis, Willd. Ireland (Co. Donegal.

GARLICK. add (2) Surr. (Bletchingley).

(3) Allium Babingtonii, Borr. Ireland (Co. Donegal), among old people.

GARLIC, WILD. add (2) Glou.; Surr. (Bletchingley).

GASCOIGN. A kind of cherry (!). Cfr. Gascoignes and Gas. 'Oak, gucoign, red birch, beech, and hornbeam.' 'chesnut, willow, oak, asp, and gascoign.' Kent. Agric. Survey. GAUL. add Dev.

Gawan. Murica Gale, L.—Cumb. Hutchinson (1794). Cfr. (Geal gowan, or Geal seed. Chrysanthemum segetum, L.—In (Donegal).

GEESE and Goslings. add Derb.

Gentlemen-and-ladies. Arum maculatum, L.—Oxf. Science Gentlemen. 1882, p. 165. Cfr. Ladies-and-gentlemen.

Gentleman's tormentors. Galium Aparine, L.—Suff. (Ipswich

GERANIUM, WILD. add Geranium Robertianum, L.—Dec. Fri (2) Lychnis diurna, Sibth, and L. Vespertina, Sibth. Ches. Fr.

GERMANDER. add (3) Veronica Chamcedrys, L.—Ireland. 'clear germander eye.' Tennyson.

Gernut. Tubers of Bunium flexuosum. With. North. 1 Trans., xvii. 826.

Geuky-flower (i. e. Cuckoo-flower). (1) Lychnis diurna, Sibt Dev. Friend.

(2) Orchis mascula, L.—Dev. Friend.

Gibbals. 'Went to Rummy marshes, about two miles from Car where we saw large crops of the Plantage maritima, call'd here by People (libbals, which the Hogs are very fond of. They rout up Roots as we saw, and grow fat upon them, as were assured.' J Lightfoot's MS. account of a Botanical Excursion in Wales in 1 preserved in the Dept. of Botany, Brit. Mus.

Giggary. Narcissus Pseudo-narcissus, L.—Dev. Friend. Gregory.

Gild-cups. The various species of Ranunculus and Caltha palus 1.—Hants. E. D. S. Gloss.

Gilding-cup. Ranunculus Ficaria, L.—Dors.

GHLIFLOWER. add (4) Polemonium cærulcum, L.—Dev. Friend GHLIFLOWER, WHITSUN. add The single form is so called Sal. (Ellesmere) Shropsh. Word-book.

Gury evr. add Ranunculus Ficaria, L.—Som. (the usual name

GINGER. add (2) Sedum reflexum, L.—Kent (Romney Marsh).
(3) Tanacetum vulgare, L.—N. Bucks.; Herts. (general); Lanc.

(3) Tanacetum vulgare, L.—N. Bucks.; Herts. (general); Lanc. Ginger Plant. add N. Bucks.; Kent. (Igtham).

Ginger, Green. Actemisia vulparis, L.-Linc. (Lincoln).

Ginger Mushroom. A poisonous species of Agaricus is known this name at Worksop Notts. See Gard. Chron., Nov. 17, 18 p. 663. Gipsy's Combs. Dipsacus sylvestris, L.—Yks.

GIRDLE, SEA. add Turn. Names.

God A'mighty's Thumb-and-fingers. Lotus corniculatus, L.—Hants. E. D. S. Gloss.

God's Fingers and Thumbs. Fumaria officinalis, L.—Dors. (Broadwindsor).

GOLD. (2) add Beds.; Bucks. (Golds).

Golden Grain. Verbascum Thapsus, L .- Dev. Friend

GOLDEN CHAIN. See Gold Chain (2), and add Glou. (Chedworth); Worc. (Upton-on-Severn), E. D. S. Gloss.

GOLD-NEPS. add 'This pear is still known in the neighbourhood of Frodsham, but is becoming scarce. The pear and the name are also known in S. Lanc.

GOLDEN CHAIN. add Oxf. Science Gossip, 1882, p. 165.

GOLDEN CUP. add (2) Caltha palustris, L.—Som. (the usual name).

Golden Knobs. Ranunculus bulbosus, L., and R. acris, L.—Science Gossip, 1882, p. 165. Cfr. Gold Knops.

Good Friday Grass. Luzula campestris, Willd. Surr. (Bletchingley). From the time of its appearing.

Good Neighbourhood. add Mr. Elworthy gives Good Neighbours as the usual Som. name of the plant.

GOOSE AND GOSLINGS. add Sal.

Goosie-gander. add Oxf. Science Gossip, 1882, p. 165.

Goosegog. add Leic. E. D. S. Gloss.; Sal.; Surr.

GOOSE GRASS. (1) add Yhs. (W. Riding). Galium Aparine is mentioned as food for young geese in Ellis's New Experiments in Husbandry for April (1736), p. 93.

Goose-tongue. add (3) Ranunculus Flammula, L.—So called in Curmarthenshire. 'The Goose-tongue herb grows chiefly in marshy grounds, is very hot on the tongue, and bears a yellow flower, with an indented leaf of a longish make, somewhat like a goose's tongue; that will not only help to preserve cheese, but give it an agreeable relish, as the Welch say.' Ellis, Modern Husbandman, III. i. 14.

Gore-thetch. A variety of Vicia sativa, L.—'This thetch is the largest of all others.' Ellis, Modern Husbandman, viii. 74.

Gorgy-mill-tree. A willow. Ireland (Antrim and Down).

Gorse. add Surr.

Goslings. add Hants. E. D. S. Gloss.

Gottridge. Viburnum Opulus, L.—Suff. Science Gossip, 1882, p. 214.

Gould, or Gould-weed. Chrysanthemum segetum, L.—Ellis, Modern



Grass, Sword. add Some species of Carex seems intended in the following passage: 'Large ant-hills, producing sour, coarse, husky sedge, or sword-grass. Linc. Agric. Surv.

Grass, Tacker. See Tacker-grass.

GRASS, TIMOTHY. add N.-W. Linc.

GRASS, TOTTER. add Leic. (E. D. S. Gloss.); Surr.

GRASS, TWINE. See Twine Grass.

GRASS, TWITCH. (1) add Leic.; Linc.

GRASS, WATER. add (3) Holcus lanatus, L. See Water Grass.

Green Ginger. Artemisia vulgaris, L.—Linc. (Lincoln).

GREEN-SAUCE. add Lanc. E. D. S. Gloss.; also add (2) Oxalis Acetosella, L.—Dev. Friend.

GREEN WEED. (1) add Suff.

Gregories. Narcissus Pseudo-narcissus, L.—Dev. (Frittlestoke, near Torrington). 'The people of the village call these plants Gregories, a name that struck us on account of its coinciding with the appellation of the order to which the neighbouring monastery belonged' (the Canons of St. Gregory). Maton, Obs. on Western Counties (1797), ii. 55.

GROUND ASH. (3) add Hants. E. D. S. Gloss.

GROUND IVY. (1) add Glou.

GRUNSEL. add Middx.; Surr.

Guinea Plant, or Guinea Flower. Kerria japonica, DC. N. Linc. (Bottesford).

Gussets. Orchis mascula, L.—Dors. (Broadwindsor).

GYE or GUY. (2) add Suff.

add (3) Papaver Rheas, L.-Suff.

(4) Lychnis Githago, Lam. Lanc.; Suff.

(5) Corn-weeds, that is almost any weed in a cornfield. Suff. Science Gossip, 1882, p. 214.

Hag. The haw or berry of the hawthorn. Hants. E. D. S. Gloss. Hag-Berry. add Hants. E. D. S. Gloss.

Haggils. Haws of the whitethorn. N. Hants. E. D. S. Gloss.

HAGTAPER. add The name is used by Ellis, New Experiments, 56.

Hailweed. Cuscuta Epithymum, L., and C. europæa, L.—This is the name usually employed by Ellis (Modern Husbandman, vol. iv. pt. 1, p. 63), who, sometimes spells it Hale-weed, also calls the seed Hail-seed; Hellweed (which see) is also used by him, but less frequently.

Heart's Pansy. Viola tricolor, L. 'A curious corruption, and vet one will hear it used by country gardeners as if it were as regular a form as Heart's-ease.' Dec. Friend.

HEART SEED. add Der. Friend.

Heath. odd (3) Empetrum nigrum, L.—Derb.

Heath, St. Dabeoc's, add Wade (Plant, rar. Hibern., 29) says, 'the charm which Ray has attributed to it I could not trace in any shape whatsoever in Cunnemara.

Heaver. Lolium perenne, L.—Dev. (Plymouth). Fl. Plymouth. Cfr. Eaver.

Hedge-Strawberry. Fragaria resca, L. — Der. (Plymouth). Plymouth.

HELLEBORINE. add The name was given by Gerard, who says 'Helleborine is like unto White Hellebore [Veratrum album], and for that cause we have given it the name of Helleborine.' Ger. 358.

Hell-root. Orobanche minor, L.—Kent; 'from its destructiveness to clover.' Rochester Naturalist, i. 39.

Helver. Ilex Aquifolium, L.—Suff., also Hulver, which is in actual use in that county.

HEN AND CHICKENS. add (2) Dev. Friend.

(4) Dev.; Sal.; Surr.

(6) Lotus corniculatus, L.—Orf. (Banbury).
(7) Narcissus Pseudo-narcissus, L.—Dev. Friend.

HENBANE. add 'Destroy Henbane if any grows near your house; for this will poison and kill both these and the other fowls.' Ellis, New Experiments in Husbandry for the month of April (1736),

HEN GORSE. (1) add Ches. (Broxton).

HENWARE. add Scotland (E. Coast), Edinb. Encycl.

This seems to have been adopted at an early date as the popular name of Anemone Hepatica, L. 'In English you may call them either Hepatica, after the Latine name, as most do, or noble Liverwort, which you please.' Park. Parad. 226.

HEPS. (2) add Worlidge's Systema Agriculture, 1669, 271.

HERB JOHN. add 'We all know the many and soveraign vertues in your leaves, the Herb generale in ale pottage; nor do you as Herb John stand neuter.' Thos. Fuller, Anthologia, 1655, p. 41, writing of Calendula officinalis, L.

Herby grass. Ruta graveolens, L. This form of Herb of grace is still in use near Sheffield. N. & Q. 6th S. vi. 408.

HI-HOW. add Ireland (Antrim and Down). E. D. S. Gloss.

HIP. (1) add Surr.

Hippety-haws. Fruit of Cratagus Oxyacantha, L.—Sil. Shropsh. Word-book.

Horse May. Ulmus campestris, L., var.—'In Cornwall coarse kinds of Elm leaves are called Horse May, to distinguish them from the small-leaved kind.' Friend.

Horse-Pipe. add Staff. (E. arvense, L.). Ann. Agric., iv. 431.

Horse-pennies. Chrysanthemum Leucanthemum, L.—Derb.

Horse Savin. Juniperus communis, L.—Cumb.

Horse-snap. Centaurea nigra, L.—N. Dev.

Horse Violet. add (2) Viola tricolor, L.—Som.

HOUSE-GREEN. add Nhamp. (Brackley).

Humility. Saxifraga sarmentosa, L.—Scotl. (Aberdeensh.). Jolly's Life of John Duncan, p. 352.

HUNDRED THISTLE. add Sternberg took the name from Morton, who says (Nat. Hist. Nhamp., 367): "Tis call'd Hundred Thistle by the common People."

Huntsman's Cap. Scrophularia aquatica, L., 'from the shape of the corolla,' Cornw.

HURR BURR. add Leic. E. D. S. Gloss.

HUSBEECH. add Hants. E. D. S. Gloss.

Indian Fog. Sedum reflexum, L., S. glaucum, Sm. &c. Ireland (Co. Donegal).

Inons. Onions. Worc. (Upton-on-Severn).

Irish Mahogany. Alnus glutinosa, L.—Ireland (Co. Waterford).

Irish Vine. Lonicera Periclymenum, L.—Ireland (Co. Donegal).

Iron-flower. Jasione montana, L.—Ches. (Rostherne).

IRON GRASS. add (2) Aira cæspitosa, L.—Sal. (Wellington). Shropshire Word-book.

(3) Carex process, L., and several other species which grow in poor pastures, Ches. (Newhall).

Iver. A spelling of Eever. Lolium perenne, L.—Cornw. Agric. Surv.

Ivy Bells. Campanula hederacea, L.—How. Phytologia.

Ivy Flower. Anemone Hepatica, L.—Glou. gardens.

Jacks. add Cheiranthus Cheiri, L., 'a form in which the flowers are small or aborted.'

Jack-in-the-Green. add Hants. (E. D. S. Gloss), where the name appears to be extended to all varieties of garden polyanthus.

Jack at the hedge. Galium Aparine, L.—Ireland (Co. Donegal).

JACK-IN-THE-BOX. add Ireland (Antrim and Down).

same fale, and the mother narrowly escapet-liquer was killed by it. Country I June both sides (Lev. E. D. S. Glo Just cure Country. Consideratus sepinan, N. 155. James Lassen. (5) will Dec. Friend. of Solan Psychian, L. - Kent (Roches " Paladinion Countries, L.—Der. Fri Jacobs west, said "The wood of this as a colider against the yellow jaundies, the back himself with a speed made of it, it was a series of it is in its infancy.' Ellis, 金 经 (200) Balles Sales L-Sal (Pulver) F-102-3002 Jerry Dance June and Lane E. D. S. Jours and a described as "the green scum of makes tables (before) June West, Species Releases, L. new book any other in the dialect." Mr. James on Person, and North Discourse State and (2) Hyperican call medical product. Street Word-book belong James E daylor E D. S. G. of According Name Allin, and All the Toronto. Lympores barrier and court, and (5) Orallogal Named Street Work-book

- Johnny-cocks. Orchis mascula, L.—Dors. (Broad windsor). N. & Q. 6th S. vii. 357.
- Johnny Mac Gorey. 'A haw.' II. C. Hart on the authority of a Wexford Man. Fruit of Cratagus Oxyacantha, L.
- Johnny o' neele, or John o' neele. Chenopodium album, L.—Sal. (Wellington).
- JONETTE. aild The name occurs in a poem 'written probably by Robert Lord Sempall' (1570), quoted by Froude (Hist. Engl. ix. 205):

 'Ye Baselik and Jonet flouris
 Ye Gerofleis so sweet.'
 - The reference to Gerofleis (Gilliflowers) makes it improbable that the Jonet was Dianthus Caryophyllus, as we have suggested.
- Joseph's Walking-stick. Polemonium coeruleum, L.—'The Joseph's [Jacob's] ladder of the Midland Counties, common in all the cottage gardens round the Forest.' J. R. Wise's New Forest, (ed. 3), p. 283.
- Joy. add In Agric. Surv. Essex, p. 86, this name occurs—'a yellow weed called joy or wild-gold.'
- JUDAS-TREE. add (2) Sambucus nigra, L.—Kent. There was an old tradition that Judas hanged himself upon it. See Jew's Ear (1).
- Julians. Narcissus Pseudo-narcissus, L.—Herts. The house and manor of Julians, in the parish of Rushton, takes its name from the abundance of this plant, where it still abounds, and is so called.
- JUMP-ABOUT. add Oxf.
- Jump-up-and-kiss-me. add Hants. E. D. S. Gloss.
- JUNIPER. add 'When women chide their husbands for a long while together, it is commonly said they give them a juniper lecture; which, I am informed, is a comparison taken from the long lasting of the live-coals of that wood, not from its sweet smell; but comparisons run not upon all-four.' Ellis, Modern Husbandman, VII. ii. 142.
- KECK. (2) add Derb. (Kex); Leic. (Umbelliferæ in general.) E. D. S. Gloss. In E. D. S. Lanc. Gloss. it is explained as 'the common hemlock,' but may perhaps include Umbelliferæ generally.
- KEDLOCK. add Heracleum Sphondylium, L., Angelica sylvestris, L., and probably any large Umbelliferous plant. Ches. (Delamere). Called also Keglus. A piece of Valeriana officinalis, L., was also sent from that neighbourhood labelled Kedlock or Keglus, but it may have been mistaken for an umbelliferous plant.
- Keeshion. Anthriscus sylvestris, Hoffm. Ireland (Antrim and Down). E. D. S. Gloss.
- **Keish.** The hollow stem of the hemlock. N. Lanc. E. D. S. Gloss. No doubt applied to Umbelliferae generally.
- Keglus. See Kedlock, supra.
- Kentish Longtails. Avena fatua, L.—Kent (Rochester).

Kerlock. (1) add Sal.

Kettle-pad. Orchis mascula, L.(1)-Hants. E.

Kewse. Conium maculatum, L.—Lanc. (Presi 1882, p. 164.

Kex. (3) add Lanc. (Preston). Science Goss

(5) The fruit of Prunus spinosa, L.-Hants. E

Keyball. Fruit of Pinus sylvestris, L.—Dev.

KEYS. (1) add Leic. E. D. S. Gloss.

(1) Surr.

(3) Leic. E. D. S. Gloss.

(4) Alaria esculenta, Grev. Orkneys, Edinb.

Killeen. Chondrus crispus, Lyngb, 'Killeen name for the Irish Moss,' Gardening Illustre p. 304.

Kill-wart. Chelidonium majus, L .- N. Dev.

Kincle. A Kentish cornfield weed mentioned culture, v. 102 (1786), but not identified.

KING-CUP. add Yks. (Bedale, R. acris, L.).

(4) Trollius europœus, L.—Som.

King Fern, add Dev. Friend (also King-o' (Limerick and Kerry).

KING-FINGER. add to (3), called King's fings (Hendon). See Ellis, Modern Husbandman, IV

Kiss-me-love-behind-the-garden-gate. Saxifrag Friend (usually abbreviated to Kiss me). In Kiss-behind-the-Garden-gate.

KISS-ME, KISS-ME-LOVE, KISS-ME-QUICK. add (2) L.—Dev. Friend.

(3) Geranium Robertianum, L .- Dev. Friend.

(4) Centranthus ruber, DC. Dev. Friend.

KNEE HOLM. Ruscus aculeatus, L.—add Kent, KNEE HOLLY. add Kent (Rochester).

KNIVES-AND-FORKS. See KNIFE AND FORK (2) a

(3) Seed vessels of Acer Pseudoplatanus, L.-K

Knon Tang Fucus nodosus I Shelland

Knop Tang. Fucus nodosus, L.—Shelland, p. 53. Cfr. Knobtang.

KNOT GRASS. add (6) Centaurea nigra, L.—I. or Clobweed.' W. Ellis, Modern Husbandman, I

KONKER-TREE, add Ches. (Frodsham).

Kuckles. 'Fruits that are often mistaken fo Probably Hips (Rosa Canina, L.). H. C. Hart, of Wexford man. LADIES-AND-GENTLEMEN. add Kent.

LADS-LOVE. add Leic. E. D. S. Gloss.; Sal.; Suff.

Lady Cakes. Oxalis Acetosella, L.—Dumfriessh.

Lady's Boots. Lotus corniculatus, L.—Dev. Friend.

LADY'S CUSHION. add (1) Ches. Leigh's Glossary.

- (2) Beds. (gardens).
- (6) Centaurea nigra, L.—Kent.
- (7) Scabiosa arvensis, L.—Kent.
- LADY'S FINGERS. (1) add Rutl. N. & Q. 6th S. vi. 237.
 - (9) add Kent.
 - (10) add Kent.
- Lady-finger-grass. Also, though less frequently, Lady's finger.

 Lotus corniculatus, L. 'I give the several weeds and grasses those names they are called by in our county [Herts.] and parts adjacent.' Ellis, Modern Husbandman, II. i. 149.
- Lady-never-fade. Antennaria margaritacea, Br. Glou. (Chedworth).

Lady Orchis. See Old Woman's Orchis.*

Lady-wrack. See Wrack, Lady.

Lady's Glove. add (2) Cardamine pratensis, L. — Nhamp. (Brackley), through confusion with (1). Friend.

Lady's Grass. The variegated form of Phalaris arundinacea, L.— Dev. Friend.

Lady's Needlework. Torilis Anthriscus, Gærtn. Ches. (Delamere).

LADY'S NIGHTCAP. (1) add Hunts. E. D. S. Gloss.

Lady's Pincushion. add (4) Saxifraga granulata, L. (we suspect S. hypnoides, L., is meant). Yks. (Bedale). Field, June 29, 1876). (5) Corydalis lutea, DC. Dev. Friend.

Lady's Ruffles. add Mr. Friend has ascertained that the plant so called in Nhamp. (Brackley), is the garden form of Spirae Filipendula, L.

LADY'S SMOCK. (1) add Surr.

LADY'S TRACES. add The name is still in use about Ripon, Yks.

Lady's White Petticoat. Stellaria Holostea, L.—Heref.

Lagh. 'A tangle with nine divisions or tails.' Ireland (Antrim and Down).

LAGWORT. add Blackstone, Specimen Botanicum, 72 (1746).

LAKEWEED. add Not confined to Middlewich; and extended to Polygonum Persicaria, L., and in Sal. to P. amphibium. L.

Lamb's foot. (1) 'Vicia ornithopus.' Probably Lotus corniculatus, I. is intended. Lanc. (Preston).

- (2) Alchemilla vulgaris, L.—Lanc. (Preston), both from Science Gossip, 1882, p. 164.
 - (3) Plantago major, L.—Derb.
- LAMB'S-TAILS. add (3) Lycopodium claratum, L.—Sal. (Clun). Shropsh, Word-book.
- LAMB'S-TOES. (2) add Rutl. N. & Q. 6th S. vi. 237.
- LAMB'S-TONGUE. (3) add Sal. (Wellington). Shropshire Word-book. (6) Stachys lanata, L.—Dev. Friend.
- Lammint, or Lamb-mint. (1) Mentha viridis, L.—Dev. Friend. (2) Mentha piperita, L.—Dev. Friend.
- Land-briars. 'Long tangled shoots of Rubus fruticosus.' Sal. (Wellington). Shropshire Word-book.
- Langley-Beef. Helminthia echioides, L.—Herts. Ellis, Practical Farmer (1759), ed. v. p. 55; and in Modern Husbandman.
- Lantern Leaves. West. 'Ram's clāas or Lantern Leaves, Buttercups.' Pulman. Ranunculus repens, L.
- LATHE. add 'A thistle or weed of any kind.' Som. Hal.
- LAVENDER CORN should be Lavender-Cotton. In Phil. Trans. xiv. 778 (1684), it is written Laven-Cotton.
- LAVER. (4) add Sold in London under this name for sauce with roast mutton.
- LAWYERS. (2) add Leic. 'Country lawyer.' E. D. S. Gloss.
- Lazarus Bell. Fritillaria Meleagris, L.—Dev. (Crediton). 'Lazarus bell seems to have been originally "lazar's bell," and the flower must have been so-called from its likeness to the small bell which the "lazar" was bound to wear on his person, so that its tinkling might give warning of his approach. The checked, scaled marking of the flower also suggested a connexion with the leper; and "leopard lily" is no doubt to be explained as "leper's lily." Trans. Devon. Ass. 1877.
- LEMFEG. add Hants. E. D. S. Gloss.
- LENTILS. add (2) Narcissus Pseudo-narcissus, L.—Dev. Friend.
- Leopard's Lily. Fritillaria Meleagris, L.—Der. (Crediton). See Lazarus Bell.
- Lily, Raster. Narcissus Pseudo-narcissus, L.—Der. Friend.
- Lily, Harvest. Convolvulus sepium, L.—Surr. (Epsom).
- LINARICH. add Mr. Cameron gives the Gaelic and Irish name as lianach or linnearach, from linne, a fool, and says that Martin in his Western Isles describes a plant under this name as 'very thin, small, en, about eight, ten, or twelve inches in length; it grows on 's, stones, and on the bare sands. The plant is applied plasterto the forehead and temples to procure sleep for such as have a and they say it is effectual for the purpose.' (Gaelic Plant 103.)

Ling. (1) In Antrim and Down, more especially E. cinerea, L.
(2) add Cumb. Hutchinson (1794). A general name for Carex, Schænus, and Nardus. Cheviots. Ann. Agric. xxvii. 181.

Ling, Bell. Erica cinerea, L.—Yks. (Cleveland).

Ling, Crow. Erica Tetralix, L.—Yks. (Cleveland).

Ling-Silk. Polytrichum commune, L.—Yks. (Cleveland).

Link-moss. Sedum rupestre, Huds. Sal. (Pulverbatch, gardens). Shropsh. Word-book.

LINTS. add Derb.

LITTLE-AND-PRETTY. add (2) Malcolmia maritima, Br. Dev. Friend.

LOAVES-OF-BREAD. add (2) Fruit of Mulva sylvestris, L.—Middx. (Isleworth).

LOB GRASS. add Som.

Lobbin grass. Avena elatior, L. (var. with bulbs).—Ireland (Derry).

Locks. Sedges and rushes. Suff. Science Gossip, 1882, p. 214, includes almost all flag-like plants. Typha and Iris are both so called.

LOCKS AND KEYS. (1) add Surr.

LOGGERHEADS. Extended in Glou. (Andoversford) in gardens to Centaurea montana, I.,

London Basket. 'Avens.' Geum urbanum, L., or G. rivale, L.— Yks. (Bedale). Field, June 5, 1876.

London-bobs. Dianthus barbatus, L. Lanc. (Calder Vale). E. D. S. Gloss.

London Daisy. Chrysanthemum Leucanthemum, L.—Dors. (Broadwindsor).

LONDON PRIDE. (1) add The name seems to have been applied to a variety of D. barbatus, differing in some particulars from the ordinary Sweet William: the two, although connected, are spoken of as separate plants in W. Hughes's Flower Garden (1703, ed. iii.). 'Sweet William and London-pride flower at the same time, and are ordered as Sweet-Johns are' (p. 30).

(2) add An earlier record for the name than that of Threlkeld is given by Dr. Molyneux in Phil. Trans. xix. 510 (1697):—'vulgarly call'd by the gardeners London Pride: I suppose because of its pretty elegant flower.'

(3) Lychnis chalcedonica, L.--Glou. (Chedworth).

LOOK-UP-AND-KISS-ME. add (2) Saxifraga umbrosa, L. — Der. Friend.

Long tails. Gymnadenia conopsea, Br. Kent (Sevenoaks).

LORDS AND LADIES. add Surr.

Love entangled. (1) Clematis Vitalba, L.—Der. (Plymouth), Fl. Plymouth. 'We have . . . "love-entangled," a wild picturesque

flower that grows on the tops of old houses.' Borders of Tamar and Tavy, i. 274. Perhaps the Clematis is intended.

(2) Nigella damascena, L.—Dev. Friend. Cfr. Love-entangle.

Love in a chain. Sedum reflexum, L.—Cumb. Trans. Cumb. Assoc. pt. vii. 161.

LOVE-IN-A-MIST. (1) add Der.

(2) Cerastium tomentosum, L.—Nhamp. (Brackley).

Love-in-a-puzzle. Nigella damascena, L. — Dev. Friend. See Love-in-a-mist.

Love-Lies-Bleeding. (1) Dev. add 'This is an old flower, and common, called by some country women, Love lies a bleeding.' Bea's Flora (1676), p. 178.

(3) Dielytra spectabilis, DC. Dev. Friend.

Love Roses. Viburnum Opulus, L. (garden form).—Herts.

Lubba. add (2) Juncus squarrosus, L.—Shetland. Edmonston's Flora, p. 12.

Lucifer (a corruption of Lucerne). Medicago sativa, L.—Corne.

Luck. Anthyllis Vulneraria, L.—'The path [from Mundesley to Cromer] is thickly bordered by luck, as the natives call the pretty yellow flower of the Kidney-vetch.' White's Eastern England, quoted in Murray's Guide to Norfolk, p. 248.

Lucky's Lines. Chorda Filum, L.—Shetland. Edmonston's Flon, p. 55. Cfr. Lucky Minnie's Lines.

Lucy Locket. Cardamine pratensis, L.—Rutl. N. & Q. 6th S. v. 447.

Mace, Sweet. See Sweet Mace.

Magweed. Chrysunthemum Leucanthemum, L. (not localized).—Pulmer's Folk-Etymology.

Mahogany, Irish. Alnus glutinosa, L.—Ireland (Co. Waterford).

Maid-sweet. Spircea Ulmaria, L.—'Sweet cisley, by some called maid-sweet, that grows like a kex in wet meadows.' Ellis, Country Husbandman, p. 252.

Maiden Barberry. A variety of Berberis vulgaris, L., which produces fruit without 'stones.' Warw. (Coventry). Loudon's Gardener's Mag. vii. 241 (1831).

MAIDENHAIR. add (8) Clematis Vitalba, L.—Bucks. (Newport Pagnell).

Maiden's Ruin. Artemisia Abrotanum, L.—Dev. Friend.

Maise. Anthemis Cotula, L.—Sal. (Wellington). Shropsh. Wordbook.

Makinboy. add The name is earlier than Threlkeld: Merret has Makenboy. In the Appendix to the Legacie of Husbandry (quoted

under Cane-apple) we find the following query: 'Maccamboy. Whether there be such a thing at all, that this herb should purge the body merely by external touch, or whether it be a fable, what particular observations have been taken for or against it, the shape of the herb, and in what place it groweth?'

MALLOW, MARSH. add Dev.; Sal.

Mally-gowl (Marigold). Calendula officinalis, L. - Yks. (Cleveland).

MANDRAKE. (2) add Herts.

(5) Circa lutetiana, L.—N. Dev.

Man-tie. Polygonum aviculare, L.—Dev. ('the usual name,' Mr. Elworthy); Som.

March and May. Arabis alpina, L.—Nhamp. (Brackley).

MARE-BLOB. add Glou. (Chedworth).

MARE'S TAIL. add (2) Euphorbia amygdaloides, L.—Ireland (Co. Donegal). Journ. Bot. 1879, p. 144.

Marg. Anthemis Cotula, L.—Hants. E. D. S. Gloss.; Suss. Cfr. Morgan.

Marigold, Spanish. See Robin Hood.

Marjoram, Pot. Origanum vulgare, L.—N.-W. Linc. E. D. S. Gloss. 6.

Markerry. Chenopodium Bonus Henricus, L.—Cumb. and Westm.: 'used as spinach, and always called Markerry.' Mrs. Atkinson. See Mercury (2).

Mary's Tears. See Virgin Mary's Milk.

Marsh Corns. Roots of Potentilla Anserina, L.—Irel. (co. Tyrone). Science Gossip, 1881, p. 278. Antrim and Down, E. D. S. Gloss. The root is roasted and eaten. See Marsh Corn.

Masheroon. A mushroom. Antrim and Down.

Masslinn. Viscum album, L.—Suff. Science Gossip, 1882, p. 214.

MAST. (2) add Sal. (Mass).

MAY. (1) add Cornw. N. & Q. 1st S. xii. 297. Glou. (Chedworth); Hants. E. D. S. Gloss.

- (4) Ulmus cumpestris, L.—Dev. Friend.
- (5) Viburnum Tinus, L.—Dev. Friend.
- (6) Arabis alpina, L.—Som. Friend.

Mr. Friend says that it is not the flowers of Acer Pseudoplatanus, I.. that are so called, but the branches in early leaf.

MAY BLOB. add (3) Trollius europæus, L.—Leic. E. D. S. Gloss.

MAY BUSH. See May, and add Hunts. E. D. S. Gloss.

MAY FLOWER. (1) add Lanc. (Preston). Science Gossip, 1882, p. 164.

(2) add Cumb. (Winderwath). Mrs. Atkinson, who writes, 'this was also called May flower at Ellesmere, Salop; thirty years ago I

there saw a bunch of it hung on every door-latch on May day morning.' Ireland (Antrim; Derry).

May Geslings, or Goslings. Catkins of Salix. Yks. (Almondbury). E. D. S. Gloss. Cfr. Goslings.

May Tosty. Viburnum Opulus, L.—Dev. Friend.

May Pink. Dianthus. White Pink. Dev. Friend.

MAYWEED. add Hants. E. D. S. Gloss., where the name is given to 'camomile.'

(2) A sea-weed (a species of 'Fucus') used as manure in Northumberland. Nhumb. 45. Agric. Surv. Beds.; Glouc.

MAZARD. add (3) Prunus Padus, L.—Ireland (co. Limerick).

Mazer-tree. The black cherry-tree. Dev. N. & Q. 1st S. iii. 467. Probably Prunus Padus, L.

Meadow. Cardamine pratensis, L.—N. Yks.

MEADOW BOUT. add Sal. (Pulverbatch).

Meadow-runagates. Lysimachia Nummularia, L. — Nhamp. (Brackley).

Meadow-soot (a pronunciation of Meadow-sweet). 'The country folk call it meadow-soot.' Round about a Great Estate, p. 37.

MEADOW-SWEET. add (2) The garden form of Spirae Filipendula, L.—Nhump. (Brackley).

Meakin. 'Water milfoil (Myriophyllum).' Lake district. The Lake Country, by E. Lynn-Linton, Appx. 1.

Meat-nut. Castanea vesca, L.—Dev. Friend.

Meet-me-love. Saxifraga umbrosa, L.—Dev. Friend

MEKKIN. (2) add Especially Nephrodium Filix-mas, Rich: 'this is the Meckin of the dalesmen.' Trans. Cumb. Assoc. pt. vii. 152.

MERRY. add Hants. E. D. S. Gloss.

Mezell. Daphne Mezereon, L.—Hants. E. D. S. Gloss.

MILDS. add Ireland (Antrim and Down). E. D. S. Gloss.

Kilk girl. Cardamine pratensis, L.—Dev. Friend.

ITEMAID. (1) add Ess. (Chelmsford). Applied to this plant in The Deceased Maiden-Love. Roxb. Ballads, i. 261.

(5) Primula vulgaris, L. var. (the 'oxlip'). Yks. (Bedale). Field, June 29, 1876.

ik-the-cows. Cotyledon Umbilicus, L.—Cornw.

WORT. add (4) Euphorbia Helioscopia, L., and other species. 'Rocking).

Rhinanthus Crista-galli, I.—Leic. (Lutterworth).

Cotyledon Umbilicus, L.—Dev. Science Gossip.

Money-plant. Lunaria biennis, L.—Dev. Friend.

Money wort. (1) add Surr.

Monkey Flower. add (2) Linaria vulgaris, Mill. Yks. (Bedale). Field, June 29, 1876.

Monkey, or Monkey's Hood. Aconitum Napellus, L.—Dev. Friend.

Monkey-powder. A leaf worn (at Oxford?) on May 29, in the afternoon, instead of the oak-leaf or oak-apple. We do not know what is meant. See N. & Q. 6th S. vii. 449.

Moon. add Oxf. Science Gossip, 1882, p. 165.

MOON DAISY. add Chrysanthemum Leucanthemum, L. - Ches.; Surr.

Moon-grass. add (5) Narthecium Ossifragum, Huds.—Ellis, Shepherd's Guide (1749), p. 321.

Moon-pennies. Chrysanthemum Leucanthemum, L.—Ches.; Derb. See Moon flower (1).

Morris Apple. An apple with very red cheeks. Hants. E. D. S. Gloss.

Moss-crop. (1) add Lanc. E. D. S. Gloss.

Moss-flower. Pedicularis palustris, L.—Ches. (Dodcot).

MOTHER DEE, or MOTHER DIE. add (2) Torilis Anthriscus, Gærtn. Ches. (Delamere).

MOTHER OF MILLIONS. add Herts.

MOTHER OF THOUSANDS. (1) add Ches.; Derb. (Matlock).

(3) add Dev. Friend.

(5) add Corydalis lutea, D.C. Dev. Friend.

MOTHERWORT. aild (3) Lysimachia Nummularia, L.—Dev. Friend. 'By confusion with moneywort, the common name of this plant.'

MOUNTAIN SAGE. add Ches. (Delamere).

MOUSE-EAR. add (3) Stochys germanica, L.—Sal. (Pulverbatch, gardens). Shropsh. Word-book.

MUGGERT. (1) add Ireland (Co. Donegal).

Mugweed. Artemisia vulgaris, L.—Ches. (Delamere).

MUGWORT. (1) add Berks. (Reading).

Mulberry Bramble. A form of Rubus fruticosus, L. (R. thyrsoideus, Bell.)—'Rubus morus, The Mulberry Bramble, so call'd by the Countrey people at Sutton in Essex.' Merrett, Pinax, 106. See Mulberry (2).

Murg. Anthemis Cotula, L.—Hants. E. D. S. Gloss. See Marg.

MURRICK. add This is Avena elatior, L.

Muscovy. add Dev. (Plymouth). 'The nosegays which deck our market-stalls [are not] considered perfect without a branch of Muscovy.' Banks, Fl. Plymouth (1830).

My Lady's Belt. Spirae Ulmaria, L.—Scotland. 'The plant called My Lady's Belt (M'Kenzie).' Cameron, Gaelic Names of Plants, p. 18.

Myrrh, Dog's. See Dog's Myrrh.

NANCY PRETTY. add Dev. Friend; Yks. (Cleveland).

NAP-AT-NOON. (2) add Lanc. E. D. S. Gloss.; also add (3) In Shropsh. Word-book this is referred to Ornithogalum umbellatum, L.

NAUGHTY MAN'S PLAYTHING. add (2) Capsella Bursa-pastoris, L. Warw. (Birmingham). Science Gossip, 1876, p. 94.

NAVELWORT. add Leic. Phil. Trans. xlix. 832.

NEMINIES. add Lanc. E. D. S. Gloss.

Nettle Foot. Stachys sylvatica, L.—Ches. (Delamere).

New Year's Rose. Helleborus niger, L. Holme's Acad. of Armory, ii. 104.

Noah's Ark. Aconitum Napellus, L.—Wales (Cardiff). N. & Q. 6th S. iv. 128.

NIGHTCAP. add (2) 'Spotted Orchis.' Orchis mascula, L., or O. maculata, L.—Derb.

NIP. Nepeta Glechoma, Benth. Suff.

None-so-pretty. add Dev. Friend. (2) Malcolmia maritima, Br. Dev. Friend.

Nosebleed. add (2) Pyrethrum Parthenium, L. Kent.

Noutberry. Rubus Chamæmorus, L.—Cumb. Hutchinson (1794). Cfr. Knoutberry.

Nut, Pig. add (1) Cornw.; Dev.; Ireland (Co. Fermanagh); Lanc. E. D. S. Gloss. Science Gossip, 1882, p. 43.

(3) Enanthe pimpinelloides, L.—Ess. (Wigborough). 'The tubers are well known to the rustic population of the locality by the name of pig nuts.' Gibson's Flora of Essex, p. 136.

Nuttal-bush. Corylus Avellana, L.—Dev. (Plymouth). Fl. Plymouth.

OAK. add (2) Acer campestre, L.; also OAK-APPLE, when employed on May 29th. Dev. Friend.

Oak-leather. A lichen. Cfr. Lungs of Oak. 'Oak-leather Hibernis. In fissuris Quercuum putridarum reperitur in Hibernia. Hunc rustici colligunt et reponunt ad ulcera sananda, frustulo loco affecto imposito.' R. Syn. iii. 25.

OAK LUNGS. add (2) Chondrus crispus, Lyngb., was sold in Covent Garden Market under this name. Loudon's Gardener's Mag., viii. 94 (1832).

OLD MAN. (1) add Hants. E. D. S. Gloss.

OLD MAN'S BEARD. (1) add Cornw.; Oxf. (Standlake). add (5) Hypericum calycinum, L.—Dev. Friend.

Old Man's Flannel. Verbascum Thapsus, L .- Som. (Bath).

OLD MAN'S LOVE. add Suff.

Old-rot. Heracleum Sphondylium, L.—Som. Cfr. Eltrot.

Old Wife's Darning Needles. Scandix Pecten, L .- Yks. (Cleveland).

Old Wives' Tow. The Bog-Moss (Sphagnum). 'In the north of Ireland, they, by way of joque, call it old wives tow, and curse them that buryed it, when it hinders them in cutting the turf.' Phil. Trans. xv. 950 (1684).

Old Woman's Needle. Scandix Pecten, L.—Hants. (New Forest).
J. R. Wise's New Forest (ed. 3), p. 281.

Old Woman's Nightcap. add Oxf. (Standlake). add (2) A species of Campanula. Sal.

Old Woman's Orchis. Orchis purpurea, Jacq. Kent (Sevenoaks).

'From the fancied resemblance of the flower to a lady dressed in a poke-bonnet with a best bib on and wide sleeves,' Rev. C. H. Fielding. Pratt gives Lady Orchis as a Kent name for the plant.

One o'clocks. Seed heads of Leontodon Taraxacum, L.—Lanc. (Preston). Science Gossip, 1882, p. 164. 'The one o'clock, the very dial of poetry.' Borders of Tamar and Tavy, i. 273: is this the same as the preceding?

Onion, Bog. add 'In Westmoreland, and also the adjoining division of Lancashire known as Lancashire north of the sands, the rhizomes of Osmunda regalis are in high popular esteem as a remedial agent [for bruises, sprains, &c.]. The plant is vulgarly known by the name of bog onion.' Phyt. v. 30. O.S. Ireland, Mart. Mill.

ONION COUCH. add Glouc, (Cirencester).

Onion, Sea. add (2) Scilla maritima, L.—Turn. Names.

Oodbine. Lonicera Periclimenum, L. O.cf. (Standlake).

ORCHAL. add Petiver (Gazophylacium, t. 7) says of his 'Muscus Ceranoides Palmensis comis digitatis': 'I take this to be the same which Thevetus says grows in the Canary Islands, especially Ferro, on the Rocky Mountains, where they call it Oricelle . . . Mr. James Cunninghame, who gathered it at Palma, one of the Canary Isles, says they call it there Orchili, and use it for Dying.'

Orchis Grass. 'Mr. Peacey has likewise cultivated the orchis grass, a broad-leaved grass, that springs directly after the scythe, in mowing ground.' Ann. Agric. Glouc. Probably Dactylis glomerata, L. See Orchard Grass.

ORGANY. add Hants. E. D. S. Gloss.

Ovest. Fruit of Quercus Robur, L.—Hants (New Forest). 'The mast and acorns are collectively known as "the turn out," or "ovest."' J. R. Wise's New Forest (ed. 3), p. 183,

Oysters. (1) Fruits of Pinus sylvestris, L.; 'fir-cones, the scales of which, with the seeds, nearly enough resemble oyster-shells to suggest the name.' Dev. Friend.

(2) Syringa vulgaris, L. 'The name by which bunches of lilac-blossom are known in North Devon.' Friend.

PADDOCK STOOL. add Lanc. E. D. S. Gloss.

PAIGLE. See N. & Q. 6th S. vii. 405, 455, for further information as to derivation of the name.

PARSLEY FERN. add (2) Tanacetum vulgare, L.—Dev. Friend.

PARSON-IN-THE-PULPIT. add Aconitum Napellus, L.—Dev. Friend.

Parson's Nose. Orchis Morio, L.—Dev. (Ipplepen). Friend.

PASMETS. add Hants. E. D. S. Gloss.

PATIENT DOCK. add Lanc. E. D. S. Gloss. Spelt payshun-dock.

Peagle. Ranunculus arvensis, L.—Suff. (Ipswich).

Penny Caps. Cotyledon Umbilicus, L.—Dev.

Penny John. Hypericum perforatum, L.—Norf. (Yarmouth).

Penny-plates. Cotyledon Umbilicus, L.—Dev. (Dartmoor).

Pepper Plant. Polygonum Hydropiper, L.—Yks. (Cleveland).

Pepper-and-Salt. Capsella Bursa-pastoris, L., from its pungent taste when bitten. Middx. (Isleworth).

Pheasant's Feather. Saxifraga umbrosa, L.—Suss.

PICK POCKET. (2) add Ches. (Frodsham).

add (5) Stellaria Holostea, L.—Dev. Friend; Kent; Som. Friend.

Pighau, Pigaul. The fruit of Cratagus Oxyacantha, L.—Hants. E. D. S. Gloss. See Pigall.

PIGLE. 'Stickewort.' This name and explanation occurs in a fourteenth century manuscript, the Sinonoma Bartholomei, printed by the Clarendon Press, 1862 (p. 34). Again at p. 27 occurs, 'Lingua avis, i. stichewort, i. piyle' (see N. & Q. 6th S. viii., 170). Stellaria Holostea, L., is, no doubt, the plant intended.

Pig's Cole. Heracleum Sphondylium, L.—Dev. Friend. Cfr. Hogweed, &c.

Pig's Ears. 'Sedum acre, L., and other varieties of Stonecrop.'

Dev. Friend.

PI-WEED. add Heracleum Sphondylium, L.—Oxf. Science Gossip, 1882, p. 165.

Pinchweed. See Virgin Mary's Pinch.

PINCUSHION. (2) Dev. Friend.

add (5) Armeria maritima, Willd. Dev. Friend.

(6) Corydulis lutea, D.C. Dev. Friend. 'Corncockles.' Suff. Science Gossip, 1882, p. 214; but (1) is probably meant.

PINK. add (4) Armeria maritima, Willd. Dev. Friend. (5) Saxifraga umbrosa, L.—Dev. Friend.

PINK, WILD. add (3) Geranium Robertianum, L.—Glou. (Chedworth). Tea made from this plant with Ground Ivy and Five-finger-grass is much used as a remedy for red rash. See Prior, sub. v. Herb Robert, who quotes the medicinal use of this plant as probably accounting for the name.

PINY. add Oxf. (Standlake).

Piskies. (1) Dried stems of Heracleum Sphondylium, L.—Cornw.
(2) Stellaria Holostea, L. (also Pixie). Dev. 'This was the regular name around Plymouth some years ago. The children around still say that if you gather the flowers you will be pixy-led.' Friend.

Pissabed. (1) add Hants. E. D. S. Gloss.; Lanc. E. D. S. Gloss.; Suff.

Pixie. See Piskies, supra.

Plum-puddings. (1) 'Campion.' Lychnis diurna, Sibth., and L. vespertina, Sibth. Suff. Science Gossip, 1882, p. 214.

Poison-berry. add 'The berries [of Solanum Dulcamara] in common with the berries of black bryony [Tamus communis], and white bryony [Bryonia dioica] are generally known to children as poisoning berries.' Yks. (Wakefield). Topography and Nat. Hist. of Lofthouse (1882), p. 177.

Poisonous Tea Plant. Solanum Dulcamara, L. Oxf. (Standlake).

Polypodium. Campanula latifolia, L.—Yks. (Bedale). Where the leaves are eaten as spinach. Field, June 29, 1876.

Poor Jan's Leaf. Sempervivum tectorum, L.—Dev. 'The people have great faith in the healing properties of the plant.' Friend.

Poor Man's Blood. Orchis mascula, L.—Kent (Maidstone). Science Gossip, 1881, p. 211.

Poor Man's Geranium. Saxifraga sarmentosa, L .- Dev.

Poor Robin. Lychnis diurna, Sibth. Dev. Friend.

POPLAR, BLACK. add Som. (P. tremula, L. and P. fastigiata, Ait.).

Poppers. Digitalis purpurea, L.—Hants. E. D. S. Gloss.

POPPY. (1) add Glou., where it is always pronounced Popy. (4) add Dev.; Dors.

Poppy dock, or Puppy dock. Digitalis purpurea, L.—Yks. (Almond-bury). E. D. S. Gloss.

Pounce. 'Long meadow-grass.' Orkneys. Jamieson.

Poverty. Polemonium caruleum, L.—Cumb. 'The well-known Poverty of the cottager's garden.' Trans. Cumb. Assoc. pt. vii. 142 (1883).

POVERTY WEED. add (2) This is likely to be Spergula arvensis, L., which is so called in Yks. (Cleveland).

add (3) Chrysanthemum Leucanthemum, L.—Ches. 'As it generally flourishes in exhausted soil.' Leigh's Glossary.

Pretty-and-Little. Malcolmia maritima, Br. Dev. Friend.

PRETTY BETSY. (2) add Nhamp. (Brackley). (PRETTY BET, or BETTY.)

Pricky-back. Dipsacus sylvestris, L. Linc. (Boston).

Pricky Thistle. Carduus arvensis, L.—Yks. (Cleveland).

PRIM. add Kent. (2) Viburnum Opulus, L. (garden form). Kent. PRINCE'S FEATHER. (3) add Suss.

Pug-fist. Lycoperdon Bovista, L.—Nhamp.; Oxf. Science Gossip, p. 165. Cfr. Puckfist.

Pug-in-a-Primmel, or Pug-in-a-primmer. The 'hose in hose' polyanthus. Borders of Bucks; Nhamp.; Oxf. Academy, Oct. 28, 1882, p. 315.

Puss-and-pinners. This name occurs in a list of cottage garden flowers in the Day of Rest for 1881, p. 70:—'tufts of rosemary and sweet-scented southernwood, great yellow bachelor buttons, puss-and-pinners, and the unfailing monthly roses.' We do not know what plant is intended: perhaps the foregoing.

Pussies. Hordeum murinum, L.—Kent.

Quack-ducks. Briza media, L.—Herts (Hitchin).

Queen-Anne's Flowers. Narcissus Pseudo-narcissus, L. — Norf. (Norwich).

Quick. (3) add Hants. E. D. S. Gloss.

QUICKBEAM. (1) add Hants. E. D. S. Gloss.

Rabbits, or Rabbit-flower. (1) Linaria vulgaris, L.—Dev. Friend.

(2) Antirrhinum majus, L.—Dev. Friend.

(3) Linaria Cymbalaria, Mill. Dev. Friend.

RAGGED JACK. add (3) Senecio Jacobæa, L.—Yks. (W. Riding).

RAGGED ROBIN. (1) add Lanc. E. D. S. Gloss.; Oxf.

(4) Senecio Jacobæa, L.-Yks. (W. Riding).

RAMPS. (1) add Lanc. E. D. S. Gloss.

RAMSONS. add Hants. E. D. S. Gloss.

RASP. add Lanc. E. D. S. Gloss.

Redbreasts. Geranium Robertianum, L.—Nhamp. (Brackley).

RED BUTCHER. add (2) Orchis mascula, L.—Kent (Maidstone).

Red Thistle. Cardaus palustris, L.—Holdich, Essay on Weeds. Yks. Mart. Mill.

Robin Redbreast. add (2) Geranium Robertianum, L.—Nhamp. (Brackley).

ROBIN-RUN-THE-HEDGE. (1) (add Co. Fermanagh.) Science Gossip, 1882, p. 43.
(2) add Lanc. E. D. S. Gloss,

ROBIN'S EYE. add (3) Polygala vulgaris, L.—Hants. E. D. S. Gloss. Also applied to others, as those of the Forget-me-not.

Rommy, or Roms. Allium ursinum, L.—Yks. (Aldmondbury). E. D. S. Gloss. Cfr. Ramps and Rams.

Rump. Quercus Robur, L.—'A name given to the foliage of the oak about the 29th of May; so spoken of even when on the tree.'

Yks. (Aldmondbury). E. D. S. Gloss.

Sap. An apple. Lanc. E. D. S. Gloss.

SATIN-FLOWER. add N. Linc. (Bottesford).

Saucy Alice. Polygonum Persicaria, L.—Norf. (Yarmouth).

Sawgh. A willow. Lanc. E. D. S. Gloss.

SCARLET LIGHTNING. (2) add Glou. (Shipton Oliffe).

SHEPHERD'S THYME. add Glou. (Chedworth).

Shiver grass. Briza media, L.—Hants. E. D. S. Gloss.

Silver Poplar. Populus alba, L.—Som. See Arbell.

Skedlock. Sinapis arvensis, L.-Lanc. E. D. S. Gloss.

SLAN. add Hants. E. D. S. Gloss.

Slot. Norf. 'On the wetter portions a long wiry grass, called by the marshmen slot, flourishes, and this the cattle are fond of.' J. G. Nall, Gloss. of E. Anglia, 718. We do not know what this is.

SMELL SMOCK. add Nhamp.

SNAG. Prunus spinosa, L.—Hants. E. D. S. Gloss.

Snake's-flower. Lychnis vespertina, L.—Science Gossip, 1882, p. 156.

SNAP-DRAGON. (1) add Oxf. (Wild Snapdragon). (2) add Oxf. The name is in general use.

SNIDDLE. add (3) Aira cæspitosa, L.—Ches. (Bord. of Shropshire).

Snoder-gills. Yew berries. Fruit of Taxus baccata, L. Hants. E. D. S. Gloss.

Snow-on-the-Mountain. (1) add Glou. (Chedworth).

Snuff-box. Various species of fungus. Hants. E. D. S. Gloss. Lycoperdon.

SOLOMON'S SEAL. (1) add Lanc. E. D. S. Gloss., where it is pronounced Solomon's Sale.

Sow's ear. A garden variety of Sedum reflexum, L., with fasciated stems. Oxf.

Spick, Speck. Lavender. Hants. E. D. S. Gloss.

Star-naked Boys (stark-naked). Colchicum autumnale, L.—Norf. (Yarmouth).

Stink-pot. Phallus impudicus, L.—Cumb. Hutchinson (1794).

Strap Grass. Triticum repens, L.—Hants. E. D. S. Gloss.

Sweep. Bellis perennis, L., var. 'The small dark red daisy of gardens.' Yks. (Cleveland).

TANSY. add (5) Chrysanthemum segetum, L.—Glou. (Hampen).

Thimbles. Campanula rotundifolia, L.—Glou. (Chedworth).

Toad's-spawn. The green scum on a pond. Hants. E. D. S. Gloss. Various species of Confervo.

TOM THUMB. add (2) Lotus corniculatus, L.—Oxf. (Standlake).

TURMIT. add Lanc. E. D. S. Gloss.

TWELVE O'CLOCK. add Oxf. (Standlake).

Twick-band. Pyrus Aucuparia, L.—Hants. E. D. S. Gloss.

VETCH, WILD. (2) add Oxf. (Standlake).

VIRGIN MARY'S COWSLIP. add Glou. (Hampen).

Wag-wants. Briza media, L.—Hants. E. D. S. Gloss. See Wag-Wanton.

Well Apple. A light yellow apple. Hants. E. D. S. Gloss.

WHICKS. (3) add Lanc. E. D. S. Gloss.

White Ash. See Blue Ash in Appx.

White Nettle. Lamium album, L.—Glou. (Chedworth).

Whitewort. add (3) 'a species of chamomile cultivated in the cottagers' gardens,' Hants. E. D. S. Gloss.

Whitsuntide Bosses. The garden variety of Viburnum Opulus, L.—
Glou. (Chedworth).

Whitsuntide Gilliflower. A double garden variety of Cardamine pratensis, L.—Glou. (Andoversford).

WICKEN. add Lanc. E. D. S. Gloss.

Wild Love and Idle. Viola tricolor, L.—Glou.

Wild Vetch. See Vetch, Wild.

WINBERRY. add Lanc. E. D. S. Gloss.

WITHERWINE. add Oxf. (Standlake).

WITHWIND. (1) add Hants. E. D. S. Gloss.

Woke, An oak, Hants. E. D. S. Gloss,

Wors. add Hants. E. D. S. Gloss.

YELLOW-CUPS. add (2) Ranunculus arvensis, L.—Hants. E. D. S. Gloss,

INDEX.

When t is placed before a name it signifies that the name occurs both in the body of the work and in the Appendix. When a name is preceded by * it indicates that the name in question only occurs in the Appendix.

ABIES EXCELSA, Poir. Fir (Spruce), Spruce. ACANTHUS. Bear's Breech, Bear's-foot.

ACANTHUS MOLLIS, L. Cutberdill, Sedocke.

ACER CAMPESTRE, L. Bird's Tongue, Chats, +Dog Oak, Ketty Keys, Keys, Kite-keys, Kitty-keys, Maple, Maser Tree, +Oak, Oak (Dog), Shacklers, Whistle-wood.

ACER PSEUDO-PLATANUS, L. +Cats and Keys, Chats, Cockie-bendie, Cocks-and-Hens, Hens, +Keys, +Knives-and-Forks, Locks and Keys, Maple, May, Mock-plane, Plane, Seggy, Share, Succamore, Sycamore, Whistle-wood.

ACERAS ANTHROPOPHORA, Br. Man Orchis.

Achillea Millefolium, L. Arrow (Green), Arrow-root, Bloodwort, †Camil, Cammock, Carpenter-grass, Clover (Thousand-leaved), Devil's Nettle, Dog Daisy, *Eerie, Garwe, Girs (Stanch or Stench), Hundred-leaved Grass, Melefowr, Milfoil, Nosebleed, Old Man's Mustard, Pepper (Old Man's, Wild), Sanguinary, Sneezewort, Tansy, Thousand-leaf, Yallow, Yarrow, Yarroway, Yerrow.

Achillea Ptarmica, L. †Adder's Tongue, Bachelor's Buttons, Bastard Pellitory, Fair Maid of France, Goose Tongue, Hardhead, Neesewort, Pellitory of Spain, Pellitory (Wild), Seven Years' Love, Sneezewort, Tansy (White), White Tansy, White-weed, Achillea Serrata, L. Sweet Mace.

Aconitum. Cuckoo's-caps.

ACONITUM. Cuckoo's-caps.

ACONITUM NAPELLUS, L. Aconite, Adam-and-Eve, Auld-wife-huid, NITUM NAPELLUS, L. Acomte, Adam-and-Eve, Auld-wife-huid, Bear's-foot, †Blue Rocket, Cap (Friar's, Soldier's, Turk's), *Captain-over-the-garden, Cat's-tail, *Chariot and Horses, *Coach and Horses (*), Cuckold's Cap, †Cuckoo's Cap, Face-in-hood, Grandmother's Nightcap, Granny's Nightcap, Helmet Flower, Jacob's Chariot, Luckie's Mutch, *Monkey, or Monkey's Hood, Monk's Cowl, Monkshood, *Noah's Ark, Old Granny's Nightcap, Old Wives' Mutches, Old Woman's Nightcap, †Parson'in-the-Pulpit, Parson's Ode, Rocket (Plus) Venus' Chaviot drawn, by twy down. Pope's Ode, Rocket (Blue), Venus' Chariot drawn by two doves, Wolf's-bane.

ACONITUM PYRAMIDALE, Mill. Blue Rocket, ACORUS CALAMUS, L. Beewort, Cinnamon Sedge, Flag (Myrtle, Sweet), Myrtle Flag, Myrtle-grass, or Myrtle Sedge, Sedge (Sweet), Seg (Sweet), Sweet Rush.

564

Baneberry, Christopher (Herb), Grapewort, ACTÆA SPICATA, L. Scalbegres.

ACTINOCARPUS DAMASONIUM, Br. Star-fruit, Thrum-wort. ADIANTUM CAPILLUS-VENERIS, L. Black Maidenhair, Capillaire, Dudder-grass, Fern (Maiden-hair), Hair (Venus's), Lady's Hair, Maiden-hair.

Adonis autumnalis, L. Adonis-flower, Camomile (Purple or Red), Love-lies-bleeding, Mathes (Red), Morocco (Red), Passeflower, Pheasant's Eye, Rose-a-Ruby.

Adonis vernalis, L. Ox-eye.

ADOXA MOSCHATELLINA, L. Moschatel, Musk-root, Musk Woodcrow-

ÆGOPODIUM PODAGRARIA, L. Achweed, Aise, Aiseweed, Aishweed, Alder (Wild), Ash (Ground), Ashweed, Axweed, Ayshweed, Bishop's Elder, Bishop's Weed, †Dog Eller, Elder (Dwarf, †Ground, Wild), Farmers' Plague, Garden Plague, Goat-weed, Goutweed, Gout-wort, Herb Gerard, Jack-jump-about, †Jumpabout, Kesh, Setfoil, Weyl-Esh, White Ash.

-Æsculus Hippocastanum, L. Bongay, Chesnut (Horse), Conquerors, Knuckle-bleeders, +Konker-tree, Lambs, Oblionker-tree.

ETHUSA CYNAPIUM, L. Ass-parsley, Dill, Dog-poison, Dog's-Parsley, False Parsley, Fool's Cicely, Fool's Parsley, Parsley, Parsley, Fool's Cicely, Fool's Parsley, Pars

AGARICUS. Agaric, †Frogstools, *Ginger Mushroom, Paddie Stool, Paddock Stool, Pixie Stool, Toad Paddock, Toad's-cap, Toad's Cheeses, Toad's Meat, Toad stool, Todyshatte, Tommy Toad.

AGARICUS ARVENSIS, L. Champeron, Champillion, Flab, Flaps, Hedge Mushroom, Horse Mushroom.

AGARICUS CAMPESTRIS, L. Buttons, Fairies' Table, Kedgup Mushroom, *Masheroon, Mushroom, Pisky-stool, White-caps.

AGARICUS GAMBOSUS, Fr. St. George's Mushroom. See Mushroom.
AGARICUS MUSCARIUS, L.
AGARIC OREADES, Bolt. Champignon, Scotch Bonnets, Shampillion, Shampoon.

AGARICUS PERSONATUS, L. Blewit, Blue-legs.

AGRIMONIA EUPATORIA, L. Agrimony, Church-steeple, Egremoine, Egremounde, Garclive, Goosechite, Harvest Lice, Hemony, Liver-

wort, Rat-tail, Tansy (White, Wild).

Agrostis. Dun John, Grass (Spear), Quick, Whicks or Wicks.

Agrostis alba, L. Bent Grass (White), Fine John, Twitch (Running). AGROSTIS FILIFORMIS (?). *Bent (Fine).

AGROSTIS SETACEA, Curt. Deer's foot Grass, Rabbit Grass.

AGROSTIS STOLONIFERA, L. +Black Grass, Fiorin-grass, Grass (Squitch), Knotgrass, Orcheston Grass, *Orchis Grass (?), Quitch, Robin (Red), Twitch (Surface).

AGROSTIS VULGARIS, L. Bent, Bent-grass, Black Quitch, +Bread-and-Cheese, Fine John, Monkey's Grass, Squitch, Tussocks, Twitch, Twitch (Water).

AIRA. Air-grass, Hair-grass.

AIRA CARYOPHYLLEA, L. Mouse-grass.

AIRA CARYOPHYLLEA, L. Mouse-grass.

AIRA CÆSPITOSA, L. Bent-grass, Benton Pry, Bull-faces, Bull-front,
Bull-hassocks, +Bull-pates, *Bullpole, Bull's forehead, +Bulltoppin, Carnation-grass, Flag (?), Grass (Tussock), Hassock, +Iron
Grass, +Sniddle, Sniggle-grass or Snizzle Grass, Windlestraws, Zedge-mocks.

565 INDEX.

AIRA FLEXUOSA, L. Bent-grass.

AJUGA CHAMÆPITYS, L. Cypress (Field), Forget-me-not, Gout Ivy,

Ground Ivy, Ground Pine, Herb Eve, Herb Ive.

AJUGA REPTANS, L. +Betony (Wood), Bugle, Brown Bugle, Carpenter (Herb), Comfrey (Middle), Consound (Middle), Dead Men's Bellows, Helfringwort, Mint (Wild), Sicklewort.

ALARIA ESCULENTA, Grev. Badderlocks, *Bladder-lock, Bobbyn, Dabberlack, +Henware, Honey-ware, +Keys, Mirkles, Murlin,

Piercill, Pursill, Ware (Sea).

ALCHEMILLA ARVENSIS, L. Argentill, Bowel-hive, Breakstone, Breakstone (Parsley), Colickwort, Firegrass, Parsley Pert or Piert, Parsley Vlix, Percepier.

ALCHEMILLA VULGARIS, L. Bear's-foot, Dewcup, Duck's-foot, Great Sanicle, Lady's Mantle, +Lamb's Foot, Lion's Foot, Padelion, Pedelyon, Syndaw.

ALGE. *Bottle-ore, Sea Weed, Wrack (Cart).

ALISMA PLANTAGO, L. Deil's Spoons, Thrum-wort (Great).

ALLIARIA OFFICINALIS, Andrzi. Beggarman's Oatmeal, Cardiacke, Caspere (?), +Eileber, English Treacle, Garlick-wort, Hedge-gar-lick, +Jack-by-the-Hedge, +Jack-in-the-Hedge, Jack-in-the-Bush, Leek-cress, Mustard (Garlick), Penny Hedge, Poor Man's Mustard, Poor Man's Treacle, Sauce-alone, Swarms.

ALLIUM ASCALONICUM, L. Cibbols, Scallion, Shallot.

ALLIUM BABINGTONII, Borr. +Garlick.

ALLIUM CEPA, L. Onion.

ALLIUM FISTOLUSUM, L. Sybie or Sybow.
ALLIUM MOLY, L. Moly.
ALLIUM PORRUM, L. French Leek, Leek, Ollick, Scallion.
ALLIUM SATIVUM, L. Churl's Treacle, Clown's Treacle, Garlete, Garlick, Poor Man's Treacle, Treacle (Countryman's).

ALLIUM SCHENOPRASUM, L. Chives, Civet, Rush Garlick, Siethes, Sithes, Sives, Sweth, Syves.

ALLIUM URSINUM, L. Bear's-garlic, Buckrams, Devil's Posy, †Garlick, †Garlick (Wild), Gipsy Onions, Hog's-garlick, Leek (Wild), †Ramps, Rams, Ramsden, Ramsey, Ram's Horns, †Ramsons, *Rommy or Roms, Rosems, Stink Plant.

ALLIUM VINEALE, L. Garlick (+Cow, Crow, Wild), Onion (Crow).
ALLOSOBUS CRISPUS, L. Brakes (Rock), Fern (Parsley), Fir (Stone),

Mountain Parsley.

ALNUS GLUTINOSA, L. Aar, Alder, +Aller, +Aller (Black), Allsbushes, +Arn, Aul, Aulne, Dogtree, +Elder, Eller, Hollard, Howler, *Irish Mahogany, Orl, Oryelle, Owler, Wallow or Wullow.

Alopecurus agrestis, L. *Bennet-weed, Black Bent, Black Couch,

+Black-grass, Black Quitch, Black Squitch Grass, Grass (Spear, Twitch), Hunger-grass, Hunger-weed, Land-grass, Mouse-tail.

Alopecurus geniculatus, L. Black-grass, Blue-grass, Elbowit-grass, Flote-grass.

ALOPECURUS PRATENSIS, L. Dead Man's Fingers, Foxtail-grass.
ALTHÆA OFFICINALIS, L. Mallow (Marsh, White), Wymot.

ALTHEA ROSEA, L. Bysmalow, Hock, Hock-holler, Hollihocke, Holy Hoke.

ALYSSUM CALYCINUM, L. Heal-bite, or Heal-dog. ALYSSUM MARITIMUM, L. Allison (Sweet), Seedling, Snow-drift. ALYSSUM SAXATILE, L. Gold Dust,

Cat's-tail, Floramor, Flower-gentle, AMARANTHUS CAUDATUS, L. +Love-lies-bleeding, Passevelours, Thrum-wort, Velvet-flower. AMARANTHUS HYPOCHONDRIACUS, L. Balder Herb, Floramor, Flower-

gentle, Prince's Feather.

AMARANTHUS TRICOLOR, L. Floramor.

Ambrosia maritima, I. Hind-heal, Oak of Cappadocia.

AMMI MAJUS, L. Amee, Ameos, Bishop's Weed, Bolewort, Bullwort, Herb William, Wood-nep.

AMPELOPSIS HEDERACEA, Mich. Ivy (Five-leaved).

AMYGDALUS COMMUNIS, L. Almandre, Almond, Amyllier.

Amygdalus persica, L. Avant-peach.

Anacharis Alsinastrum, Bab. †American Waterweed, †Cat's Tails, Guanner Weed (?) Raave, Thyme (Water), Thyme-weed.

ANACYCLUS PYRETHRUM, DC. Alexander's-foot, Bertram, Longwort, Pellitory of Spain.

Anagallis arvensis, L. Bird's eye, Bird's-tongue, Clock (Shepherd's), Female Pimpernel (var. cærulea), John-go-to-bed-at-noon, Male Pimpernel, Merecrop, Orange Lily Pernel, Pimpernel, Poor Man's Weather-glass, Shepherd's Calender, Shepherd's Delight, Shepherd's Glass, Shepherd's Sundial, Shepherd's Warning, Shepherd's Watch, Shepherd's Weatherglass, Sunflower, Tom pimpernowl, Waywort, Weather Glass, Wincopipe, Wink-a-peep.
ANAGALLIS TENELLA, L. Bog Pimpernel, Moneywort.
ANANASSA SATIVA, L. Pine Apple.

Anchusa. Alkanet, Orchanet.

Anchusa officinalis, L. Anchuse, Bugloss, Ox Tongue.

Anchusa sempervirens, L. Pheasant's Eye.

ANCHUSA TINCTORIA, L. Orchanet.

ANDROMEDA POLIFOLIA, L. Marsh Holy Rose, Moor-wort, Rosemary (Marsh, Wild).

Anemone sp. *Aulmoneys, Gallant.

ANEMONE CORONARIA, L. Emony, Emrose (?), *Hard-leaf, Robin Hood, Soft-leaf, +Spanish Marigold.

ANEMONE HEPATICA, L. *Hepatica, Herb Trinity, *Ivy Flower, Liverwort, Liverwort (Three-leaved), Noble Agrimony.
Anemone Hortensis, L. Rose Parsley.

MONE NEMOROSA, L. *Bow Bells, Cowslip, Crowfoot (Wood), Cuckoo-flower, †Cuckoo-spit, *Darn-grass, *Drops of Snow, Enemy, Granny's Nightcap, Jessamine (Wild), Moonflower, †Neminios, Smell Foxes, Smell Smock, Soldiers, Undergrounds (?), ANEMONE NEMOROSA, L. Wind Flower, Wind Plant.

Anemone Pulsatilla, L. Bluemony, Coventry Bells, +Danes' Blood, Danes' Flower, Flaw-flower, Pasque Flower, Passeflower, Pulsatill,

Wind Flower.

Anethum Graveolens, L. Anet, Dill.

Angelica sylvestris, L. Ait-skeiters, Ash (Ground), Elder (Ground), Hemlock, Jack-jump-about, Jeelico, Keck, Kecks, *Keglus, Keks, Kex, Keck (Trumpet), Kelk-Kecksy, Kesh (Water), Kesk, Kewsies. Skytes.

ANTENNARIA DIOICA, Gertn. Cat's-ear, Cat's-foot, Moor Everlasting.
ANTENNARIA MARGARITACEA, Br. American Cudweed, *Everwhite, *Lady-never-fade, Life Everlasting, Livelong, Old Sow

Anthemis Arvensis, L. Camomile (Dog's) (?), Gowlan (White).
Anthemis Cotula, L. Balder Brae, Baldeyebrow, Camomile (Dog's or

567 INDEX.

Stinking), Camovyne, Daisy (Dog or Horse), Dog-banner, Dogbinder, Dog-fennel, Dog-finkle, *Flowan, Hog's Fennel, Jayweed, Madder, Madenwede, *Maise, *Marg, Mathes, †Mayweed, Morgan, *Murg, +Poison Daisy.

ANTHEMIS NOBILIS, L. Camil, Camomile, Camomile (Roman, Scotch or

White), Camomine, Camovyne.

ANTHOXANTHUM ODORATUM, L. Grass (+Pig, Prim, Spring, Sweet Vernal, Vernal).

ANTHRISCUS CEREFOLIUM, Hoffm. Chervil, Chevorell.

ANTHRISCUS SYLVESTRIS, Hoffm. Ash (Sweet), Ass-parsley, Badman-Oatmeal, *Bun, Carraway (Wild), Caxes, Chervil (Cow-weed, Mock or Wild), †Cicely, Cicely (Wild), Cisweed, Coney-parsley, Cow-mumble, †Cow-parsley, †Cow-weed, *Da-ho, Deil's Meal, Deil's or Devil's Oatmeal, Devil's Parsley, Dill, Dock (Kadle or Dell's or Devil's Oatmeal, Devil's Parsley, Dill, Dock (Radie of Kettle), *Dog-Parsley, Eltrot, Ha-ho, Hare Parsley, Hemlock, *Hi-how, Humlock, Keck, Kedlock, *Keeshion, Kelk or Kelks, Kellock, Kesk, Kewsies, Mayweed, Naughty Man's Oatmeal, Orchard Weed, Parsley (Dog's, Pig's, Sheep's, Wild), Rabbit-meat, Ratsbane, Sweet Ash, White-weed.

Anthyllis vulneraria, L. Cat's-claws, Crawnels, Crow's-foot (Yellow), Jupiter's Beard, Kidney Vetch, †Lady's Fingers, *Luck, †Lamb's-toe, Staunch, Woundwort,

ANTIRRHINUM. Snapdragon.

Anterhinum Majus, L. Bonny Rabbit, Bulldogs, +Bunny Mouth, *Bunny Rabbit, Calf-snout, +Catchfly, Dog-mouth, Dog-snout, Dragons' Heads, Dragon's Mouth, Lion's Mouth, *Rabbits, Rabbit's Mouth, +Snapdragon, Tiger's Mouth, Toad's Mouth.

ANTIRRHINUM ORONTIUM, L. Calf-snout.

APARGIA. Hawk-bit.

APARGIA AUTUMNALIS, Willd. *Garkin.
APERA SPICA-VENTI, Beauv. Grass (+Corn), Windlestraws.

APIUM GRAVEOLENS, L. Ach, Ache, Apyum, Celery, Celery (Wild), March or Merch, Marsh Parsley, Mile, Parsley (Water), Salary, Smallache.

Aquillegia vulgaris, L. Blue Starry, Boots-and-shoes, Capon's-feather, Capon's-tail. Cock's-foot, Colourbine, Columbine, Cullavine, Culverkeys, Culverwort, Curranbine, Dove's-foot, +Granny's Nightcap, Hawk's-feet, Hen and Chickens, Lady's Shoes, Lady's Slippers, Snapdragon, Sowdwort, Two Faces under a Hat.

Arabis, L. Cress (Wall), Molewort.

ARABIS ALPINA, L. Allison (White), Bishop's Wig, Dusty Husband, Lady's Cushion, *March and May, +May, Rock (White), Snowdrift, Snow-in-harvest, +Snow-on-the-Mountain, Sweet Alice.

ARABIS THALIANA, L. Thale-cress.

ARABIS TURRITA, L. Mustard (Tower), Tower Cress.

ARBUTUS UNEDO, L. Arbeset, Arbute-tree, †Cane Apple, Strawberry-

Archangelica officinalis, Hoffm. Archangel, Holy Ghost.

ARCTIUM LAPPA, L. +Bachelor's Buttons, *Bazzies, Beggar's Buttons, +Billy Button, Bourholm, Buddy-bud, Bur (Clot, Cockly, Great, or +Hurr), Burdock, Bury-dokkes, *Clitch-button, Clite, Clithe, Clot-bur, Clote-bur (Great), Clots, Clouts, Clouts, Cockle, Cockle-Button, Cockly-bur, Crockelty-bur, Cuckle, *Oucklemoors, † Cuckold, Cuckold's Buttons, Cuckoldy-burrs, Eddick, Eldin. Errick, Flapper-bags, Hardock, Hareburr, Harelock, †Harlock, Sticky Buttons, Thistle.

ARCTIUM MINUS, Schkr. *Cuckoo-button.

ARCTOSTAPHYLOS UVA-URSI, L. Bear-berry, Bear Whortleberries, Bilberry (Bear), Brawlins, Cranberry, Creashak, Dog-berry, Gnashacks, Meal-berry, Myrtle (Burren), Rapper-dandies.

ARENARIA. Sandweed.

Arenaria serpyllifolia, L. Chickweed.

ARENARIA TRINERVIS, L. Chickweed.
ARISTOLOCHIA. Heartwort, Somerwort.
ARISTOLOCHIA CLEMATITIS, L. Birthwort.

ARISTOLOCHIA ROTUNDA, L. Aristoloch, Smerwort.

ARMERIA MARITIMA, Willd. Arby, Cliff-rose, *Cushion, †Cushion (Lady's or Sea), Cushion-pink, Daisy (Marsh or Sea), Gilliflower (Sea), Grass (Sea), Lady's Pincushion, Lady's (Our) Quishion, +Pincushion, +Pink, Pink (Cushion, *French, Scawfell, Sea), Quishion, Rock Rose, Sea Turf, Thrift.

ARMORACIA RUSTICANA, Rupp. Cole (Red), Horse Radish, Radcole, Raifort, Rotcoll.

Arnoseris pusilla, Gærtn. Succory (Swine's).

ARRHENATHERUM AVENACEUM, Beauv. See Avena elation, L.

ARTEMISIA ABROTANUM, L. Apple-riennie, Averoyne, †Boy's Love, Kiss-me-quick-and-go, Lad Savour, †Lad's Love, *Maiden's Ruin, Maid's Love, †Old Man, †Old Man's Love, Overenyie, Slovenwood, Smelling-wood, Southern-wood.

ARTEMISIA ABSINTHIUM, L. Absinth, Maderwort, Mingwort, Mugwort, Old Woman, Warmot, Wormwood.

ARTEMISIA DRACUNCULUS, L. Tarragon.

ARTEMISIA MARITIMA, L. Cypress (Garden), Savin, Wormwood (Sea).

ARTEMISIA VULGARIS, L. Apple-pie, Bulwand, Fat Hen, Fellon-herb, *Ginger (Green), Mogford, Motherwort, +Muggert, *Mugweed, †Mugwort, Sailor's Tobacco, Smotherwood, Weremod, Wormwood, Wormit.

ARUM DRACUNCULUS, L. Dragans (?), Edderwort.

ARUM MACULATUM, L. Aaron, Adam-and-Eve, +Adder's-meat, Adder'stongue, Aron, Arrowroot, Bloody Man's Fingers, Bobbin-and-Joan, Bobbins, Buckrams, †Bulls-and-Cows, Bulls-and-wheys, Calf's-foot, Cocky-baby, †Cows-and-Calves, Cuckoo-babies, Cuckoo Cock, Cuckoo-flower, †Cuckoo-pint, Cuckoo-pintle, Cuckoo-point, Cuckoo-spit, Dead Man's Fingers, Devil's Ladies-and-Gentlemen, +Devil's Men-and-Women, Dog-bobbins, *Dog-spear, *Dog's Dibble, *Dog's tausle, Dragon (Great or Small), Dragons, Fingers (Lords-and-Ladies), Friar's Cowl, *Gentlemen-and-ladies (Gethsemane), +Jack-in-the-box, Kings-and-Queens, +Ladies and Gentlemen, +Lady's Fingers, Lamb-in-a-pulpit, Lamb Lakins, Lily-grass, +Lords and Ladies, Mandrake, Nightingales, Parson and Clerk, or Parson in the Pulpit, or Parson Pillicods, Pintlewort, Poison-berry, Priesties, Priest's Hood, Priest's Pintle, Quakers, Rampe, Ramps, Ram's Horns, Schoolmaster, Snake's Food or Snake's Meat, Snake's Victuals, Stallions, Starch-root or Starch-wort, Wake-pintle, Wake-Robin, Wild Lily.

ARUNDO DONAX, L. Pole Reed.
ASARUM EUROPÆUM, L. Assarabacca, Foalfoot, Hazelwort, Nardus (Wild).

Asparagus officinalis, L. Asparagus, +Grass, +Grass (Sparrow), Sparagus, Sperage.

ASPERUGO PROCUMBENS, L. Catchweed, German Madwort, Goosegrass (Great), Madwort.

ASPERULA CYNANCHICA, L. Herb of Vine, Herb Squynantyke, Quinseywort, Shepherd's Bedstraw, Squinancy

ASPERULA ODORATA, L. Grass (Sweet), Hairhoof (Scented or Sweet), *Hay-plant, Mugwet, Mugwet (Petty), Rockwood, Star Grass, Woodrip, Wood rowe, Woodruff. Asphodelus, L. Asphodel.

ASPHODELUS LUTEUS, L. King's Spear, ASPHODELUS RAMOSUS, L. ASPOOLL.

ASPIDIUM. Fern (Shield).

ASPIDIUM LONCHITIS, Sw. Fern (Holly).

ASPLENIUM ADIANTUM-NIGRUM, L. Fern (Black Oak, or Petty).

ASPLENIUM CETEBACH, L. Brown Back, Brownwort (?), Fern (Scale or Stone), Finger-fern, Miltwaste, Rusty-back, Saxifrage, Spleen-wort. ASPLENIUM RUTA-MURARIA, L. Maidenhair (White), Rue (Stone), Rue Fern, Tent-wort.

ASPLENIUM TRICHOMANES, L. English Maidenhair, Maidenhair, Water-

wort.

ASTER TRIPOLIUM, L. Astrophel (?), Camomile (Blue or Purple), Daisy (Blue or Michaelmas), Hog's-beans, Sharewort, Star-wort, Starwort (Sea).
ASTRAGALUS. Milk-vetch.

ASTRAGALUS GLYCYPHYLLUS, L. Liquorice-vetch. ASTRAGALUS HYPOGLOTTIS, L. Cock's-head (Purple).

ASTRANTIA MAJOR, L. Hellebore (Bastard, Black), Masterwort (Black).

ATHYRIUM FILIX-FIEMINA, Presl. Fern (Lady). ATRIPLEX. Areche, Blite, Meals, Orach (Wild).

ATRIPLEX ERECTA, Huds. Fat Hen.
ATRIPLEX HASTATA, Huds. Fat Hen, †Hard-iron, Lamb's-quarters.
ATRIPLEX HORTENSIS, L. Arach or Arage, Areche, Areges, Butterleaves, Orach.

ATRIPLEX PATULA, L. Delt-Orach, Fat Hen. ATRIPLEX PORTULACOIDES, L. Purslane (Sea).

ATBOPA BELLADONNA, L. Banewort, Belladonna, Cherry (Naughty Man's), Daft-berries, †Deadly Nightshade, †Death's-herb, Dwale, Dwale (Deadly), Dway-berries, Jacob's Ladder, Mad, Manicon, Mekilwort, Morel (Great), Nightshade (Sleeping).

AVENA ELATIOR, L. Arnit or Arnut, Buckbeards, Button-grass, Couch, +Couch (Onion), Grass (Pearl), Haver-Grass, Knotgrass, *Lobbin grass, Lousy or Lucie Arnut, †Murrick, Pearl, Quitch, Swine

Arnut, Twitch (Butter or Button).

AVENA FATUA, L. Aits (Wild), Drake, Flaver, Haver, *Kentish Longtails, Oat (Wild), Poor Oats, Sowlers, Uncorn (?).

AVENA NUDA, L. Pil-corn, Pillas, Pelles, Pillerds, Pillis, Pills, Pillus,

AVENA PRATENSIS, L. Oat-grass.

AVENA SATIVA, L. Aits, Awts, Hafer-corn, Hav, +Haver, Haws, Oat or Oats, Woats, Wocks, +Wots, Wuts, Yaits, Yets or Yetts. AVENA STIPIFORMIS, L. Skeg.

BALLOTA NIGRA, L. Archangel (Black), Dunny Nettle, Hair-hound, Hen-bit, Horehound (Black, Stinking), Stinking Roger.

BALSAMITA VULGARIS, Willd. Maudlin.

BARBAREA PRÆCOX, L. American Cress, Bank Cress, Belleisle Cress, Cress (Land).

BARBAREA VULGARIS, Br. Barbara's Herb (St.), Cassabully, Cress (French or Winter, St. Barbara's), Rocket (Winter), Wound Rocket, Yellow Rocket.

Bartsia Odontites, L. Eyebright, Eyebright Cow-wheat, Gorse (Hen), Sanctuary.

BARTSIA VISCOSA, L. Painted Cup (Marsh), Twiny Leg.
BELLIS PERENNIS, L. +Bachelor's Buttons, Bairnwort, Banwood, Banwort, Bennergowan, +Bennert, Bennert, Benwort, Bessy-Banwood, Billy Button, Boneflower, Bonwort, Brussewort, Catherine Conference (Local Conference) posy, Cockiloorie, Comfrey, Confery, Consound (Less), Cumfrie, Daiseyghe, Daisy, Daisy (Dog, Shepherd's, Small, or The Children's), Dazeg, Dicky Daisy, Ewe-gowan, Gowan, Gowan (May), Gowlan, Gowlan (Mary), +Hen and Chickens, Herb Margaret, March Daisy, Margaret's Herb, Marguerite, Maudlinwort, Mother

of Thousands, Penny (Silver), Primrose, *Sweep, Sweeps.

Berberis Vulgaris, L. Barbary, Barberry, Barboranne, Berber,
Guild, †Jaundice Berry, *Maiden Barberry, Pepperidge, Piperidge,

No. 1971 Primrose, *Sweep, Sweeps. Piperidges, Piprage, Piperidge Tree, Rilts, Woodsore, Woodsour, or Woodsower.

BETA MARITIMA, L. +Beet, Beetraw, Spinach (Wild).

BETA VULGARIS, Jacq. Runcle.
BETULA ALBA, L. Bedewen, Birch, Birk, Bobbyn (fruit), Burk, Lady Birch, Makepeace, Ribbon-tree

BIDENS CERNUA, L. Agrimony (Water), Baclin, Doubletooth.

BIDENS TRIPARTITA, L. Agrimony (Water), Bur Marigold, Doubletooth.

BLECHNUM BOREALE, Sm. Fern (*Foxes, Hard, †Herring-bone, Snake). Boletus, L. +Canker, Dead Men's Bellows, Frog-cheese (?), +Frogstools, Paddock Stool, Toadstool.

BOLETUS IGNARIUS, L. Touch-wood.

BOLETUS LARICIS, Jacq. Agarick.
BORRAGO OFFICINALIS, L. Beebread, Borage, Burrage, Cool-tankard, Langdebeef, Ox-tongue, Star Flower.

BORRAGO ORIENTALIS, L. Abraham-Isaac-and-Jacob. BOTRYCHIUM LUNARIA, L. Fern (Moon), Lunary, Moonwort, Plantage, Shoeless Horse, Unshoe-the-Horse.

Brassica campestris, L. Bargeman's Cabbage, Nape, Yellows.

Brassica Napus, L. Cadlock (Smooth), Cole, Coleseed, Colewort, Coltza, Nape, Navet, Navew, Pottage Herb, Rape, Rawp, Yellow Flower, Yellow-weed.

Brassica Oleracea, L. Borecole, Bowkail, Cabes, Cale, Cave, Cole, Cole (Sea), Colewort, Colewort (Sea), Collard, Coolstock, Kale (Wild), Kohl-rabi, Koolestock, Ragged Jack.

Brassica Rapa, L. Dowballs, Keblock, Kerlock, Knolles, Rape, Shake Ladies, +Turmit, Turnip.

BRIZA MAXIMA, L. Grass (Pearl), Nodding Isabel.
BRIZA MEDIA, L. *Amouret, Bird's-eye, Cow-quake, Dadder-grass,
Danglethorn (?), Dawther, Didder-grass, Diddery-docks, Ditheringgrass, Dodder, Dodder-grass, Doddering-Dickies, Doddering Dillies,
†Doddering Grass, Doddering Jockies, Dodderin-Nancy, Doddlegrass, Dothering Dicks, Dothering-Toms, Earth-quakes, Gerse

(Whacker), Grass (*Fairy, Pearl, †Quaker, Rattle, Shaking, *Shiver, Shivering, Swaggering, †Totter, Tottering, Trembling, Waggering), Hay Shakers, Jockey Grass, Lady's Hair, Maiden-hair, †Mountain Flax, *Quack-ducks, Quakers, Shake Ladies, Shakers, Shivering Jemmy, Sillar Shakle, Silver Ginglers, Silver Shakers, Suisilk, Tassels (Siller), Trembling Jockies, Thrimlin-jockies, Wag Wanton, *Wag-wants, Wiggle-waggles, or Wig-Wag Wanton,

or Wiggle-waggle wantons.

Bromus. Blubbergrass, Bromegrass, *Broom-grass Drake.

Bromus Mollis, L. Blubber-grass, Bob-grass, Bull-grass, Cock-grass, Corn (Goose), Darnel, Duck Havver, Geese-grass, Goose-grass, Haver-grass, Hooded Grass, +Lob or Lop Grass, Oat-grass.

Bromus secalinus, L. Cheat, Cheats, *Ches-seed Weed, Cock-grass, Darnel, Drake, Droke, Drook, Oat (Dravick, Wild), Sleepies.

Bromus sterilis, L. Black-grass, Drake, Drank, Haver Grass, Oatgrass.

BRYONIA DIOICA, L. Bryon, Bryony, Bryony (Red or White), *Cowbind, +Cow's-lick, Cucurd (?), Elphamy (?), Fellon-berry, Grapewort, Hedge Grape, Hop (Wild), Isle of Wight Vine, +Mandrake, Murrain

Berries, Nep (Wild), +Poison-berry, Snake-berry, Tetter-berry, Vine (White, Wild, Wood).

BUDDLEA GLOBOSA, L. *Honey ball.

BUNIUM FLEXUOSUM, With. +Arnit or Arnut, Badman's Bread, Catnut, Cipper-nut, Curluns, Deil's Bread, Dilnote (?), Earth Chestnut, Earthnut, Ernut, Fare-nut, Gennet, *Gernut, Gourlins, Gowlins, Granett, Hork, with Hers, with Hers, and Hymneska, Lock Darwills, Locker, Control of the Contro Grunnut, Hawk-nut, Hog-nut, Hornecks, Jack Durnils, Jocky Jurnals, Jurnut, Killas, Killimore, Knipper-nut, Knotty Meal, Lousy or Lucie Arnut, Nut (Ground, Hare, Kipper, +Pig, St. Anthony's), Oatmeal (Deil's), Scabby Hands, Swine-bread, Truffle, Yannut, Yar Nut, Yennet, Yennut or Yenut, Yor-nut, Yer-nut, Yowe Yorlings.

BUPLEURUM ROTUNDIFOLIUM, L. Hare's-ear, Thoroughwort, Thoro-

BUTOMUS UMBELLATUS, L. Flowering Rush, Gladiole (Water). Buxus sempervirens, L. Box (Dwarf), Box-tree, Bush-tree, Dudgeon.

CALAMAGROSTIS. Wood Reed.

CALAMAGROSTIS EPIGEJOS, Roth. Bush-grass, Feathertop-grass.
CALAMINTHA ACINOS, Clairv. Basil (Field, Stone, or Wild), Basilbalm, Basil Thyme, Mint (Corn) (?), Mother of Thyme, Poley

CALAMINTHA CLINOPODIUM, Benth. Basil (Field, Stone, or Wild), Basil-weed, Bedsfoot, Horse Thyme.

CALAMINTHA NEPETA, Clairv. Balm (Field)

CALAMINTHA OFFICINALIS, Moench. Calamint, Cap-mint, Cat-mint, Catnep, Nespite.

CALCEOLARIA. Lady's Purses, Lady's Slipper.

CALENDULA OFFICINALIS, L. Gold, Gold-bloom, Golding, Gowlan, Gowlan (Mary), Hardhow, Holigold, Jackanapes-on-Horseback, *Mally-gowl, Marigold, Mary-bud, Rods-gold, Ruddes, Sunflower. Calla Palustris, L. Dragons (Female or Water), Faverole, Water

CALLITHAMNION FLORIDULUM, Ag. Figs. CALLITRICHE. Grass (Star), Starwort (Water). CALLITRICHE VERNA, L. Chickwood (Water), Fennel (Water). CALLUNA VULGARIS, Salisb. +Basam, *Bend, Bent, Breeam, Broom,

Callona vulgaris, Sauso. †Basam, *Bend, Bent, Breeam, Broom, Cat-heather, Dog-heather, †Gowlins, Grig, Griglans, Hadder, Hather, Heath, Heath (Dog, Long, Red, Small), Heather, Heather (He), Heth, †Ling, Ling (Black or Crow), Ling-berry, Moor.

Caltha Palustris, L. Bassinet, †Blob, Blob (†Horse, May, Water), Blobs (Mire, Yellow), †Boots, *Bull-flower, *Bull's Eye, †Butterblob, †Buttercup, Buttercup (†Big or Water, *Bull, *Horse), Butter-flower (Great), Carlock-cups, Celandine (Brave), *Chirms, Claut, *Cow-Cranes, Cray, *Cray, Ret. Craw-cranes, Cray, *Cray, School, Cray, *Cray, Butter-flower (Great), Carlock-cups, Celandine (Brave), *Charms, Claut, *Cow-Cranes, Crazy, *Crazy Bet, Crow-cranes, Crow-flower, Dandelion, *Drunkard, Fire o'Gold, Gil-cup or Giltycup, *Gilen, Goggles (Water), +Golden Cup, Golland (Lucken, Water), Gollin, Gowan, Gowan (Meadow, Open, Water, Yellow), Gowlan (Water), *Halcups, John Georges, *Johnny Cranes, +Jonette, King-cob or King-scob, King-cup, Mallow (Marsh), +Mare-blob, Marigold, Marsh Marigold, +May Flower, +Meadow Bout, Meadow Beight, Misshale, Moll blob, Bublicane, Publicane, and Singer. Bright, Mire-blob, Moll-blob, Publicans, Publicans-and-Sinners, Soldiers' Buttons.

CAMELINA SATIVA, Cr. Camline, +Cheat, *Flax (Dutch), Gold of Pleasure, Myagrum, Oil-seed.

CAMPANULA. +Bellflower, Mother of Thousands, +Old Woman's Nightcap, Throatwort.

CAMPANULA GLOMERATA, L. Canterbury Bells, Danes' Blood. CAMPANULA HEDERACEA, L. *Ivy Bells.

CAMPANULA HYBRIDA, L. Corn Violet.

CAMPANULA LATIFOLIA, L. Bellflower (Great), Foxglove (White), Gowk's-hose, *Polypodium, Spinach (Wild).
CAMPANULA MEDIUM, L. Bells (Canterbury or Coventry), *Coventry

Marians, Coventry-rapes, Lady's Nightcap, Marian, Marian's Violet, Mercury's Violet.

CAMPANULA PATULA, L. Fair-in-sight.

CAMPANULA PERSICIFOLIA, L. Peach Bells.
CAMPANULA PYRAMIDALIS, L. Perrymedoll, Steeple Bells.
CAMPANULA RAPUNCULUS, L. Rampion, Ramps.
CAMPANULA ROTUNDIFOLIA, L. Air-bell, Bell (*Aul' man's, Hare or Hare's, Heath), Bell-flower, Bells (Witch), Blawort, †Blue Bell, †Blue-blauers or Blue Blowers, Blue-bottle, *Gowk's-thumbs, Milkwort, Thimble (Lady's, Witches'), *Thimbles, Thumble.

CAMPANULA SPECULUM, L. Lady's Looking Glass, Venus' Looking Glass.

CAMPANULA TRACHELIUM, L. Bellflower (Great), Bells (Cantorbury or Coventry), Blue Foxglove, Haskwort, Throatwort, Uvula-wort. CANNABIS SATIVA, L. Bunnel, Carl-hemp, Femble, Fimble, Gallow-

grass, Hemp (Barren, Churl, Female, Male, Thistle), Karl-hemp, Neckweed, Nogs, St. Audre's Lace, Tristam's Knot, Welch-paraley.

CANTHARELLUS CIBARIUS, Fr. Chantarelle, Pixy Stool.

CAPSELLA BURSA-PASTORIS, L. +Bad Man's Oatmeal, Blind-weed,
Case-weed, Clappedepouch, Cocowort, Fat Hen, Lady's Purse,
Mother's Heart, +Naughty Man's Plaything, *Pepper-and-salt, Pick Pocket, Pick Purse, Pick-your-mother's-heart-out, Poor Man's Parmacetty, Sanguinary, Shepherd's Bag, Shepherd's Pouch, Shepherd's Purse, Shepherd's Scrip, Tooth-wort, Toywort, Ward-seed, Witches' Pouches.

CARDAMINE. Bitter-cress.

CARDAMINE AMARA, L. Bitter-cress, Cress (Water).

CARDAMINE HIRSUTA, L. Cress (Lamb's or Land), Touch-me-not.

CARDAMINE PRATENSIS, L. Apple-pie, Bells (Canterbury), Bird-eye, Bird's-eye, Bogspinks, Bonny-Bird-Een, Bread (Cuckoo's), +Breadand-milk, +Cress (Meadow), +Cuckoo, Cuckoo-bread, +Cuekoo-flower, +Cuckoo-pint or pintle, Cuckoo-spit, Cuckoo's Shoes and Stockings, Gookoo-buttons, Gookoo-flower, Headache, Lady-Flock, +Lady's Glove, Lady's Milksile, +Lady's Smock, Lamb Lakins, *Lucy Locket, May Blob, +May Flower, *Meadow, Medetarde, *Milkgirl, +Milkmaid, Milksile, Paigle, Pigeon's Eye, Pigs' Eyes, Pink, Shoes and Stockings, +Smell Smock, Smick Smock, Spink, *Whitsuntide Gilliflower.

CARDUUS. Dashel, Disle, Fissle, Fistle, Sissel, Tassel-Bur, Thistle, Thrisle, Thrissel Bur.

CARDUUS ACAULIS. Pod-thistle.

CARDUUS ARVENSIS, Curt. Dashel, +Dodger, Thistle (Boar, +Corn, Cursed, Dog, Hard, *Pricky, Sharp, Way).

CARDUUS BENEDICTUS, L. Blessed Thistle, Lady's (Our) Thistle.
CARDUUS ERIOPHORUS, L. Bore, Friar's Crown, Thistle (Buck, Wool).
CARDUUS HETEROPHYLLUS, L. Carl-doddie, Fish-belly, Tazzle, Thistle (Melancholy).

CARDUUS LANCEOLATUS, L. Bow Fistle, Bur, +Cheese, Dashel, Marian, Quat Vessel, Thistle (Bank, +Bell, Bird, Blue, +Boar, Buck, Bull, +Bur, Horse, Scotch).

CARDUUS MARIANUS, L. Lady's Milk, Thistle (Blessed, Lady's (Our),

Milk, Virgin Mary's).
CARDUUS NUTANS, L. Queen Ann's Thrissel, Thistle (Bank, Buck, Musk, Scotch).

CARDUUS PALUSTRIS, L. Bog-thrissel, Moss-thistle, Thistle (*Red, Water).

CARDUUS PRATENSIS, L. Pig-leaves, Thistle (Gentle).

CAREX. Ae-pointed-gairss, +Carnation-grass, Cegge, Grass (+Blue, +Hard, Spear, Sour, Spire, Star, +Sword), Lesch, +Ling, Moorpawms, Pry, Rush, Sag, Sedge, Seggin, Seggs, Serge, Sniddle, Zeg.

CAREX ARENARIA, L. Bent (Sea), Stare. CAREX CÆSPITOSA, Sm. Torrets, Turrets.

CAREX FLAVA, L. Hedgehog-grass.

CAREX GLAUCA, L. + Carnation-grass, Gilliflower-grass, Grass (Pigeon's,

Pink), Pry.

CAREX HIRTA, L. +Carnation-grass, Goose-grass, Hammersedge.

CAREX PANICEA, L. +Carnation-grass, Gilliflower-grass, +Grass (Blue), Pinky Seg.

CAREX PRÆCOX, L. Grass (Pink, +Iron).

CAREX PULICARIS, L. Flea-grass.

CAREX VULGARIS, Fr. Stare.

CARLINA ACAULIS, L. Wolves'-thistle.
CARLINA VULGARIS, L. Carline Thistle.
CARPINUS BETULUS, L. Beech (Horn, +Horse or White), Elm (Yoke),
Harber, Hard Beam, Hazel (Witch), +Horn-beam, *Hornbean, +Husbeech.

CARUM CARVI, L. Carraway, Carvies, Carvy-seeds, Saxifrage.

Castanea vesca, L. Bur, Chastey, Chesteine, Chestnut (Spanish, Sweet), +French Nut, *Meat-nut, Stover Nut.
Caucalis daucoides, L. Bur Parsley, Hedgehog Parsley, Hen's-foot.

CELOSIA CRISTATA, L. Cock's-comb.

CENOMYCES RANGIFERINA, L. Moss (Beindeer).
CENTAUREA CALCITRAPA, L. Caltrops, Star Thistle.
CENTAUREA CYANUS, L. Bachelor's Buttons, Bells (Witch), Blaver,
Blaverole, Blawort, +Blawort (Blue), Blewball, Blewblow, Blueblaw, Blue-caps, Blue-bottle, Blue-bonnets, Blue Poppy, +Bottle, Break-your-spectacles, Brushes, Centaury (Corn), Corn-binks, Cornbottle, Corn-flower, Cuckoo-hood, Hawded, Hurt-sickle, Knobweed, Knotweed, Loggerheads, Thumble, Witches' Thimble.

CENTAUREA MONTANA, L. +Loggerheads.
CENTAUREA NIGRA, L. +Bachelor's Buttons, Ballweed, Belweed, *Black
Soap, Blue Tops, Boleweed, Bolwes, Bowweed, Bowwood, Bullweed, Bunds, Bundweed, Button-weed, Centaury, Centaury (Great or More), Churl's-head, *Clobweed, Club-weed, Cnop-wort, Cock-heads, Codweed, Crop-weed, Darbottle, Drumstick, Hardhead, *Hardhead Horse, Hard-iron, Hare-bottle, Harsh-weed, *Horse Hardhead, Horse Knobs, +Horse Knops, Horse Knot, *Horse-snap, Hurt-sickle, Hyrnehard, Iron-heads, Iron-weed, Knapweed, Knob-weed, Knop-weed, +Knot-grass, Knotweed, +Lady's Cushion, Logger-heads, Matfellon, Shaving-brush, Sweeps, Tarbottle, Tassel, Yronhard.

CENTAUREA SCABIOSA, L. Bachelor's Buttons, Black-top, Bowwood, Drumstick, Great Horse Knobs, Hardhead, Horse Knobs, Horse

Knops, Iren-harde, +Knobweed, Knotweed, Matfellon.

CENTAUREA SOLSTITIALIS, L. Barnabas, Barnaby's Thistle, St. Bar-

naby's Thistle, Star Thistle.

CENTRANTHUS RUBER, DC. *American Lilac, Basil (Red Cow),

*Bouncing Bess, *Bovisand Soldier, *Cat-bed, Cow-fat, *Delicate Bess, *Drunken Sailor, *Drunken Willies, Fox's Brush, German Lilac, +Good Neighbourhood, +Kiss-me, Pretty Betsy, Pretty Betty, Scarlet Lightning, Sweet Betsy, Sweet Mary, Valerian (Red).

CENTUNCULUS MINIMUS, L. Chaffweed.

CEPHALANTHERA. Helleborine.

CERASTIUM REPENS, L. Pink (Sea).
CERASTIUM TOMENTOSUM, L. Dusty Husband, †Dusty Miller, Jerusalem Star, +Love-in-a-mist, Silver Moss, Snow-in-harvest, Snow-onthe-Mountain.

CERASTIUM TRIVIALE, Link. Chickenweed, Chick-weed (Mouse-ear). Mouse Ear.

CERATOPHYLLUM. Hornweed.

CERCIS SILIQUASTRUM, L. Judas Tree. CETRARIA ISLANDICA, Ach. Iceland Moss.

CHEROPHYLLUM TEMULUM, L. Camlicks, Parsley (Sheep's, Water, Wild).

CHARA. Stone-wort.

CHEIRANTHUS CHEIRI, L. Banwort (?), Beeflower (Bell-flower), Bleeding Heart, +Blood Wall, +Bloody Wallier, +Bloody Warrior, Chare, Chevisaunce, Cheir (Wild), †Churl, Geraflour, Gilliflower, Gilliflower (Wall, Winter), Heartsease, †Jacks, Jeroffleris, Jilliver, July Flower, Keyry, Sweet William, Wallflower.

CHELIDONIUM MAJUS, L. Celandine, Celandine (Great), Celidony, Cock-foot, *Deil's Milk, Devil's Milk, Fellon-wort, Jacob's Ladder, John's (St.) Wort, *Kill-wart, Saladine, Selendine, Sollendine, Swallow-wort, Tetter-wort, Wart-flower, Wartweed, Wartwort,

Wret-weed.

CHENOPODIUM. Goose-foot, Meals, Nightshade, Orach (Wild).

CHENOPODIUM ALBUM, L. Biacon-weed, Dirtweed, Dirty Dick. +Dirty John, Drought-weed (?), †Fat Hen, Frost-blite, Hen-fat, *Johnny o'neele, Lamb's-quarters, †Lamb's-tongue, Mails, Melgs, Midden Myles or Milies, †Milds or Miles, Muck-weed, Mutton-tops, Myles,

Rag Jag, Spinach (Wild). CHENOPODIUM BONUS-HENRICUS, L. All-good, Blite, Dock (Smear), Docken (Flowery or Mercury), †Fat Hen, Good Henry, Good King Harry, *Markerry, Mercury (English, False, Wild), More Smerewort, Roman Plant (The), Shoemakers' Heels, Smeardock, Smiddy

Leaves, Spinach (Wild).

CHENOPODIUM BOTRYS, L. +Ambrose, Hind-heal, Oak of Jerusalem or of Paradise.

CHENOPODIUM HYBRIDUM, Sowbane, Swine's-bane.

CHENOPODIUM POLYSPERMUM. L. Allseed.

CHENOPODIUM RUBRUM, L. †Fat Hen, Goose-foot, Pig-weed, Spinach

CHENOPODIUM VULVARIA, L. Dirty John, Dog's Orach, Fat Hen, Motherwort (Stinking), Notchweed.

CHLORA PERFOLIATA, L. Centaury (Great or More, Yellow), Sanctuary (Yellow), Yellow-wort.

CHONDRUS CRISPUS, L. Carageen, *Killeen, Moss (Carageen, Irish, Pearl), †Oak Lung's, Pig's Wrack.
CHORDA FILUM, Lam. Catgut, Drew, *Lucky's Lines, Lucky Minnie's

Lines, Rrog, Sea Laces, Sea Whipcord.

CHRYSANTHEMUM LEUCANTHEMUM, L. Bothen (White), Bozzom, *Caten-aroes, *Cows' Eyes, Daisy (Big, †Bull, Butter, Devil's, †Dog, *Dun or Dunder, *Field, Great, †Horse, *London, Midsummer, †Moon, Ox-eye, Poor-land, *Thunder), Daisy Goldins, Dicky Daisy (Large), Dog-flower, Espibawn, Gadgevraw, Gadjerwraws, Girt Ox Eye, Gold (White), Goode, Gowan (Horse, Large, *White), Gowlan (White), Gull (White), *Horse-pennies, Hoss-daisy, *Magweed, Maudlinwort, Mayweed, †Moon, Moon-flower, *Moon-pennies, Mor-

Maudinwort, Mayweed, †Moon, Moon-Hower, *Moon-pennies, Morgan (Dutch), Ox-eye, Penny (Moon), †Poverty Weed.

Chrysanthemum segetum, L. Bigold, Boodle, *Boswell, Bottle (Yellow), Bothem, Bothen, Botherum, Bothul, Bozzom, Buddle, Budland, Corn-flower (Golden), Corn Marigold, Fat Hen, *Geal gowan or Geal seed, Gil Gowan, †Gold, Gold (Yellow), Golding, Goldings, Goldings (Marigold), Goles, Golland, Gool or Goold, *Gould, †Gouls, Gowan (Gule, Yellow), Gowlan, Gowland, Guild, Guile, Gule, Gull (Yellow), Manelet, Marigold, Marigold (Field, Wild), Marigold Goldins, Moon or Moons, Ox-eye, Ruddes, Sunflower, †Tansy.

flower, †Tansy.

CHRYSOCOMA LINOSYRIS, Sm. Goldylocks.

CHRYSOSPLENIUM. Golden Saxifrage, Sen-green. CHRYSOSPLENIUM OPPOSITIFOLIUM, L. Creeping Jenny, Cushion (Lady's).

CICER ARIETINUM, I. Chick Pea. CICHORIUM ENDIVIA, L. Endive. CICHORIUM INTYBUS, I., Bunk, Chicory, Cicory (Wild), Succory.

CICUTA VIROSA, L. Brook-tongue, Cow-bane, †Deathin, Hemlock (Water), Scoots.

CIRCEA LUTETIANA, L. +Mandrake, Nightshade (Bindweed, Enchanter's).

CISTUS LADANIFERUS, L *Day flower. CLADIUM MARISCUS, L. Grass (Shere (?), Spear), Lesch, Sedge, Twig Rush.

CLAVARIA. Goat's Beard.
CLEMATIS VITALBA, L. †Bearbine, Bedwine, Beggar-brushes, Bellywind, Bethwine, *Binder, Bindwith, Bullbind, Climber, Crocodile, Devil's Cut, Grey-beards, Hag-rope, Honesty, Honey-stick, Lady's Bower, Love-bind, *Love-entangled, †Maidenhair, Maiden's Honesty, Old Man, †Old Man's Beard, Old Man's Woozard, Robin Hood's Fetter, Silver Bush, Smoke Wood, Snow-in-harvest, Tombacca, Traveller's Joy, Vine (Hedge, White, Wild), Virgin's Bower, Withwind or Withwine

C'NEORUM TRICOCCOS, L. Olive (Spurge).
COCHLEARIA OFFICINALIS, L. †Bad Man's Oatmeal, Grass (Scrooby,

Scurvy), Scurvy Cress, Scurvy Weed, Spoonwort.

COLCHICUM AUTUMNALE, L. Crocus (Autumn, Fog, Meadow, Michaelmas, Purple), Naked Boys, Naked Lady, Naked Virgins, Rams, Saffron, Saffron (Meadow), Son-before-the-Father, *Star-naked Boys, Tube Root, Upstart.

COMARUM PALUSTRE, I. Cinquefoil (Marsh), Cow-berry, Marshlocks, Meadow Nuts, Strawberry (Bog).

CONFERVA. Crake-silk, Crow-silk, Duck Mud, Green Mood, Silk Weed, Slake, *Toad's-spawn.

CONFERVA ÆGAGROPILA, L. Moor-balls,

CONIUM MACULATUM, L. +Bad Man's Oatmeal, Bennet (Herb), +Bunk, Cambuck, Caxes, Heck-how, Hemlock, Humlock, Humly, Keck, +Kex, Kelk, Kous, *Keish, *Kewse, St. Bennet's Herb, Wodewhistle.

CONVALLARIA MAJALIS, L. Conval Lily, Lily (Great, Park, May, Wood), Lily-among-thorns, Lily-conval, Lily-of-the-valley, Liricon

fancy, May Blossoms, May Lily, Mugwet, Valleys.

Convolvulus arvensis, L. Barbine, Barweed, Bearbind, Bell-bine, Bellwine, Bells (Hedge), Billy-clipper, Bind (Common), Bind-weed, Bindweed (Small), †Bine, Convolvulus (Wild), Corn-bind, Corn-lily, †Devil's Guts, Lap-love, Lily, Lily-bind, Rope-wind, Sheep-bine, Wave-wine, Waywind, Weedbind, Weedbine, Wheat bine, Wind, Wither-wine, †Withwind or Withwine, Withiwind (Small).

CONVOLVULUS SEPIUM, L. +Bearbind, Bedwind, Bell-bind, Bell-binder, Bell-bine, Bellwine, Bell Woodbind, +Bells (Hedge), *Beswin or Beswind, Bethwine, Bind (Common), +Bindweed, Bindweed (Great), Bineweed, Bines (Great), Bunk, [Campanelle], Convolvulus, Corn-bind, Corn-lily, Creeper, Devil's Garter, Devil's Gutter, Cornel Led. Ground Ivy, Hellweed, +Honeysuckle, *Jack-run-i'-Country, Lady's Smock, Lily (*Harvest, Hedge, White), Lily-bind, Lily-flower, Milk Maid, Nightcap (Grandmother's, †Lady's, Old Man's), Nightcaps, Pisspot, Robin-run-the-Hedge, Smock (White), Wave-wine, Waywind, Weather-wind, Weedbind, Wither-wine, Withwine or Withwine, Withywind, Woodbind (Bell).

Convolvulus Soldanella, L. Bells (Sea), Bindweed (Sea), Cawle (Sea), Coale (Sea), Cole (Sea), Colewort (Sea), Foalfoot (Sea),

Grass (Scottish Scurvy), Withwind (Sea).

CONYZA SQUARROSA, L. See INULA CONYZA, DC.

CORALLORHIZA INNATA, L. Coral Root.

CORIANDRUM SATIVUM, L. Col, Coliander, Coriander.

CORNUS SANGUINEA, L. Bloody Twig, Catteridge-tree, +Cat-tree, Cornel, Cornel (Female or Wild), Corne-tree, Dog-berry, Dog-cherry, *Dog-Timber, Dog's-berry Tree, †Dog-tree, Dogwood, Female Cornel Tree, Gadrise, Gaiter-tree, Gaiter-berries, Gaten-tree, Gatter-tree, Gatter Bush, Gatteridge, Houndberry Tree, Hound's Tree, Prick Timber, Prick Tree, Prickwood, Skewer-wood, Skiver-wood, Widbin. Cornus suecica, L. Cornel (Dwarf), Honeysuckle, Honeysuckle

(Dwarf). CORONILLA VARIA, L. Axfetch, Axseed, Axwort.

CORRIGIOLA LITTORALIS, L. Strap-wort.

CORYDALIS CLAVICULATA, DC. Climbing Fumitory, Hen's-foot.

CORYDALIS LUTEA, DC. +Lady's Pincushion, +Mother of Thousands, +Pincushion.

CORYDALIS SOLIDA, L. *Bird-in-a-bush, or *Bird-on-a-thorn.

CORYDALIS TUBEROSA, DC. Holewort, Hollow-root, Hollow-wort. CORYLUS AVELLANA, L. Aglet, Beard Tree, *Cat-o'-nine-tails, Cats-and-Kittens, Cat's-tail, Chats, †Cob-nut (var. grandis), *Crack-nut, Filbeard, Filberd-tree (var. grandis), +Filbert, Hale-nut, Halse, Hasill-tree, Haselrys, Haul, Hazel, *Hazel-palms, Hezzle, Lamb'stails, Leemers, Nit, Nut (Wood), *Nuttal-tree, Nut-tree, Nut-Bush, Nut Hall, Nut Palms, Nut Rag, Palm, Pussy-cat's Tails,

Rag. COTYLEDON UMBILICUS, L. +Bachelor's Buttons, Corn-leaves, +Cupsand-Saucers, +Cut-finger, Grass (+Penny, Wall-Penny), Hipwort, Jack-in-the-bush, Kidney-wort, Lady's Navel, Lover's Links, Maidin-the-Mist, *Milk-the-cows, *Money-pennies, †Navelwort, Navelwort (Venus'), Pancakes, *Penny Caps, Penny Cake. Penny Hat, Penny Leaves, Penny Pies, *Penny-plates, Penny Wall, Pennywort, Stonecrop (Great), Wallwort.

CRAMBE MARITIMA, L. Cabbage (Sea), Cale (Sea), Cole, Colewort

(Sea), Kale (Sea).

CRATEGUS OXYACANTHA, L. *Agald, Agarves, *Aggles, Albespyne, Aglet, Aubepyne, Azzy-tree, Bird Eagles, Bird's Meat, Bread-and-cheese, Bulls, Butter-and-bread, Chaws, *Cheese-and-bread, Chucky-cheese, +Cuckoo's Beads, +Cuckoo's Bread-and-cheese, Eglet, *Eglet-bloom, Glastonbury Thorn, God's Meat, Greens, Haa, Haayes, *Hag, Hagga, *Haggils, Hagthorn, Hagues, *Halves, Haa, Haaves, *Hag, Hagga, *Haggals, Hagthorn, Hagues, *Halves, Harsy, Harve, *Hathorn, *Hawberry, †Haws, Haw-bus, Hawen, Haw-gaws, Haws (Bull, Butter, Cat), Hawses, Hawthorn, Hawtree, Haythorn, †Hazel, Hazzy Tree, Hedge-thorn, *Hipperty-haws, Hog-arves, *Hog-berry, Hog-gazels, *Hog-haghes, Howes, *Johnny MacGorey, †May, †May-bush, Peggall Bush, Pigall, †Pig-haw, Pig's Hales, Pixie Pears, †Quick, Quickset, Quickwood, Sates, Skiach, Thorn, Thornberries, †Whicks, White-thorn, Wick, *Wickers. +Wickens.

CRATEGUS PYRACANTHA, Pers. Christ's Thorn, Egyptian Thorn,

Glastonbury. CREPIS. Hawk's-beard.

CRITHMUM MARITIMUM, L. Camphire, Cress (Peter's), Crestmarine, Fennel (Sea), Pasper, Pierce-stone, Sampere, Samphire, Samphire (Rock), Sampier, Semper or Semper (Rock).

CROCUS NUDIFLORUS, L. Naked Boys, Saffron.

CROCUS SATIVUS, L. Saffron.

CUPRESSUS SEMPERVIRENS, L. Cypress.

CUSCUTA, †Devil's Guts, †Dodder, Dother, Fordboh, Strangle-weed, Thyme (Laced).

CUSCUTA EPILINUM, Weihe. Flax (Wild).
CUSCUTA EPITHYMUM, Murr. *Hailweed, Hair (Fairies'), Hellweed,

Maiden-hair, Mulberry, Tangle (Red).

CUSCUTA EUROPÆA, L. +Beggarweed, +Bind, +Devil's Guts, *Hailweed, +Hairweed, *Hale-, Hell-, or Hairy-bind, +Hale-weed, Podder, Scald, Scald-weed, Strangle-tare.

CUSCUTA TRIFOLII, Bab. Ail-weed, Beggar-weed, Indian Grass.

CYCLAMEN EUROPÆUM, L. Bleeding Nun, Sow-bread. CYDONIA VULGARIS, Pers. Coine, Quince. CYNARA CARDUNCULUS, L. Cardoon.

CYNARA SCOLYMUS, L. Artichoke. CYNODON DAOTYLON, L. Dog's-tooth Grass.

CYNOGLOSSUM OFFICINALE, L. Dog's-tongue, Gipsy Flower, Hound'stongue, Rose Noble, Scald-head.

CYNOSLOSSUM OMPHALODES, L. Navelwort (Venus').
CYNOSURUS CRISTATUS, L. Bent, Bent (Hendon), Bent-grass, *Dog's
Tail, Grass (Dog's, Dog's-tail, Scratch, Traleen, Windlestraw),
Pipe-stapple, Traneen or Traneen-grass, Wimblestraw, Windlestraw.

CYNOSURUS ECHINATUS, L. Cock's-comb Grass.

CYPERUS LONGUS, L. Cypress, Cypress-root, Galangal, Galingale.

CYPRIPEDIUM CALCEOLUS, L. Lady's Slipper.

CYSTOPTERIS FRAGILIS, Bernh. Bladder Fern, Fern (Oak, White Oak).

CYTISUS LABURNUM, L. *Ash (*Chaney, *French), Broom (He), Chain (†Golden), *Ear-rings, French Brum, Golden Drops, Golden Shower, Hoburn Saugh, Laburnum, Lady's Fingers, Pea-tree, Seyny-tree, Watch Guards, Weeping Willow, Willow (Drooping).

DABECIA POLIFOLIA, Don. +Heath (St. Dabecc's), Irish Heath, Irish Worts.

DACTYLIS GLOMERATA, L. Bull Faces, *Cock foot, †Cock's-foot, Cock'sfoot-grass, Dew-grass, *Dogfoot, Dog's-foot, Fox's-foot, Grass (*Cow's, Rough, Sticky), Hard Grass, Orchard-grass.

DAPHNE LAUREOLA, L. Dwarf Bay, *Fox-poison, Laurel, Laurel (Copse, Spurge, Wood), Sturdy Lowries.

DAPHNE MEZEREUM, L. Dwarf Bay, Daffadowndilly, Mazell, *Mezell, Mazell, *Mezell, *Me

Mezereon, Mysterious Plant, Paradise Plant, Spurge Olive.

DATURA STRAMONIUM, L. Apple (Thorn), †Dewtry.

DAUCUS CAROTA, L. Bee's-nest, Carrot (Wild), Crow's-nest, Dawke,
Dill, †Fiddle, Field More (?), Hill-trot, Mirrot, Rantipole.

DELPHINIUM CONSOLIDA, L. Consound, Dolphin-flower, †Jacob's
Ladder, King's Consound, Knight's Spur, Larkspur, Monkshood.

DELPHINIUM GRANDIFLORUM, L. Bee-larkspur. DELPHINIUM STAPHISAGRIA, L. Lousewort, Staves-aker.

DENTARIA BULBIFERA, L. Coralwort, Coral-root, Tooth Cress or Tooth Violet, Tooth-wort.

DIANTHUS. Pink, Pink (*May, Pitman's), Poole-flower.

DIANTHUS ARMERIA, L. Deptford Pink.

DIANTHUS BARBATUS, L. Bloomy-down, Colmenier, *London-bobs.

+London Pride, London Tuft, Pride of London, Sweet John, Sweet William, Tolmeiner, Williams.

DIANTHUS CÆSIUS, L. Cheddar Pink, Cleve-pink, Cliff-pink.

DIANTHUS CARYOPHYLLUS, L. Carnadine, Carnation, Clove-gilliflower, Clove-pink, +Clow, Cornation, Coronation, Crownation, Gilliflower, Incarnation, Indian Pink, Jack, Janet-flower, July Flower, Ley, Piggesnie, Snave-Rubens.

DIANTHUS CHINENSIS, L. Indian Pink.

DIANTHUS DELTOIDES, L. Pink (Deptford, Maiden, Meadow, Wild), Spink.

DIANTHUS PLUMARIUS, L. Feathered Gillofers, Gilliflower (Single), Honesty (Small), Indian-eye, Sops-in-wine.

DIANTHUS PROLIFER, L. Childing Pink, Childing Sweet William.

DICTAMNUS FRAXINELLA, L. Burning Bush.
DIELYTRA SPECTABILIS, DC. Locks-and-Keys, †Bleeding Heart, †Love-

lies-bleeding.

DIGITALIS PURPUREA, L. +Bell (Dead Man's), Blob, Bloody Finger, Bloody Man's Fingers, Bluidy Bells, *Cottagers, Cowflop, †Cow-slip, †Cowslop, Dead Men's Bellows, Dock (Flap or Flop, *Poppy), Docken (Flop or Flous), Dog-fingers, Dog s-lugs, Dragon's Mouth, Fairies' Petticoats, +Fairy Bells, Fairy Cap, +Fairy Fingers, Fairy Glove, Fairy Thimbles, Fairy Weed, Finger-flower, Finger-root, Fingers (Lady's, Purple), Flap-dock, Flobby Dock, Flop-a-dock, Flop-docken, Flop Poppy, Flous-docken, Flowster-docken, *Fox and leaves, Fox-docken, Fox-fingers, Foxglove, Foxter-leaves, *Foxtree, Green Pops or Poppies, Goose Flops, King's Elwand, Lady Glove, Lady's Thimble, Lion's Mouth, Lusmore, Mercury (Scotch, Wild), Pop-glove, *Poppers, †Poppy, Pops, Rabbit's Flower, Snapdragon, Snaps, Snoxuns, Thimble, Thimble (Fairy, Witches) Witches'), Throatwort, Tiger or Tiger's Mouth.

DIOSPYROS EBENUM, L. Heben.

Calamus aromaticus, Chafeweed, Cotton DIOTIS MARITIMA, Cass. (Petty), Cotton-weed, Cudweed (Sea).

DIPLOTAXIS MURALIS, DC. Stinkweed,

DIPSACUS FULLONUM, L. Clothier's Brush, Tassel, Teasel, Teasel

(Draper's, Fuller's), Venus' Bath or Basin.

DIPSACUS PILOSUS, L. Shepherd's Bod, Shepherd's Staff.

DIPSACUS SYLVESTRIS, L. Adam's Flannel, Barber's Brushes, Brushes, Brushes (Sweep's), Card Teasel, Card Thistle, Churchbrooms, *Gipsy's Combs, *Pricky Back, Tazzel, Teasel, Venus' Bath or

DORONICUM PARDALIANCHES, L. Crayfish, Leopard's Bane. DRABA VERNA, L. Faverel, Grass (Whitlow), Nailwort, White Blow. Drosera Rotundifolia, L. Lust-wort, Moor-grass, Moor-wort, Red Rot, Rosa-solis, Sun-dew, Youth wort.

DRYAS OCTOPETALA, L. Avens (Mountain), *Betony (Wild).

ECHIOPS. Ball Thistle, Ball-weed.

ECHIUM VULGARE, L. Blue Bottle, *Blue Weed, *Borage (Wild), Bugloss, Bugloss (Viper's), †Cat's-tail, *Cat's-tail (Blue), Grass (Viper's), Iron-weed, Langdebeef, Our Lord's Flannel or Our Saviour's Flannel, Snake Flower, Snake's Bugloss, Viper's Herb.

ELAPHOMYCES GRANULATUS, Fr. Deer-balls. ELATINE HYDROPIPER, L. Pepper (Water), Water-wort.

ELEOCHARIS CÆSPITOSA, Link. Deer-hair, Drawling, Line, Ling, Lubba.

ELEOCHARIS PALUSTRIS, Br. Aglet-headed Rush.

ELYMUS ARENARIUS, L. Bent (Narrow), Bent (Mother of), Lyme

EMPETRUM NIGRUM, L. Crake-berries, Craw-berry, Crawcrooks, Croupans, Crow-berry, Crow-peas, Goose-berries, Heath, Heath (Black-berried). Ling (Wire), Monox Heather, Moonog, Pea (Crow). Емтекомокрна. Sedge, Slake, Slauke, Sloke or Sluke.

EPHEDRA. Grape (Sea).
EPILOBIUM. Herb Willow, Willow Herb.
EPILOBIUM ANGUSTIFOLIUM, L. Bay (Rose), Bay-Willow, Blood Vine, Blooming Sally, Cat's-eyes, Persian Willow, Tame Withy, Willow

(†Blooming, †French, Rose Bay), Willow Herb (Bay).

EPHOBIUM HISUTUM, L. Apple (Coddled), †Apple-pie, Blooming Sally, Cherry-pie, Codlins, †Codlings-and-cream, Custard-cups, Fiddle-grass, Gooseberry Pie, Plum-pudding, Sod-apple, Sonbefore-the-Father, Willow (Wild), Willow Herb, Withy-Herb (Red).

EPIMEDIUM ALPINUM, L. Barrenwort.

EPIPACTIS. Helleborine.

EQUISETUM. Cat-rushes, †Cat's-tail, *Feather, *Grandfather's Beard, Grass (Joint, Scrub, Shave, Water), Holy-water-sprinkle, Horsetail, Joint-weed, Mare's Tail, Old Man's Beard, Puddock Pipes, Pull Pipes, Rattle, Snake Pipes, Tad-broom, Tad pipes, Tidy-pipe, Toad Pipe, Wold Mans Beard (?).

EQUISETUM ARVENSE, L. Bottle-brush, +Cat's-tail, *Colt's tail, *Frog

pipes, †Horse Pipe, Snake Pipes.

EQUISETUM HYEMALE, L. Dishwashings, Dutch Rushes, Grass (Scrub, Shave), Pewter-wort, Scouring Rush, Shaveweed.

EQUISETUM LIMOSUM, L. Paddock pipes, Paddow pipe, also Paddie

Equisetum maximum, L. Fox-tailed Asparagus, Horse-Pipes, Horse-

EQUISETUM PALUSTRE, L. Cat-whistles, Marshweed, Paddock Pipes, Snake Pipes.

EQUISETUM SYLVATICUM, L. Bottle-brush.

ERANTHIS HYEMALIS, L. Aconite, Aconite (Winter), Christmas-flower, Hellebore (Winter), Wolf's-bane.

ERICA CINEREA, L. *Bell-ling, Bent, Carlin-heather, Cat-heather, Crowling, Hather, Heath, Heath (Black), Heather, Heather (She), Ling.

ERICA HIBERNICA, Syme. French Heath.
ERICA TETRALIX, L. Bell-heath, Bell-heather, Broom-heath, Catheather (?), †Crow-ling, Grig, Hather, Heath, Heath (Bell, †Besom, Broom, Father of, Small), Heather, Heather (Bell, Carlin, Ringe),

*Honey Bottle, †Ling, *Ling (Crow).
ERICA VAGANS, L. Cornish Heath, Moor-heath. ERIGERON ACRE, L. Fleabane, Fleabane (Blue).

ERIGERON CANADENSE, L. Butter-weed.

ERIOCAULON SEPTANGULARE, With. Pipe-wort.

ERIOPHORUM. Cotton (Wild), Cotton-grass, Cotton-rush, Drawling, Floss-seave, Moor-pawms, Moss, †Moss-crops, Pull-ling.

ERIOPHORUM ANGUSTIFOLIUM, L. Cat's-tails, Flocks (Sniddle), Moor-

ERIPHORUM POLYSTACHYON, L. *Davy white-yeads, Downy Ling, +Drawling.

ERIOPHORUM VAGINATUM, L. Canna-down, Catlocks, +Cat's-tails, *Davy White-yeads, Hare's-tail Rush, Laing, Line, Ling, Muircrops, Purlaing, Sniggle.

ERODIUM. Heron's-bill.

ERODIUM CICUTARIUM, L'Her. Musk (Wild), Needle (Pink, Powk), Stick-pile.

ERODIUM MOSCHATUM, L. Covey, Covey (Sweet), Crowe-pil, †Muscovy, Musk, Needle (Ground, Pick, Pink), Stork's-bill.

ERUCA SATIVA, L. Pepper (White), Racket, Rocket.

ERVUM ERVILIA, L. Ers.

ERVUM LENS, L. Lentils, Tills.

ERYNGIUM CAMPESTRE, L. Daneweed, Thistle (†Hundred, Hundred-

headed, Watling Street).

ERYNGIUM MARITIMUM, L. Eringo, Eryngo, Holly (Sea), Holme (Sea), Hulver (Sea), Ringo-roots.

ERYSIMUM CHEIRANTHOIDES, Br. Mustard (Treacle), Tarrify, Treacle

Wormseed, Worm-seed.

ERYTHREA CENTAURIUM, L. Banwort (?), Bitter Herb, Bloodwort, Centaury, Centaury (Little), +Century, Christ's Ladder, Earth-gall, Feltrike, Feverfew, Flax (Mountain), Gall-of-the-Earth, Gentian, Hurd-reve, Sanctuary.

ERYTHRÆA LITTORALIS, Fr. Centaury (Sea) ERYTHRONUM DENS-CANIS, L. *Dog-tooth Violet.

EUONYMUS EUROPÆUS, L. Ananbeam, Butcher's Prick-tree, *Catrash or *Catrush, Cat-tree, *Catty-tree, Cat-wood, *Death Alder, Dogrise (?), *Dog-tooth Berry, Dogtree, Dogwood, Foul Rush, Gadrise, Gaiter-tree, Gaten-tree, Gatteridge, Louse-berry, Pincushion, Pincushion Shrub, Prick-timber, Prickwood, Skewer-wood, Skiver or

Skiver-timber, Skiver-wood, Spindle Tree, Spoke-wood, Witch-wood. EUPATORIUM CANNABINUM, L. Agrimony (Bastard, Dutch, Hemp, Water), Andurion, Filaera, Hemp (Bastard, Water), Hempweed, Raspberries and Cream.

EUPHORBIA. Spurge, Tithymall.

EUPHORBIA AMYGDALOIDES, L. Deer's Milk, +Mare's tail, Spurge (Wood)

EUPHORBIA CYPARISSIAS, L. Clip-me-dick, Cypress Spurge, Kiss-me-Dick, Welcome Home Husband, Welcome-to-our-House,

EUPHORBIA ESULA, L. Faitour's Grass.

Euphorbia Helioscopia, L. Cat's-milk, Churnstaff, Deil's Appletrees, Deil's Kirn Staff, Deil's Milk, Devil's Churnstaff, Devil's Milk, Grass (Wart, Whitlow), Irby-dale Grass, Little Good, Mad Woman's Milk, Mamma's Milk, +Milk Wort, Milk-weed, Mousemilk, Pepper (Saturday's), Seven Sisters, Sun Spurge or Sunfollowing Spurge, Turnsole or Torn-sole, Wartweed, Wartwort, Wolf's Milk.

EUPHORBIA HIBERNA, L. +Makinboy. EUPHORBIA LATHYRIS, L. Caper (Wild), Caper-bush, Caper-plant, Caper-spurge, Myrtle Spurge. EUPHORBIA PABALIAS, L. Spurge (Flax, Sea).

EUPHORBIA PEPLIS, L. Purslane (Wild). EUPHORBIA PEPLUS, L. *Deil's Milk, Devil's Milk, Petty Spurge, Seven Sisters, Wartweed.

EUPHRASIA OFFICINALIS, L. Adhib, Euphrasy, Ewfras, Eyebright. Exidia Auricula-Judæ, Fr. Jew's Ear. EXIDIA GLANDULOSA, Bull. Fairy Butter, Witches' Butter.

FABA VULGARIS, L. Tick.

FAGUS SYLVATICA, L. Beech, Buck, Buck's-mast, Hay Beech, Mast.

FESTUCA. Grass (Fescue).
FESTUCA DURIUSCULA, L. Twitch (Black).

FESTUCA ELATIOR, L. +Grass (Dover).
FESTUCA MYURUS, L. Capon's-tail Grass.

FESTUCA OVINA, L. *Black Twitch, Grass (Fescue).
FESTUCA PRATENSIS, Huds. Frisky (Meadow).

FESTUCA SYLVATICA, Vill. +Anthill-grass.
FICUS CARICA, L. Fygere, +Lemfeg, Lont-figs.

FILAGO GERMANICA, L. Cartafilago, Chafeweed, Childing Cudweed, Clodweed, Cudweed, Cudwort, Downweed, Herb Impious, Hoarwort, Old Owl, Owl's Crown, Quidwort, Son-before-the-Father.

FILAGO MINIMA, L. Bloody Flixwort, Filewort. Fœniculum vulgare, Gærtn. Dill, Fenel, Fenkelle, Finkel, Fynkylesede, Spingel.

FONTINALIS ANTIPYRETICA, L. Moss (Water).

FRAGARIA ELATIOR, Ehrh. Hautbois.

Fragaria vesca, L. Freiser, *Hedge-strawberry, Strawberry.

FRANKENIA. Frankwort.

FRANKENIA LEVIS, L. Heath (Sea).
FRANKENIA LEVIS, L. Heath (Sea).
FRANKENIA LEVIS, L. Ache, Aischen, Aishen-tree, Ash, Ashcandles, Ash-chats, +Ash-keys, Bird's Tongue, +Cate-and-keys, Cat's-keys, Chats, Culverkeys, Eisch-keys, Esh, Freyn, +Ground Ash, Haish, Hertwort, Ketty-keys, †Keys, Keys (Cat's), Kitekeys, +Locks-and-Keys, Pattikeys, Peter Keys, Shacklers, Urchin, Wood-broney.

FRITILLARIA, sp. Sullen Lady.

FRITILLARIA MELEAGRIS, L. Bell (Dead Man's), Chequered Daffodil,
Chequered Lily or Tulip, Cowslip, Crow-cup, Daffodil, Deith-bell,
Drooping Tulip, Fritillary, *Frits, Froccup, Guinea-hen Flower,
*Lazarus Bell, Lily (Chequered, *Leopard's, Pheasant, Snake's
Head), Snake Flower, Snake's Head, Snow-drop, Toads-heads,
Tulip (Wild), Turkey Eggs, Turkey-hen Flower, Turk's Head,
Weeping Willow, Widow Wail.

FUCHMA Bells *Fordered Resedence (Ledv's), Fordered

Fuchsia. Bells, *Ear-drops, Ear-drops (Lady's), Ear-ring Flower.
Fucus. *Chaff (the smaller kinds), Hempweed, †Mayweed, Waar,
Ware, Weir, Waur, Woare, Woore, Wore, Wrack (Sea), Wraik,

Wreck.

Fucus esculentus, L. Bobbyn.

Fucus nodosus, L. *Bottle Ore, Kelp-Ware, Kelpwrack, Knobtang,

*Knop Tang, Sea Whistles, Tang, Wrack-box(?), Yellow Tang.

Fucus serratus, L. Crabby Ore, Cutweed, Prickly Tang, Tang

(Prick), Wrack.

Fucus vesiculosus, L. *Bladder Wrack, *Crow Gall, Cutweed, Kelp-Ware, Lettuce (Sea), Lig or Liggan, Oak (Sea), Oreweed, Sea Bottle, Sea Ware, Strawberry Ware, Tang (Black), Wrack, Wrack (Lady).

FUMARIA OFFICINALIS, L. Beggary, Earth-smoke, Fume-of-the-earth. Fumiterre, Fumitory, Fumusterre, *God's Fingers and Thumbs. Snapdragon, Wax Dolls.

GAGEA LUTEA, Ker. Cowslip (Our Lady's).
GALANTHUS NIVALIS, L. Candlemas Bells, Fair Maids, Fair Maids of February, *French Snowdrop, Purification Flower, Snowdrop, Snowflower, White Ladies.

GALEGA OFFICINALIS, L. Goat's Rue.

GALEOPSIS LADANUM, L. Iron-wort, GALEOPSIS TETRAHIT, L. Bee-nettle, Blind Nettle, Dai-nettle, +Daynettle, Dea-netle, †De-nettles, Deye-Nettle, Dog Nettle, Donnine-thell, Female Hems, Glidewort, Hemp (Bastard, Nettle, Wild), Hemp-Nettle, Holyrope, Nettle Hemp, Stinging Nettle, Sting

GALEOPSIS VERSICOLOR, L. Bee-nettle, +Day Nettle, Dea-nettle, *Dey or Deye Nettle.

GALIUM. Bedstraw.

GALIUM APARINE, L. Airess, Airif, Airup, Aparine, Bedstraw, +Beggar Lice, Beggar Weed, Bleedy Tongues, Bluid Tongue, Bur, Burhead, +Burweed, Catch-rogue, Catch-weed, +Chickweed, Claiton, Claver-grass, Cleavers, Cledon, Cleeiton, Cleggers, Clever-grass, *Cliden, Clider, Cling-rascal, *Clitch-button, Clite, Clitheren, Clits, Cliver, Cly, *Clyders, †Errif, Geckdor, Geese-grass, *Gentleman's Tormentors, Goosebill, †Goose-grass, Goose-heiriffe, Gooseshare, Goose Tongue, Gosling Grass, Gosling Scrotch, Gosling Weed, Grass (Scratch, Scurvy, Turkey), Grip-grass, Gull-grass, +Gye, Hairweed, Harif, Haritch, Harvest Lice, Hedge-burs, *Jack-atthe-hedge, Lizzie-run-the-hedge, [Loveman], Mutton-tops, Pigtail, †Robin-run-the-hedge, Rob-run-up-dyke, Soldiers' Buttons, Stick-a-back, Stickleback, Sweethearts, Tivers, Tongue-bleeder, Witherspail, Willy-run-hedge.

GALIUM CRUCIATA, Scop. Bedstraw (Lady's), Crosswort, Golden Muguet, Honey-wort, Maywort, Oxan.

GALIUM MOLLUGO, L. Bedstraw (White), Grass (Sticky), Madder (Wild), Whip-tongue.

GALIUM SAXATILE, L. Bedstraw (Lady's).
GALIUM VERUM, L. A-hundred-fald, Bedflower, Bedstraw (Lady's or Yellow), Brum, †Cheese-rennet, †Cliver, *Curdwort, Flea-weed, Fleawort, Gallion, Goose-grass (Yellow), Hundred-fold, Joint Grass, Keeslip, Lady's Beds, Maiden-hair, Maid's Hair, Rennet, Rosemary (Wild), Runnet, Strawbed.

GASTRIDIUM LENDIGERUM, Gaud. Nit-grass.

GEASTER. Earth-star.

Genista anglica, L. Carlin Spurs, Catwhin, Furze (Needle), Heather Whin, Hyssop (Stitch), Moor Whin, Moss Whin, Thorn Broom.

GENISTA TINCTORIA, I. Alleluia, Base Broom, Broom (Dyers' or Low),
Dyers' Weed or Dyers' Greenweed, Dyers' Yellow-weed, Dyeweed,
+Green Weed, Green Wood, Weld (Dyers' Greening), Widow
Wisse, Woad, Wood Waxen or Wood Wex, Wudwise, Yellows.

GENTIANA. Gentian.

GENTIANA AMARELLA, L. Baldemoyne, Baldmoney, Bitterwort, Feldwood (?), Felwort, Fieldwort.

GENTIANA CAMPESTRIS, L. Baldmoney, Bitterwort.
GENTIANA PNEUMONANTHE, L. Autumn Bellflower, Autumn Violet,
Calathian Violet, +Harvest Bells, Lung-flower.

GENTIANA VERNA, L. Blue Violet, Spring Violet.

GERANIUM. Crane's bill, Heron's-bill, Shepherd's Needle.

GERANIUM COLUMBINUM, L. Culverfoot. GERANIUM DISSECTUM, L. Pink Needle (?).

Geranium Lucidum, L. +Bachelor's Buttons, Robin.
Geranium molle, L. Culverfoot, Dove's-foot, Pigeon's Foot, Star-

GERANIUM PHÆUM, L. Mourning Widow.

GERANIUM PRATENSE, L. Crowfoot, Crane's-bill, Grace of God. Gratia.

GERANIUM ROBERTIANUM, L. Adder's Tongue, *Arb-rabbit, +Bachelor's Buttons, Bachelor's Buttons (Little), Billy Button, Bird's-eye, Bird's-eye (Pink or Red), Bloodwort, Buttons (Soldiers'), Cuckoomeat, †Cuckoo's Eyes, Cuckoo's Victuals, Death-come-quickly, *Dog's-toe, Dragon's Blood, †Fellon-grass, †Fellon-wort, Fox Grass, Garden Gate, Geranium (Fox, Scotch, †Wild), Herb Robert, *Jenny-Wren, +Kiss-me, Knife and Fork, London Pink, Nightingales, †Pink (Wild), Ragged Robin, *Redbreasts, Red Shank, Redweed, Robert, Robin, Robin (Little, Red), Robin Flower, Robin Hood, Robin i'th' Hedge, †Robin Redbreast, Robin Redshanks, Robin (Round), Robin's Eye, Rubwort, Sailor's Knot, Stinking Bob, Stock-bill, Stork's-bill, Wren's Flower. GERANIUM STRIATUM, L. Queen Ann's Needlework.

GERANIUM SYLVATICUM, L. Bassinet Geranium, Crow Flower, King's Hood, Mountain Flower.

GEUM RIVALE, L. Avens (Drooping or Water), Cure-all, Water Flower.

GEUM URBANUM, L. Avance, Avens (Wood), Bennet (Herb), City Avens. Clove-wort [Cow-wort], Goldy, Harefoot, Herbal Bennet, *London Basket, Ram's-foot Root, St. Bennet's Herb, Star of the Earth.

GLADIOLUS. Flag (Corn), †Jacob's Ladder. GLAUCIUM LUTEUM, L. Horned Poppy, Poppy (Sea), Spatmore, Squat-

more,

GLAUX MARITIMA, L. Milkwort, Saltwort (Black), Trifoly (Sea).

GLYCERIA. Grass (Sweet).

Leed, Leyt.

GLYCERIA AQUATICA, Sm. Leed, Leyt. GLYCERIA FLUITANS, Br. Flote-grass, Manna Grass.

GNAPHALIUM. Chaffweed, Cotton (Petty), Cotton-weed, Cudweed, Ever-

GNAPHALIUM LUTEO-ALBUM, L. Jersey Livelong.

GNAPHALIUM SYLVATICUM, L. Cartafilago, Chafeweed, Cudweed, Owl's Crown.

GNAPHALIUM ULIGINOSUM, L. Cudweed, Wartwort.

GRATIOLA OFFICINALIS, L. Gratia Dei, Hedge Hyssop.

GYMNADENIA CONOPSEA, Br. *Long tails, Lover's Wanton.

HABENARIA BIFOLIA, Br. and H. CHLORANTHA, Bab. Butterfly Orchis. HEDERA HELIX, L. Benewith-tree (?), Bentwood, Bindwood, Eevy, Ground Ivy, Hyven, Ivin, Ivory, Ivy, Ivy (Barren, Black, Creeping, Small), Woodbind.

HEDYSARUM CORONARIUM, L. +French Honeysuckle, Honeysuckle

HELIANTHEMUM VULGARE, Gærtn. Rock Rose, Sol-flower, Sun Daisy. Sunflower, Sun Rose.

Helianthus annuus, L. Gloden, Gold, Lareabell, Sunflower, Wallflower.

HELIANTHUS TUBEROSUS, L. Jerusalem Artichoke. HELICHRYSUM STECHAS, D.C. Goldflower, Mothwort.

HELIOTROPIUM PERUVIANUM, L. Cherry-pic. HELLEBORUS FETIDUS, L. Barfoot, Bear's-foot, Gargut root, Grass

(Setter), Hellebore (Fœtid), Ox-heal, Setterwort.
HELLEBORUS NIGER, L. Bear's-foot, Christmas-flower, Christmas-rose, Christ's Herb, Christ's Wort, Clove-tongue, Fellon-grass, Hellebore (Black), Lion's Foot, *New Year's Rose, Pedelyon, Winter Rose.

HELLEBORUS VIRIDIS, L. Bear's-foot, Boar's Foot, +Fellon-grass,

Green Hellebore, Hellebore (Bastard), Peg-roots, Setterwort. HELMINTHIA ECHIOIDES, Gærtn. Bugloss, Langdebeef, *Langley-beef,

Ox-tongue.

HELOSCIADIUM INUNDATUM, Koch. Mudweed.

Helosciadium nodiflorum, L. Bilders, Billers, Brooklime, Cow-cress,

Cress (Water), Fool's Watercress, Sion.

HERACLEUM SPHONDYLIUM, L. Bear's Breech, Bear-skeiters, Beggarweed, Bilders, Billers, Broad Kelk, Bunnel, +Bunnerts, *Bunnun (see †Bunnerts), Bunwand, Caddell, Cadweed, Camlicks, Clogweed, Cow-cakes, Cow-clogweed, Cow-keeks, Cow-keep, †Cow-mumble, †Cow-parsnip, Cushia, *Dryland Scout, Eltrot, Ha-ho, Hardhead, Heltrot, †Hogweed, †Keck, Keck (Broad-leafed), †Kedlock, Kex, *Keglus, Kelk-Kecksy, Kesh, Kesh (Dry), Kesk, Kewsies, Limper-scrimp, Lumper-scrump, Madnep, Meadow Parsnep, *Old-rot, Pig's Bubbles, *Pig's Cole, Pig's Parsnip, †Pigweed, *Piskies, Rabbit-meat, Sweet Biller, Swine Weed, Skytes.

HERMINIUM MONORCHIS, Br. Musk Orchis.
HERNIAHIA GLABRA, L. Burstwort, Rupture-wort.
HESPERIS MATRONALIS, L. +Close Sciences, Damask Violet, +Dame's Violet, *Double Sciney, Eveweed, Gilliflower (Dame's, Queen's, Rogue's, +Whitsun, Winter, Yellow), Rocket, Rocket (Red, White), Sciney, Siney, Summer Lilac.
HESPERIS TRISTIS, L. Melancholy Gentleman.

HIERACIUM. Hawk-bit, Hawkweed, Speerhawk.

HIERACIUM AURANTIACUM, L. Coalier (The), Grim the Collier. HIERACIUM MURORUM, L. French Lungwort, Golden Lungwort. HIERACIUM PILOSELLA, L. Erswort (?), Fellon-herb, Ling Gowlans,

Mouse Ear.

HIEROCHLOE BOREALIS, L. Holy Grass.

HIMANTHALIA LOREA, Lyngb. Sea-thongs, Thongs.
HIPPOCREPIS COMOSA, L. Horse Shoe.
HIPPOPHAE RHAMNOIDES, L. Buckthorn (Sea), Sallow Thorn, Willowthorn, Wirwivvle or Wyrvivle.
HIPPURIS VULGARIS, L. Bottle Brush, Cat's-tail, Cat's-tails, Jointweed, Knotgrass, Mare's Tail, Paddock Pipes, Paddow Pipe, Witch s' Milk.

Holcus Lanatus, L. Dart-grass, Duffel-grass, +Fog (Yorkshire),
Grass (Pluff, Rot, Velvet, +Water), Hayseeds (White), Hose Grass,
Hose Gerse, Meadow Soft Grass, Midge-grass, Pussy-cat's-Tails,
Soft-grass, Yorkshire Whites.

Holcus Mollis, I. Couch, Dart-grass, +Duffel-grass, Grass (Rot, White-topped), Soft-grass, Whin-wrack.
Honkenya peploides, Ehrh. Chickweed (Sea), Sandwort (Sea).

HORDEUM JUBATUM, L. Grass (Squirrel-tail).

HORDEUM MARITIMUM, L. Grass (Squirrel-tail), *Squirrel Tail.

HORDEUM MURINUM, L. Barley (Mouse, Wall, Way or Wild), Bennet (Way), Bent (Way), Grass (Rye, Squirrel-tail), Purr Barley, *Pussies.

Hordeum Pratense, L. Grass (Squirrel-tail).

HORDEUM VULGARE, L. Bar, Barley, Barley (Bare, Naked, Wheat), Barley Big, Bear, Begg, †Bigg, Hauels, Hoils, Pillerds, Sprat-barley.

Hottonia Palustris, L. Bog Featherfoil, Featherfoil, Gilliflower

(Water), Milfoil (Water), Violet (Water), Water Yarrow.

HUMULUS LUPULUS, L. +Bine, Bur, Hop, Seeder.

HYACINTHUS. Jacinth. HYDROCHARIS MORSUS-RANK, L. Frogbit.

HYDROCOTYLE VULGARIS, L. Fairies' Table, Farthing Rot, Flowkwort, Grass (Penny, Rot, Sheep-killing Penny, Shilling), Penny Rot, Pennywort (Marsh), Sheep-killing, Sheep-rot, Sheep's-bane, Water-cup, Water Rot, White Rot.

HYMENOPHYLLUM. Filmy Fern.

HYMENOPHYLLUM TUNBRIDGENSE, Sm. Goldylocks (Tunbridge).

HYOSCYAMUS NIGER, L. Belene, Brosewort (?), Chemile, †Henbane, Hen-bell, Henkam, Loaves-of-bread, Stinking Roger. HYPERICUM. Grace of God, Johan, John's Wood, John's (St.) Grass,

John's (St.) Wort, Sinjin-wort, Sinjonswort.

HYPERICUM ANDROSÆMUM, L. [All Saints' Wort], †Amber, Amber (Sweet), Park Leaves, Stitson, Sweet Leaf, Tipsen-leaves, Titson, Titsy-leaf, Touch and heal, Touch-leaf, Tutsan.

HYPERICUM CALYCINUM, L. Aaron's Beard, *Bethlem Star, +Jerusalem Star, +Old Man's Beard, Rose of Sharon, Rosin Rose, Solomon's Seal, Star of Bethlehem.

HYPERICUM ELODES, L. St. Peterwort.

HYPERICUM PERFORATUM, L. Amber, Balm of Warrior's Wound, Cammock, †Herb John, John's (St.) Wort, *Penny John, Rosin Rose, Touch and heal.

HYPERICUM QUADRANGULUM, L. St. Peterwort. HYPERICUM TETRAPTERUM, Fr. Hard Hay, Peter's (St.) Wort.

HYPNUM PURUM, L. Stag's-horn Moss. HYPNUM SERPENS, L. Pins-and-needles.

HYPOCHÆRIS RADICATA, L. Bent, Cat's-ear, Gosmore. HYSSOPUS OFFICINALIS, L. Ezob, Hyssop, Isop.

IBERIS, sp. *Billy-come-home soon.

IBERIS AMARA, L. Candy-tuft, Churl's Mustard, Clown's Mustard, Cress (Sciatica).

IBERIS UMBELLATA, L. Candy-tuft.

ILEX AQUIFOLIUM, L. *Aunt Mary's Tree, +Christmas, +Crocodile,

*Free Holly, He Holly, *Helver, Holieverd, Hollin, Hollond,
Holyn, Holly, Holly (She), +Holm, Hull, Hulver, Poison-berry,
Prick Hollin, Sparked Holm.

IMPATIENS BALSAMINA, L. Jumping Betty.

IMPATIENS GLANDULIGERA, Roxb. Nuns.

IMPATIENS NOLI-ME-TANGERE, L. Balsam, Codded Arsmart, Quickin-hand, Touch-me-not.

IMPERATORIA OSTRUTHIUM, L. +Fellon-grass, Fellon-wood, Fellon-

wort, Masterwort, Pellitory of Spain.
INULA CONYZA, DC. Cinnamon-root, Fleawort, Ploughman's Spike-

INULA CRITHMOIDES, L. Golden Samphire.
INULA DYSENTERICA, L. Fleabane, Mullet.
INULA HELENIUM, L. Alacompane, Alecampane, *Aligopane, Allicampane, Dock (Velvet), Elecampane, Elfdock, Elfwort, Elsedock, Horshele, Inul, Scab-wort, Sunflower.

IRIDÆA EDULIS, Bory. Dulse.

IRIS. *Locks, Sedge.

IRIS FLORENTINA, L. Orrice.

IRIS FETIDISSIMA, L. *Dragon-flower, Flag, Gladden, Glading-root, Gladdon (Stinking), Ireos (Wild), Poison-berry, Roast Beef Plant, Seggin (Blue), Snake's Fiddles, Snake's Food, Snake's Poison, Spurge-wort.

IRIS PSEUDACORUS, L. Butter-and-Eggs, Cegge, *Cheiper, *Cucumbers, +Daggers, *Dragon-flower, Flag, Flag (Water or Yellow), Flaggan, *Flagons, Fliggers (?), Flower-de-luce (Yellow), Jacob's Sword, Laister, Laver, Levers, Livers, Lug, Maiken, Meklin, Saggan Sedge (Yellow), Seag, Seggs, Seg (Water), Seggin, Shalder, Skeg, Sword Flag, Water Lily.

ISATIS TINCTORIA, L. Ash of Jerusalem, Dyers' Weed, Goud, Ode,

Wad, Woad. ISOETES LACUSTRIS, L. Merlin's Grass, Quill-wort.

JASIONE MONTANA, L. Blue Bonnets, Blue Buttons, +Blue Daisy, *Iron-flower, Scabious (Sheep's), Sheep's bit or Sheep's-bit Scabious.

Jasminum fruticans, L. Makebate.

JASMINUM OFFICINALE, L. *Jeshamy, Jesse.

JUGLANS REGIA, L. Bannut or Bannut-tree, Cat's-tail, French Nut, Nut (Welsh), Tentes, Walnut.

JUNOUS. Rashes, Resh, Rexen, Rish, Rix, Rush, Ryschys, Seave, Seife (?), Siv, Thrash, Threshie, Thrush or Thrush-bush.

JUNCUS ACUTIFLORUS, Ehrh. Clock-seaves, Closs, Sprat.

Juneus articulatus, L. Spart. Juneus Bufonius, L. *Coe-grass, Frog-grass, Grass (Toad), Saltweed. JUNCUS COMMUNIS, Mey. Camel's Straw, Floss (?).

JUNCUS CONGLOMERATUS, L. Pith Rush, Staff Rush.

Juneus Effusus, L. Candle-rush, +Floss, Hard Rush, Pin Rush.

JUNCUS GLAUCUS, Ehr. Resh, Wire Rush.

JUNCUS LAMPROCARPUS, Ehrh. Closs, Sprat, Strit.

JUNCUS OBTUSIFLORUS, Ehrh. Sprat.

JUNCUS SQUARROSUS, L. Bent (Black, Rose, Star, Stool, Whirl),

Brockles, Bruckles, Burra, Corn (Goose), †Lubba, Moss Rush, Sprot, Star.

JUNGERMANNIÆ. Moss (Scale).

JUNIPERUS COMMUNIS, L. Aiten, +Aitnach, Etnagh-berries, Gorst, *Horse Savin, Jeenepre, +Juniper, Melmot Berries.

JUNIPERUS SABINA, L. Cover-shame, Kill-bastard, Sabin, Savin or Savine or Savin-tree, Saving Tree.

KERRIA JAPONICA, L. *Guinea Plant or *Guinea Flower, Sovereign Flower, Summer Rose, Tisty Tosty, Yellow Rose. KONIGA MARITIMA, Br. +Anise.

LACTUCA MURALIS, Fres. Lettuce (Wall). LACTUCA SATIVA, L. Lettuce, Sallet, Sleepwort.

moss, Korkalett.

LACTUCA VIROSA, L. Green Endive, Horse Thistle, Lettuce (Wild). LAGURUS OVATUS, L. Foxtail, Harestail Grass. LAMINARIA. Blade Ore, Fyams, Ware Tangle. LAMINARIA BULBOSA, Lam. Furbelows, Furbelows (Sea), Sea Hangers, Sole-leather. LAMINARIA DIGITATA, Lam. Burro, Cairn-tangle, Carl-tangle, Carntangle, Cutweed, Cuvy, Dead Man's Hand, Dead Man's Toe, Driftweed, +Girdle (Sca), Hangers, Oarweed, Red-ware, Sea Wand, Slatenhara, Sole-leather, Tang, Tang (Sea), Tangle. LAMINARIA SACCHARINA, Lam. + Honey-ware, Riband-weed, Sea Belt. LAMIUM. Archangel, Dead Nettle, Dea Nettle. LAMIUM ALBUM, L. +Archangel, Archangel (White), Bee-nettle, Blind Nettle, Day Nettle, Dead Nettle, Dead Nettle (White), +Deaf Nettle, Dee Nettle, +Dumb Nettle, Dummy Nettle, Dunny Nettle, Nettle, *Nettle (White), Snake Flower, Stingy Nettle, Suck-bottle, Suckie Sue. LAMIUM AMPLEXICAULE, L. Chickweed, Hen-bit. LAMIUM GALEOBDOLON, Cr. Archangel (Yellow), Dead Nettle (Yellow), Dunny Nettle, Weasel Snout. LAMIUM MACULATUM, L. Nettle (Variegated).

LAMIUM PURPUREUM, L. +Archangel (Red or Sweet), Badman's Posies, Black Man's Posies, Day Nettle, Dead Nettle, Dead Nettle (Red), †Deaf Nettle, Dee Nettle, Dog Nettle, French Nettle, Nettle, Purple Dea-nettle, Rabbit-meat, Tormentil. LAPSANA COMMUNIS, L. Ballagan, Bolgan-leaves, Cress (Swine's), Dock Cress, Nipple-wort, Succory Dock Cress. LARIX EUROPÆA, DC. Lammies, Larch, Larick. LASTREA CRISTATA, Presl. *Bawsey Fern. LASTREA FILIX-MAS, Presl. +Mekkin.
LATHREA SQUAMARIA, L. Clown's Lungwort, Lungwort, Toothwort. LATHYRUS. Cichling, Pea (Chickling). LATHYRUS APHACA, L. Tare. LATHYRUS LATIFOLIUS, L. Everlasting Pea.
LATHYRUS MACRORRHIZUS, Wimm. Bitter Vetch, Caperoilie, Carameile, Carmele, Carmeil, Carmile, Carmylie, Cormeille, Corr, Gnapperts, Heath Pea, Karemyle, Kipper Nut, Knapperts, Knipper-nut, Liquory-knots, Mouse Pea, Napperty, Napple, Thetch, Wood Pea. LATHYRUS NISSOLIA, L. Grass (Vetch), Shoes and Stockings. LATHYRUS ODORATUS, L. Show Peas. LATHYRUS PRATENSIS, L. Angleberries, Craw-peas, Fitch (Yellow Tar), Fitchling (Yellow), Lady's Fingers, Mouse Pea, Pea (Craw), Tom Thumb, Vetchling.

LATHYRUS SYLVESTRIS, L. Pease (Everlasting).

LATHYRUS TUBEROSUS, L. Dutch Mice, Tine-tare. LAURENCIA PINNATIFIDA, Lam. Dulse (Pepper). LAURUS NOBILIS, L. Bay, Bayberries, Laurel.

LAVANDULA SPICA, DC. Lavender Spike, Speke, Spike.

LAVANDULA STECHAS, L. Cassidony, Cast-me-dov Cassidony, Cast-me-down, Lavender (French, Gentle), Steckado, Stickadoue. LAVANDULA VERA, DC. Knobs, Lavender, Nep, *Spick, *Speck. LAVATERA ARBOREA, L. Mallow (Tree), Velvet-leaf. LECANORA PALLESCENS, L. Light Crottles. LECANORA TARTAREA, Ach. Cork, Corkin, Cudbear, Cudweed, Cup-

LECIDEA GEOGRAPHICA, Hook. Map-lichen.

LEERSIA ORYZOIDES, Sw. Cut-grass.

LEMNA. Frog's Foot, Grayves.

LEMNA MINOR, L. *Creed, *Dig-meat, +Duck Meat, Duck-pond Weed, Duckweed, Duke's Meat, Endmete, Greeds, Greens, Groves, Grozens, +Jenny Green-teeth, Lentils (Water), Mardling, Swimming Herb, Toadspit.

LEONTODON AUTUMNALIS, L. Pissabed.

LEONTODON HIRTUS, L. Pissabed.

LEONTODON TARAXACUM, L. Bitterwort, Blowball, Blower, Canker, Cankerwort, +Clock, Crow-parsnip, Daisy (Irish), Dandelion, Dentelion, Dindle, *Doon-head-clock, +Fortune-teller, Gowan (Horse, Witch, Yellow), Grumsel, Lion's Teeth, Male, Milk Gowan, Monkshead, *One o'clocks, Parsnip (Crow), Pee-a-bed, Pismires, +Pissabed, Priest's Crown, Stink Davie, Swine's Snout.

LEPIDIUM CAMPESTRE. Br. Carl's Cress, Churl's Cress, Cow-cress, Mithridate Mustard, Treacle Mustard, Poor Man's Pepper.

LEPIDIUM LATIFOLIUM, L. Dittany, Dittander, Green Mustard, Pep-

LEPIDIUM SATIVUM, L. Cress (Garden or Town), Garth Cress, Grass (Tongue), Karse (Garden or Town).

LEPTURUS INCURVATUS, Trin. Grass (Hard), Snakestail.

Leucojum Æstivum, L. Loddon Lilies, Snowdrop (Mountain or Summer), Snowflake, Summer Snowflake.

LEUCOJUM VERNUM, L. Butter-and-eggs.

LEVISTICUM OFFICINALE, L. LOVAGE. LEYCESTERIA FORMOSA, Wall. *Elisha's Tears.

LIGUSTICUM SCOTICUM, L. Lovage, Parsley (Sea), Shunas, Siunas. LIGUSTRUM VULGARE, L. Brivet, Pivert, Prie, Prim, Primrose, Primwort, Print, Privet, Privy, Saugh (Privy), Skedge or Skedgwith, Skerrish.

LILIUM. Lily.

LILIUM BULBIFERUM, L. Orange Lily.

LILIUM CANDIDUM, L. Gleyglof, Juno's Rose, Lily (White), Madonna Lily.

LILIUM MARTAGON, L. Cap (Turk's), *Crumple Lily, Turn again Gentleman, Turncap.

LILIUM TIGRINUM, L. *Crumple Lily.

LIMNANTHEMUM NYMPHOIDES, Link. Fringed Buckbean, Marsh Flower, *Fringed Water-lilies.

LIMOSELLA AQUATICA, L. Mudweed, Mudwort.

LINARIA. Snapdragon, Tiger's Mouth.

LINARIA CYMBALARIA, Mill. Aaron's Beard, Climbing Sailor, +Creeping Jenny, Ivywort, †Mother of Millions, †Mother of Thousands, Oxford Weed, Pedlar's Basket, Penny Wort, *Rabbits, Rambling Sailor, Roving Jenny or Roving Sailor, Thousand Flower, Wandering Jew, Wandering Sailor.

LINARIA ELATINE, Mill. Cancerwort, Cankerwort, Fluellin (Female), Speedwell.

LINARIA MINOR, Mill. Jack-by-the-hedge.
LINARIA SPURIA, Mill. Cancerwort, Cankerwort, Fluellin (Female). LINARIA VULGARIS, Mill. *Bride-weed, +Butter-and-eggs, Buttered Haycocks, Chopt Eggs, Churnstaff, Doggies, Dragon-bushes +Eggsand-bacon, Eggs-and-butter, Eggs-and-collops, Flax (Toad, Wild, Yellow Toad), Flaxweed, Gallwort, Larkspur, Lion's Mouth, +Monkey flower, Pattens and Clogs, *Rabbits, +Sapdragon, Yellow (or Yaller) Rod.

LINUM CATHARTICUM, L. Fairy Flax, Fairy Lint, Flax (Dwarf, +Mountain, Purging), Laverock's Lint, Mill-mountain.

LINUM USITATISSIMUM, L. Bells (Lint), Bennels (Lint), *Blaebows, Flax, Flix, Lin, Line, Lint, Lint-bow, Vlix (Flax).
LIPPIA CITRIODORA, Kth. Lemon Tree.

LISTERA OVATA, L. Bifoil, Double-leaf, Dufoil, Herb Bifoil, Twayblade, Twi-foil.

LITHOSPERMUM ARVENSE, L. Alkanet (Bastard), Lichwale, Painting Root, Pearl-plant, Salfern.

LITHOSPERMUM OFFICINALE, L. Graymile, Gromwell, Lichwale, Lithewale, Littlewale, Pearl-plant, Stonyhard.

LITTORELLA LACUSTRIS, L. Plantain Shore-weed. LOBELIA DORTMANNA, L. Gladiole (Water).

LOBELIA URENS, L. Flower of the Axe.

LOBELIA URENS, L. Flower of the Axe.

LOLIUM ITALICUM, A. Br. Grass (Italian Rye), Ray-grass (Italian).

LOLIUM PERENNE, L. *Ayver, Barley (Wall), Crap, Crop, Darnel, Darnel (Red), Drake, †Eaver, Ever, Ever, Every, Grass (Ever, Ray, Rye), *Heaver, *Iver, Nonsuch (White), Pick Pocket, Ray (Red), Seeds or Sids, Tinker-tailor Grass, What's your Sweetheart.

LOLIUM TEMULENTUM, L. *Bragge, Cheat, Cockle, Darnel, Dornel, Dragge, Drake, Drank, Dravick, †Droke, Drunk, *Drunken Plant, †Eaver, Ivray, Jum. Lover's Steps. Ray, Right, Rivery, Steps.

+Eaver, Ivray, Jum, Lover's Steps, Ray, Riely, Rivery, Sturdy.

LONICERA PERICLYMENUM, L. Bearbind, Benewith Tree, Benwyttre, +Bind, Bindweed, Bindwood, +Binnwood, Bynde, Caprifole, Cernoyle, Chervell, Eglantine, Goat's Leaves, Goat-tree, Hinnisickle, *Honeybind, Honeysuck, +Honeysuckle, *Irish Vine, Lady's Fingers, Lily-among-thorns, Mel-silvestre, *Oodbine, Servoile, Suckle-bush, Suckling, Sycamine, Trumpet Flower, Widbin, Woodbind, Woodbine.

LONICERA SEMPERVIRENS, L. Honeysuckle (Trumpet).

LONICERA XYLOSTEUM, L. Honeysuckle (Fly).

LOTUS CORNICULATUS, L. Bird's-foot, Bloom-fell, +Boots-and-Shoes, Broom (Feal), Butter-and-eggs, Butter-jags, †Cammick, Catcluke, Cat-poddish, Cat's-claws, Cat's Clover, Catten-clover, †Cheese-cake, †Claver, Clover (Bird's-foot), Craw-taes, Crow-foot, Crow's-foot, Crow-taes, Cuckoo's Stockings, Cushion (Lady's), Dead Man's Fingers, Devil's Claws, Devil's Fingers, Eggs-and-bacon, Fellbloom, +Fingers-and-thumbs, Fingers-and-toes, Five-fingers, *God A'mighty's Thumb-and-fingers, Ground Honeysuckle, †Hen-and-Chickens, Honeysuckle, Jack-jump-about, †King-finger, *Lady's Boots, *Lady-finger-grass, Lady's Fingers, Lady's Glove, Lady's Shoes and Stockings, Lady's Slipper, Lamb's Sucklings, Lamb'stoe, Milk Maid, Pattens and Clogs, Pig's Foot, Pig's Pettitoes, Sheep Foot, Shoes and Stockings, Stockings and Shoes, Tommy Tottles.

LUNARIA BIENNIS, L. Bolbonac, +Honesty, Lunary, Money-flower, Money-in-both-pockets, *Money-plant, Moonwort, Penny Flower, Pricksong-wort, Satin or †Satin-flower, Shabub, Shawbubbe, Shillings, Silks and Satins, Silver Plate.

LUPINUS. Flat or Fig Bean, Lupin.

LUPINUS LUTEUS, L. Violet (Spanish), Virginia Rose.

LUZULA. Wood Rush.

LUZULA CAMPESTRIS, Willd. Bent (Sweet), Blackcaps, Chimneysweeps, Crow-feet, Cuckoo-grass, +Davie-drap, God's Grace, *Good Friday Grass, Grass (Black-head, Peeseweep), Hair-beard, Smuts, Sweeps, Sweeps' Brushes.

LUZULA SYLVATICA, Bich. Grass (Wood), Shadow-grass, Wood-blades,

Wood Rush.

LYCHNIS. Campion, Catchfly.

LYCHNIS CHALCEDONICA, L. *Bridget-in-her-bravery, Campion of Constantinople, *Champion, Cross of Jerusalem, Flower Constantinople, +Flower of Bristow, Jerusalem Cross, Knight-Cross, +London Pride, Nonesuch, Scarlet Cross, +Scarlet Lightning.

LYCHNIS CORONARIA, L. Gardener's Delight, Gardener's Eye, Rose

Campion.

LYCHNIS DIURNA, Sibth. Adder's-flower, Bachelor's Buttons, Bachelor's Buttons (Red), +Billy Button, +Bird's Eye, Bird's Eye (Red), Brasselty-buttons, Brid-een, *Bull's Eye, Campion (Red), +Cockrobin, Crowsope, +Cuckoo, +Cuckoo-flower, Devil's Flower, Fleabites, +Geranium (Wild), *Geuky-flower, Gramfer-Greygles, Hare's Eye, Jack-by-the-hedge, Lousy Beds, Lousy Soldiers' Buttons, Mother-Dee, *Plum-puddings, *Poor Robin, Ragged Robin, Red Butcher, Red Jack, Robin or Robins, Red Robin, Robin Flower, Robin Hood, Robin-in-the-Hose, Robin i'th' Hedge, Robin Redbreast, Robin's Eye, Rose Campion (Wild), Round Robin, Scalded Apple, Soldiers, Water Poppies.

LYCHNIS FLOS-CUCULI, L. Bachelor's Buttons, Campion (Meadow), Cock's-caim, Cock's-comb, Crow-flower, +Cuckoo, Cuckoo-flower, Fair Maid of France, Gilliflower (Cuckoo), Indian Pink, Marsh-Gilliflower, Meadow Pink, Pleasant-in-sight, Ragged Jack, +Ragged Robin, Robin Hood, Rough Robin, Spink (Meadew), Wild Williams.

LYCHNIS GITHAGO, Lam. Bachelor's Buttons, Campion (Corn), Cockle, Cockle (Corn), Cockweed, Corn-flower, Corn Pink, Drawk, Field Nigella, Gith, +Gye, Hardhead, Nele, Papple, Pawple, Pink, Popille, Popple, Poppy, Ray, Savager (Wild).

LYCHNIS VESPERTINA, Sibth. Bachelor's Buttons, Bachelor's Buttons

(White), Bull-rattle, Campion (White), Cowmack, Cow-rattle, Cuckoo-flower (White, Wild), Grandmother's Nightcap, *Plumpuddings, Robin (White), Snake Flower, *Snake's-flower, Thunder Bolts, Thunder-flower.

LYCIUM BARBARUM, L. Tea Tree.

Lycoperdon, Deil's or +Devil's Snuffbox, Pixy-puff, Puff-ball, *Snuff-

LYCOPERDON BOVISTA, L. Blind Ball, Blind Buff, Blind Harry, Blindman's Ball, Blindman's Bellows, Blindman's Buff, Blindman's Een, Bulifer, †Bullfeist, Bunt, Dead Man's Neeshin, Deil's (or †Devil's) Snuff-box, Earth-puff, Feist, Fist-balls, Fizbo', Foist, Frog-cheese, Fumy-ball (?), Furze-ball, Fuss-ball, †Fuzz-ball, Fuzzy-ball, Mollipuff, Paddock Cheese, Pluff, Puckfist, Puffes-fists, *Pug-fist, Smut-balls, +Snuff-mill (The Devil's), Wolf's-fists.

LYCOPERSICUM ESCULENTUM, Mill. Apples of Love, †Jews Ear.

LYCOPODIUM, Club-moss.

LYCOPODIUM ALPINUM, L. Cypress-moss, Heath Cypress.
LYCOPODIUM CLAVATUM, L. Buck-grass, Buck's-horn, Burr (Creeping

or Upright), Club-moss, Creeping-bur, Forks-and-Knives, Fox's Claws, +Foxtail, Horn (Stag's), +Knife and Fork, +Lamb's-tails, Moss (Buck's-horn, Running, Stag's-horn), Robin Hood's Hatband, Stag Horn, Tods-tail, Traveller's Joy, Wolf's-claws.

Lycopolium Selago, L. Fir-moss, Fox-feet, Moss (Tree).

Lycopsis arvensis, L. Bugloss.

LYCOPUS EUROPÆUS, L. Gipsy-herb, Gipsy-wort, Horehound (Marsh, Water).

LYSIMACHIA NEMORUM, L. Pimpernel (Yellow).

LYSIMACHIA NUMMULARIA, L. +Creeping Jenny, Grass (Twopenny), Herb Twopence, *Meadow-runagates, +Money-wort, +Motherwort, Strings of Sovereigns, Twopence, Wandering Jenny, Wandering

Lysimachia vulgaris, L. Golden Loosestrife, Herb Willow, Loosestrife (Yellow), Willow Herb, Willow Herb (Golden or Yellow), Willow Wort, Yellow Rocket.

LYTHRUM HYSSOPIFOLIA, L. Grass Poly. LYTHRUM SALICARIA, L. Grass (Purple), Herb Willow, Long Purples, Loosestrife (Purple), Sally (Red), Soldiers, Willow Herb (Spiked).

MAIANTHEMUM BIFOLIUM, DC. Adder's-tongue, One-blade, Singleleaf, Unifoil.

MALCOLMIA MARITIMA, Br. +Children of Israel, +Little-and-Pretty, †None-so-pretty, *Pretty-and-Little,
MALVA MOSCHATA, L. Mallow (Musk).

MALVA ROTUNDIFOLIA, L. †Cheese, Doll-cheeses, Dutch Cheese, Fairy
Cheeses, Mallow (Dwarf), Pellas.

MALVA SYLVESTRIS, L. Bread-and-Cheese, †Cheese, Cheese-cake, Cheese Log, Cheese-flower, Chock-cheese, Chucky-cheese, Custard Cheeses, Dock, Dock (Round), Frog-cheese, +Loaves-of-Bread, +Mallow (Marsh), Maul, Maws, Pancake Plant, Pick Cheese.

MANDRAGORA OFFICINALIS, L. Mandrake.

MARCHANTIA POLYMORPHA, L. Liver-grass, Liver-wort, Liverwort (Stone), Stane-bark.

MARRUBIUM VULGARE, L. Herehoune, Horehound, Horehound (White), Horhowne, Horone, Houndbene, Marrube, Marvel, Mawroll.

MATRICARIA CHAMOMILLA, L. Camomile (Dog's, German or Wild), Camovyne (Dog's), Deil's Apple-riennie, Gowan (Horse), Mayweed, +Whitewort (?).

MATRICARIA INODORA, L. Camomile (Dog's or Unsavoury), Camomile Goldins, Camovyne (Dog's), Daisy (†Dog, Horse), Dog Gowan, Gowlan (White), Mayweed.

MATTHIOLA INCANA, Br. Garnesie Violets, Gilliflower, Gilliflower (Castle, Stock), Hopes, July Flower, Stock, Wallflower (White).

MECONOPSIS CAMBRICA, Vig. Poppy (Welsh), Tulip (Yellow).

MEDICAGO FALCATA, L. Butter-jags, Clover (Horned).

MEDICAGO LUPULINA, L. Black Grass, Black Seed, +Cinquefoil, Clover,
Clover (Horned or Yellow), Croyd, Hop, Hop Clover, +Hop Trefoil, Lamb's-toe, Melilot Trefoil, Natural Grass, Nonesuch, Nonesuch (Black), Sanfoin, Trefoil, Trefoil (Black).

MEDICAGO MACULATA, L. Clover (Heart, Spotted or St. Mawe's),

Grass (Purple), Heart Liver, Heart Trefoil.

MEDICAGO SATIVA, L. Burgundy Hay, Lucerne, *Lucifer, Medick, Sanfoin, Snail Clover, Trefoil (Great).

MEDICAGO SCUTELLATA, L. +Buttons, Snail Trifoly (see Snail Clover).

MELAMPYRUM. Black Corn, Cow-wheat. MELAMPYRUM ARVENSE, L. Horse Flower, Poverty Weed.

MELICA. Melick or Melick Grass. MELICA NUTANS, L. Grass (Rope).

MELILOTUS CERULEA, L. Garden Balsam, Old Sow.

MELILOTUS OFFICINALIS, L. Clover (Hart's, King's, or Plaister), Grass (Whuttle), Heartwort. King's Crown, Laburnum (Wild), Melilot.

MELILOTUS VULGARIS, Willd. Clover (Bokhara).

MELISSA OFFICINALIS L. Balm, Balm-leaf, *Bame, Barm-leaf, †Bawme,

*Honey-plant, Pimentary.
Melittis Melissophyllum, L. Balm (Bastard), Bawm-leaf.

MENTHA. Mint or Wild Mint.

MENTHA AQUATICA, L. +Bishop's Weed, +Bishop's Wort, Fish Mint, Mint (Baulme) (?).

MENTHA ARVENSIS, L. Lamb's Tongue, Mint (Corn), Pennyroyal (Wild).

MENTHA CITRATA, Ehrh. +Bergamot, Mint (Bergamot).

MENTHA CRISPA, L. Mint (Curled or Cross) MENTHA HIRSUTA, L. Brook Mint, Horse Mint.

MENTHA PIPERITA, L. *Lammint or Lamb-mint, Mint (Brandy, Pepper).

MENTHA PULEGIUM, L. Brotherwort, Churchwort, Grass (Pudding), Hill-wort, Lillie-riall, Lurkey Dish, Mint (Flea), Organ, +Organy, Penny Royal, Pudding-herb, Puliall.

MENTHA ROTUNDIFOLIA, L. Horse Mint, Mint (Wild).

MENTHA SYLVESTRIS, L. Horse Mint, Mint (Brook, Fish, Water). MENTHA VIRIDIS, L. Lady's (Our) Mint, *Lammint or Lamb-mint, Mackerel Mint, Mint (Brown, Garden, Spear), Sage of Bethlem.

MENYANTHUS TRIFOLIATA, L. Bean Trefoil, Beckbean, +Bog-bean *Bog-hop, Bognut, Brookbean, Buckbean, Claver (Marsh), Cleaver (Marsh), Clover (Marsh), Doudlar, Hop (Bog), Threefold, Trefoil (Bog, Marsh, Water).

MERCURIALIS ANNUA, L. Baron's Morcury (erroneously referred to M.

perennis), Mercury (Boy's, Girl's, French).
MERCURIALIS PERENNIS, L. Adder's-meat, Boggard-flower, Bristolweed, Cheadle, *Dog Mercury, Dog's Cole, Dog's Mercury, Kentish Balsam, Maiden Mercury, Mercury (Wild), [Mercury Leaf], Sapwort, Snake's-Bit, Snake-weed, Town-weed.

MERTENSIA MARITIMA, Don. Lightwort, Oyster Plant.
MERULUS LACRYMANS, Wulf. Dry Rot.
MESPILUS GERMANICA, I., Crab (Minshull), Dutch Medlar, Hosedoup, How-doup, Marle, Medlar, Open-arse, Thorn-tree.

MEUM ATHAMANTICUM, Jacq. Badmoney, Baldmoney, Bawdmoney, Bawd-ringie, Bearwort, Houka, Mew, Micken, Moiken, Speknel, Spignel.

MILIUM EFFUSUM, L. Millet Grass. MIMULUS MOSCHATUS, L. Musk.

MOLINIA CERULEA, Moench. Blawing Garss, *Fly Bent, Indian Grass, Lavender Grass.

MONARDA FISTULOSA, L. Bergamot. MONOTROPA HYPOPITYS, L. Bird's-nest, Pine-sap.

MONTIA FONTANA, L. Blinking Chickweed, Blinks, Chickweed (Water), Water Blinks.

MORCHELLA ESCULENTA, Pers. Morel, Morillon.

MORUS NIGRA, L. Mulberry.

MUSCARI BOTRYOIDES, Mill. Grape Flower, Grape Hyacinth, Pearls of Spain.

Muscari comosum, Mill. Purse-tassels, Tassel (Purple), Tuzzy-muzzy.

Myosotis. Scorpion-wort.

MYOSOTIS ARVENSIS, L. +Bird's-eye, Forget-me-not, Mouse-ear (Blue).
MYOSOTIS PALUSTRIS, L. +Bird's-eye, Catter-pillars, Forget-me-not,
Grass (Snake), Love-me, Mouse-ear, Scorpion-grass.

MYOSOTIS SYLVATICA, L. Cat's-eyes.
MYOSURUS MINIMUS, L. Bloodstrange, Mouse-tail.

MYRICA GALE, L. Bog Myrtle, [Candleberry Myrtle], Devonshire Myrtle, Dutch Myrtle, Gale, Gales, Gall, Gall-bushes, †Gaul, *Gawan, Gold, Golden Osier, Golden Withy, Gole, Goule, Gow, Goyle, Moor Myrtle, Moss Wythan, Myrtle, Myrtle (Burren), Scotch Gale, Stinking Willow, Sumac (Wild), Sweet Gale, Sweet Willow, Withwind or Withwine.

Myrica Gale, Stinking Willow, Sumac (Wild), Sweet Gale, Sweet Willow, Withwind or Withwine.

MYRIOPHYLLUM. *Meakin, Milfoil (Water).

MYRRHIS ODORATA, L. Angelica (Sweet), Anise, Bracken (Sweet), Chervil (Great or Sweet), Cicely (Sweet), Ciss (Sweet), †Fern (Sweet), Humlock (Sweet), Myrrh, Roman Plant (The), Sweets.

NARCISSUS, sp. Gregories, Tags. NARCISSUS BIFLORUS, L. Butter-and-eggs, Primrose Peerless, Whitsunday.

NARCISSUS INCOMPARABILIS, Curt. Butter-and-eggs, Eggs-and-bacon.

NARCISSUS JONQUILLA, L. Jonquil, Yellow Jack.
NARCISSUS POETICUS, L. Asphodel, Butter-and-eggs, Dillies (White),
Laus tibi, Lily, Lily (White), Nancy (Sweet), White Nancy.
NARCISSUS PSEUDO-NARCISSUS, L. Affadil, Affrodile, Asphodel, Averill,
Belle-blome, Bell-Flower, Bellrose, Bulrose, Butter-and-eggs,
Cencliffe, Chalice-flower, Churn, Cowslip, Crowbells (Yellow),
Defadilly, Abefadowskill, Defadil Defadilly, Defadi Daffadilly, +Daffadowndilly, Daffodil, Daffodilly, Daffy, Dilly, Downdilly, *Giggary, Glens, Gracy Day, *Gregories, Haverdrils, +Hen-and-Chickens, *Julians, Lent-cocks, +Lentils, Lent Lily, Lent Roses, Lide Lily, Lily (*Easter, Yellow), Primrose Peerless, *Queen Anne's Flowers.

NARDUS STRICTA, L. Bent (Black, White or Wire), +Ling, Mat-grass,

Mat-reed, Nard.

NARTHECIUM OSSIFRAGUM, L. Asphodel (Bog, Bastard, or Lancashire), Grass (Yellow), Knavery, Maidenhair, †Moor-grass, Rosa-solis.

NASTURTIUM AMPHIBIUM, Br. Bellragges, Chadlock (Water), Laver.
NASTURTIUM OFFICINALE, Br. +Billers, Brooklime, Brown Cress,
*Carsons, Crashes (Water), Cress (Water), Eker, Grass (Water,
Well), Kerse (Water), Rib, Teng-tongues, Well Grass, Well Kerse.
NASTURTIUM PALUSTRE, DC. Bellragges,

NEOTTIA NIDUS-AVIS, L. Bird's nest, Goose-nest.

NEPETA CATARIA, L. Catmint, Catnep, Nep.

NEPETA GLECHOMA, Benth. Alehoof, Allhoove, [Allhose], Alliff, +Bird'seye, Blue Runner, Cat's-foot, Deceivers, Devil's Candlesticks, Fat Hen, Foalfoot, Folesfoth, Gell, Gill, Gill-ale, Gill-go-by-ground, Groundavey, †Ground Ivy, Hayhofe, Haymaiden, Hay-maide, Hedge-maids, Heihow, Hen and Chickens, Heyhove, Hove, Jenny-run-ith-ground, Jill, Lion's Mouth, Lizzy-run-the-hedge,

Maiden-hair, Mould, +Nip, +Robin-run-the-Hedge, Rob-run-updyke, Run-away-Jack, Runnidyke, Tudnoore, Tunhoof.

NEPHRODIUM. Boss Fern.

NEPHRODIUM CRISTATUM, Rich. Darsham Fern.
NEPHRODIUM FILIX-MAS, Rich. Basket-fern, Brackens (Fearn), Dead Man's Hand, Fern (Male), Lucky Hands, Osmund Royal.

NEPHRODIUM OREOPTERIS, Desv. Fern (Mountain or Scented), Hayscent, Tea Scent.

NEPHRODIUM THELYPTERIS, Desv. Fern (Ground or Marsh).

NERIUM OLEANDER, L. Rose Bay.

NICOTIANA RUSTICA, L. Wit.

NICOTIANA TABACUM, L. Drunkwort, Tobacco.

NIDULARIA CAMPANULATA, Sow. Corn-bells, Dearth-cap, Fairy Purses. NIGELLA DAMASCENA, L. †Bishopswort, *Chase-the-devil. †Devil-in-a-bush, Fennel-flower, Jack-in-prison, Katharine's (St.) Flower, Kissme-twice-before-I-rise, †Love-entangle, †Love-in-a-mist, *Love-ina-puzzle, Old Man's Beard.

NIGELLA SATIVA, L. Gith.

NOSTOC COMMUNE, Vauch. Fallen Stars, Lock-Lubbertie, Scoom, Shot Star, Spittle of the Stars, Star-Falling, Star Jelly, Star-shot, Willof the Wisp.

NUPHAR LUTEA, Sm. Blob, Bobbins, †Brandy-bottle, Butter Churn, Butter-pumps, Cambie-leaf, Candock, Churn, Clot, Clote-leaf, Colt's-foot (Water), Flatter-dock, Lily (Water, Yellow), Lily-can, Nenuphar, Water Blob, Water Can, Water Rose.

NYMPHEA ALBA, L. Alau, Bobbins, Cambie-leaf, Candock, Can-leaves, Flatter-dock, Lily (Water), Nenuphar, Water Bells, Water Blob, Water Can, Water Socks, Water Rose.

OCYMUM BASILICUM, L. Basil.

ŒNANTHE. Dropwort.

CENANTHE CROCATA, L. Belder-root, Bendock, †Biller, Dead Tongue, Dropwort (Hemlock), †Five-fingered-root, Hemlock (Water), Lovage (Water).

CENANTHE FISTULOSA, L. Dropwort (Water), Hemlock Dropwort. ENANTHE PHELLANDRIUM, L. Deathin, Edgeweed, Hemlock (Water), Horsebane, Water Fennel.

ENANTHE PIMPINELLOIDES, L. Earth-nut, +Nut (Pig).

ENOTHERA BIENNIS, L. Evening Primrose. *Four o'clock.

OLEA EUROPÆA, L. Olivere.

Onobrychis sativa, L. †Cinquefoil, Cock's-comb, Cock's-head, *Everlasting-grass, Fatch (Meadow), Fitch (Medick), †French Grass, Hen's Bill, Lucerne, Sanfoin.

Ononis Arvensis, L. Bomariskie, Cammock, †Cammock Whin, †Cat Whin, Chamock, Fin, Finweed, Furze (Ground), †Gorse (Hen), Ground Furze, Harrow Rest, Horse's Breath, Lady-whin, Lewte, Liquorice (Wild), Petty Whin, Ramsey, Rastylbow, Rassels, Rest-Harrow, Rust-burn, Sidfast, Sitfast, Spanish Root, Stainch, Stayplough, Stinking Tam.

ONOPORDUM ACANTHUM, L. Argentine, Thistle (Asses', Cotton, Down,

Oat, Queen Mary's, Scotch, Silver).

OPHIOGLOSSUM VULGATUM, L. Adder's-grass, Adder's spear, Adder'stongue, Cock's-comb, Dragons, Edder's-tongue, Serpent's-tongue.

OPHRYS APIFERA, L. †Beeflower, Bee Orchis, *Dumble Dor, Honeyflower, Humble-bee.

OPHRYS MUSCIFERA, Huds. Fly Orchis. OPOPANAX CHIRONUM, Koch. All-heal.

ORCHIS. Cullions, Dog's Cods, Fly Flowers, Frogwort, Satyrion, Standelwort.

Orchis Hircina, L. Ballocks (Hare's), Goat's Cullions, Lizard Orchis. Orchis Latifolia, L. Adam-and-Eve, *Baldberry, Balderry, Bulldairy, Cain-and-Abel, Cock's Kames, Dead Man's Fingers. Deil's Foot, *Dodjelt reepan, Lover's Wanton, Man Orchis, Meadow Rocket, Mount Caper, Pull-dailies, Red-lead, Salep.

ORCHIS MACULATA, L. Adam-and-eve, Adder's-grass, *Baldberry, †Crawfoot, Crowfoot, Dead Man's Fingers, Dead Man's Hands, Hens, Hen's Combs, Lover's Wanton, Man Orchis, †Nightcap, Red-lead.

Orichis Mascula, I., Aaron's Beard, Adam-and-Eve, Adder's-grass, Adder's-tongue, Ballock Grass, +Beldairy, +Bloody Butchers, +Bloody Fingers, Bloody Man's Finger, Bulldairy, Bull's-bags, Bull-seg, Candlegostes, Cling-fingers, *Cock-flowers, Cock's Kames, Cowslip, Crake-feet, Craw-feet, †Crawfoot, Craw-tees, †Cross-flower, Crow-feet, †Crow-foot, †Cuckoo, †Cuckoo-flower, Cuckoo Orchis, Cuckoo-pint, Culverkeys, Dag-stone, †Dead Man's Fingers, Dead Man's Hand, Dead Man's Thumb, Dog's-dogger, Dogstones, *Drake's-feet, Fool's Stones, Foxstones, Frogwort, Gandergoose, Gander-gosses, Gandigosling, Gethsemane, *Geuky flower, Giddy Gander, Goat-stones, †Goosie-gander, Gowk Meat, Gramfer-Grey-gles, *Granfer gregors (Red), Grass (Stander), Greygles, *Gussets, Hands (Bloody Man's), *Johnny-cocks, Keatlegs, Kettle Cae, *Kettle-pad, King-finger, †Lady's Fingers, Long Purples, Man Orchis, †Nightcap, Paddock's Spindle, *Poor Man's Blood, Priest's Pintle, Purples, Rag-wort, †Red Butcher, Red-lead, Ring Finger, Salen Scabgowks Single Castle Single casts State State Salen Scabgowks Salep, Scabgowks, Single Castle, Single-guss, Skeat-legs, Snake Flower, Soldier's Jackets, Spreespinkle, Stannen-gusses.

ORCHIS MORIO, L. Ballocks (Fool's), Beldairy, Bleeding Willow, Bull'sbags, Bull-segg, Cuckoo, Cuckoo-flower, *Dandy goshen, Dead Man's Fingers, Fool's Stones, Frogwort, Horns (Rams'), King-finger, King-fisher, Man Orchis, Nuns, *Parson's Nose, Puddock's

spindles, Red-lead, Single Castle.

ORCHIS PURPUREA, Jacq. +Lady Orchis, *Old Woman's Orchis.
ORIGANUM MAJORANA, L. Maierom, Marjoram.
ORIGANUM VULGARE, L. Argans, Marjoram, Marjoram (English),
Orgament, Organ, Organy, Pot Marjoram.
ORNITHOGALUM PYRENAICUM, L. Asparagus (Bath, French, Prussian,

or Wild), French Grass, French Sparrow-grass, Sperage.
ORNITHOGALUM UMBELLATUM, L. Bethlem Star, Betty-go-to-bed-atnoon, Eleven-o'clock Lady, Jack-go-to-bed-at-noon, †John-go-to-bed-at-noon, †Nap-at-noon, Peep o'day, Six-o'clock Flower, Sleepy Dick, Snowflake, Snowflake (Summer), Star Flower, Star of Bethlehem, Sunflower, Twelve o'clock, Wake-at-noon.
ORNITHOPUS PERPUSILLUS, L. Bird's-foot, Fowl-foot.

OROBANCHE. Broom-rape, Choke-fitch, Choke-weed, Herb-bane, Killherb, Strangle-tare, Strangle-weed.

OROBANCHE MAJOR, L. Orobstrangler, Our Lady of New Chapel's Flower.

OROBANCHE MINOR, Sutt. *Devil's root, *Hell-root, Shepherd's Pouch. OSMUNDA REGALIS, L. +Bog Onion, Bracken (French or Royal), Christopher (Herb), Ditch Fern, Fern (+King, +Royal, Snake, or Water), Fernsmund, Flowering Fern, Heart of Osmun I, Osmund Royal, St. Christopher's Herb, Tree Fern.

OSYRIS ALBA, L. Gardrobe.

Oxalis Acetosella, L. Alleluia, Allolida, Bird's Bread-and-cheese, +Bread-and-cheese, Cheese-and-bread (Bird's), *Claver Sorrell, Clover (Cuckoo's, Gowk's, or Sour), +Cuckoo Bread or Bread-and-Cheese, Cuckoo-cheese, Cuckoo-flower, +Cuckoo-meat, +Cuckoo-sorrel, Cuckoo-sour, Cuckoo-spice, Cuckoo's Victuals, +Grass (Sour), +Green-sauce, God A'mighty's Bread and Cheese, Gowk Meat, Hallelujah, Hare's Meat, Hearts, *Lady Cakes, Lady's Clover, Lady's Meat, Laverocks, Lujula, Rabbit-meat, Shamrock, Sheep Sorrel, Sleeping Beauty, Sleeping Clover, Sorrel, Screel (French, Wood), Sour Clover, Sour-sahs, Stab-wort, Stob-wort, Stopwour, Stubwort, Trifoly (Sour), Woodsore, Woodsour, or Woodsower.

OXALIS, sp. Sleeping Beauty. OXYRIA RENIFORMIS, Hook. Mountain Sorrell.

PADINA PAVONIA, L. Turkey Feather.

PÆONIA. Peony.

P.EONIA OFFICINALIS, L. Chesses, Nanpie, Pianet, Piny, Posy, Sheepshearing Rose.

PALLENIS SPINOSA, Cass. Sharewort, Starwort.

PALMELLA CRUENTA, Ag. Gory Dew.
PANICUM MILIACEUM, L. Hirse, Millet.
PAPAVER ARGEMONE, L. Cock's-head, Headache, Wind Rose.
PAPAVER DUBIUM, L. Blaver, Blind Eyes, Cock's-head, +Headache, Yedwark.

PAPAVER RHŒAS, L. Blind Eyes, Blindy-buffs, Bledewort (?), Canker, +Canker Rose, Cheesebowl, Chesbow, Cockeno, Cockrose, Cock'scomb, Cock's-head, Collinhood, †Copper-rose, Coprose, Corn Rose, Corn-flower, Corn Poppy, Cuprose, Cusk, Darnel, Ear-aches, Fire-flout, †Gye, †Headache, Lightnings, Maws, Poison Poppy, Popp, Popple, †Poppy, Puppy, Redweed, Ridweed, Soldiers, Thunder Bolts, Thunder flower, Wild Poppy, Yedwark.

PAPAVER SOMNIFERUM, L. Balewort, Chasbol, Chasse, Cheesebowl,

Joan Silver Pin, Marble Flower, Mawseed, Pash-pole, Poppy.

Parietary, Peletir, Pellitory of the Wall, Peniterry, Wallwort,

Paris Quadrifolia, L. Devil-in-a-bush, Four-leaved Grass, Herb Paris, Herb Truelove, Leopard's Bane, One-berry, Trewelufe, True-love.

PARMELIA OMPHALODES, L. Crotal, Crottle, Orchal.

PARMELIA SAXATILIS, Ach. Crottles (Black or Stone), Kenkerig, Skrotta, Stane-raw, Stein-raw, Stone Rag, Stone-raw.

PARNASSIA PALUSTRIS, L. Buttercups (White), Grass of Parnassus,

Liverwort (White).

PASTINACA SATIVA, L. Bird's-nest, Field More (?), Hart's Eye, Kegge, Madnep, Mypes, Parsnip, †Pasnets, Pastnip, Tank.

PEDICULARIS PALUSTRIS. L. Cock's-comb, Cow's-wort, Dead Men's Bellows, Grass (Rattle), Lousewort, *Moss-flower, Rattle (Red), Suckies.

Cock's-comb, Dead Men's Bellows, PEDICULARIS SYLVATICA, L. +Honevsuckle.

PELITIDEA CANINA, Ach. Land-lung, Liver-wort (Ground). PENICILLIUM GLAUCUM, P. Vinegar Plant.

PENCILLIUM GLAUCUM, F. vinegar Finit.

PEPLIS PORTULA, L. Pepilles, Purslane (Water).

PETASITES VULGARIS, Desf. Batter Dock, Bog Rhubarb, Bogs Horns,

*Burn-blades, Butter-bur, *Cap-dockin, Cleats, Dock (Kettle),

Docken (Water), Dunnies, Eldin, Eldin-docken, +Ell-docken,

+Flapper Dock, Flea-dock, +Gallon, Gaun, +Lagwort, Pestilence Wort, Poison Rhubarb, Son-before-the-Father, Umbrella Leaves.

Petroselinum sativum, Hoffm. Apyum, Parcel or Parsil, Parsley, Perceley, Persel.

Petroselinum segetum, Hoffm. Corn Honewort, Honewort, *Dog's

PEUCEDANUM OFFICINALE, L. Fennel (Hog's or Sow, Swine), Hartstrong, Horestrang, Horestrange, Horestrong, Spreusidany, Sulphur-

PEUCEDANUM OSTRUTHIUM, Koch. See Imperatoria.
PEUCEDANUM PALUSTRE, Moench. Brimstone-wort, Dog-fennel, Milk Parsley, Milk-weed, Milky Parsley (Wild).

Peziza. Cup Mushroom.

PEZIZA COCCINEA. L. Blood Cups, Fairies' Bath, †Fairy Cups, Jew's Ear, Morel, Scarlet Cup.

PEZIZA COCHLEATA, Huds. Flaps, Flats, Jew's Ear.

Peziza venosa, Pers. Jew's Ear.

PHALARIS ARUNDINACEA, L. Bent, Bride's Laces, Canary Grass (Reed), *Empy-grass, Floss, Gardener's Garters, Grass (Painted, Ribbon, Silver, Sword), Lady Grass, Lady's Garters, *Lady's Grass, Lady's Laces, Lady's Ribbons, Loch Reed, London Lace, Love's Laces, Reed, Sparked Grass, Spire.

PHALARIS CANARIENSIS, L. Bird-seed, Canary-grass, Canary-seed, Millet.

PHALLUS IMPUDICUS, L. *Black Cap, Devil's Horn, Devil's Stinkpot, Hedge-hound, Pow-cat, Stinkhorn, *Stink-pot.

PHARMACO-PINAX. †Bloodwort.

PHASCUM. Earth-moss.

Phaseolus vulgaris, L. French Beans, Sperage.

PHILADELPHUS CORONARIUS, L. Orange-tree Flower.

PHLEUM PRATENSE, L. Cat's-tail, Cat's-tail-grass, +Grass (Timothy, St. Timothy), Rat-tail, Soldier's Feathers.

Phlomis. Jerusalem Sage.

Phlomis fruticosa, L. Jupiter's Distaff, Sage (French), Sage of Jerusalem.

Phlox. *Blossom Withy, Devonshire Beauty, Lychnidea, Willow Blossom.

PHRAGMITES COMMUNIS, Trin. Bennels, Bog Reed, Ditch Reed, Doudle, Pole Reed, Pull Reed, Pull Spear, Reed, Speargrass, Spire, Streeds, Windlestraws.

Physalis Alkakengi, L. Alkekengy, Alkekeng, Bladder Herb. Winter Cherry.

Picris Hieracioides, L. Langdebeef.

PILULARIA GLOBULIFERA, L. Grass (Pepper), Moss (Pepper), Pill-

PIMPINELLA ANISUM, L. Aneys, Anise, Anny, Annyle.

PIMPINELLA MAGNA, L. Saxifrage (Great).

PIMPINELLA SAXIFRAGA, L. Bennet, Breakstone, Burnet Saxifrage,

Old Man's Plaything, Pimpernel, Saxifrage, Self-heal.

PINGUICULA VULGARIS, L. *Beanweed, Bog Violet, *Butter Plant, Butter-root, Butterwort, Clowns, Earning-grass, Grass (Eccle, Rot, Steep, Thickening), Sanicle (Yorkshire), Sheep-root, Sheeprot, +Steep-grass, Violet (Marsh), White Rot.

PINUS ABIES, L. †Apple (Deal, Fir or Pine), Mast Tree, Pine Tree. PINUS PICEA, L. Fir (Silver), Palm.

PINUS PINEA, L. Clog.

PINUS SYLVESTRIS, L. Bay Lambs, Birk Apples, Chats, Cockie-bendie, Conies, †Cuckoo, Deal Tree, Deal Apples, Fir (Scotch), Fir-apple, Fir-balls, +Fir-bob, *Fir-top, *Keyball, *Oysters, Pur-apple,

Sheep, Tory-tops, Vippe.

PISUM SATIVUM, L. *Clay Pea, Hastings, Pea, Puffin-pea, Runcivals.

PLANTAGO CORONOPUS, L. Buck's-horn, Buck's-horn Plantain, +Crowfoot, Hartshorn, Hartshorn Plantain, Herb Eve, Herb Ive, Star of

the Earth.

PLANTAGO LANCEOLATA, L. Bent, Bent (Black), *Black jacks, Carldoddie, Chimney-sweeps, Clock, Cock-fighters, +Cocks, Cocks-andhens, Cock's-head, Curl-doddy, Dog's-rib, Grass (†Cock, †Rib, +Ripple), +Hardhead, Headman, Jackstraws, Kemps, Kempseed, Knockheads, Lamb's-tongue, Lancell, Leechwort, Plantain, Plantain (Long), Ramstongue, Rat-tail, Rib-wort, Soldier's Tappie, Tinker-tailor Grass, Windles.

PLANTAGO MAJOR, L. Bent, 'Birdseed, 'Bird's Meat, Broad Leaf, Canary-seed, Carl-doddie, Curl-doddy, Girs (Ripple), Great Wuybrede, Healing Blade, Kemps, *Lamb's Foot, Plant. Plantain, Plantain (Great), Rat-tail, Slanlas, Warba Leaves, Wabert-leaf, Wayberan-leaf, Waybread, Wayfron, Wayside Bread, Weybred,

Wibrow, Wybrow.

PLANTAGO MARITIMA, L. Buck's-horn, Buck's-horn Plantain, *Gibbals, Kemps (Sea), Plantain (Sea).

PLANTAGO MEDIA, L. Fire-leaves, Fire-weed, *Healing Herb, Lamb'stongue.

PLANTAGO PSYLLIUM, L. Fleabane. PLATANUS ORIENTALIS, L. Plane.

PLATANUS OCCIDENTALIS, L. Plane.

Poa. Meadow-grass.

POA ANNUA, L. Causeway-grass, Grass (Suffolk).

POA AQUATICA, I. Daggers, Flote-grass, Grass (Palm, Sword), Leed, Reed Blade, Sniddle, Withers.

POA COMPRESSA, L. Squitch Grass. POA PRATENSIS, L. Couch, Natural Grass.

POA SUBCÆRULEA, Sm. Dodder-grass.

POA TRIVIALIS, L. Bird Grass, Fold Meadow Grass, Fowl Grass, Natural Grass.

POLEMONIUM CÆRULEUM, L. *Blue jacket, Charity, +Gilliflower, Greek Valerian, Jacob's Ladder, *Joseph's Walking Stick, Ladder to Heaven [Makebate], *Poverty.

POLYCARPON TETRAPHYLLUM, L. Allseed.

POLYGALA VULGARIS, L. Cross-flower, *Four Sisters, Gang Flower,

Milkwort, Procession Flower, +Robin's Eye, Rogation Flower.

Polygonatum multiflorum, All. David's Harp, Fraxinell, Jacob's

Ladder, Ladder to Heaven, Lady's Seal, Lily of the Mountain, Scala Cœli, Seal of Heaven, Seal-wort, +Solomon's Seal, White-root, Whitewort.

POLYGONUM AMPHIBIUM, L. *Arsmart, Flatter-dock, Grass (Willow), Ground Willow, Lakeweed, Red Shank, Ruckles, Willow-weed.

POLYGONUM AVICULARE, L. Allseed, Armstrong, Beggar-weed, Bird's Knot-grass, Bird's Tongue, Black Strap, +Bloodwort, Centinode, Cow-grass, Crab-grass, Crab-weed, Cumberfield, Doorweed, Finzach, Grass (Iron, Knot, Pig, Swine's, Wire), Hogweed, Knotgrass, Knotwort, *Mantie, Nine joints, Ninety-knot, Pig-rush, Pig-weed, Pink-weed, Red Legs, Redweed, Robin (Red), Sparrow-tongue, Stone-weed, Swine-carse, Swine's Skir, †Tacker-grass, Twitch (Surface), Way Grass, Wireweed.

POLYGONUM BISTORTA, L. Adderwort, Artrologia, Beet, Bistort, Dock (Gentle or Patience), Dock Bistort, Dragons, Dragonwort, Easter Giant, Easter Ledges, Easter Magiants, Easter Mangiants, Kale (Pencuir), Meeks, Oderwort, Osteriacks, Oysterloyte, Passions, Patience, +Patient Dock, Red Legs, Snake-weed, Twice-writhen,

Waster Ledges.

Polygonum Convolvulus, L. +Bearbind, Bedwine, Bethwine, Bindcorn, Bindweed, Bindweed (Black, Corn, or Ivy), Bunwede, Cornbind, Corn Bindweed, *Devil's Tether, Dodder, Hay-gob, Hop (Wild), Lap-love Lily, Spades, Weedwind, Windweede, Withiwind (Black), Withwind or Withwine.

POLYGONUM FAGOPYRUM, L. Beechwheat, Block Wheat, Bockwheat, Bolimonge, Brank, Buck, Buckwheat, Bullimong, Crap, Crop, Fat

Hen, +French Wheat, Snake-weed.

POLYGONUM HYDROPIPER, L. Arsenick, Arsesmart, *Arsmart. Bitvtongue, Blodewort, Bloodwort, Ciderage, Culrage, Curage, Cyderach, Ersmert, Keliage, Kilbridge, Lake-weed, *Pepper Plant, Pepper (Water), Red Knees, Red Shank, Redweed, Sanguinary, Smartass, Smartweed.

POLYGONUM LAPATHIFOLIUM, L. Willow-weed.

POLYGONUM PERSICARIA, L. Arsesmart (Dead), Crab-grass, Crab's-claw, Cronesanke, +Lakeweed, Lovers' Pride, Morub, Peachwort, Persicaria, Red Legs, Red Shank, Redweed, Sauch-weed, *Saucy Alice, Virgin Mary's Pinch, Willow-weed.

POLYPODIUM CALCAREUM, Sm. Limestone Fern. Polypodium Dryopteris, L. Fern (Oak). Polypium Phegopteris, L. Beech Fern.

POLYODIUM VULGARE, L. Adder's-fern, Brake of the Wall, Creyt (?), Everfern, Fern (Oak, Wall or Wood), Golden Lock, Golden Maidenhair, Golden Polypody, Moss Fern, Polypody.

Polyporus. +Frog-stools, Toadstool.

POLYPORUS GIGANTEUS, Pers. Toad-skep.

POLYPORUS IGNARIUS, L. Touchwood, Spunk.

POLYPORUS SQUAMOSUS, L. *Birch-ball, Punk, Sap-ball, Swan's Ball.
POLYTRICHUM COMMUNE, L. *Bear Moss, *Besom Moss, Golden POLYTRICHUM COMMUNE, L. *Bear Moss, *Besom Moss, Golden Maiden-hair, Golden Moss, Goldy-locks, Gowk-bear, Heather (Silver or Sponge), *Ling-Silk, Silk Ling, Silk Wood.
POPULUS, sp. Bitterweed, Popil, Poplain, Poplar, Popple.

POPULUS ALBA, L. Abbey, Abbey-tree, *Abel, Abele, †Arbeal, *Arbell, Asp (White), Aspen (Great), Awbel, Beech (Dutch), *Dutch Arbel, Peplar (White), Poplar (White, *Silver), White-bark.

POPULUS BALSAMIFERA, L. Balsam Poplar.
POPULUS FASTIGIATA, Ait. Poplar (+Black, Lady, Lombardy), Water Poplar.

POPULUS MONILIFERA, L. Berry-bearing Poplar, Black Poplar. POPULUS NIGRA, L. *Cat-foot Poplar, Cotton-tree, +Devil's Fingers, Pepillary or Popilary, Poplar (Black, Old English, Willow).

POPULUS TREMULA, L. Aps or Apse, +Ash (Quaking or Mountain), Asp, Aspen, +Auld-wives'-tongues, +Ebble, Eps, Espin, Haspen, Pipple, +Poplar (Black), Quaking Esp, Rattling Asp, Snapsen. Porphyra. Ware (Red).

PORPHYRA LACINIATA, Ag. Kale (Slake), Laver, Slake, Slauke, Sloke or Sluke, Sloukawn.

PORPHYRA VULGARIS, Ag. Marine Sauce. PORTULACA OLERACEA, L. Purslane. POTAMOGETON. Pickerell-weed, Ruckles.

POTAMOGETON CRISPUS, L. Caltrops (Water), Muck-weed.
POTAMOGETON DENSUS, L. Caltrops (Water), Frog's Lettuce.
POTAMOGETON NATANS, L. Batter-dock, Deil's Spoons, Flatter-dock,

+Fish-leaves, Pondweed, Spike (Water), Tench-weed.

POTENTILLA. Strawberry Plant.

Potentilla Anserina, L. Agrimony (Wild), Argentina, Argentine, Blithran, Buttercup, Camoroche, Fair Days, Fair-grass, Goose-grass, Goose Tansy, Helde, †Marsh Corn, Mascorns, Midsummer Silver, Moor-grass, Moors, Moss-crops, Silver Feather, Silver-weed, Tansy, Tansy (Dog's, Wild), Traveller's Ease.

POTENTILLA FRAGARIASTRUM, L. Barren Strawberry, Strawberry

Plant.

POTENTILLA REPTANS, L. Cinquefoil, Fiflef, Five-finger-blossom, +Fivefinger-grass, Five-fingers, Five-leaf, Five-leaved-grass, Golden-

blossom, Herb Five-leaf, Sinkfield, Synkefoyle, Tormentil.

POTENTILLA TORMENTILLA, Sibth. *Biscuit, Blood-root, *Earth bark, Ewe Daisy, Five-fingers, Flesh-and-Blood, Knapperty (Sheep's), Septfoil, Setfoil, Seven-leaves, Shepherd's Knot, Shepherd's Root, Thormantle, Tormentil, Turmentille.

POTERIUM SANGUISORBA, L. Burnet, Pimpernel, Pimpinell, Salad Burnet.

PRIMULA AURICULA, L. Apron (Tanner's), Bagiers, †Bear's Ears, Bezors, Boar's Ears, Cat's-lug, *Collier (Far), †Cowslip, Cowslip (French or Mountain), †Dusty Miller, Primmily, Reckless.

PRIMULA ELATIOR, Jacq. *Cow Sinkin, Cowslip, Cowslip (Great), Five-finger-grass, †Five-fingers, Oxlip, Paigle.

Primula farinosa, L. Bird-een, Bird's-eye, †Bogbean, Bonny-bird-ee, Powdered Beau, Primrose (Bird's Eye), Scotch Primrose.

Primula variabilis, Goup. Bullslop, Candlestick (Lady's), Coverkeys, Cowslip, Five-finger-grass, Five-fingers, Lady's Fingers, Oxlip.

PRIMULA VERIS, L. Artetyke, Buckles (Horse), Cooslip, Coostropple, Couslop, *Cow-paigle, Cowslap, Cowslek, Cowslip, Cowslip Primrose, Cowslop. Cow's-mouth, Cow-stripling, Cow-stropple, +Crewel, Culverkeys, Fairy Cups, Galligaskins, Gaskins, Herb Paralysy, Herb Peter, Keys (Lady), Lady's Fingers, May Flower, †Paigle, Paigle (Cow), Palsywort, Passwort, Peter, Petty Mullein, Plaggis, Plum-rocks, St. Peterwort. 602

PRIMULA VERIS, L., var. (the Polyanthus). Hen-and-Chickens, Hose-in-hose, Jack, Jackets-and-Petticoats, Petty Mullein, Polander, *Pug-in-a-Primmel.

PRIMULA VULGARIS, L. *Beef and Greens, *Butter Rose, Jack-in-box, +Jack-in-the-green, King-Charles-in-the-Oak, Lady's Frills, +Milkmaid, Mullein (Petty), Öxlip, Pimerose, Plum-rocks, Primet, Prim-rose, Prumorole, St. Peterwort, Simmeren, Spink, Spink (May), Spring Flower, Summerlocks.

PRUNELLA VULGARIS, L. All-heal, Brown-wort, Brunel, *Bumble bees, Carpenter (Herb, Proud), Carpenter-grass, Carpenter's herb, Fly Flowers, Heart of the Earth, Hook-heal, London Bottles, Pick Pocket, Pimpernel, Prince's Feather, Prunell, Self-heal, Sicklewort,

Slough-heal, Touch and heal. PRUNUS ARMENIACA, I. Abrecock. Abricot, Apricock.

PRUNUS AVIUM, L. Black Merry, *Brandy Mazzard, Carrons, Cherry (Gean, Small, Sour, or Wild), Crab Cherry, Gaskins, +Gascoignes, Gean Tree, Guind, Hawkberry, Jean Cherry, Mazard, +Mazer-tree, +Merry, Shir.

PRUNUS CERASUS, L. Agriot, Arbouses, Tutties. PRUNUS COMMUNIS, I. Bullister, Bullum, Bully.

PRUNUS COMMUNIS, L., var. damascena. Damasee, Damasins, +Damsel, Damson, †Dawmson Plume, Plume-dames.

PRUNUS DOMESTICA, L. Ass-plum, Custin, Horse-gogs, Horse Jags, Plum, Scad.

Bolas, Bollas, Bullace, Bullies, Bullions, PRUNUS INSITITIA, L. Bulloe (?), Crex, Cricksey, Crystals, Damson (Wild), Keslings. Scad, Skeg, Slath.

PRUNUS LAUROCERASUS, L. Cherry Laurel, Laurel.
PRUNUS PADUS, I. Bird Cherry, Black Dogwood, Cherry (Bird Cluster, Fowl, or Polstead), Dogwood, Eckberry, Egg-berry, Hackberry, Hackwood, †Hagberry, Hawkberry, Heck-berry, Hedgeberry, Heg-berry, Hic-berry, Hog-cherry, †Mazard, *Mazertree (?).

PRUNUS SPINOSA, L. Blackberry, Blackthorn, Blackthorn-May, Buckthorn, Bullens, Bullies, Bullins, Bullister, Cat-sloes, Egg-peg Bushes, Hedge Picks, Hedge Speaks, Heg Peg Bushes, †Hep, Kecksies (Winter), May (Blackthorn), Picks (Hedge), Quick, Scrog, Skeg, Slaa-thorn, Slacen-bush, †Slan, Slaun-bush, Slea, Sloe, Slon, Slone-bloom, Sloo-bush, Sluies, †Snag, Snag-bush, Winterpicks.

PSAMMA ARENARIA, R. and S. Bent, Broad Bent, Helme, Marram, Mat-grass, Mat-reed, Signs, Spire, Stare.

PTERIS AQUILINA, L. Adder-spit, Bracken, Bracken (Lady), +Brake, Brakens, Brecken, +Brecken, +Ernfern, Farn, Female Fern, Fern, Fern (Oak).

PUCCINIA GRAMINIS, Pers. Mildew, Red Robin, Red Rust, Rust.

Pulicaria dysenterica, L. Cammock, Christopher (Herb), Fleabane. Pulmonaria angustifolia, L. Blue Cowslip, Bugloss Cowslip, Snake Flower.

Pulmonaria officinalis, L. Adam-and-Eve, Bedlam Cowslip, Beggar's Basket, Bottle-of-all-sorts, Bugloss Cowslip, †Children of Israel, Comfrey (Spotted), Cowslip (Bedlam or Jerusalem, *Virgin Mary's), Cowslip of Bedlem or of Jerusalem, Crayfery, Gooseberry Fool, +Honeysuckle (Virgin Mary's), +Jerusalem Cowslip, Joseph

and Mary, Lady's Milksile, Lady's (Our) Milkwort, Lady's Pincushion, Lungwort, *Mary's Tears, Sage of Bethlem, Sage of Jerusalem, Soldiers and Sailors, Spotted Mary, Spotted Virgin,

Virgin Mary's Milk-drops.

PYRETHRUM PARTHENIUM, L. Adrelwurt, *Arsmart, †Bachelor's Buttons, Bertram, Buncholery Buttons, Daisy (+Michaelmas, +Midsummer), †Featherfew, Feverfew, *Featherfowl, *Flirtwort, Maghet, Mayweed, †Nosebleed, St. Peterwort, Vethervoo (Featherfew),

Weythernoy, Whitewort.

PYROLA MINOR, L. Lily (Wood), Winter-green.

PYRUS ARIA, L. Apple (Hen), Beam Tree, Chess-apple, Cumberland Hawthorn, Hen-apple, Hoar Withy, Lot-tree, Mulberry, Ouler (Sea), Pear-tree (Widbin, Wild), Quickbeam, Rice (White), Service-berry, Whip-beam, Whipcrop, White-beam, White-leaf-tree.

PYRUS AUCUPARIA, L. Ash (Mountain or Wild), Caers, Care, Cockdrunks, †Dogberry, Field Ash, Fowler's Service, Hazel (Witch), Hen-drunks, Heer, †Quickbeam, Quicken, Ran-tree, Ranty-berries, Rawn, Roantree, Roddin-tree, Rowan, Rown-tree, Royne-tree, Sap-Tree, Service (Wild), *Twick-band-Twick-bine, Whistle-wood, White Ash, Whitty-tree, †Wicken or Wicken Tree, Wilder, Witcher Witcher, Witcher Witcher Witcher, Witcher Wickey, Wiggin, Witch-wood, Witchen or Witchin, Witty-tree, Wychen.

PYRUS COMMUNIS, L. Choke-pear, +Gold Nep, Pear, Pire, Pyrrie.
PYRUS DOMESTICA, L. Apple or Apple-tree (Sorb), Service-tree, Sorb,
Whitty, Whitty Pear, Witten Pear.

PYRUS MALUS, L. Apis, Aplyn, Appelyn, Apple, Apple-John, Appo, Appulle, Bittersgall, +Bittersweet, +Cat's-Heads, Coling, Crab, Crab-stock, Crab-tree, Grab, Grabstock, Gribble, Koling, *Leather Jacket, *Morris Apple, Nurse Garden, *Pomewater, *Sap, Scarbtree, Scrab, Screyb, Scrog, Stub-apple, *Well Apple, Wharre, Wilding.

PYRUS SCANDICA, Bab. French Hales.

Pyrus Torminalis, L. Chequer-tree, Corme (?), Heck-berry, Lezzory, Maple Service, Shir, Sorb, Swallow Pear, Whitty Pear.

QUERCUS. Oak, *Woke.

QUEECUS ILEX, L. Holly-oak, Holm-oak, Oak (Evergreen).
QUEECUS ROBUR, L. Aac, +Acharne, Achorn, Ackern, Ackeron,
*Acorn-tree, Aik, Aik-tree, Akcorn, Ake, *Akers, Akehorn, Akernel, Akeron, Akker, +Akkern, Akran, Akyr, Archarde, Atchern, Atchorn, Cups-and-ladles or Cups-and-saucers, Eike-tree, *Frying Pans, Hatch-horn, Jove's Nuts, Knappers, Mace, +Mast, Oak Atchern, Oak (+Black, Durmast), *Ovest, Pipes, *Rump, Trail (The), *Woke, Wuk, Yackrans, Yak, Yakker, Yeaker, Yek, Yik.

QUERCUS SESSILIFLORA, Sm. Bay Oak, Maiden Oak, Oak (White), Yak.

RADIOLA MILLEGRANA, L. Allseed, Flaxseed. RAMALINA EVERNOIDES, Nyl. *Blacksmith's Apron.

RANUNCULUS. *Creesy-creesy, *Gild-cups, Golfand.
RANUNCULUS ACONITIFOLIUS, L. Bachelor's Buttons, Bachelor's Buttons (White), Fair Maid of France, Fair Maids of Kent.

RANUNCULUS ACRIS, L. +Bachelor's Buttons, Bachelor's Buttons

(Yellow), Baffiners, Bassinet, Blister-plant, Bolt, Butter Creeses, Buttercup, Butter Daisy, Butter-flower, *Butter, Rose, Carlockcups, Caul (Yellow), +Clovewort, +Cowslip, Craw-foot, Craw-taes, Crazy, Crees (Yellow), Crow-flower, Crow-foot, Crow-pightle, Crow's-foot, Crowtoe, Eggs-and-butter, Gil-cup, Gold Crap. Gold Crow 8-100t, Crowtoe, Eggs-and-Dutter, Gil-cup, Gold Crap. Gold Cup, Gold Knops, *Golden Knobs, Goldy Knob, Gowan (Yellow), Gowlan (Yellow), Guilty-cup, Horse Gold, †King-cup, King's Knob, Paigle, Yellow Caul, Yellow Cups.

RANUNCULUS AQUATILIS, L. Buttercup (Water), *Crowfoot (White), Liverwort (Water), Lodewort, Milfoil (Water), Pickerell-weed, Pany's Foot

Ram's Foot.

RANUNCULUS ARVENSIS, L. Buttercup (Corn), †Crees (Yellow), Crowfoot (Corn or Urchin), Crow's-claws, *Devil-on-all-sides, Devil-onboth-sides, Devil's Claws, Devil's Coach-wheel, Devil's Currycomb, *Dill-cup, *English Stavesacre, Gold-weed, Gye, Hard-iron, Hedgehog, Hellweed, Horse Gold, *Horse-gould, Hungerweed, *Jack-o'both-sides, Jack-weed, +Joy, *Peagle, Pricklebacks, Scratchbur, Starveacre, *Yellow-cup.

RANUNCULUS AURICOMUS, L. Buttercup, Crow-foot (Wood), Goldy-

locks.

RANUNCULUS BULBOSUS, L. Baffiners, Bassinet, Bolt, Buttercup, Butter Creeses, Butter Daisy, Butter-flower, Carlock-cups, Craw, Craw-crowfoot, Crazy, Crees (Yellow), Crow-flower, Crowfoot, Crowfoot (Rape), Crow-pightle, Crow's-foot, Crowtoe, +Cuckoobuds, Eggs-and-butter, Gil-cup, Gold Crap, Gold Knops, *Golden Knobs, Golden Cup, Goldy Knob, Gowlan (Yellow), Guilty-cup, Hillcups, Horse Gold, King-cob, King-cup, King's Knob, Lode-wort, Paigle, Pissabed, St. Anthony's Rape, Yellow Caul, Yellow Cups.

RANUNCULUS FICARIA, L. Bright, *Bright Eye [Burwort], Buttercup, Celandine, Celidony, Crain, Crazy, †Crow-pightle, Figwort, Foalfoot, *Gilding-cup, +Gilty Cup, Golden Cup, Golden Guineas, Goldy

Knob, King-cup, Marsh Pilewort, Paigle, Pilewort.

RANUNCULUS FLAMMULA, L. Banewort, Butter-plate, +Cow grass, Crow-foot (Spear), +Goose-tongue, Grass (Spear), Ronge-wort, Snake's Tongue, Sparewort, Spear Crowfoot, Spearwort, Spurwood, Wil-fire, Yellow Crane.

RANUNCULUS FLUITANS, Lamk. +Cow-weed, Eel-beds, Eel-ware, Rait,

Raw-yeds, Reits, Roits.

RANUNCULUS LINGUA, L. Crowfoot (Spear), Sparrow-weed.

BANUNCULUS REPENS, L. Baffiners, Bassinet, Bolt, Butter Creeses, Buttercup, Butter Daisy, Butter-flower, Carlock-cups, *Cat-claws, Craw-foot, Craw-taes, Crazy, Crees (Yellow), Crow-feet, Crow-flower, Crow-foot, Crow-pightle, Crow's-claws, Crow's-foot, Crowtoe, +Devil's Guts, Gold balls, Gold Grap, Gold Knops, Golden Cup, Goldy Knob, Gowlan (Yellow), Granny-threads, Guilty-cup, Hodthe Rake, Horse Gold, King-cup, *Lantern Leaves, Meg-many-feet, Paigle, Ram's Claws, Sitfast, Sitsieker, Tether-Toad, Toadtether, Yellow Caul, Yellow Cups.

RANUNCULUS SCELERATUS, L. Ache, Blisterwort, Cloffing (?). Thiretelle. RAPHANUS RAPHANISTRUM, L. Cadlock, Charlock, Charlock (Jointed or White), Crawps, *Curlock, Kedlock, Kellock, Mustard (Wild), Rump, Runch, Skeldock, Skeldick, Skellie, Skellock, Skillock, Warlock.

RAPHANUS SATIVUS, L. Rabone, Radish, Rawbone, Reddish, Reefort.

RESEDA LUTEA, L. Base Rocket, Crambling Rocket.

RESEDA LUTEOLA, L. Ash of Jerusalem, Dyer's Rocket, Dyer's Weed, Dyer's Yellow-weed, Goud, Green-weed, Italian Rocket, Weld, Wood, Wolds or Woulds, Woold, Yellow Rocket, Yellow-weed, Yellows.

RHAMNUS CATHARTICUS, L. Buckthorn, [Christ's Thorn], French Berries, Hart's-thorn, Rainberry-Thorn, Rhineberry, Waythorn.

RHAMNUS FRANGULA, L. Alder (Berry, Berry-bearing, or Black), Alder Buckthorn, Aller (Black), Arrow-wood, Butcher's Pricktree, Dogwood, Stinking Roger.

RHEUM OFFICINALE, Baill. Rhubarb.

NANTHUS CRISTA-GALLI, L. +Clock, Cock-grass, Cock's-comb, Cow-wheat, Dog's Siller, Fiddle-cases, Gowk's Sixpence, Grass (+Penny, Rattle), Hen Pen, Hen's Combs, Honeysuckle, Horse Pens, Locusts, Meadow Rattle, Money, *Money-grass, Pence, Penny (Henny), Penny Rattle, Penny Weed, Rattle, Rattle-bags, RHINANTHUS CRISTA-GALLI, L. Rattle-box, Rattle-penny, Rochlis, Rottle-penny, Snaffles, Yellow Rattle.

RHODIOLA ROSEA, L. Heal-all.

RHODODENDRON. Rhodo.

RHODYMENIA CILIATA, Grev. Craw-dulse.

RHODYMENIA PALMATA, Grev. +Dillisk, Dills, *Dilse, Dullesh, *Dullis or Dullisk, +Dulse, Dulse (Mountain), Sheep's-head, Shell-dillisk, Sou-soell.

RIBES. Cêan, Corance, Currant-berries.

BIBES GROSSULARIA, L. Berries, Berry, Berry-tree, Blab, Blob, Carberry, Cat-berries, Dabberries, Dayberry, Deberries, Dewberry, Fabes, Faeberry, Fapes, †Fayberry, Feaberry, Feabes, Feapes, Gaskins, Goggles, Golfobs, Gooseberry, Goose-gog, Gozill, Grizzle, Grosers, Groset, Grozel, Honey-blob, Thapes, Theabes, Thepes, Wine-berry.

RIBES NIGRUM, L. +Blackberry, Black Current-berries, Black Goose-

berries, Gazels, Quinsy Berry, Squinancy-berry, Wine-berry.

RIBES RUBRUM, L. Garnet-berry, Gazels, Gooseberry (Red), Gozill,
Raisin Tree, Raspberry, Rizzles, Russles, Wine-berry.

RICINUS COMMUNIS, L. Man's Motherwort, Stedfast.

ROBINIA PSEUDACACIA, L. Silver Chain, Whya-tree.

ROCCELLA TINCTORIA, L. Archall, Cork, Litmus, +Orchal, Rock-

Moss.

ROSA ARVENSIS, L. Briar, Briar Bush, *Cat Rose, Corn Rose,
ROSA CANINA, L. Bird Brier, Bramble (Horse), Brear, Briar, Briar
Rose, Briar Tree, Briar (Hep), Brier Bush, Brimmle, *Buck-breer,
Buckie-berries, *Buckie Briar, +Buckies, Bucky, Bullbeef, Canker,
Capter boards, *Carlos for Carlos Carlos Carlos Buckies, Bucky, Bullbeef, Canker, Yew-brimmle.

ROSA MICRANTHA, Sm. Sweet Briar.

Rosa Rubiginosa, L. Breer (Sweet), Briar, Briar (Sweet), Eglantere, Eglantine.

ROSA SPINOSISSIMA, L. Barrow Roses, Burnet Rose, Cant Robin, Cathep, Catwhin, Fox Rose, Pimpernel Rose.

ROSA VILLOSA, L. Apple-rose,

ROSMARINUS OFFICINALIS, L. Old Man, Rosemary.

RUBIA PEREGRINA, L. Evergreen Cliver.

Rubia Tinctorum, L. Madder, Warence. Rubus cæsius, L. *Blackberry Token, Blue Bramble, Bramble (Heath), Cocolas-panter, Dewberry, *Dewberry-brier.

RUBUS CHAMEMORUS, L. Aivern, Averin, Bramble (Mountain), Cloudberry, Cnout-berry, †Everocks, Fintock, Knot-berry, Knub-berry, Mountain Bramble, Noops, *Noutberry, Nub-berry, RUBUS FRUTICOSUS, L. Berries, Blacebergan, Blackbern, †Blackberry,

*Black bides, Black Blegs, Black-bowours, Black-boyds, Black Brier, Blackites, Black-spice, *Blags, Bleggs, Boyds, Bramble, Brammelkite, Brammle, Brear, Bremmyll, Briar, Brimbles, Brimmle (He), Brimmle, Broomles, Brumble, Brumbleberries, Brumley-berry Bush, Brummel, Brummelkites, Brymble, Bullbeef, Bum-bleberries, Bumblekites, Bumly-kites, Bummelkites, +Bummell, Bummelykites, Bummull, Cock-bramble, Cock-brumble, *Country Lawyers, *Ewe-bramble, Gaitberry, Gaiter-tree, Garten Berries, Hawk's-bill Bramble, Lady's Garters, *Land-briars, +Lawyers, Mooches, Mulberry, *Mulberry Bramble, Scald-berry, Thethorne, Theve-thorn, Thief.

Rubus Idæus, L. Arnberries, Framboys, Hain-berry, Hind-berry, Hineberry, +Rasp, Raspberry, Rausps, Respe, Respis, Risps, Roiseberry, Roshberry, Sivven.

RUBUS SAKATILIS, L. Bramble (Stone), Bunchberry, *Bungellberry, Roebuck-berry.

RUBUS SPECTABILIS, Pursh. Woodman's Rose.

RUMEX. Dock, +Docken, Doodykye, Phorams or Phorans, Red Dock. Rumex Acetosa, L. Bread-and-cheese, *Cock Sorrell, Dock (Sharp or +Sour), Docken (Sour), *Donkey's Oats, *French Sourock, Grass (Sour), +Green-sauce, Green Sorrell, Lammie Sourrocks, Leek (Sour), Ranty-tanty (?), Red Shank, Sallet, Sarock, Sooracks, Sorrel, Sorrel (Green, Sow), Sorrow, Sourack, Sour-sabs or Sour-suds, Sour Sauce, Sour Sodge, Sourocks, Tom Thumb's thousand Fingers.

Rumex Acetosella, L. Bread-and-cheese, †Cuckoo's meat, †Cuckoo's Sorrel, Dock (Sour), Lammie Sourocks, Leek (Sour), Ranty-tanty, Sheep's Sorrel, Sheep's Sourack, Sooracks or Soorocks or Sourocks.

RUMEX ALPINUS, L. †Butter Dock, †Butter Leaves, Rhubarb. RUMEX AQUATICUS, L. Docken, Eldin, Elgins.

RUMEX HYDROLAPATHUM, L. Bloodwort, Dock (Water), Horse Sorrel, Sorrel (Water).

RUMEX OBTUSIFOLIUS, L. Batter Dock, Butter Dock, Celery-seed, Cushy-cows, +Docken, Kettle Dock, Red Shank, Smair dock. RUMEX PATIENTIA, L. Monk's Rhubarb, Passions, Patience. RUMEX PULCHER, L. Dock (Fiddle).

RUMEN SANGUINEUS, L. Bloodwort, Bloody Dock, †Dock.

RUPPIA MARITIMA, L. Grass (Sea), Pondweed (Tassel), Tassel Grass. RUSCUS ACULEATUS, L. Box (Prickly), Box Holly, +Butcher's Broom, Jew's Myrtle, *Knee Holly, †Knee Holme, Knee Hulver, Kneehul, Myrtle (Wild), Petigree or Petigrue, Shepherd's Myrtle.

RUTA GRAVEOLENS, L. Ave-grace, Countryman's Treacle, Herb-a-grace, Herb-Grace, Herb of Grace, Herb-of-Repentance, *Herby grass, Rue, Yerb-a-grass.

SAGINA. Pearl-wort. SAGINA PROCUMBENS, L. Bird's-eye, Breakstone, Make-beggar, Poverty.

SAGITTARIA SAGITTIFOLIA, L. +Adder's-tongue, Archer (Water), Ar-

Salicornia Herbacea, L. Crab-grass, English Sea-grape, Frog-grass, Glasswort, Grape (Sea), Grass (Sea), Pickle Plant, Saltwort, Sam-

phire, Samphire (Marsh, Rock), Sampion, Swy.

SALIX. Cambridgeshire Oaks, Cat-heads, Cats-and-dogs, Cats-andkittens, Cat's-tail, Chatton, Geese and Goslings or †Goose and Goslings, Geslins, Goosy Goslins, *Gorgy-mill-tree, †Goslings, +Honeysuckle, Kite-bin, *May Geslings, Mouser-withy, Saff-tree. Salghe, Sallow, Sally or Sally-tree, Sally Withy, Saugh-tree or Saugh-buss. *Sawgh, Seel, Sele, Selly, Soafs, Waller, Wans, Welogh, Whitty, Widdy, Wiffs, Wilf, Willey, Willow, Withy, Wythy or Wythes, Wythe or Wythes.

Salix alba. Duck Willow, Willow (White).

SALIX AMYGDALINA, L. Kit Willow. SALIX AURITA, L. Withe-tree.

SALIX BABYLONICA, L. *Drooping Willow, Weeping Willow.

SALIX CAPREA, L. Cat's-heads, Geslins, Ges-an'-gullies, Goat Willow, Goose and Goslings, Goose Withy, Gull, Lambs'-tails, Palm, Pawms, Pomes, Pussycats, Pussy-cat's Tails, Rag (Tassel), Sally (Black), Sauf, Willow-gull, Withy (Bun).

SALIX CINEREA, L. Grey Saugh.

SALIX FRAGILIS, L. Crack Willow, Snap Willow.

SALIX PENTANDRA, L. Bays (Willow), Palm, Sweet Willow, Willow (Black), Willy (Sweet).

SALIX RUBRA, Huds. Water Willow, Withy (Red)?. SALIX VIMINALIS, L. Augers, Ausier, Osier, Sperte, Twig Withy, Wilgers, Wythy or Wythies.

SALIX VITELLINA, L. Golden Osier, Seale-tree, Withy (Cane).

Salsola Kali, L. Eestrige, Glasswort (Prickly), Kelpwort, Sowdwort, Thrift (Sea).

SALVIA OFFICINALIS, L. Sage, Save.

SALVIA SCLAREA, L. Clary, Clear-eye, Godeseie, Goody's Eye, Scallewort, Seebright.

Salvia Verbenaca, L. *Christ's Eye, Clary (Wild), Clear-eye, Cleareye (Wild), Eveseeds, Oculus-Christi.

SAMBUCUS EBULUS, L. Blood Hilder, Bloodwort, Daneball, Danes' Blood, Daneweed, +Danewort, Deadwort, +Elder (Dwarf or Ground), Lithewort, Wale-wort, Wallwort.

Sambucus Nigra, L. Acte, Alderne, Arntree, Baw-tree, Bertery, Boontree, †Boortree, Bootry, †Bore, †Bore-tree, Borral, Bothery-tree, Bottery, Bottery-tree, Bottry, Bountree, Bourtree, Bulltree, Bur-tree, Buttery, *Devil's Wood, Dogtree, Elder, *Elder (Feathered), Elderberry, +Eldern, Ellar, Ellarne, Ellen-tree, +Eller, †Ellen, †Ellet, Elnorne, Elren, Hilder, Hillerne, Hydul-tree, Hylder, †Judas-tree, Parsley Elder, Skaw, Whit-aller, Whusselwood, Winlin-berries.

SAMBUCUS ROSEA. Rose Elder.

Samolus Valerandi, L. Brook-weed, Pimpinell (Round, Water). SANGUISORBA OFFICINALIS, L. +Burnet, Burnet Bloodwort, Maiden-

heads, Pimpinell. SANICULA EUROPÆA, L. March (Wood), Sanicle, Sanicle (Wood), Self-heal, Sinicle.

Santolina Chamæcyparissias, L. Cypress (Garden), †Lavender Corn.

SANTOLINA INCANA, L. Silver Lavender.

SAFONARIA OFFICINALIS, L. Bruisewort, Buryt, Crowsope, Farewell Summer, Fuller's Grass, Fuller's Herb, Gentian (Soapwort), Gillflower (Mock), Gill-run-by-the-street, Hedge Pink, Latherwort, Saponary, Scourwort, Soapwort.

SAPONARIA VACCARIA, L. Basil (Cow).

SAROTHAMNUS SCOPARIUS, Wimm. Banadle, Bannal, Basam, Beesom, Bisom, Bizzom, Breeam, Breen, Broom, Broom (Green), Browme, †Brum, Genest.

SATUREIA HORTENSIS, L. Savory or Summer Savory. SAUSSUREA ALPINA, L. Gentle Thistle.

SAXIFRAGA. Breakstone, Saxifrage.

Saxifraga granulata, L. Billy Button, Cuckoo-flower, Fair Maid of France, First of May, Grass (Thirlestane) (?), +Lady's Pincushion, Pretty Maids, Sassifax, Saxifer, Saxifrage, Saxifrage (White), Sengreen, Stone-break.

SAXIFRAGA HYPNOIDES, L. +Cushion (Lady's), Eve's Cushion, Indian Moss, Queen's Cushion.

SAXIFRAGA SARMENTOSA, L. +Aaron's Beard, Creeping Sailor, *Humility, †Mother of Thousands, Old Man's Beard, Pedlar's Basket, *Poor Man's Geranium, Roving Jenny, Spider Plant,

Strawberry Plant, Thread-of-life.

SAXIFRAGA STELLARIS, L. Kidney-wort.

SAXIFRAGA TEIDACTYLITES, L. Grass (Whitlow), Nailwort, White Blow, SAXIFRAGA UMBROSA, L. Bird's Eye, Cabbage (St. Patrick's), *Chickens, +Garden Gate, +Hen and Chickens, +Kiss-me, *Kiss-me-love-behindthe-garden-gate, Leaf of St. Patrick, Little and Pretty, +London Pride, †Look-up-and-kiss-me, *Meet-me-love, †Nancy Pretty, †None-so-pretty, *Pheasant's Feather, †Pink, Pratling Parnell, †Pretty Betsy, Pretty Nancy, †Prince's Feather, Queen's Feather.

SCABIOSA. Scabious.

SCABIOSA ARVENSIS, L. +Bachelor's Buttons, +Billy Button, *Black Soap, Blue Buttons, Bluecaps, *Blue men, *Broadweed, *Cardies, Clodweed, Clogweed, Curl-doddy, Egyptian Rose, Gipsy Flower, Gipsy Rose, +Lady's Cushion, Pincushion, Scabious, Scabridge, Scabril.

SCABIOSA ATROPURPUREA, L. Blackamoor's Beauty, Egyptian Rose, Gipsy Rose, Lady's Pincushion, Mournful Widow, +Pincushion, Poor Widow.

Scabiosa Succisa, L. +Bachelor's Buttons, Blue-ball, Blue-bannets, Blue Bonnets, †Blue Buttons, Blue-caps, Blue-heads, Blue-kiss, Blue-tops, Bunds, Bundweed, †Carl-doddie, †Curl-doddy, Devil'sbit, Devil's Bit Scabious, Fire-leaves, Forbete, Forebit. Forebitten More, +Gentleman's Buttons, +Hardhead, Hardhead (Woolly), *Hog-a-back, Lamb's Ears, More-herbyw, Ofbit, Remcope, Stinking Nancy.

SCANDIX PECTEN, L. Adam's Needle, Beggar's Needle, Chervil (Needle

or Wild), Clock-needle, Comb (Lady's, Shepherd's, or Venus's, p. 130), Coombs, Crake-needle, Crow-needle, †Crowpecks, Deil's or Devil's Darning-needle, *Darning Needles, Deil's Elshin, Elshins, Ground Enell, Hedge-hog, Needle, Needle (Pink), *Old Wife's Darning Needles, *Old Woman's Needle, Parsley (Wild), Poke Needle, Pook Needle, Poukenel, Pound Needle, Powk Needle, Puck Needle, Shepherd's Needle, Stikpyle, Tailor's Needles, Throck-needle, Venus' Needle.

SCHENUS NIGRICANS, L. Bog Rush, Clock-seaves, Lawk, +Ling.

SCILLA. Squill.

SCILLA MARITIMA, L. +Sea Onion.

SCILLA NUTANS, Sm. Bell-bottle, +Bell (Hare), Bells (Wood), Bloody
Man's Fingers (?), +Blue Bell, Blue Bottle, +Blue Gramfer Greygles,

*Blue Rocket, Crake-feet, Craw-feet, Craw-flower, +Craw-taes, Craw-tees, +Cross-flower, Crow-bells, Crow-flower, Crowfoot, Crowleek, +Crow-toes, +Cuckoo, Cuckoo-flower, Cuckoe's Stockings, Culverkeys, Culvers, Gowk's-hose, Gramfer-Greygles, *Gramfer-gregors, Grass (Snap), Greygle, Guckoos, Hyacinth, Leek (Crow), Ring o' Bells, Rocket (Blue).

Scilla Verna, L. Onion (Sea).

Scirpus. Club-grass.

Scirpus Lacustris, L. Bass, Bent, Bolder, +Bullrush, Bumble, Clubrush, Frail-rush, Grass (Spurt), Holrysche, Panier Rush, Pole Rush.

Scirpus Maritmus, L. Grass (Spurt, Star).
Scirpus Palustris, L. Aglet-headed Rush.
Scirpus Sylvaticus, L. Millet.
Scleranthus annuus, L. German Knotgrass, Knawel, Knotgrass,

Parsley Pert or Piert.

SCOLOPENDRIUM VULGARE, Sm. +Adder's Tongue, +Burntweed, Buttonhole, Christ's Hair, +Finger Fern, *Fox-tongue, Hart's-tongue, Horse-tongue, Lamb's-tongue, Long-leaf, Seaweed Fern, Snake-

SCORPIURUS SULCATUS, I. Caterpillars, Grass (Scorpion).
SCORZONERA HISPANICA, L. Grass (Viper's).

SCORZONERA HISPANICA, L. Grass (vipers).

SCROPHULARIA AQUATICA, L. +Betony (Brook or Water), Bishop-leaves,
Broomwort, Brownwort, Bullwort (?), Christopher (Stinking),
*Cressel, *Cressil, *Crowdy-kit, Fiddles, Fiddlewood, Figwort,
*Huntsman's Cap, Poor Man's Salve, Stinking Roger,
SCROPHULARIA NODOSA, L. Bore-tree, *Brennet, Brown Net, Christopher (Stinking), *Cutfinger, Figwort, Hastin Roger, Kernelwort,

pher (Stinking), †Cutfinger, Figwort, Hastie Roger, Kernelwort, Murrain-grass, Pilewort (Great), Poor Man's Salve, Rose Noble,

Stinking Roger, Throatwort.

SCUTELLARIA. Skullcap. SCUTELLARIA GALERICULATA, L. Hooded Willow-herb. SCYPHOPHORUS PYXIDATUS, Hook. Cup Lichen, Cup-moss.

SECALE CEREALE, L. Rye.
SEDUM ACRE, L. Bird's Bread, *Creeping Charlie, Creeping Jack, +Creeping Jenny, Creeping Sailor, *Crowdy Kit o' the Wall, Ginger, Gold Chain, Gold Dust, Golden Moss, Houseleek, Houseleek (Little), Jack-of-the-Buttery, Moss, Moss (French), Mouse-tail, Pepper (Country, Poor Man's, Wall), Pepper Crop, *Pig's Ears, Pricket, Prick Madam, Rock Crop, Rock Plant, Stancroppes, Stone-crop, Stone-hore, Stone-hot, Stonnord, Wall Grass, Wall Moss, Wallwort. SEDUM ALBUM, L. Grass (Worm), Prick Madam, Stonecrop (Great).

SEDUM GLAUCUM, Sm. *Indian Fog.

SEDUM REFLEXUM, L. †Creeping Jenny, †Ginger, Houseleek, Houseleek (Dwarf), *Indian Fog, *Love-in-a-chain, Prick Madam, *Sow's ear, Stone-hore, Stone-hot, Thrift, Trick Madam, Trip Madam.

SEDUM RHODIOLA, DC. Rose-root or Rose-wort, Snowdon Rose.
SEDUM RUPESTRE, L. *Jealousy, *Link-moss.
SEDUM TELEPHIUM, L. Alpine, [Broklembe], *Arpent, or *Arpentweed, Harping Johnny, †Jacob's Ladder, Lib-long, Livelong, Midsummer Men, Orphan-John, Orpies, Orpine, Oruall, Solomon's Puzzles.

SEMPERVIVUM TECTORUM, L. Aye green, Bullock's-eye, Cyphel, Fews, Foos, Fouets, Fow, Fuit, Full, Healing Blade, Hockerie-topner, Homewort, †House-green, Houseleek, Huslock, Imbreke, Jo-barbe, Jubard, Jupiter's Beard, Jupiter's Eye, *Poor Jan's Leaf, Sel-green, Sengreen, Sigrim, Sil-green, Simgreen, Singreen, Sinna-green, Sungreen, Syphelt, Thunder-plant.

SENEBIERA CORONOPUS, Poir. Buck's-horn, Cress (Swine's or Wart), Grass (Hog, Sow), Hartshorn, Herb Eve, Herb Ive, Star of the Earth, Wartwort.

SENECIO JACOBÆA, L. *Agreen, Benweed, Bindweed, Binweed, Booin, Bowens, Bowlochs, Bunnels, Bunwede, Cammock, Cankerweed, Cheadle-dock, Cowfoot, *Cradle-dock, Cress (Swine's), Cushag, Dock (Kadle, Kettle), Dog-standard, Ellshinders (Yellow), Fairies' Horse, Fellon-weed, *Fizz-gigs, Fleedod, Fleenurt, Flydod, Grass (Swine's), Grundswaith, James' Weed, James' Wort, Keddle Dock, Marefart, Muggert, †Ragged Jack, †Ragged Robin, Rag Weed, Big Wort, St. James' Wort, Scrape-clean, Seggrom, Seggy, Sigrim, Stagger-wort, Staner-wort, Staver-wort, Stinking Alisander, Stinking Billy, Stinking Davie, Stinking Elshinder, Stinking-weed, Tansy, Weeby, Yack-yard, Yark-rod, Yellow-weed.

Senecio Paludosus, L. Bird's-tongue.

Senecio Saracenicus, L. Comfrey (Saracen's), Consound (Saracen's),
Saracen's Woundwort (see Saracen's Comfrey).

Senecio Vulgaris, L. Birdseed, Chickenweed, Chinchone, Grinning
Swallow, Grinsel, Groundsel, +Grunsel, +Grundsel, Grunnishule, Sencion, Simson, Swichen.

SERRATULA TINCTORIA, L. Saw-wort.

Sesleria cærulea, Scop. Blue Moor-grass, Moor Grass, Pry. Sherardia arvensis, L. Allison, †Dodger, Herb Sherard, Madder (Field), Madderlen, Spurwort.

Sibthorpia europæa, L. Chickweed (Bastard), Cornish Money-wort,

Moneywort, Penny Pies, Penny Wort.

SIDERITIS. Glidewort.

SILAUS PRATENSIS, Bess. Meadow Saxifrage, Pepper Saxifrage, Saxifrage.

SILENE. Catchfly.

SILENE ACAULIS, L. Campion (Moss).
SILENE ARMERIA, L. Catchfly, Limewort.

SILENE INFLATA, L. *Adder-and-Snake Plant, Bell (Cow), Ben, Bird'seggs, Bladder Campion, Bletherweed, Bottle (White), Bull Rattle, *Clapweed, Cockle (White), Cowbell, Cowcracker, +Cowmack, Cowpaps, Crackers, Frothy Poppy, Knap-bottle, Rattle-bags, Snappers, Spatling Poppy, Thunder Bolts.

SILENE MARITIMA, L. Thimble, Witches' Thimble.

SILENE OTITES, L. Star of the Earth.

SINAPIS ALBA, L. Charlock, Kedlock, Kellock, Kerlock, Ketlock, Mustard (White), Senvie.

SINAPIS ARVENSIS, L. Bazocks, +Birdseed, Brassics, Brassock, Cadlick,

Cadlock, Cale (Corn), Callock, Calves-feet, Carlock, Chadlock, *Charlick, Charlock, Chedlock, Churlick, Craps, Curlick, *Curlock, Field Kale, Garlock, Kadlock, Kale, Kale (Corn, Wild), Kecklock, Kedlock, Kellock, +Kerlock, Ketlock, Kilk, Kinkle, Mustard (Corn, Wild), Popple, Presha or Presha-bhwee or Prushus, Rape, Rocket (Bastard), Rough Cadlock, Runch, Rungy, Scaldricks, Scalies, Scallock, Senvie, Shirt, *Skedlock, Skeldock, Skeldick, Skellock, Skellie or Skillock, Turnip, Will Kail, Yellow Flower.

SINAPIS MURALIS, DC. Rocket (Wall). SINAPIS NIGRA, L. Cadlock, Charlock, Kellock, Kerlock, Ketlock, Mustard (Black), Senvie, Sinewey, Warlock.

SISON AMOMUM, L. Hedge Honewort, Parsley (Stone), Spikenard.

SISYMBRIUM IRIO, L. London Rocket.

SISYMBRIUM OFFICINALE, L. Bank Cress, [Crambling-rocket], Hedge Mustard, Hedgeweed, Lucifer Matches, Scrambling Rocket.

SISYMBRIUM SOPHIA, L. Flixweed, Wisdom of Surgeons.

SISYMBRIUM THALIANA, Hook. Turkey Pod.

SIUM ANGUSTIFOLIUM, L. Parsnip (Water).
SIUM LATIFOLIUM, L. Parsnip (Water).
SIUM SISARUM, L. Crummock, Scaret-root, Skerret, Skirret, Skyrwort. SMYRNIUM OLUSATRUM, L. Alexander, *Alick, Alisaundre, Alshinder, Alysaunder, Celery (Wild), *Elshinder, Megweed, Parsley (Horse),

Solanum. Nightshade.

SOLANUM DULCAMARA, L. Awf'ood, *Belladonya, †Bindweed (Blue), †Bittersweet, Deadly Nightshade, Dogwood, Dwale, †Fellon-wood, Fellonwort, Mad Dog's Berries, Nightshade (Bittersweet, Wood), †Poison-berry, Poison Flower, *Poisonous Tea Plant, Pushion Berry, Robin-run-the-Hedge, Skaw-coo, Snake-berry, Snake's Poison-food, Sweet Bitter, Terrididdle or Terrydivle, Tether Devil.

SOLANUM MELONGENA, L. Egg-plant.

SOLANUM NIGRUM, L. Duscle, Garden Nightshade, Hound's-berry, Mixplenton, Morel, Morel (Petty).

Solidago Virgaurea, L. Aaron's Rod, Banwort (?), Golden Rod, Woundwort,

Solsequium. Solsekille.

Sonchus Arvensis, L. Dindle, Gutweed, Hogweed, Rosemary, Swine Thistle, Tree Sow Thistle.

Sonchus Oleraceus, L. Colewort (Hare's), Dashel (Milky), Dickles (Milky), Dindle, Hare's Lettuce, Hare's Palace, Hare's Thistle, Mary's (St.) Seed, Milk Thistle, Milk-weed, Milky Tassel, Sowdingle, Sow Thistle, Swine Thistle, Swinies, Thowthystylle.

SPARGANIUM, L. Burweed, Levers, Livers, Lyvers.

SPARGANIUM RAMOSUM, L. Bede-sedge, Bur-flag, Bur-reed, Grass (Reed), Knop Sedge, Seg or Seggs, Seggin.

SPARGANIUM SIMPLEX, L. Blackweed.
SPARTINA ALTERNIFLORA, Loisel. Sedge.

SPARTINA STRICTA. Roth. Cord-grass, Grass (Spart), Mat-reed.
SPERGULA ARVENSIS, L. Beggar-weed, +Bottle Brush, Cowquake,

Dodder, Dother, *Farmer's Ruin, Flax (Toad), Franke, *Granyagh, Lousy Grass, Make-beggar, +Mountain Flax, +Pick Pocket, Pick Purse, +Poverty Weed, Sandweed, Spurry, Yarr, Yarrel, Yawr, Yur.

Sphagnum. Bog Moss, Gold Heath, *Old Wives' Tow.

Spinacia oleracea, L. Spinach.

Spinæa Filipendula, L. Dropwort, Fillyfindillan, +Lady's Ruffles, +Meadow-sweet, Walwort (?).

Spinæa hypericifolia, DC. May (Italian).

SPIREA SALICIFOLIA, L. Aaron's Beard, Bridewort, Mock Willow. Queen's Needlework.

SPIREA ULMARIA, L. +Bittersweet, Bridewort, Courtship-and-Matrimony, Goat's Beard, +Harif, Honey-sweet, Maid of the Meadow, *Maid-sweet, *Meadow-soot, Meadow-sweet, *My Lady's Belt, Queen of the Meadow, Sweet Hay.

SPIRANTHES AUTUMNALIS, Rich. Ballocks (Sweet), +Lady's Traces. STACHYS BETONICA, Benth. Betayne, Betony, Betony (Wood), Bidney,

Bishopswort, Hop (Wild), Vetoyn.

STACHYS GERMANICA, L. *Mouse-ear, Woundwort.

STACHYS LANATA, L. Blanket-leaf, *Donkey's Ear, +Lamb's-tongue, Saviour's Blanket.

STACHYS PALUSTRIS, L. All-heal (Clown's), Cock-head, Dead-nettle, Hound's-tongue, Maskert (Swine's), Rough Weed, Runch, Sheep's Brisken, Swine Arnut, Woundwort (Clown's).

STACHYS SYLVATICA, L. Archangel, Blind Nettle, Cow's Weatherwind, Dead Nettle, Deve Nettle, Grass (Nettle, Wild), Hedge Nettle or Hedge Dead Nettle, Nettle (Wild-grass), *Nettle Foot, Toad-flower, Withywind (Cow's).

STAPHYLEA PINNATA, L. Anthony-nut, Bladder Nut, Siney. STATICE LIMONIUM, L. Lavender (Sea), Lavender Thrift.

STELLARIA. Star Flower.

STELLARIA AQUATICA, Scop. Chickweed, Chickweed (Water).

STELLARIA GRAMINEA, L. Star-wort.
STELLARIA HOLOSTEA, L. +Adder's-meat, *Adder's Spit, Agwormflower, Allbone, Bachelor's Buttons, Bell (Easter), Billy White's Buttons, +Bird's-eye, Bird's-eye (White), Bird's-tongue, Brandysnaps, Break-bones, Cuckoo-flower, Cuckoo-meat, Cuckoo's Victuals, Dead Man's Bones, Devil's Corn, Devil's Eyes, *Easter Flower, Grass (Scurvy, Snake, Star), Headache, Lady's Lint, *Lady's White Petticoat, May Flower, May-grass, Milk-cans, Milk Maid, Miller's Star, Moon-flower, Moonwort, Owd Lad's Corn, Paigle, †Pick pocket, †Pigle, Pink (Wild), *Piskies, Pisky, *Pixie, Pygie, Shepherd's Weatherglass, Shirt-buttons, Smocks or Smock-frock, Snake Flower, Snap-crackers, Snap Jack, Snappers, Snap Stalks, Snapwort, Snow, Snowflake, Star Flower, Star of Bethlehem, Starwort, Stichewort, Stitchwort, Thunder-flower.

STELLARIA MEDIA, L. Bird's-eye (White), Chickenweed, Chickenwort, Chickweed, Chuckenwort, Cickenwort, Craches, Cuckenwort, Fle-

wort, Grass (Tongue), Muruns, Winter-weed.
STICTA PULMONACEA, Ach. Hazel Crottles, Hazel Rag or Raw, Liverwort (Wood), Lungs of Oak, Lungwort, Lungwort (Tree).

STICTINA SCROBICULATA, Scop. Aikraw, Rag.

STIPA PENNATA, L. Feather-grass.

STRATIOTES ALOIDES, I. Crab's-claw, Freshwater Soldier, Houseleek (Water), Knight's Pond-weed, Knight's Water Sengreen, Knight's-

wort, Knight's Woundwort, Pine (Water), Pondwort (Knight's), Sen-green (Water), Soldier (Freshwater), Soldier's Yarrow, Water Soldiers.

Subularia aquatica, L. Awl-wort, Glond. Suæda fruticosa, Forsk. Rosemary (Sea), Stonecrop (Shrub). Symphoricarpus racemosus, Mich. Egg-plant, Snowball, Snowberry, Snowdrop-berry.

SYMPHYTUM OFFICINALE, L. Alum, Ass-ear, Backwort, Black Root, Blackwort, Boneset, Briswort, Bruisewort, Comfrey, Comfrey-Consound, Consound, Galloc, Knitback.

SYMPHYTUM TUBEROSUM, L. Knitbeen (Comfer).

SYRINGA VULGARIS, L. *Blue Ash, *Duck's Bills, Laylock, Lilac, Lily-oak, May, May Flower, *Oysters, Pipe or Pipe Tree, Prince's Feather, Roman Willow, Spanish Ash, *White Ash.

TAGETES ERECTA, L. Affrican, Gilliflower (Turkey). TAGETES PATULA, L. Marigold (French), Velvet-flower.

TAMARIX GALLICA, L. Cypress, Heath, Ling, Tamarisk.

TAMUS COMMUNIS, L. †Adder's Meat, *Adder's Poison, *Bead-bind, [Beaten Woman's Herb], Bindweed, *Broyant, Bryony, Bryony (Black), Elphamy (?), Isle of Wight Vine, Lady's Seal, Mandrake, Murrain Berries, Oxberry, †Poison-berry, Ro-berry, Row-berry, Rue-berry, Roll-berry, Serpent's Meat, Snake-berry, Snake's Food, Vine (Wild).

TANACETUM BALSAMITA, L. Alecoast, *Balsam Herb, Balsamynte,

Coast, Cost, Costmary.

Tanacetum vulgare, L. Bachelor's Buttons, Buttons, Buttons (Bitter), Cost (English), †Fern (†Parsley, †Scented), †Ginger, †Ginger-plant, Joynson's Remedy Cheese, Tansy. TAXUS BACCATA, L. Ewe, Ife, Palm, Shoter, Snat-berries, †Snoder-

gills, Snottergall, Snottle-berries, Vew or View, Wire Thorn, Yew.

TEESDALIA NUDICAULIS, Br. Shepherd's Cress.
TEUCRIUM CHAMEDRYS, L. Germander, Germander (Wall), Herte-

Clowre, Horsechire.

TEUCRIUM POLIUM, L. Hulwort, Pella-mountain, Puliall-mountain.

TEUCRIUM SCORDIUM, L. Garlick, Germander, Germander (Water), Scordium, Treacle (English).

TEUCRIUM SCORODONIA, L. Ambroise, *Ambrose, Garlick Sage, Germander (Wood), Mint (Rock), *Mountain Sage, Rock Mint.

THALICTRUM ALPINUM, L. [Poor Man's Rhubarb].

THALICTRUM AQUILEGIFOLIUM, L. Columbine (Feathered), Spanish Tufts,

THALICTRUM FLAVUM, L. False Rhubarb, Fen Rue, Meadow Rhubarb, Meadow Rue.

THESIUM LINOPHYLLUM, L. Toad Flax (Bastard).

THLASPI. Broomwort.

Thlaspi, sp. Knave's Mustard.
Thlaspi arvense, L. Boor's Mustard, Bowyer's Mustard, Churl's Mustard, Cress (Penny or Wild), Dish Mustard, Treacle Mustard, Treaclewort.

THYMUS SERPYLLUM, L. Brotherwort, Hill-wort, Horse Thyme, Mother of Thyme, Pella Mountain or Puliall-mountain, Penny Mountain, Serpell Piliol, Thyme, Thyme (Bank, Creeping or Running, +Shepherd's, Wild).

TILIA EUROPÆA, L. Lenten, Lime Tree, Lin, Linde, Line, Teile, Til, Tile or Tilet-tree, or Tillet or Tillet-tree, White-wood.

TILIA GRANDIFOLIA, Ehrh. Lime (Red).
TILIA PARVIFOLIA, L. Bass, Bast, Elm (Broad-leaved), Pill-bass, Pry. TILLETIA CARIES, Tul. Blackball, Bunt, Pepper-brand, Smut, Smut-

Tofieldia Palustris, L. Asphodel (Scotch), Lamb Lilies.

TORDYLIUM OFFICINALE, Jacq. Hartwort.
TORILIS ANTHRISCUS, Gertn. Chervil (Hemlock or Rough), Cicely (Rough), Hedge Parsley, Hogweed, *Lady's Needlework, +Mother Dee or Mother Die, Scabby Head.

TORILIS INFESTA, Spr. Dill.

Spiderwort, Trinity. TRADESCANTIA VIRGINICA, L.

TRAGOPOGON PORRIFOLIUS, L. Jerusalem Star, Nap-at-noon, Salsafy,

Sassafy, Star of Jerusalem.

TRAGOPOGON PRATENSIS, L. Buck's-beard, Clock (Shepherd's), Gaitberde, Goat's Beard, Go-to-bed-at-noon, Jack-by-the-Hedge, Johngo-to-bed-at-noon, Joseph's Flower, +Nap-at-noon, Noontide, Sleep-at-noon, Star of Jerusalem.

TREMELLA ALBIDA, Huds. +Fairy Butter.

TRICHOMANES RADICANS, Sw. Bristle Fern, Fern (Hare's-foot).

TRIFOLIUM. +Cuckoo's Sour, Grass (Three-leaved, Triple), Herb Trefoil, Tetrifol, Trefoil, Triffoly.

TRIFOLIUM ALPINUM, L. Liquorice (Wild).
TRIFOLIUM ARVENSE, L. Clover (Hare's-foot), Dogs-and-cats, Hare's

TRIFOLIUM FILIFORME, L. Hop Trefoil.

Trifolium fragiferum, L. Clover (Strawberry).

TRIFOLIUM HYBRIDUM, L. Alsike, Clover (Alsike).
TRIFOLIUM INCARNATUM, L. Clover (Crimson), Napoleons, Trifolium.
TRIFOLIUM MEDIUM, L. Clover (Trefoil), Cow-clover, Cow-grass, Marlgrass.

TRIFOLIUM MINUS, Sm. Clover (Yellow), Shamrock, Shamerags, Suck-

ling (Yellow), Trefoil, Trefoil (Wild).

TRIFOLIUM PRATENSE, L. Beebread, Broad Clover, Clatter-Malloch (?), Claver, Clover (Broad, Meadow, Red, or Soukie), Clover grass, Cob, Cock's-head, Cow-cloos, Cow-clover, Cow-grass, Honey-suck, +Honey-suckle (Red), Honey-suckle Trefoil, Knap, Marl-grass, Plyvens, Shamrock, Sleeping Maggie, Sookies, Suck-bottle, Suckies, Sucklers, Suckles, Suckling, Sugar plums.

TRIFOLIUM PROCUMBENS, L. Clover (Hop or Yellow), Hop Trefoil.

TRIFOLIUM REPENS, L. Bloodwort (a variety), Claver, Clover, Clover (Dutch or White), Cob, Curl-doddie (?), Dutch, Four-leaved-grass (a variety), Gowan (Sheep's), Grass (Purple), Honeystalks, Honeysuckle Clover, Honeysuckle Grass, Honeysuckle (White), Lamb's Sucklings, Purple-wort, Quillet, Sucklers, Suckling.

TRIFOLIUM SUFFOCATUM, L. Hop Trefoil.

TRIGLOCHIN PALUSTRE, L. Arrow-grass.
TRIGONELLA ORNITHOPODIOIDES, DC. Clover (Bird's-foot).

TRITICUM CANINUM, L. Dog's-tooth-grass, Madge-mony-legs.
TRITICUM JUNCEUM, L. Bent, Bentles.
TRITICUM REPENS, L. Cheese (Sheep's), Cooch, +Couch, Couch-grass (White), Couchwheat, Dog-grass, Felt, Grass (+Cough, Pearl, Quick, +Quitch, +Scutch, Shelly, Skally, Spear, Squitch, Three-

leaved, †Twitch, Wicken), Knotgrass, Lonachies, Quick, Quicken, Quitch, Rack, Ronnachs, Runch (?), Scryle, Scutch, Shear Grass, Sheep's Sourack, Skoil, Squitch, *Strap Grass, Stroil, Twike, Twitch, Whickenins, Whicks, Wick, Wickens, Windlestraws, Wizzards, Wrack, Yawl.

TRITICUM SATIVUM, L. Amel-corn, Bloody Mars, *Cones or Cone Wheat, Duck Wheat, Durgan Wheat, Rivet Wheat.

TRITICUM SPELTA, L. Spelt, Spelt-corn, Spelt-wheat.
TRITOMA UVARIA, L. *Devil's Poker.

TROLLIUS EUROPÆUS, L. Bolt, *Bull-jumpling, Butter Basket, Butter-bump, *Cabbage Daisy, Globe Flower, Golden Ball, Goldens (Lockyer), Goldylocks, Golland (Lucken), Gowan (Lapper, Lockin, Luckin), Gowlan (Locker), †King-cup, Lockyer Goldens, †May Blob, Stock, Troll-flower, Witch Gowan.

TROPEOLUM MAJUS, L. Nasturtium, Stortioner, Sturtion.

TUBER CIBARIUM, L. Earth-balls, Truffle.
TULIPA GESNERIANA, L. Culips, Tulip.
TURRITIS GLABRA, L. Mustard (Tower), Towers Treacle, Tower-wort.
TUSSILAGO FARFARA, L. Ass's-foot, Bull-foot, Clatter-clogs, Clayt, Clayweed, Cleats, Clot, Colt-herb, Colt's-foot, Coughwort, Coutfit, Cow-heave, Dishalaga, Dove-dock, *Dummy Weed, Foalfoot, Foilefoot, Gowan (Tushylucky), +Hog-weed, Hoofs, Horse-hoof, Horsehove, Son-before-the-Futher, Sow Foot, Tushalan.

TYPHA ANGUSTIFOLIA, L. Sergo.

TYPHA LATIFOLIA, L. Baccobolts, Beetle (March or Marish), Blackamoor, Blackcap, +Blackheads, Black-puddings, +Bullrush, Bullsegg, Cat-o'-nine-tails, Cat's-spear, Cat's-tail, Cat's-tails, Club-rush, +Dod, Dunce Down, Dunche Down, Flag, Flax-tail, *Holy Pokers, Lance-for-a-lad, Levers, Livers, Lyvers, Mace (Reed), March Pestill, Marsh Pestill, Mat-reed or Mat-weed, Pokers, Seggs, Serge, Son's Brow (?), Sootipillies, Water Torch, Whiteheads.

ULEX EUROPÆUS, L. Broom (Prickly), Firsun, French Furze, Frez, *Fur, Furrys, †Furze, Furze (Great), Furzen, Furzen-bushes, Fuzz, †Gorse, Gorst, Goss, Gost, Ling, Qwyce, Ruffet, Thorn Broom, Turr, Vuss or Vuz, Whin, Whuns.

ULEX NANUS, Forst. Bedfurze, Catwhin, Furze (Tam), Whin.

ULMUS. *Ellum.

ULMUS CAMPESTRIS, I. *Allom-tree, Alme, Aum, Elem, Ellem, Elm, Elm (English), Elmen, Elven, Helm, *Horse May, +May, Ome Tree, Owm.

ULMUS MONTANA, With. Chewbark, +Elm, Elm (Broad-leaved, Scotch, Witch or Wych), Halse, +Hazel (Witch), Helm, Mountain Elm, Ome Tree, Witch, Witch-wood, Wych-wood.

ULMUS SUBEROSA, Ehrh. *All-heart.

ULVA LACTUCA, L. Kale (Slake), Laver (Green), Lettuce (Sea), Oyster-green, Slake, Slauke, Sloke, Sloke (Green).

ULVA LATISSIMA, L. +Laver, Laver (Green), Slake, Slauke, Sloke or Sluke, Wrack.

UMBELLIFERÆ, generally. Humlock, Keck, *Keglus, Kesk, Kisk. UREDO RUBIGO, DC. Red Gum, Red Rag, Red Robin, Red Rust, Rust. URTICA DIOICA, L. Naughty Man's Plaything, Nettle, Nettle (Stinging), Scaddie, Stingy Nettle, Tenging Nettle.

URTICA PILULIFERA, L. Nettle (Burning, Greek, Roman, Wild), Spanish Marjoram.

URTICA URENS, L. Burning Nettle, Dog Nettle (?), Ettle, Stingy Nettle.

USNEA PLICATA, Ach. Tree Moss.

Ustilago. Blight, Coal-brand, Collar.

USTILAGO CARBO, Tul. Blackball, *Collarbags, Collybrand, Slain or Slane, Sleean, Smut, Strike.

USTILAGO SEGETUM, Tul. Brancorn, Brawn, Blight, *Burnt-ear.

UTRICULARIA VULGARIS, L. Bladder-snout, Bladder-wort, Hooded

Water Milfoil.

VACCINIUM MYRTILLUS, L. +Bilberry, Bilberry Whortle, Blackberry, Blackheart, Black Whort, Black Whortle, Blaeberry, +Bleaberry, +Blueberry, Brylocks, Bullberries, Crone, Crow-berry, Fayberry, Fraghan, +Frughans, Hart-berries, Heart, Horts, Huckle-berry, Hurtle-berry, Hurts, Whimberry, Whinberry, Whorts, Wimberry, +Winberry, Wind-berry, Whorts, Wimberry, +Winberry, Wind-berry, Corn-berries, Cramberries, +Cranberry, *Cranberry, *Cranber

Crawberry, *Cranberry Wire, Craneberry, *Cranes, Cranna-berries, Crawberry, *Cranberry, *Craneberry, *Cranebe

Moss Millions.

VACCINIUM ULIGINOSUM, L. Bleaberry

VACCINIUM VITIS-IDÆA, L. Box (Flowering), Brawlins, *Cluster-berries, †Cowberry, Cranberry, Crow-berry, Ling-berry, Moonog, Munshock, Whortleberry, Whorts or Worts, Wine-Berry.

VALERIANA. Tommy Twa-sorts, Valerian.

Valeriana officinalis, L. †All-heal, Bennet (Herb), Capon's-tail, Cat-trail, Cut-heal (?), *Drunken Slots, †Filaera, Heal-all, *Keglus (?), Poor Man's Remedy, St. Bennet's Herb, Treacle (Countryman's), Valara, Valerian.

VALERIANA PYRENAICA, L. Capon's-tail, Cetywall, Cut-finger, Cutheal, Cut-leaf, Setwall.

VALERIANELLA OLITORIA, Mœnch. Cornel-sallet, Corn Salad, Lamb's Lettuce, Milk Grass, Potherb.

VERATRUM ALBUM, L. Hellebore (White), Langwort, Lingwort, Michelwort, Neese-wort.

VERBASCUM BLATTARIA, L. Moth Mullein, Mullein (Purple).

VERBASCUM NIGRUM, L. Mullein (Black).
VERBASCUM THAPSUS, L. Aaron's Rod, Adam's Flannel, Ag-leaf, Agpaper, Beggar's Blanket, Beggar's Stalk, +Blanket Leaf, Bullock's Lungwort, Cabbage (Sea), Candle-wick, †Clot, Clown's Lungwort, Club (Shepherd's), Cow's Lungwort, Cuddy's Lugs, Dock (Mullein or Velvet), Duffle, Feltwort, Flannel, †Flannel (Our Lord's or Our Saviour's), Fluffweed, Foxglove, *Golden Grain, Golden Rod, +Hag-taper, Hare's Beard, Hedge Taper, Hig Taper, Ice-leaf (Wild), Jacob's Staff, Jupiter's Staff, Lady's Foxglove, Lungwort, Mullein (White), Mullein Dock, *Old Man's Flannel, Peter's Staff, Rag Paper, Shepherd's Staff, Taper, Torches, Virgin Mary's Candle, Woollen.

VERBENA OFFICINALIS, L. Ashthroat, Berbine, Columbine, Grass (Pigeon's), Holy Herb, Juno's Tears, Mercury's Moist Blood, Simpler's Joy, Vervain.

VERONICA AGRESTIS, L. Chickweed, Garden Speedwell, Germander,

+Germander Chickweed, Germander Speedwell, Winter-weed.
VERONICA ANAGALLIS, L. Pimpernel (Water).
VERONICA ARVENSIS, L. Corn Speedwell.
VERONICA BECCABUNGA, L. *Becky-leaves, Broklembe, Brooklime, Cow-cress, Horse Cress, Horse-well Grass, Limewort, Limpwort, Pimpernel (Water). Well-ink

Pimpernel (Water), Wall-ink, Water Purpy, Well-ink.

VERONICA BUXBAUMII, Ten. Bird's-eye, Cat's-eyes.

VERONICA CHAMÆDRYS, L. Angel's-eyes, Astrophell, Base Vervain,

*Billy Bright-eye, †Bird's-eye, Bird's-eye (Blue), Blue Eye, Blewart, Blind Flower, Blue Stars, Bobby's Eyes, Bonny-bird-ee, Cat'seen, +Cat's-eyes, *Deil's Flower, +Eyebright, Forget-me-not, †Germander, Germander (Wild), Germander Speedwell, God's Eye, Lady's Thimble, Love-me-not, Milk Maid's Eye, Poor Man's Tea, Remember Me, Speedwell, Vervain (Base or Flat), Wish me well.

VERONICA HEDERIFOLIA, L. Bird's-eye, +Botherum, Chickweed (Ivy), Corn Speedwell, *Dotherum, Hen-bit, Ivy Chickweed, Morgeline,

Mother of Wheat, Winter-weed.

VERONICA OFFICINALIS, L. Betony (Paul's), Fluellen, Ground-hele, Herb Fluellyn.

VIBURNUM LANTANA, L. Cottoner, Cotton-tree, Coventree, Lithewort,

Mealy-tree, Twist-wood, Wayfaring Tree, Whipcrop, White-wood.

VIBURNUM OPULUS, L. Cherry-wood, +Dog-berry, Dog-eller, Dog-rowan Tree, +Dog-tree, Dogwood, Dogwood (White), Elder (Marsh, Red, Water or White), Gadrise, Gatten, Gatter Bush, Gatteridge, Gelders Rose, Golden Ball, *Gottridge, Guelder Rose, King's Crown, *Love Roses, May Rose, *May Tosty, Mugwet, Ople or Ople-tree, Parnell, Pincushion, Pincushion Tree, +Prim, Red Elder, Rose Elder, †Royal Elder, Skaw-dower, Snowball, Stink Tree, Tisty-tosty, Whiperop, Whitten-tree, *Whitsuntide Bosses.

VIBURNUM TINUS, L. Laurestine or Laurestinus, +May.

VICIA. Tare-tyne, Thatch, Vetch.
VICIA CRACCA, L. Blue Tar-fitch, Cat-peas, Cow Vetch, Fetches (Wild),
Huggaback, Pea (Mice), Tar Grass, Tare (Wild), Thetch grass
(Wild), Tine, Tine-grass, Twine-grass, Vetch or Fitch (Wild).

VICIA FABA, L. Bean, Horse Bean.
VICIA HIRSUTA, L. +Bindweed, Dill, Dother, Fitch, Lintels, Strangletare, Tare, Tar-fitch, Tar Grass, Tar Vetch, Thetch-grass (Wild), Tine-grass, Tine Tare, Tine-weed, Titters.

VICIA OROBUS, DC. Bitter Vetch, Knapparts, Knipper-nut.

VICIA SATIVA, L. Chichelings, Cichlings, Fatch, Fetch, Fitch, Fitch

(Wild), Fitchacks, *Gore-thetch, +Lints, Pebble-vetch, Racers, Tar, Tare, Tere, Thatch, Thetch, Twadgers, Urles, Vatch, Vetch.
VICIA SEPIUM, L. +Crow-peas, Dill, Tare, Tare (Wild), Thatch, Thetch,

Twadgers, Vetch, Vetch (Wild).

VINCA MAJOR, L. Band-plant, +Blue-bell, +Blue Buttons, +Cockle, Cut-finger, +Dicky-Dilver, Periwinkle, Pervenke.

VINCA MINOR, L. +Blue Buttons, +Dicky-Dilver, Ground Ivy, Peri-

winkle, Pervenke, Sen-green.

VINCETOXICUM OFFICINALE, Moench. Cislie (Silken).

VIOLA CANINA, L. Bluebell (Little), *Butter-pats, Cuckoo's Shoe, +Cuckoo's Stockings, Dog Violet, Horse Violet, Violet (Summer). VIOLA LUTEA, L. Banwort (?), Violet (Yellow).

VIOLA ODORATA, L. Appel-leaf (?), Bairnwort (?), Banwort (?), Blaver (?), Bessy Banwood (?), Fine-leaf, Vilip, Violet, Violet (†Blue, English, March, Sweet).

VIOLA SYLVATICA, Fr. Gowk-shoe, Nut (Pig), Violet (+Blue, Dog, Hedge, Pig).

VIOLA TRICOLOR, L. Beedy's Eyes, Biddy's Eyes, *Bleeding Heart, Buttery-entry, Call-me-to-you, Cat's-faces, Cull-me-to-you, Face-and-hood, Fancy, Flamy, Garden Gate, Godfathers and Godmothers, Heartsease, *Heart's Pansy, †Heart seed, Herb Trinity, Jack-behind-the-garden-gate, †Jump-up-and-kiss-me, Kiss-me, Kitty-run-the-streets, Leap-up-and-kiss-me, Live-in-idleness, Look-up-and-kiss-me, Love-in-idleness, Look-up-and-kiss-me, Love-in-idleness, Look-up-and-kiss-me, Love-in-idleness, Look-up-and-kiss-me, Panty, Monkey's Face, Pance, Pansy, Paunce, Pensy, Pink-o'-my-John, Stepmother, Three Faces in a Hood, Tickle my Fancy, Two-faces-under-the-sun, Violet, Violet (†Horse, Trinity), *Wild Love and Idle.

VISCUM ALBUM, L. All-heal, *Masslinn, Mistletoe. VITEX AGNUS-CASTUS, L. Abraham's Balm.

XANTHIUM STRUMARIUM, L. Bur (Clot, Ditch or Louse), Burweed, Button Bur, Clot-bur, Ditch Bur.


YUCCA FILAMENTOSA, I.. Needle and Thread (Adam's). YUCCA GLORIOSA, L. Adam's Needle.

ZANNICHELLIA PALUSTRIS, L. Horned Pondweed. ZEA MAYS, L. Indian Wheat.

ZOSTERA MARINA, L. *Barnacle-grass, +Bell-ware, +Drew, Grass (+Sweet). Grass-Weed, Grass Wrack, Mallow, Sleech, Widgeon Grass, Wrack (Sea).

R. Clay and Sons, Chaucer Press, Bungay.

	·		









MY 98 198

Stanford University Library

Stanford, California

In order that others may use this book, please return it as soon as possible, but not later than the date due.

